



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 09:57 pm BST

PDB ID : 5V3A
Title : Novel Structural Insights into GDP-Mediated Regulation of Acyl-CoA Thioesterases
Authors : Khandokar, Y.B.; Srivastava, P.; Forwood, J.K.
Deposited on : 2017-03-06
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	
1	B	163	
1	C	163	
1	D	163	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5700 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Acyl-CoA hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	154	1210	757	213	229	11	5	0	0
1	B	154	1210	757	213	229	11	0	0	0
1	C	154	1210	757	213	229	11	39	0	0
1	D	154	1210	757	213	229	11	4	0	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP A0A0Y5D4F5
A	-1	ASN	-	expression tag	UNP A0A0Y5D4F5
A	0	ALA	-	expression tag	UNP A0A0Y5D4F5
B	-2	SER	-	expression tag	UNP A0A0Y5D4F5
B	-1	ASN	-	expression tag	UNP A0A0Y5D4F5
B	0	ALA	-	expression tag	UNP A0A0Y5D4F5
C	-2	SER	-	expression tag	UNP A0A0Y5D4F5
C	-1	ASN	-	expression tag	UNP A0A0Y5D4F5
C	0	ALA	-	expression tag	UNP A0A0Y5D4F5
D	-2	SER	-	expression tag	UNP A0A0Y5D4F5
D	-1	ASN	-	expression tag	UNP A0A0Y5D4F5
D	0	ALA	-	expression tag	UNP A0A0Y5D4F5

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
			Total	C	N	O	P			S	
2	A	1	Total	48	21	7	16	3	1	0	0
2	B	1	Total	48	21	7	16	3	1	0	0
2	C	1	Total	48	21	7	16	3	1	0	0
2	D	1	Total	48	21	7	16	3	1	0	0

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	C	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	138	Total	O	0	0
			138	138		
4	B	134	Total	O	0	0
			134	134		
4	C	136	Total	O	0	0
			136	136		
4	D	148	Total	O	0	0
			148	148		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Acyl-CoA hydrolase



- Molecule 1: Acyl-CoA hydrolase



- Molecule 1: Acyl-CoA hydrolase



- Molecule 1: Acyl-CoA hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	152.47Å 152.47Å 152.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.98 – 2.00 36.98 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (36.98-2.00) 100.0 (36.98-2.00)	Depositor EDS
R_{merge}	0.03	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.11 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.181 , 0.204 0.183 , 0.205	Depositor DCC
R_{free} test set	4009 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	24.8	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 53.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.029 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5700	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/1231	0.62	2/1663 (0.1%)
1	B	0.38	0/1231	0.57	0/1663
1	C	0.38	0/1231	0.58	0/1663
1	D	0.37	0/1231	0.53	0/1663
All	All	0.39	0/4924	0.58	2/6652 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	105	ARG	NE-CZ-NH2	-7.77	116.41	120.30
1	A	105	ARG	NE-CZ-NH1	7.57	124.09	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1210	0	1210	5	0
1	B	1210	0	1210	7	0
1	C	1210	0	1210	8	0
1	D	1210	0	1210	2	0
2	A	48	0	32	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	32	1	0
2	C	48	0	32	1	0
2	D	48	0	32	0	0
3	A	28	0	11	0	0
3	B	28	0	10	0	0
3	C	28	0	10	2	0
3	D	28	0	11	1	0
4	A	138	0	0	2	0
4	B	134	0	0	0	0
4	C	136	0	0	1	0
4	D	148	0	0	0	0
All	All	5700	0	5010	21	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (21) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:ARG:HD3	4:A:325:HOH:O	1.82	0.80
1:B:100:ARG:HH11	1:B:100:ARG:HG3	1.49	0.77
1:C:138:ARG:NH1	3:C:202:GDP:O3B	2.28	0.63
1:C:83:THR:HG22	1:C:88:MET:HG2	1.90	0.53
1:B:100:ARG:CG	1:B:100:ARG:HH11	2.21	0.53
1:C:9:SER:HA	1:C:48:ARG:HH21	1.74	0.52
1:C:61:LYS:N	4:C:306:HOH:O	2.44	0.51
1:B:134:ARG:NH1	1:B:138:ARG:HH21	2.10	0.49
1:A:144:LYS:HD3	4:A:302:HOH:O	2.13	0.47
1:B:57:LEU:HD21	2:B:201:COA:C4A	2.45	0.46
1:D:118:LYS:HB3	1:D:123:VAL:HG11	1.99	0.45
1:B:130:ILE:O	1:C:85:ARG:HG3	2.17	0.45
1:B:9:SER:HA	1:B:48:ARG:NH1	2.32	0.44
1:C:57:LEU:HD21	2:C:201:COA:C4A	2.49	0.43
1:A:57:LEU:HD21	2:A:201:COA:C4A	2.49	0.42
1:B:99:ILE:HA	1:B:99:ILE:HD13	1.86	0.42
1:D:138:ARG:NH1	3:D:202:GDP:O3B	2.41	0.42
1:C:138:ARG:HD2	3:C:202:GDP:O3B	2.19	0.42
1:A:144:LYS:HA	1:A:144:LYS:HD3	1.74	0.42
1:A:116:ALA:O	1:A:122:PRO:HA	2.21	0.41
1:C:144:LYS:HA	1:C:144:LYS:HD2	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/163 (93%)	151 (99%)	1 (1%)	0	100	100
1	B	152/163 (93%)	150 (99%)	2 (1%)	0	100	100
1	C	152/163 (93%)	148 (97%)	3 (2%)	1 (1%)	22	16
1	D	152/163 (93%)	149 (98%)	3 (2%)	0	100	100
All	All	608/652 (93%)	598 (98%)	9 (2%)	1 (0%)	47	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	157	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/143 (95%)	135 (99%)	1 (1%)	84	88
1	B	136/143 (95%)	136 (100%)	0	100	100
1	C	136/143 (95%)	135 (99%)	1 (1%)	84	88
1	D	136/143 (95%)	136 (100%)	0	100	100
All	All	544/572 (95%)	542 (100%)	2 (0%)	91	93

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	134	ARG
1	C	143	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GDP	C	202	-	24,30,30	4.08	13 (54%)	31,47,47	1.85	6 (19%)
3	GDP	A	202	-	24,30,30	4.03	13 (54%)	31,47,47	1.91	7 (22%)
3	GDP	D	202	-	24,30,30	4.16	13 (54%)	31,47,47	1.92	7 (22%)
2	COA	A	201	-	41,50,50	3.50	11 (26%)	52,75,75	3.40	10 (19%)
2	COA	C	201	-	41,50,50	3.53	11 (26%)	52,75,75	3.21	7 (13%)
2	COA	B	201	-	41,50,50	3.51	11 (26%)	52,75,75	3.31	10 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	COA	D	201	-	41,50,50	3.42	11 (26%)	52,75,75	3.23	11 (21%)
3	GDP	B	202	-	24,30,30	4.11	13 (54%)	31,47,47	1.88	6 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GDP	C	202	-	-	1/12/32/32	0/3/3/3
3	GDP	A	202	-	-	1/12/32/32	0/3/3/3
3	GDP	D	202	-	-	1/12/32/32	0/3/3/3
2	COA	A	201	-	-	0/44/64/64	0/3/3/3
2	COA	C	201	-	-	1/44/64/64	0/3/3/3
2	COA	B	201	-	-	0/44/64/64	0/3/3/3
2	COA	D	201	-	-	0/44/64/64	0/3/3/3
3	GDP	B	202	-	-	1/12/32/32	0/3/3/3

All (96) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	201	COA	C2B-C1B	-14.27	1.32	1.53
2	B	201	COA	C2B-C1B	-14.13	1.32	1.53
2	A	201	COA	C2B-C1B	-14.02	1.32	1.53
2	D	201	COA	C2B-C1B	-13.78	1.32	1.53
2	A	201	COA	O4B-C1B	12.12	1.58	1.41
2	B	201	COA	O4B-C1B	11.91	1.57	1.41
2	C	201	COA	O4B-C1B	11.88	1.57	1.41
2	D	201	COA	O4B-C1B	11.62	1.57	1.41
3	D	202	GDP	C2'-C3'	-10.69	1.24	1.53
3	C	202	GDP	C2'-C3'	-10.44	1.24	1.53
3	B	202	GDP	C2'-C3'	-10.36	1.25	1.53
3	A	202	GDP	C2'-C3'	-10.22	1.25	1.53
3	D	202	GDP	C6-C5	6.73	1.52	1.41
3	D	202	GDP	C4-N3	6.69	1.46	1.35
3	D	202	GDP	O4'-C1'	6.65	1.50	1.41
3	C	202	GDP	C6-C5	6.49	1.52	1.41
3	C	202	GDP	O4'-C1'	6.48	1.50	1.41
3	B	202	GDP	C4-N3	6.41	1.45	1.35
3	B	202	GDP	O4'-C1'	6.37	1.50	1.41
3	A	202	GDP	C4-N3	6.35	1.45	1.35
3	C	202	GDP	C4-N3	6.23	1.45	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	202	GDP	C2'-C1'	6.11	1.63	1.53
3	A	202	GDP	O4'-C4'	-6.07	1.31	1.45
3	B	202	GDP	C6-C5	6.05	1.51	1.41
3	A	202	GDP	C6-C5	6.04	1.51	1.41
2	A	201	COA	C3B-C4B	-5.98	1.36	1.52
3	A	202	GDP	C2'-C1'	5.95	1.62	1.53
2	C	201	COA	C3B-C4B	-5.89	1.37	1.52
2	B	201	COA	C3B-C4B	-5.86	1.37	1.52
3	D	202	GDP	C2'-C1'	5.83	1.62	1.53
3	C	202	GDP	O4'-C4'	-5.80	1.32	1.45
3	A	202	GDP	O4'-C1'	5.74	1.49	1.41
2	D	201	COA	C3B-C4B	-5.71	1.37	1.52
3	C	202	GDP	C2'-C1'	5.65	1.62	1.53
3	D	202	GDP	O4'-C4'	-5.59	1.32	1.45
3	B	202	GDP	O4'-C4'	-5.50	1.32	1.45
2	C	201	COA	C9P-N8P	5.44	1.45	1.33
3	C	202	GDP	C3'-C4'	5.16	1.66	1.53
3	B	202	GDP	C3'-C4'	5.10	1.66	1.53
2	B	201	COA	C9P-N8P	5.04	1.44	1.33
2	D	201	COA	C9P-N8P	5.01	1.44	1.33
3	A	202	GDP	C3'-C4'	4.94	1.65	1.53
3	D	202	GDP	C3'-C4'	4.93	1.65	1.53
3	B	202	GDP	C6-N1	4.90	1.41	1.33
2	B	201	COA	C5P-N4P	4.89	1.44	1.33
2	C	201	COA	C5P-N4P	4.86	1.44	1.33
2	A	201	COA	C9P-N8P	4.75	1.44	1.33
2	D	201	COA	C5P-N4P	4.54	1.43	1.33
3	A	202	GDP	C6-N1	4.46	1.40	1.33
2	A	201	COA	C5P-N4P	4.44	1.43	1.33
3	D	202	GDP	C6-N1	4.37	1.40	1.33
2	A	201	COA	C2B-C3B	4.26	1.62	1.52
3	C	202	GDP	C6-N1	4.20	1.40	1.33
2	B	201	COA	C2B-C3B	4.02	1.61	1.52
3	B	202	GDP	C2-N1	3.99	1.42	1.35
2	D	201	COA	C2B-C3B	3.98	1.61	1.52
3	D	202	GDP	C2-N1	3.84	1.42	1.35
2	C	201	COA	C2B-C3B	3.76	1.61	1.52
3	A	202	GDP	C2-N1	3.57	1.41	1.35
3	C	202	GDP	C2-N1	3.56	1.41	1.35
2	D	201	COA	O4B-C4B	3.39	1.52	1.45
3	B	202	GDP	O3'-C3'	3.33	1.50	1.43
3	B	202	GDP	O2'-C2'	3.32	1.50	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	201	COA	O4B-C4B	3.30	1.52	1.45
3	A	202	GDP	O2'-C2'	3.23	1.50	1.43
3	A	202	GDP	O3'-C3'	3.21	1.50	1.43
3	C	202	GDP	O3'-C3'	3.19	1.50	1.43
2	A	201	COA	C2A-N3A	3.17	1.37	1.32
2	C	201	COA	O4B-C4B	3.17	1.52	1.45
2	B	201	COA	C2A-N3A	3.15	1.37	1.32
2	A	201	COA	O4B-C4B	3.07	1.51	1.45
2	D	201	COA	C2A-N3A	3.04	1.37	1.32
3	D	202	GDP	O2'-C2'	3.03	1.50	1.43
3	D	202	GDP	C2-N2	3.03	1.40	1.33
3	C	202	GDP	O2'-C2'	3.00	1.50	1.43
3	A	202	GDP	C2-N2	2.91	1.39	1.33
3	B	202	GDP	C2-N2	2.90	1.39	1.33
3	D	202	GDP	O3'-C3'	2.90	1.49	1.43
3	C	202	GDP	C2-N2	2.86	1.39	1.33
2	C	201	COA	C2A-N3A	2.84	1.36	1.32
3	B	202	GDP	C2-N3	2.61	1.46	1.34
3	A	202	GDP	C2-N3	2.59	1.46	1.34
2	B	201	COA	C6A-N6A	2.55	1.43	1.34
3	D	202	GDP	C2-N3	2.54	1.46	1.34
3	C	202	GDP	C2-N3	2.53	1.46	1.34
2	D	201	COA	C6A-N6A	2.53	1.43	1.34
2	A	201	COA	C6A-N6A	2.49	1.43	1.34
2	C	201	COA	C5A-C4A	-2.41	1.34	1.40
2	B	201	COA	C5A-C4A	-2.41	1.34	1.40
2	C	201	COA	C6A-N6A	2.41	1.42	1.34
2	C	201	COA	C6P-C5P	2.37	1.55	1.51
2	B	201	COA	C6P-C5P	2.36	1.55	1.51
2	A	201	COA	C6P-C5P	2.31	1.55	1.51
2	D	201	COA	C2A-N1A	2.21	1.38	1.33
2	D	201	COA	C5A-C4A	-2.15	1.35	1.40
2	A	201	COA	C5A-C4A	-2.14	1.35	1.40

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	201	COA	C5A-C6A-N6A	17.04	146.24	120.35
2	C	201	COA	C5A-C6A-N6A	16.88	146.00	120.35
2	D	201	COA	C5A-C6A-N6A	16.55	145.50	120.35
2	B	201	COA	C5A-C6A-N6A	16.40	145.28	120.35
2	A	201	COA	N6A-C6A-N1A	-12.32	93.00	118.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	COA	N6A-C6A-N1A	-12.28	93.08	118.57
2	B	201	COA	N6A-C6A-N1A	-12.05	93.56	118.57
2	D	201	COA	N6A-C6A-N1A	-11.87	93.94	118.57
2	B	201	COA	O6A-CCP-CBP	-5.77	101.28	110.55
2	B	201	COA	N3A-C2A-N1A	-5.73	119.73	128.68
2	A	201	COA	N3A-C2A-N1A	-5.67	119.82	128.68
3	A	202	GDP	C1'-N9-C4	-5.52	116.94	126.64
2	C	201	COA	N3A-C2A-N1A	-5.51	120.06	128.68
3	D	202	GDP	C1'-N9-C4	-5.32	117.29	126.64
3	B	202	GDP	C1'-N9-C4	-5.26	117.40	126.64
2	A	201	COA	O6A-CCP-CBP	-5.22	102.16	110.55
2	D	201	COA	N3A-C2A-N1A	-5.07	120.75	128.68
3	D	202	GDP	N3-C2-N1	-5.07	120.46	127.22
3	A	202	GDP	N3-C2-N1	-4.92	120.66	127.22
3	B	202	GDP	N3-C2-N1	-4.89	120.70	127.22
3	C	202	GDP	C1'-N9-C4	-4.82	118.18	126.64
3	C	202	GDP	N3-C2-N1	-4.79	120.83	127.22
3	C	202	GDP	C2-N3-C4	4.42	120.41	115.36
2	A	201	COA	O4B-C1B-C2B	-4.23	100.75	106.93
3	D	202	GDP	C2-N3-C4	4.19	120.14	115.36
2	D	201	COA	C7P-C6P-C5P	-4.16	105.43	112.36
3	B	202	GDP	C2-N3-C4	4.03	119.96	115.36
2	A	201	COA	C7P-C6P-C5P	-3.99	105.72	112.36
2	D	201	COA	O6A-CCP-CBP	-3.75	104.52	110.55
2	B	201	COA	C6P-C7P-N8P	-3.64	104.54	111.90
3	A	202	GDP	C2-N3-C4	3.54	119.39	115.36
2	B	201	COA	C7P-C6P-C5P	-3.48	106.57	112.36
2	B	201	COA	O4B-C1B-C2B	-3.36	102.02	106.93
2	D	201	COA	C6P-C7P-N8P	-3.35	105.13	111.90
2	A	201	COA	C6P-C7P-N8P	-3.09	105.65	111.90
2	A	201	COA	C7P-N8P-C9P	-3.07	117.12	122.59
2	C	201	COA	C6P-C7P-N8P	-3.00	105.83	111.90
3	A	202	GDP	C5-C6-N1	-2.90	119.47	123.43
2	C	201	COA	C7P-C6P-C5P	-2.87	107.57	112.36
2	D	201	COA	O4B-C1B-C2B	-2.83	102.79	106.93
3	A	202	GDP	O4'-C1'-C2'	-2.78	102.86	106.93
2	B	201	COA	C7P-N8P-C9P	-2.71	117.76	122.59
2	D	201	COA	C3P-N4P-C5P	-2.70	117.82	122.84
2	B	201	COA	CDP-CBP-CAP	2.65	113.42	108.82
3	C	202	GDP	C5-C6-N1	-2.65	119.81	123.43
3	D	202	GDP	C5-C6-N1	-2.62	119.85	123.43
2	D	201	COA	CDP-CBP-CAP	2.61	113.35	108.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	202	GDP	C5-C6-N1	-2.60	119.87	123.43
2	C	201	COA	C1B-N9A-C4A	-2.57	122.13	126.64
3	B	202	GDP	O4'-C1'-C2'	-2.53	103.23	106.93
3	A	202	GDP	C6-N1-C2	2.47	119.85	115.93
2	C	201	COA	O4B-C1B-C2B	-2.46	103.33	106.93
3	C	202	GDP	O4'-C1'-C2'	-2.44	103.36	106.93
2	D	201	COA	C3B-C2B-C1B	2.38	105.17	99.89
3	D	202	GDP	O4'-C1'-C2'	-2.35	103.49	106.93
2	A	201	COA	C6P-C5P-N4P	2.34	120.36	116.42
3	D	202	GDP	C6-N1-C2	2.29	119.56	115.93
2	D	201	COA	C7P-N8P-C9P	-2.24	118.60	122.59
3	B	202	GDP	O3B-PB-O3A	2.14	111.81	104.64
2	B	201	COA	C3B-C2B-C1B	2.14	104.62	99.89
3	A	202	GDP	O3B-PB-O3A	2.13	111.77	104.64
2	A	201	COA	O9P-C9P-N8P	-2.06	118.57	122.99
3	D	202	GDP	C3'-C2'-C1'	2.04	104.05	100.98
3	C	202	GDP	C6-N1-C2	2.03	119.15	115.93

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	202	GDP	PB-O3A-PA-O5'
3	A	202	GDP	PB-O3A-PA-O5'
3	D	202	GDP	PB-O3A-PA-O5'
3	B	202	GDP	PB-O3A-PA-O5'
2	C	201	COA	C3B-O3B-P3B-O8A


There are no ring outliers.



5 monomers are involved in 6 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	202	GDP	2	0
3	D	202	GDP	1	0
2	A	201	COA	1	0
2	C	201	COA	1	0
2	B	201	COA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will

also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	154/163 (94%)	-0.09	7 (4%) 33 32	15, 22, 51, 81	1 (0%)
1	B	154/163 (94%)	0.07	12 (7%) 13 12	15, 23, 54, 85	0
1	C	150/163 (92%)	-0.07	6 (4%) 38 37	15, 24, 49, 77	2 (1%)
1	D	154/163 (94%)	0.01	10 (6%) 18 18	15, 25, 48, 81	1 (0%)
All	All	612/652 (93%)	-0.02	35 (5%) 23 23	15, 23, 51, 85	4 (0%)

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	158	CYS	6.4
1	D	154	GLU	6.0
1	D	156	MET	5.5
1	C	151	GLN	5.2
1	A	156	MET	4.8
1	B	154	GLU	4.7
1	B	151	GLN	4.6
1	D	153	SER	4.4
1	C	157	SER	4.4
1	B	156	MET	4.3
1	B	153	SER	4.3
1	A	155	ASP	4.1
1	A	154	GLU	4.1
1	C	6	GLN	4.0
1	C	7	LEU	3.8
1	A	152	ALA	3.7
1	A	153	SER	3.7
1	B	149	SER	3.4
1	D	6	GLN	3.3
1	B	7	LEU	3.3
1	A	151	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	134	ARG	3.1
1	B	155	ASP	3.1
1	D	7	LEU	3.1
1	A	6	GLN	2.8
1	B	100	ARG	2.8
1	D	155	ASP	2.7
1	D	151	GLN	2.7
1	D	134	ARG	2.6
1	B	152	ALA	2.5
1	B	136	ARG	2.4
1	D	157	SER	2.3
1	C	5	ARG	2.2
1	B	6	GLN	2.2
1	D	5	ARG	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	COA	B	201	48/48	0.94	0.10	12,26,36,42	0
2	COA	C	201	48/48	0.95	0.10	17,29,39,42	0
3	GDP	D	202	28/28	0.96	0.12	24,31,44,56	0
2	COA	A	201	48/48	0.96	0.10	14,27,35,41	0
2	COA	D	201	48/48	0.97	0.10	14,22,30,38	0
3	GDP	B	202	28/28	0.97	0.09	19,24,32,41	0
3	GDP	C	202	28/28	0.98	0.09	21,25,32,34	0
3	GDP	A	202	28/28	0.98	0.09	18,23,28,34	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around COA C 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP D 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around COA A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COA D 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around GDP B 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP C 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.