



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 24, 2023 – 04:41 PM EDT

PDB ID : 5V50  
Title : Crystal Structure of MpPR-1i  
Authors : Luo, Z.; Asojo, O.  
Deposited on : 2017-03-12  
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1564 (2.46-2.42)
Clashscore	141614	1631 (2.46-2.42)
Ramachandran outliers	138981	1617 (2.46-2.42)
Sidechain outliers	138945	1617 (2.46-2.42)
RSRZ outliers	127900	1547 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	175	 2% 66% 10% 23%
1	B	175	 0% 66% 10% 24%
1	C	175	 3% 61% 13% 26%
1	D	175	 4% 64% 11% 24%
1	E	175	 2% 65% 11% 23%

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	175	 65% 14% 21%
1	G	175	 69% 8% 23%

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 7433 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PR-1 protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	134	1050	655	180	211	4	0	0	0
1	B	133	1038	649	178	207	4	0	0	0
1	C	129	1014	635	174	201	4	0	0	0
1	D	133	1046	653	180	209	4	0	0	0
1	E	134	1054	657	181	212	4	0	0	0
1	F	138	1090	681	188	216	5	0	0	0
1	G	135	1065	665	182	213	5	0	0	0

There are 224 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	166	VAL	-	see remark 999	UNP H6U756
A	167	ARG	-	see remark 999	UNP H6U756
A	168	VAL	-	see remark 999	UNP H6U756
A	169	PRO	-	see remark 999	UNP H6U756
A	170	SER	-	see remark 999	UNP H6U756
A	171	LEU	-	see remark 999	UNP H6U756
A	172	ALA	-	see remark 999	UNP H6U756
A	173	LEU	-	see remark 999	UNP H6U756
A	174	LEU	-	see remark 999	UNP H6U756
A	175	ASN	-	see remark 999	UNP H6U756
A	176	LEU	-	see remark 999	UNP H6U756
A	177	ASP	-	see remark 999	UNP H6U756
A	178	LEU	-	see remark 999	UNP H6U756
A	179	THR	-	see remark 999	UNP H6U756
A	180	THR	-	see remark 999	UNP H6U756

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	181	PRO	-	see remark 999	UNP H6U756
A	182	PHE	-	see remark 999	UNP H6U756
A	183	CYS	-	see remark 999	UNP H6U756
A	184	ASN	-	see remark 999	UNP H6U756
A	185	LEU	-	see remark 999	UNP H6U756
A	186	PRO	-	see remark 999	UNP H6U756
A	187	VAL	-	see remark 999	UNP H6U756
A	188	ASN	-	see remark 999	UNP H6U756
A	189	GLY	-	see remark 999	UNP H6U756
A	190	SER	-	see remark 999	UNP H6U756
A	191	ASN	-	see remark 999	UNP H6U756
A	192	ASP	-	see remark 999	UNP H6U756
A	193	LEU	-	see remark 999	UNP H6U756
A	194	ASP	-	see remark 999	UNP H6U756
A	195	ILE	-	see remark 999	UNP H6U756
A	196	ARG	-	see remark 999	UNP H6U756
A	197	GLU	-	see remark 999	UNP H6U756
B	166	VAL	-	see remark 999	UNP H6U756
B	167	ARG	-	see remark 999	UNP H6U756
B	168	VAL	-	see remark 999	UNP H6U756
B	169	PRO	-	see remark 999	UNP H6U756
B	170	SER	-	see remark 999	UNP H6U756
B	171	LEU	-	see remark 999	UNP H6U756
B	172	ALA	-	see remark 999	UNP H6U756
B	173	LEU	-	see remark 999	UNP H6U756
B	174	LEU	-	see remark 999	UNP H6U756
B	175	ASN	-	see remark 999	UNP H6U756
B	176	LEU	-	see remark 999	UNP H6U756
B	177	ASP	-	see remark 999	UNP H6U756
B	178	LEU	-	see remark 999	UNP H6U756
B	179	THR	-	see remark 999	UNP H6U756
B	180	THR	-	see remark 999	UNP H6U756
B	181	PRO	-	see remark 999	UNP H6U756
B	182	PHE	-	see remark 999	UNP H6U756
B	183	CYS	-	see remark 999	UNP H6U756
B	184	ASN	-	see remark 999	UNP H6U756
B	185	LEU	-	see remark 999	UNP H6U756
B	186	PRO	-	see remark 999	UNP H6U756
B	187	VAL	-	see remark 999	UNP H6U756
B	188	ASN	-	see remark 999	UNP H6U756
B	189	GLY	-	see remark 999	UNP H6U756
B	190	SER	-	see remark 999	UNP H6U756

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	191	ASN	-	see remark 999	UNP H6U756
B	192	ASP	-	see remark 999	UNP H6U756
B	193	LEU	-	see remark 999	UNP H6U756
B	194	ASP	-	see remark 999	UNP H6U756
B	195	ILE	-	see remark 999	UNP H6U756
B	196	ARG	-	see remark 999	UNP H6U756
B	197	GLU	-	see remark 999	UNP H6U756
C	166	VAL	-	see remark 999	UNP H6U756
C	167	ARG	-	see remark 999	UNP H6U756
C	168	VAL	-	see remark 999	UNP H6U756
C	169	PRO	-	see remark 999	UNP H6U756
C	170	SER	-	see remark 999	UNP H6U756
C	171	LEU	-	see remark 999	UNP H6U756
C	172	ALA	-	see remark 999	UNP H6U756
C	173	LEU	-	see remark 999	UNP H6U756
C	174	LEU	-	see remark 999	UNP H6U756
C	175	ASN	-	see remark 999	UNP H6U756
C	176	LEU	-	see remark 999	UNP H6U756
C	177	ASP	-	see remark 999	UNP H6U756
C	178	LEU	-	see remark 999	UNP H6U756
C	179	THR	-	see remark 999	UNP H6U756
C	180	THR	-	see remark 999	UNP H6U756
C	181	PRO	-	see remark 999	UNP H6U756
C	182	PHE	-	see remark 999	UNP H6U756
C	183	CYS	-	see remark 999	UNP H6U756
C	184	ASN	-	see remark 999	UNP H6U756
C	185	LEU	-	see remark 999	UNP H6U756
C	186	PRO	-	see remark 999	UNP H6U756
C	187	VAL	-	see remark 999	UNP H6U756
C	188	ASN	-	see remark 999	UNP H6U756
C	189	GLY	-	see remark 999	UNP H6U756
C	190	SER	-	see remark 999	UNP H6U756
C	191	ASN	-	see remark 999	UNP H6U756
C	192	ASP	-	see remark 999	UNP H6U756
C	193	LEU	-	see remark 999	UNP H6U756
C	194	ASP	-	see remark 999	UNP H6U756
C	195	ILE	-	see remark 999	UNP H6U756
C	196	ARG	-	see remark 999	UNP H6U756
C	197	GLU	-	see remark 999	UNP H6U756
D	166	VAL	-	see remark 999	UNP H6U756
D	167	ARG	-	see remark 999	UNP H6U756
D	168	VAL	-	see remark 999	UNP H6U756

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	169	PRO	-	see remark 999	UNP H6U756
D	170	SER	-	see remark 999	UNP H6U756
D	171	LEU	-	see remark 999	UNP H6U756
D	172	ALA	-	see remark 999	UNP H6U756
D	173	LEU	-	see remark 999	UNP H6U756
D	174	LEU	-	see remark 999	UNP H6U756
D	175	ASN	-	see remark 999	UNP H6U756
D	176	LEU	-	see remark 999	UNP H6U756
D	177	ASP	-	see remark 999	UNP H6U756
D	178	LEU	-	see remark 999	UNP H6U756
D	179	THR	-	see remark 999	UNP H6U756
D	180	THR	-	see remark 999	UNP H6U756
D	181	PRO	-	see remark 999	UNP H6U756
D	182	PHE	-	see remark 999	UNP H6U756
D	183	CYS	-	see remark 999	UNP H6U756
D	184	ASN	-	see remark 999	UNP H6U756
D	185	LEU	-	see remark 999	UNP H6U756
D	186	PRO	-	see remark 999	UNP H6U756
D	187	VAL	-	see remark 999	UNP H6U756
D	188	ASN	-	see remark 999	UNP H6U756
D	189	GLY	-	see remark 999	UNP H6U756
D	190	SER	-	see remark 999	UNP H6U756
D	191	ASN	-	see remark 999	UNP H6U756
D	192	ASP	-	see remark 999	UNP H6U756
D	193	LEU	-	see remark 999	UNP H6U756
D	194	ASP	-	see remark 999	UNP H6U756
D	195	ILE	-	see remark 999	UNP H6U756
D	196	ARG	-	see remark 999	UNP H6U756
D	197	GLU	-	see remark 999	UNP H6U756
E	166	VAL	-	see remark 999	UNP H6U756
E	167	ARG	-	see remark 999	UNP H6U756
E	168	VAL	-	see remark 999	UNP H6U756
E	169	PRO	-	see remark 999	UNP H6U756
E	170	SER	-	see remark 999	UNP H6U756
E	171	LEU	-	see remark 999	UNP H6U756
E	172	ALA	-	see remark 999	UNP H6U756
E	173	LEU	-	see remark 999	UNP H6U756
E	174	LEU	-	see remark 999	UNP H6U756
E	175	ASN	-	see remark 999	UNP H6U756
E	176	LEU	-	see remark 999	UNP H6U756
E	177	ASP	-	see remark 999	UNP H6U756
E	178	LEU	-	see remark 999	UNP H6U756

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	179	THR	-	see remark 999	UNP H6U756
E	180	THR	-	see remark 999	UNP H6U756
E	181	PRO	-	see remark 999	UNP H6U756
E	182	PHE	-	see remark 999	UNP H6U756
E	183	CYS	-	see remark 999	UNP H6U756
E	184	ASN	-	see remark 999	UNP H6U756
E	185	LEU	-	see remark 999	UNP H6U756
E	186	PRO	-	see remark 999	UNP H6U756
E	187	VAL	-	see remark 999	UNP H6U756
E	188	ASN	-	see remark 999	UNP H6U756
E	189	GLY	-	see remark 999	UNP H6U756
E	190	SER	-	see remark 999	UNP H6U756
E	191	ASN	-	see remark 999	UNP H6U756
E	192	ASP	-	see remark 999	UNP H6U756
E	193	LEU	-	see remark 999	UNP H6U756
E	194	ASP	-	see remark 999	UNP H6U756
E	195	ILE	-	see remark 999	UNP H6U756
E	196	ARG	-	see remark 999	UNP H6U756
E	197	GLU	-	see remark 999	UNP H6U756
F	166	VAL	-	see remark 999	UNP H6U756
F	167	ARG	-	see remark 999	UNP H6U756
F	168	VAL	-	see remark 999	UNP H6U756
F	169	PRO	-	see remark 999	UNP H6U756
F	170	SER	-	see remark 999	UNP H6U756
F	171	LEU	-	see remark 999	UNP H6U756
F	172	ALA	-	see remark 999	UNP H6U756
F	173	LEU	-	see remark 999	UNP H6U756
F	174	LEU	-	see remark 999	UNP H6U756
F	175	ASN	-	see remark 999	UNP H6U756
F	176	LEU	-	see remark 999	UNP H6U756
F	177	ASP	-	see remark 999	UNP H6U756
F	178	LEU	-	see remark 999	UNP H6U756
F	179	THR	-	see remark 999	UNP H6U756
F	180	THR	-	see remark 999	UNP H6U756
F	181	PRO	-	see remark 999	UNP H6U756
F	182	PHE	-	see remark 999	UNP H6U756
F	183	CYS	-	see remark 999	UNP H6U756
F	184	ASN	-	see remark 999	UNP H6U756
F	185	LEU	-	see remark 999	UNP H6U756
F	186	PRO	-	see remark 999	UNP H6U756
F	187	VAL	-	see remark 999	UNP H6U756
F	188	ASN	-	see remark 999	UNP H6U756

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	189	GLY	-	see remark 999	UNP H6U756
F	190	SER	-	see remark 999	UNP H6U756
F	191	ASN	-	see remark 999	UNP H6U756
F	192	ASP	-	see remark 999	UNP H6U756
F	193	LEU	-	see remark 999	UNP H6U756
F	194	ASP	-	see remark 999	UNP H6U756
F	195	ILE	-	see remark 999	UNP H6U756
F	196	ARG	-	see remark 999	UNP H6U756
F	197	GLU	-	see remark 999	UNP H6U756
G	166	VAL	-	see remark 999	UNP H6U756
G	167	ARG	-	see remark 999	UNP H6U756
G	168	VAL	-	see remark 999	UNP H6U756
G	169	PRO	-	see remark 999	UNP H6U756
G	170	SER	-	see remark 999	UNP H6U756
G	171	LEU	-	see remark 999	UNP H6U756
G	172	ALA	-	see remark 999	UNP H6U756
G	173	LEU	-	see remark 999	UNP H6U756
G	174	LEU	-	see remark 999	UNP H6U756
G	175	ASN	-	see remark 999	UNP H6U756
G	176	LEU	-	see remark 999	UNP H6U756
G	177	ASP	-	see remark 999	UNP H6U756
G	178	LEU	-	see remark 999	UNP H6U756
G	179	THR	-	see remark 999	UNP H6U756
G	180	THR	-	see remark 999	UNP H6U756
G	181	PRO	-	see remark 999	UNP H6U756
G	182	PHE	-	see remark 999	UNP H6U756
G	183	CYS	-	see remark 999	UNP H6U756
G	184	ASN	-	see remark 999	UNP H6U756
G	185	LEU	-	see remark 999	UNP H6U756
G	186	PRO	-	see remark 999	UNP H6U756
G	187	VAL	-	see remark 999	UNP H6U756
G	188	ASN	-	see remark 999	UNP H6U756
G	189	GLY	-	see remark 999	UNP H6U756
G	190	SER	-	see remark 999	UNP H6U756
G	191	ASN	-	see remark 999	UNP H6U756
G	192	ASP	-	see remark 999	UNP H6U756
G	193	LEU	-	see remark 999	UNP H6U756
G	194	ASP	-	see remark 999	UNP H6U756
G	195	ILE	-	see remark 999	UNP H6U756
G	196	ARG	-	see remark 999	UNP H6U756
G	197	GLU	-	see remark 999	UNP H6U756


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	6	Total O 6 6	0	0
2	B	11	Total O 11 11	0	0
2	C	7	Total O 7 7	0	0
2	D	5	Total O 5 5	0	0
2	E	8	Total O 8 8	0	0
2	F	16	Total O 16 16	0	0
2	G	23	Total O 23 23	0	0


### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: PR-1 protein




- Molecule 1: PR-1 protein



- Molecule 1: PR-1 protein



- Molecule 1: PR-1 protein





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.30Å 84.08Å 130.88Å 90.00° 111.35° 90.00°	Depositor
Resolution (Å)	45.09 – 2.43 45.09 – 2.43	Depositor EDS
% Data completeness (in resolution range)	99.2 (45.09-2.43) 99.2 (45.09-2.43)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.48 (at 2.42Å)	Xtrriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.201 , 0.243 0.202 , 0.243	Depositor DCC
$R_{free}$ test set	3913 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	51.3	Xtrriage
Anisotropy	0.523	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 57.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.013 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7433	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	88.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.22% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.71	0/1079	0.72	0/1475
1	B	0.69	0/1067	0.77	0/1459
1	C	0.72	0/1043	0.75	0/1424
1	D	0.67	0/1075	0.72	0/1469
1	E	0.69	0/1083	0.72	0/1480
1	F	0.75	0/1119	0.79	0/1527
1	G	0.73	0/1094	0.75	0/1494
All	All	0.71	0/7560	0.75	0/10328

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1050	0	934	11	0
1	B	1038	0	924	15	0
1	C	1014	0	901	25	0
1	D	1046	0	936	24	0
1	E	1054	0	940	16	0
1	F	1090	0	989	15	0
1	G	1065	0	958	10	0
2	A	6	0	0	0	0
2	B	11	0	0	1	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	7	0	0	0	0
2	D	5	0	0	0	0
2	E	8	0	0	0	0
2	F	16	0	0	0	0
2	G	23	0	0	1	0
All	All	7433	0	6582	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:112:ASP:CG	1:D:114:ARG:HH21	1.65	0.98
1:D:112:ASP:OD1	1:D:114:ARG:NH2	1.98	0.96
1:D:52:ARG:HH11	1:D:52:ARG:HG3	1.31	0.96
1:A:49:ARG:NH2	1:A:123:ALA:O	2.08	0.85
1:E:97:GLU:OE1	1:E:97:GLU:N	2.12	0.78
1:C:120:ARG:HH11	1:C:120:ARG:HG2	1.48	0.76
1:F:76:VAL:HG21	1:F:93:ARG:HH21	1.56	0.71
1:E:78:ASN:O	1:E:78:ASN:ND2	2.24	0.70
1:D:97:GLU:H	1:D:97:GLU:CD	1.95	0.68
1:D:97:GLU:N	1:D:97:GLU:OE1	2.27	0.68
1:B:49:ARG:NH2	1:B:123:ALA:O	2.27	0.68
1:E:52:ARG:HG3	1:E:52:ARG:HH11	1.60	0.67
1:D:120:ARG:HA	1:D:155:LEU:HD11	1.78	0.66
1:G:78:ASN:ND2	1:G:78:ASN:O	2.28	0.65
1:B:88:SER:HB2	1:B:154:PRO:HB3	1.78	0.65
1:F:76:VAL:HG21	1:F:93:ARG:NH2	2.13	0.64
1:D:52:ARG:HG3	1:D:52:ARG:NH1	2.06	0.60
1:F:41:TRP:CZ2	1:F:96:LYS:HG2	2.36	0.60
1:B:38:LYS:HD3	1:B:59:TRP:CD2	2.37	0.59
1:A:49:ARG:NH1	1:A:55:ASP:O	2.36	0.58
1:F:88:SER:HB2	1:F:154:PRO:HB3	1.86	0.58
1:G:45:HIS:O	1:G:49:ARG:HG3	2.03	0.58
1:E:49:ARG:NH2	1:E:123:ALA:O	2.35	0.58
1:F:52:ARG:HG3	1:F:52:ARG:HH11	1.68	0.58
1:A:124:ASN:C	1:A:124:ASN:HD22	2.06	0.57
1:C:76:VAL:HG21	1:C:93:ARG:NH2	2.19	0.57
1:C:38:LYS:HD3	1:C:59:TRP:CD2	2.39	0.57
1:D:112:ASP:CG	1:D:114:ARG:NH2	2.50	0.56

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:49:ARG:NH2	1:C:123:ALA:O	2.40	0.55
1:C:120:ARG:HH11	1:C:120:ARG:CG	2.19	0.55
1:E:31:GLN:HA	1:E:31:GLN:OE1	2.07	0.55
1:D:90:ASN:HB3	1:D:103:TRP:CZ2	2.42	0.55
1:F:138:LEU:HG	1:F:144:TYR:HE1	1.73	0.53
1:E:49:ARG:NH1	1:E:55:ASP:O	2.38	0.53
1:D:52:ARG:HH11	1:D:52:ARG:CG	2.13	0.52
1:D:90:ASN:HB3	1:D:103:TRP:CE2	2.45	0.52
1:F:155:LEU:HD22	1:F:161:ASN:ND2	2.24	0.52
1:A:60:ASP:HB2	1:A:128:LYS:HD2	1.92	0.52
1:F:63:LEU:HD22	1:F:150:TYR:HB3	1.91	0.52
1:E:41:TRP:CZ2	1:E:96:LYS:HG2	2.45	0.52
1:C:97:GLU:OE1	1:C:97:GLU:N	2.35	0.51
1:C:115:SER:O	1:C:119:GLN:HG3	2.09	0.51
1:B:124:ASN:ND2	1:B:163:GLY:H	2.09	0.51
1:D:144:TYR:CD1	1:D:144:TYR:N	2.78	0.51
1:D:32:PHE:HD2	1:D:34:PRO:HD3	1.76	0.51
1:G:116:ILE:HB	1:G:117:PRO:HD3	1.92	0.51
1:G:38:LYS:NZ	2:G:201:HOH:O	2.44	0.51
1:D:52:ARG:NH1	1:D:52:ARG:CG	2.73	0.51
1:C:65:TRP:CZ3	1:D:52:ARG:HB3	2.47	0.50
1:D:65:TRP:CH2	1:E:52:ARG:HB3	2.47	0.49
1:C:122:VAL:HG12	1:C:122:VAL:O	2.13	0.49
1:D:68:GLN:NE2	1:E:158:TYR:CE2	2.81	0.49
1:G:49:ARG:NH2	1:G:123:ALA:O	2.46	0.48
1:B:120:ARG:HH11	1:B:120:ARG:HG2	1.78	0.48
1:F:49:ARG:NH2	1:F:123:ALA:O	2.46	0.48
1:C:65:TRP:CZ3	1:D:52:ARG:HD3	2.48	0.48
1:G:138:LEU:HD23	1:G:138:LEU:HA	1.52	0.48
1:F:107:SER:HB3	1:F:118:TRP:CD2	2.48	0.48
1:C:100:PHE:CE1	1:C:121:ILE:HD13	2.49	0.47
1:C:120:ARG:CG	1:C:120:ARG:NH1	2.75	0.47
1:G:49:ARG:HB3	1:G:54:LEU:HB2	1.95	0.47
1:C:76:VAL:HG21	1:C:93:ARG:HH22	1.79	0.47
1:G:90:ASN:HB3	1:G:103:TRP:CE2	2.49	0.47
1:B:38:LYS:HD3	1:B:59:TRP:CG	2.50	0.47
1:A:65:TRP:CZ3	1:B:52:ARG:HB3	2.50	0.46
1:B:38:LYS:HD3	1:B:59:TRP:CE2	2.50	0.46
1:C:54:LEU:HD11	1:C:122:VAL:HG13	1.96	0.46
1:G:49:ARG:NH1	1:G:55:ASP:O	2.48	0.46
1:A:90:ASN:HB3	1:A:103:TRP:CE2	2.51	0.45

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:122:VAL:O	1:G:122:VAL:HG13	2.15	0.45
1:A:93:ARG:HD2	1:A:144:TYR:CE2	2.52	0.45
1:C:90:ASN:HB3	1:C:103:TRP:CE2	2.51	0.45
1:C:41:TRP:CZ2	1:C:96:LYS:HG2	2.51	0.45
1:B:114:ARG:HH21	1:B:114:ARG:HG3	1.82	0.45
1:F:93:ARG:HG3	1:F:94:TYR:CE2	2.52	0.44
1:E:90:ASN:HB3	1:E:103:TRP:CE2	2.52	0.44
1:C:145:THR:HG22	1:C:146:VAL:N	2.31	0.44
1:B:62:ASP:OD1	1:C:107:SER:HB2	2.18	0.44
1:C:38:LYS:HD3	1:C:59:TRP:CE2	2.52	0.44
1:A:156:SER:HB3	1:A:157:ASP:H	1.58	0.43
1:C:124:ASN:OD1	1:C:124:ASN:N	2.51	0.43
1:D:118:TRP:O	1:D:122:VAL:HG22	2.17	0.43
1:D:144:TYR:H	1:D:144:TYR:HD1	1.65	0.43
1:E:33:ASP:HA	1:E:34:PRO:HD2	1.81	0.43
1:A:45:HIS:O	1:A:49:ARG:HG3	2.19	0.43
1:C:122:VAL:O	1:C:122:VAL:CG1	2.67	0.43
1:F:90:ASN:HB3	1:F:103:TRP:CE2	2.53	0.43
1:E:52:ARG:HG3	1:E:52:ARG:NH1	2.26	0.43
1:E:60:ASP:HB3	1:E:63:LEU:HD12	1.99	0.43
1:B:60:ASP:HB2	1:B:128:LYS:HD3	2.01	0.43
1:F:49:ARG:NH1	1:F:55:ASP:O	2.50	0.42
1:F:118:TRP:O	1:F:122:VAL:HG22	2.19	0.42
1:A:40:LYS:HA	1:A:40:LYS:HD2	1.77	0.42
1:D:40:LYS:HD2	1:D:40:LYS:HA	1.69	0.42
1:D:65:TRP:CZ3	1:E:52:ARG:HB3	2.55	0.42
1:A:104:THR:HA	1:A:118:TRP:HD1	1.85	0.42
1:D:49:ARG:NH2	1:D:123:ALA:O	2.52	0.42
1:C:97:GLU:H	1:C:97:GLU:CD	2.18	0.42
1:D:68:GLN:NE2	1:E:158:TYR:CZ	2.87	0.42
1:C:41:TRP:CE2	1:C:96:LYS:HG2	2.55	0.41
1:B:88:SER:O	1:B:88:SER:OG	2.36	0.41
1:B:114:ARG:HD2	2:B:203:HOH:O	2.20	0.41
1:B:63:LEU:HB2	1:B:130:GLY:HA3	2.02	0.41
1:C:38:LYS:HD3	1:C:59:TRP:CG	2.56	0.41
1:E:91:ILE:HG13	1:E:148:VAL:HG22	2.03	0.41
1:F:41:TRP:CE2	1:F:96:LYS:HG2	2.56	0.41
1:B:122:VAL:HG13	1:B:122:VAL:O	2.21	0.41
1:C:120:ARG:HG2	1:C:120:ARG:NH1	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	132/175 (75%)	126 (96%)	6 (4%)	0	100	100
1	B	131/175 (75%)	126 (96%)	5 (4%)	0	100	100
1	C	127/175 (73%)	123 (97%)	4 (3%)	0	100	100
1	D	131/175 (75%)	122 (93%)	9 (7%)	0	100	100
1	E	132/175 (75%)	125 (95%)	7 (5%)	0	100	100
1	F	136/175 (78%)	126 (93%)	10 (7%)	0	100	100
1	G	133/175 (76%)	127 (96%)	6 (4%)	0	100	100
All	All	922/1225 (75%)	875 (95%)	47 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	108/149 (72%)	106 (98%)	2 (2%)	57	69
1	B	106/149 (71%)	105 (99%)	1 (1%)	78	87
1	C	104/149 (70%)	103 (99%)	1 (1%)	76	84
1	D	108/149 (72%)	104 (96%)	4 (4%)	34	45
1	E	109/149 (73%)	107 (98%)	2 (2%)	59	71
1	F	113/149 (76%)	110 (97%)	3 (3%)	44	57
1	G	111/149 (74%)	108 (97%)	3 (3%)	44	57

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	759/1043 (73%)	743 (98%)	16 (2%)	53 66

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	114	ARG
1	A	124	ASN
1	B	50	THR
1	C	124	ASN
1	D	62	ASP
1	D	137	VAL
1	D	144	TYR
1	D	150	TYR
1	E	122	VAL
1	E	124	ASN
1	F	114	ARG
1	F	142	MET
1	F	156	SER
1	G	114	ARG
1	G	122	VAL
1	G	150	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	69	GLN
1	B	124	ASN
1	C	98	GLN
1	E	98	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	134/175 (76%)	-0.05	3 (2%) 62 58	51, 78, 134, 204	0
1	B	133/175 (76%)	0.09	2 (1%) 73 71	55, 83, 134, 184	0
1	C	129/175 (73%)	0.09	6 (4%) 31 29	64, 93, 153, 192	0
1	D	133/175 (76%)	0.26	7 (5%) 26 23	66, 103, 156, 194	0
1	E	134/175 (76%)	0.01	3 (2%) 62 58	56, 88, 155, 205	0
1	F	138/175 (78%)	-0.04	0 100 100	48, 67, 124, 174	0
1	G	135/175 (77%)	-0.06	0 100 100	48, 72, 133, 152	0
All	All	936/1225 (76%)	0.04	21 (2%) 62 58	48, 84, 145, 205	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	138	LEU	4.8
1	D	140	GLY	4.3
1	C	138	LEU	4.1
1	C	140	GLY	3.9
1	D	137	VAL	3.9
1	D	141	ASP	3.7
1	D	142	MET	3.6
1	C	141	ASP	3.5
1	D	139	GLU	3.4
1	D	143	ALA	3.4
1	B	31	GLN	3.4
1	A	140	GLY	3.1
1	C	137	VAL	2.9
1	E	31	GLN	2.8
1	E	164	ASP	2.7
1	E	141	ASP	2.7
1	A	164	ASP	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	142	MET	2.5
1	A	141	ASP	2.5
1	B	141	ASP	2.4
1	C	139	GLU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.