



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 10, 2022 – 07:50 PM EST

PDB ID : 3V6Z
Title : Crystal Structure of Hepatitis B Virus e-antigen
Authors : Dimattia, M.A.; Watts, N.R.; Stahl, S.J.; Grimes, J.M.; Steven, A.C.; Stuart, D.I.; Wingfield, P.T.
Deposited on : 2011-12-20
Resolution : 3.34 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.31.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1060 (3.38-3.30)
Clashscore	141614	1111 (3.38-3.30)
Ramachandran outliers	138981	1090 (3.38-3.30)
Sidechain outliers	138945	1089 (3.38-3.30)
RSRZ outliers	127900	1028 (3.38-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	224	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">2% 80% 17% ..</p>
1	C	224	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 17%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">3% 80% 17% ..</p>
2	B	219	<div style="display: flex; align-items: center;"> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">% 79% 20% .</p>
2	D	219	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 2%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">3% 79% 20% .</p>
3	E	159	<div style="display: flex; align-items: center;"> <div style="width: 12%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 69%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 7%; height: 10px; background-color: grey;"></div> </div> <p style="margin-left: 20px;">12% 69% 19% 5% 7%</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	159	 <p>A horizontal bar chart showing the quality distribution of chain F. The bar is divided into five segments: 9% red, 69% green, 19% yellow, 5% orange, and 7% grey.</p>

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 9082 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab e6 Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	221	Total 1652	C 1039	N 265	O 339	S 9	0	0	0
1	C	221	Total 1652	C 1039	N 265	O 339	S 9	0	0	0

- Molecule 2 is a protein called Fab e6 Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	219	Total 1707	C 1066	N 284	O 348	S 9	0	0	0
2	D	219	Total 1707	C 1066	N 284	O 348	S 9	0	0	0

- Molecule 3 is a protein called e-antigen.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	E	148	Total 1182	C 773	N 194	O 211	S 4	0	0	0
3	F	148	Total 1182	C 773	N 194	O 211	S 4	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	58	ALA	CYS	engineered mutation	UNP Q9QMH8
E	74	ASP	GLU	variant	UNP Q9QMH8
E	103	VAL	MET	variant	UNP Q9QMH8
E	117	ALA	CYS	engineered mutation	UNP Q9QMH8
E	133	ALA	GLY	engineered mutation	UNP Q9QMH8
F	58	ALA	CYS	engineered mutation	UNP Q9QMH8
F	74	ASP	GLU	variant	UNP Q9QMH8
F	103	VAL	MET	variant	UNP Q9QMH8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	117	ALA	CYS	engineered mutation	UNP Q9QMH8
F	133	ALA	GLY	engineered mutation	UNP Q9QMH8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab e6 Heavy Chain




- Molecule 1: Fab e6 Heavy Chain




- Molecule 2: Fab e6 Light Chain




- Molecule 2: Fab e6 Light Chain






- Molecule 3: e-antigen



- Molecule 3: e-antigen



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.66Å 75.76Å 88.70Å 96.77° 103.81° 116.04°	Depositor
Resolution (Å)	46.20 – 3.34 46.22 – 3.34	Depositor EDS
% Data completeness (in resolution range)	92.6 (46.20-3.34) 92.9 (46.22-3.34)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 3.32Å)	Xtrriage
Refinement program	BUSTER 2.11.2	Depositor
R, R_{free}	0.234 , 0.233 0.270 , 0.279	Depositor DCC
R_{free} test set	1004 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	90.7	Xtrriage
Anisotropy	0.038	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 90.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	9082	wwPDB-VP
Average B, all atoms (Å ²)	110.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/1694	0.79	2/2312 (0.1%)
1	C	0.43	0/1694	0.79	2/2312 (0.1%)
2	B	0.39	0/1746	0.74	0/2369
2	D	0.39	0/1746	0.74	0/2369
3	E	0.43	0/1221	0.63	1/1676 (0.1%)
3	F	0.43	0/1221	0.63	1/1676 (0.1%)
All	All	0.41	0/9322	0.73	6/12714 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	11	LEU	CD1-CG-CD2	-6.67	90.49	110.50
1	A	11	LEU	CD1-CG-CD2	-6.34	91.48	110.50
1	C	171	SER	N-CA-C	5.24	125.14	111.00
3	E	93	ASP	CB-CG-OD2	5.23	123.01	118.30
1	A	171	SER	N-CA-C	5.20	125.04	111.00
3	F	93	ASP	CB-CG-OD2	5.19	122.97	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1652	0	1594	32	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1652	0	1594	34	0
2	B	1707	0	1637	36	0
2	D	1707	0	1637	34	0
3	E	1182	0	1153	17	0
3	F	1182	0	1153	18	0
All	All	9082	0	8768	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:87:GLU:O	3:E:92:ARG:HG3	1.43	1.19
3:F:87:GLU:O	3:F:92:ARG:HG3	1.43	1.18
1:A:11:LEU:HD23	1:A:157:PRO:HG3	1.13	1.12
1:C:11:LEU:HD23	1:C:157:PRO:HG3	1.11	1.09
1:C:11:LEU:HD23	1:C:157:PRO:CG	1.88	1.03
1:A:11:LEU:HD23	1:A:157:PRO:CG	1.91	1.00
3:E:87:GLU:O	3:E:92:ARG:CG	2.28	0.80
3:F:87:GLU:O	3:F:92:ARG:CG	2.29	0.79
1:A:165:ASN:HB3	1:A:168:SER:OG	1.83	0.79
1:C:165:ASN:HB3	1:C:168:SER:OG	1.83	0.78
1:C:39:GLN:HE22	2:D:44:GLN:HE22	1.33	0.76
1:A:39:GLN:HE22	2:B:44:GLN:HE22	1.33	0.73
2:B:166:VAL:CG1	2:B:186:LEU:HD13	2.22	0.69
2:D:166:VAL:CG1	2:D:186:LEU:HD13	2.23	0.69
1:C:165:ASN:CB	1:C:168:SER:OG	2.44	0.66
1:A:165:ASN:CB	1:A:168:SER:OG	2.44	0.66
1:C:131:VAL:HG22	1:C:152:VAL:HG13	1.78	0.65
1:A:131:VAL:HG22	1:A:152:VAL:HG13	1.78	0.65
2:B:166:VAL:CG1	2:B:186:LEU:CD1	2.75	0.64
2:B:13:VAL:HG21	2:B:19:VAL:HG22	1.78	0.64
2:D:166:VAL:CG1	2:D:186:LEU:CD1	2.75	0.64
1:A:11:LEU:HD22	1:A:120:THR:HB	1.78	0.64
2:D:13:VAL:HG21	2:D:19:VAL:HG22	1.79	0.64
2:B:115:ARG:NE	2:B:116:ALA:O	2.31	0.63
2:B:31:TYR:CE1	3:F:137:ARG:HA	2.33	0.63
1:A:129:PRO:HB2	1:A:152:VAL:HG12	1.80	0.63
2:B:166:VAL:HG13	2:B:186:LEU:HD12	1.80	0.62
2:D:166:VAL:HG13	2:D:186:LEU:HD12	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:129:PRO:HB2	1:C:152:VAL:HG12	1.80	0.62
2:D:115:ARG:NE	2:D:116:ALA:O	2.32	0.62
1:C:173:VAL:HG22	1:C:191:VAL:HG22	1.82	0.62
1:A:173:VAL:HG22	1:A:191:VAL:HG22	1.82	0.62
1:C:11:LEU:HD22	1:C:120:THR:HB	1.80	0.61
2:B:166:VAL:HG13	2:B:186:LEU:CD1	2.30	0.61
2:D:166:VAL:HG13	2:D:186:LEU:CD1	2.30	0.61
2:B:218:ARG:O	2:B:219:ASN:OD1	2.18	0.61
1:C:11:LEU:HD23	1:C:157:PRO:CB	2.31	0.60
2:D:218:ARG:O	2:D:219:ASN:OD1	2.19	0.60
2:D:31:TYR:CE1	3:E:137:ARG:HA	2.37	0.59
1:A:162:VAL:HG22	1:A:207:VAL:HG22	1.85	0.59
1:C:162:VAL:HG22	1:C:207:VAL:HG22	1.85	0.59
1:C:129:PRO:HB2	1:C:152:VAL:CG1	2.34	0.58
1:A:129:PRO:HB2	1:A:152:VAL:CG1	2.33	0.58
1:A:11:LEU:HD23	1:A:157:PRO:CB	2.35	0.56
1:C:152:VAL:HG11	1:C:207:VAL:HG11	1.87	0.56
1:A:152:VAL:HG11	1:A:207:VAL:HG11	1.86	0.56
1:A:34:MET:HB3	1:A:79:LEU:HD22	1.88	0.55
1:A:176:PHE:CD2	2:B:171:THR:HG23	2.42	0.55
1:C:34:MET:HB3	1:C:79:LEU:HD22	1.88	0.55
2:B:114:LYS:HA	2:B:147:TYR:OH	2.07	0.55
1:A:83:MET:HE2	1:A:86:LEU:HD11	1.89	0.54
1:C:64:VAL:HG13	1:C:68:PHE:HB2	1.89	0.54
1:A:64:VAL:HG13	1:A:68:PHE:HB2	1.89	0.54
1:C:83:MET:HE2	1:C:86:LEU:HD11	1.90	0.54
3:F:88:ASP:HA	3:F:92:ARG:HD3	1.90	0.53
2:D:114:LYS:HA	2:D:147:TYR:OH	2.09	0.53
3:E:88:ASP:HA	3:E:92:ARG:HD3	1.90	0.53
2:D:115:ARG:HG3	2:D:147:TYR:CG	2.44	0.53
1:A:148:LEU:HB3	1:A:220:LEU:HD22	1.91	0.52
1:C:148:LEU:HB3	1:C:220:LEU:HD22	1.91	0.52
1:C:114:GLY:O	2:D:49:SER:HB3	2.09	0.52
1:C:176:PHE:CD2	2:D:171:THR:HG23	2.44	0.52
2:B:115:ARG:HG3	2:B:147:TYR:CG	2.44	0.52
3:E:99:VAL:HA	3:E:103:VAL:HB	1.92	0.52
1:A:157:PRO:O	1:A:209:HIS:HE1	1.93	0.52
3:F:99:VAL:HA	3:F:103:VAL:HB	1.92	0.52
1:C:157:PRO:O	1:C:209:HIS:HE1	1.93	0.52
1:C:209:HIS:HD2	1:C:212:SER:OG	1.94	0.51
1:A:209:HIS:HD2	1:A:212:SER:OG	1.94	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:31:SER:O	1:C:102:TYR:HB3	2.10	0.51
1:A:31:SER:O	1:A:102:TYR:HB3	2.09	0.51
2:B:73:SER:N	2:D:73:SER:HG	2.08	0.51
2:B:140:VAL:HG22	2:B:185:THR:HG23	1.93	0.51
2:D:140:VAL:HG22	2:D:185:THR:HG23	1.93	0.51
3:E:55:PRO:HB2	3:E:56:GLU:HA	1.93	0.50
3:F:55:PRO:HB2	3:F:56:GLU:HA	1.93	0.50
2:B:31:TYR:HD2	2:B:34:ASN:HB2	1.77	0.49
2:D:31:TYR:HD2	2:D:34:ASN:HB2	1.77	0.49
1:C:30:SER:O	1:C:53:SER:HB2	2.13	0.49
1:A:30:SER:O	1:A:53:SER:HB2	2.13	0.48
3:E:100:ASN:HA	3:E:101:THR:HA	1.65	0.48
2:B:31:TYR:HE1	3:F:137:ARG:HA	1.77	0.48
1:C:11:LEU:CD2	1:C:157:PRO:HB3	2.43	0.48
2:B:120:PRO:HG3	2:B:151:ILE:HD11	1.95	0.48
2:D:115:ARG:NH2	2:D:118:ALA:HB2	2.28	0.48
1:A:179:LEU:HD11	2:B:168:ASN:O	2.14	0.48
2:B:13:VAL:HG13	2:B:17:GLU:HB2	1.95	0.48
1:C:113:TRP:CE3	2:D:50:PRO:HD2	2.49	0.48
2:D:120:PRO:HG3	2:D:151:ILE:HD11	1.95	0.48
2:B:19:VAL:HG21	2:B:84:VAL:HG21	1.96	0.47
3:E:62:HIS:HA	3:E:65:LEU:HD12	1.95	0.47
3:F:62:HIS:HA	3:F:65:LEU:HD12	1.95	0.47
2:B:115:ARG:HG3	2:B:147:TYR:CD2	2.49	0.47
2:D:19:VAL:HG21	2:D:84:VAL:HG21	1.96	0.47
3:E:82:VAL:HG22	3:F:78:LEU:HD11	1.97	0.47
2:D:13:VAL:HG13	2:D:17:GLU:HB2	1.95	0.47
1:A:11:LEU:CD2	1:A:157:PRO:HB3	2.45	0.46
2:D:115:ARG:HG3	2:D:147:TYR:CD2	2.50	0.46
3:E:78:LEU:HD11	3:F:82:VAL:HG22	1.98	0.46
2:D:163:GLN:HE21	2:D:163:GLN:HB2	1.57	0.46
2:B:19:VAL:CG2	2:B:84:VAL:HG21	2.46	0.46
2:B:115:ARG:NH2	2:B:118:ALA:HB2	2.30	0.46
2:B:73:SER:CB	2:D:73:SER:HG	2.29	0.45
2:B:163:GLN:HE21	2:B:163:GLN:HB2	1.57	0.45
2:D:19:VAL:CG2	2:D:84:VAL:HG21	2.46	0.45
2:D:173:GLN:HG3	2:D:180:TYR:CZ	2.51	0.45
3:E:122:ARG:HH21	3:E:126:LEU:HD22	1.81	0.45
3:F:122:ARG:HH21	3:F:126:LEU:HD22	1.81	0.45
2:B:173:GLN:HG3	2:B:180:TYR:CZ	2.51	0.45
3:F:93:ASP:O	3:F:93:ASP:OD1	2.34	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:18:LYS:HG3	2:B:82:SER:HB3	1.99	0.45
2:D:18:LYS:HG3	2:D:82:SER:HB3	1.99	0.45
3:E:93:ASP:O	3:E:93:ASP:OD1	2.34	0.45
3:F:100:ASN:HA	3:F:101:THR:HA	1.65	0.45
2:B:73:SER:CB	2:D:73:SER:OG	2.66	0.44
2:B:73:SER:OG	2:D:73:SER:CB	2.66	0.44
2:D:99:SER:C	2:D:101:TYR:H	2.21	0.44
2:B:99:SER:C	2:B:101:TYR:H	2.21	0.43
2:B:166:VAL:CG1	2:B:186:LEU:HD12	2.45	0.43
1:C:129:PRO:HB3	1:C:155:TYR:HB3	2.01	0.43
1:A:32:TYR:CD1	1:A:102:TYR:HB2	2.54	0.43
1:A:129:PRO:HB3	1:A:155:TYR:HB3	2.01	0.43
1:C:32:TYR:CD1	1:C:102:TYR:HB2	2.54	0.43
3:F:53:GLU:HA	3:F:54:SER:HA	1.79	0.43
3:E:53:GLU:HA	3:E:54:SER:HA	1.79	0.43
1:C:164:TRP:HZ3	1:C:220:LEU:HD13	1.84	0.43
1:A:113:TRP:CE3	2:B:50:PRO:HD2	2.54	0.42
1:A:164:TRP:HZ3	1:A:220:LEU:HD13	1.85	0.42
1:C:134:LEU:HD11	2:D:140:VAL:HG21	2.02	0.42
3:F:4:CYS:SG	3:F:6:GLY:O	2.76	0.42
3:E:4:CYS:SG	3:E:6:GLY:O	2.77	0.42
3:E:52:LEU:HD22	3:E:58:ALA:HA	2.02	0.41
3:F:52:LEU:HD22	3:F:58:ALA:HA	2.02	0.41
1:C:179:LEU:HD11	2:D:168:ASN:O	2.20	0.41
1:A:164:TRP:CG	1:A:191:VAL:HG21	2.55	0.41
1:C:164:TRP:CG	1:C:191:VAL:HG21	2.55	0.41
3:E:132:PHE:CE1	3:E:136:ILE:HD11	2.56	0.41
3:E:87:GLU:O	3:E:92:ARG:CD	2.68	0.41
3:F:132:PHE:CE1	3:F:136:ILE:HD11	2.56	0.41
2:B:73:SER:OG	2:D:73:SER:N	2.54	0.41
1:C:114:GLY:O	2:D:49:SER:CB	2.69	0.41
3:F:87:GLU:O	3:F:92:ARG:CD	2.68	0.41
1:A:134:LEU:HD11	2:B:140:VAL:HG21	2.03	0.41
2:B:31:TYR:CD2	2:B:34:ASN:HB2	2.56	0.41
1:A:114:GLY:O	2:B:49:SER:HB3	2.21	0.40
1:C:148:LEU:HD13	1:C:203:VAL:HG11	2.01	0.40
1:C:11:LEU:CD2	1:C:157:PRO:CB	2.98	0.40
1:A:148:LEU:HD13	1:A:203:VAL:HG11	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/224 (97%)	215 (99%)	1 (0%)	1 (0%)	29	63
1	C	217/224 (97%)	215 (99%)	1 (0%)	1 (0%)	29	63
2	B	217/219 (99%)	208 (96%)	9 (4%)	0	100	100
2	D	217/219 (99%)	208 (96%)	9 (4%)	0	100	100
3	E	146/159 (92%)	130 (89%)	16 (11%)	0	100	100
3	F	146/159 (92%)	130 (89%)	16 (11%)	0	100	100
All	All	1160/1204 (96%)	1106 (95%)	52 (4%)	2 (0%)	47	78

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	104	GLY
1	C	104	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/192 (100%)	184 (96%)	7 (4%)	34	64
1	C	191/192 (100%)	184 (96%)	7 (4%)	34	64
2	B	196/196 (100%)	181 (92%)	15 (8%)	13	41
2	D	196/196 (100%)	181 (92%)	15 (8%)	13	41
3	E	127/138 (92%)	107 (84%)	20 (16%)	2	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
3	F	127/138 (92%)	107 (84%)	20 (16%)	2 12
All	All	1028/1052 (98%)	944 (92%)	84 (8%)	11 39

All (84) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	LEU
1	A	13	LYS
1	A	64	VAL
1	A	86	LEU
1	A	117	THR
1	A	125	LYS
1	A	160	VAL
2	B	3	MET
2	B	21	MET
2	B	24	LYS
2	B	34	ASN
2	B	35	GLN
2	B	39	LEU
2	B	56	TRP
2	B	59	THR
2	B	112	GLU
2	B	141	CYS
2	B	143	LEU
2	B	154	LYS
2	B	163	GLN
2	B	201	CYS
2	B	210	SER
1	C	11	LEU
1	C	13	LYS
1	C	64	VAL
1	C	86	LEU
1	C	117	THR
1	C	125	LYS
1	C	160	VAL
2	D	3	MET
2	D	21	MET
2	D	24	LYS
2	D	34	ASN
2	D	35	GLN
2	D	39	LEU
2	D	56	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	59	THR
2	D	112	GLU
2	D	141	CYS
2	D	143	LEU
2	D	154	LYS
2	D	163	GLN
2	D	201	CYS
2	D	210	SER
3	E	4	CYS
3	E	8	LEU
3	E	9	TRP
3	E	11	MET
3	E	13	ILE
3	E	26	LEU
3	E	42	ASP
3	E	52	LEU
3	E	56	GLU
3	E	70	LEU
3	E	78	LEU
3	E	86	LEU
3	E	87	GLU
3	E	94	LEU
3	E	110	LEU
3	E	124	THR
3	E	136	ILE
3	E	137	ARG
3	E	138	THR
3	E	146	ASN
3	F	4	CYS
3	F	8	LEU
3	F	9	TRP
3	F	11	MET
3	F	13	ILE
3	F	26	LEU
3	F	42	ASP
3	F	52	LEU
3	F	56	GLU
3	F	70	LEU
3	F	78	LEU
3	F	86	LEU
3	F	87	GLU
3	F	94	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	F	110	LEU
3	F	124	THR
3	F	136	ILE
3	F	137	ARG
3	F	138	THR
3	F	146	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	209	HIS
2	B	1	ASN
2	B	44	GLN
2	B	131	GLN
2	B	163	GLN
1	C	39	GLN
1	C	209	HIS
2	D	1	ASN
2	D	44	GLN
2	D	131	GLN
2	D	163	GLN
3	E	109	GLN
3	F	109	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	221/224 (98%)	0.26	5 (2%) 60 60	59, 89, 134, 157	0
1	C	221/224 (98%)	0.30	7 (3%) 47 46	56, 93, 145, 166	0
2	B	219/219 (100%)	0.41	2 (0%) 84 85	67, 98, 136, 146	0
2	D	219/219 (100%)	0.43	6 (2%) 54 53	69, 101, 141, 157	0
3	E	148/159 (93%)	0.74	19 (12%) 3 3	64, 149, 201, 226	0
3	F	148/159 (93%)	0.73	15 (10%) 7 7	63, 144, 193, 218	0
All	All	1176/1204 (97%)	0.45	54 (4%) 32 33	56, 103, 169, 226	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	F	89	PRO	10.1
3	E	89	PRO	9.0
3	E	88	ASP	7.0
3	F	88	ASP	6.2
1	A	170	SER	6.2
1	C	169	LEU	5.4
1	C	167	GLY	5.3
1	C	170	SER	5.1
3	E	91	SER	5.0
1	A	169	LEU	4.4
3	F	142	TYR	4.3
1	C	166	SER	4.1
3	E	142	TYR	4.0
3	E	90	ALA	3.6
3	F	42	ASP	3.5
2	D	164	ASN	3.4
2	D	163	GLN	3.1
3	E	95	VAL	3.1
1	A	166	SER	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	42	ASP	3.0
1	C	168	SER	3.0
1	A	140	ASP	3.0
2	B	34	ASN	2.8
3	E	51	ALA	2.8
3	E	33	PHE	2.8
3	F	14	ASP	2.8
3	F	98	TYR	2.7
3	F	66	ARG	2.7
3	E	141	ALA	2.6
3	F	10	GLY	2.5
2	B	136	GLY	2.5
3	F	92	ARG	2.5
1	C	141	THR	2.4
3	E	113	PHE	2.4
2	D	198	SER	2.4
1	A	141	THR	2.4
3	E	14	ASP	2.4
3	F	9	TRP	2.4
3	E	61	HIS	2.3
3	E	93	ASP	2.3
3	E	19	PHE	2.3
3	F	111	LEU	2.3
3	F	51	ALA	2.2
3	E	77	THR	2.2
1	C	221	GLU	2.2
3	F	93	ASP	2.2
3	E	9	TRP	2.2
3	E	111	LEU	2.2
3	F	86	LEU	2.1
3	F	12	ASP	2.1
2	D	136	GLY	2.1
2	D	176	LYS	2.1
2	D	129	SER	2.1
3	E	132	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.