

Full wwPDB EM Validation Report (i)

Nov 23, 2022 – 04:16 PM JST

PDB ID : 7V8B

EMDB ID : EMD-31796

Title: Local refinement of SARS-CoV-2 S-Delta variant (B.1.617.2) RBD and Angio

tensin-converting enzyme 2 (ACE2) ectodomain

Authors: Yang, T.J.; Yu, P.Y.; Chang, Y.C.; Hsu, S.T.D.

Deposited on : 2021-08-22

Resolution : 3.20 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43

Mogul : 1.8.5 (274361), CSD as541be (2020)

MolProbity : 4.02b-467 buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

MapQ: 1.9.9

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.31.3

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM\ structures} \ (\#{ m Entries})$
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain				
1	A	1281	14% •	84%			
2	F	861	7% 57%	12%	31%		
3	В	3	67%				
4	С	2	50%				
4	D	2	50% 50%	50%			
4	E	2	100%				
4	G	2	100%				



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 6650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Spike glycoprotein.

\mathbf{Mol}	Chain	Residues		\mathbf{At}	oms			AltConf	Trace
1	A	201	Total 1595	C 1021	N 270	O 296	S 8	0	0

There are 90 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	ARG	THR	variant	UNP P0DTC2
A	144	ASP	GLY	variant	UNP P0DTC2
A	158	GLY	GLU	variant	UNP P0DTC2
A	?	-	PHE	deletion	UNP P0DTC2
A	?	-	ARG	deletion	UNP P0DTC2
A	452	ARG	LEU	variant	UNP P0DTC2
A	478	LYS	THR	variant	UNP P0DTC2
A	614	GLY	ASP	variant	UNP P0DTC2
A	681	ARG	PRO	engineered mutation	UNP P0DTC2
A	682	GLY	ARG	engineered mutation	UNP P0DTC2
A	683	SER	ARG	engineered mutation	UNP P0DTC2
A	685	SER	ARG	engineered mutation	UNP P0DTC2
A	950	ASN	ASP	variant	UNP P0DTC2
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1209	GLU	-	expression tag	UNP P0DTC2
A	1210	PHE	ı	expression tag	UNP P0DTC2
A	1211	GLY	-	expression tag	UNP P0DTC2
A	1212	SER	-	expression tag	UNP P0DTC2
A	1213	GLY	ı	expression tag	UNP P0DTC2
A	1214	GLY	ı	expression tag	UNP P0DTC2
A	1215	TYR	ı	expression tag	UNP P0DTC2
A	1216	ILE	I	expression tag	UNP P0DTC2
A	1217	PRO	-	expression tag	UNP P0DTC2
A	1218	GLU	-	expression tag	UNP P0DTC2
A	1219	ALA	-	expression tag	UNP P0DTC2
A	1220	PRO	-	expression tag	UNP P0DTC2
A	1221	ARG	-	expression tag	UNP P0DTC2

 $Continued\ on\ next\ page...$



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1222	ASP	-	expression tag	UNP P0DTC2
A	1223	GLY	-	expression tag	UNP P0DTC2
A	1224	GLN	-	expression tag	UNP P0DTC2
A	1225	ALA	-	expression tag	UNP P0DTC2
A	1226	TYR	-	expression tag	UNP P0DTC2
A	1227	VAL	-	expression tag	UNP P0DTC2
A	1228	ARG	-	expression tag	UNP P0DTC2
A	1229	LYS	-	expression tag	UNP P0DTC2
A	1230	ASP	-	expression tag	UNP P0DTC2
A	1231	GLY	-	expression tag	UNP P0DTC2
A	1232	GLU	-	expression tag	UNP P0DTC2
A	1233	TRP	-	expression tag	UNP P0DTC2
A	1234	VAL	-	expression tag	UNP P0DTC2
A	1235	LEU	-	expression tag	UNP P0DTC2
A	1236	LEU	-	expression tag	UNP P0DTC2
A	1237	SER	-	expression tag	UNP P0DTC2
A	1238	THR	-	expression tag	UNP P0DTC2
A	1239	PHE	-	expression tag	UNP P0DTC2
A	1240	LEU	-	expression tag	UNP P0DTC2
A	1241	LYS	-	expression tag	UNP P0DTC2
A	1242	GLY	-	expression tag	UNP P0DTC2
A	1243	GLN	-	expression tag	UNP P0DTC2
A	1244	ASP	-	expression tag	UNP P0DTC2
A	1245	ASN	-	expression tag	UNP P0DTC2
A	1246	SER	-	expression tag	UNP P0DTC2
A	1247	ALA	-	expression tag	UNP P0DTC2
A	1248	ASP	-	expression tag	UNP P0DTC2
A	1249	ILE	-	expression tag	UNP P0DTC2
A	1250	GLN	-	expression tag	UNP P0DTC2
A	1251	HIS	-	expression tag	UNP P0DTC2
A	1252	SER	-	expression tag	UNP P0DTC2
A	1253	GLY	-	expression tag	UNP P0DTC2
A	1254	ARG	-	expression tag	UNP P0DTC2
A	1255	PRO	-	expression tag	UNP P0DTC2
A	1256	LEU	-	expression tag	UNP P0DTC2
A	1257	GLU	-	expression tag	UNP P0DTC2
A	1258	SER	-	expression tag	UNP P0DTC2
A	1259	ARG	-	expression tag	UNP P0DTC2
A	1260	GLY	-	expression tag	UNP P0DTC2
A	1261	PRO	-	expression tag	UNP P0DTC2
A	1262	PHE	-	expression tag	UNP P0DTC2
A	1263	GLU	-	expression tag	UNP P0DTC2

Continued on next page...



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1264	GLN	-	expression tag	UNP P0DTC2
A	1265	LYS	-	expression tag	UNP P0DTC2
A	1266	LEU	-	expression tag	UNP P0DTC2
A	1267	ILE	-	expression tag	UNP P0DTC2
A	1268	SER	-	expression tag	UNP P0DTC2
A	1269	GLU	-	expression tag	UNP P0DTC2
A	1270	GLU	-	expression tag	UNP P0DTC2
A	1271	ASP	-	expression tag	UNP P0DTC2
A	1272	LEU	-	expression tag	UNP P0DTC2
A	1273	ASN	-	expression tag	UNP P0DTC2
A	1274	MET	-	expression tag	UNP P0DTC2
A	1275	HIS	-	expression tag	UNP P0DTC2
A	1276	THR	-	expression tag	UNP P0DTC2
A	1277	GLY	-	expression tag	UNP P0DTC2
A	1278	HIS	-	expression tag	UNP P0DTC2
A	1279	HIS	-	expression tag	UNP P0DTC2
A	1280	HIS	-	expression tag	UNP P0DTC2
A	1281	HIS	-	expression tag	UNP P0DTC2
A	1282	HIS	-	expression tag	UNP P0DTC2
A	1283	HIS	-	expression tag	UNP P0DTC2

• Molecule 2 is a protein called Angiotensin-converting enzyme 2, Angiotensin-converting enzyme 2 (ACE2) ectodomain.

Mol	Chain	Residues		At	oms			AltConf	Trace
2	F	596	Total 4862	C 3111	N 805	O 917	S 29	0	0

• Molecule 3 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-b eta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	A	A ton	ns		AltConf	Trace
3	В	3	Total 39	C 22		O 15	0	0


• Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms	AltConf	Trace
4	С	2	Total C N O 28 16 2 10	0	0
4	D	2	Total C N O 28 16 2 10	0	0
4	Е	2	Total C N O 28 16 2 10	0	0
4	G	2	Total C N O 28 16 2 10	0	0

 \bullet Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6)$ (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms	AltConf
5	A	1	Total C N O 14 8 1 5	0
5	F	1	Total C N O 28 16 2 10	0
5	F	1	Total C N O 28 16 2 10	0




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Spike glycoprotein







• Molecule 2: Angiotensin-converting enzyme 2, Angiotensin-converting enzyme 2 (ACE2) ectodomain



• Molecule 3: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



	67%	
Chain B:	1009	6
NAG1 NAG2 BMA3		
• Molecule 4: opyranose		glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc
Chain C:	50%	
Cham C.	1003	0
NAG1		
• Molecule 4: opyranose		glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc
Chain D:	50%	
Cham D.	50%	50%
NAG2 NAG2		
• Molecule 4: opyranose	2-acetamido-2-deoxy-beta-D-	glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc
	1009	6
Chain E:	1009	6
NAG1 WAG2		
• Molecule 4: opyranose	2-acetamido-2-deoxy-beta-D-	glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc
on	1009	6
Chain G:	1009	6





4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	617671	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	1.0	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.319	Depositor
Minimum map value	-0.413	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.032	Depositor
Recommended contour level	0.4	Depositor
Map size (Å)	422.40002, 422.40002, 422.40002	wwPDB
Map dimensions	384, 384, 384	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.26	0/1640	0.51	0/2228	
2	F	0.25	0/4999	0.44	0/6792	
All	All	0.25	0/6639	0.45	0/9020	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1595	0	1522	14	0
2	F	4862	0	4634	63	0
3	В	39	0	34	0	0
4	С	28	0	25	0	0
4	D	28	0	25	1	0
4	Ε	28	0	25	0	0
4	G	28	0	25	0	0
5	A	14	0	13	0	0
5	F	28	0	26	1	0
All	All	6650	0	6329	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 6.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A	A. 0	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}\ (\rm \mathring{A})$	overlap (Å)
2:F:188:ASN:HB3	2:F:192:ARG:HH12	1.42	0.84
2:F:188:ASN:HB3	2:F:192:ARG:NH1	2.05	0.71
2:F:284:PRO:HG3	2:F:440:LEU:HD13	1.72	0.70
2:F:398:GLU:HB2	2:F:514:ARG:HE	1.64	0.62
2:F:157:ASP:HB3	2:F:160:GLU:HG2	1.80	0.62
2:F:177:ARG:NH1	2:F:495:GLU:O	2.34	0.60
2:F:116:LEU:HD13	2:F:186:LEU:HD23	1.84	0.60
2:F:161:ARG:HH22	2:F:268:GLY:HA2	1.66	0.59
2:F:374:HIS:HE1	2:F:406:GLU:HG2	1.68	0.58
1:A:401:VAL:HG22	1:A:509:ARG:HG2	1.88	0.56
4:D:1:NAG:H83	4:D:1:NAG:H3	1.88	0.56
2:F:271:TRP:NE1	2:F:502:SER:O	2.38	0.55
2:F:145:GLU:HB2	2:F:146:PRO:HD2	1.89	0.54
2:F:161:ARG:NH1	2:F:265:HIS:O	2.36	0.53
2:F:334:THR:HG22	2:F:335:ASP:HB2	1.90	0.52
2:F:374:HIS:CE1	2:F:406:GLU:HG2	2.44	0.52
1:A:392:PHE:HD1	1:A:517:LEU:HD12	1.75	0.51
2:F:315:PHE:HD1	2:F:320:LEU:HD12	1.76	0.50
2:F:259:ILE:HA	2:F:603:PHE:HZ	1.75	0.50
2:F:84:PRO:O	2:F:86:GLN:N	2.41	0.50
1:A:349:SER:OG	1:A:452:ARG:O	2.31	0.49
2:F:457:GLU:HG2	2:F:513:ILE:HD13	1.94	0.49
2:F:292:ASP:HA	2:F:366:MET:HE1	1.94	0.49
1:A:485:GLY:H	1:A:488:CYS:HB2	1.78	0.48
1:A:502:GLY:O	1:A:506:GLN:HG2	2.13	0.48
2:F:55:THR:HG21	5:F:2001:NAG:H62	1.96	0.48
2:F:592:PHE:O	2:F:596:LYS:HG3	2.13	0.48
2:F:50:TYR:CD2	2:F:62:MET:HE1	2.48	0.48
1:A:382:VAL:HG21	1:A:387:LEU:HD13	1.95	0.48
2:F:213:ASP:OD1	2:F:214:GLY:N	2.46	0.48
2:F:579:MET:O	2:F:579:MET:HG3	2.14	0.47
2:F:67:ASP:OD1	2:F:68:LYS:N	2.46	0.47
2:F:552:GLN:NE2	2:F:556:ASN:OD1	2.48	0.47
2:F:258:PRO:HG2	2:F:259:ILE:HD12	1.97	0.47
2:F:269:ASP:OD1	2:F:270:MET:N	2.48	0.46
1:A:418:ILE:HA	1:A:422:ASN:HD22	1.79	0.46
2:F:108:LEU:HD11	2:F:190:MET:HB2	1.96	0.46
2:F:455:MET:HB2	2:F:484:ILE:HG21	1.96	0.46

Continued on next page...



Continued from previous page...

Continued from pred		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
2:F:168:TRP:HB3	2:F:270:MET:HE1	1.97	0.46
1:A:517:LEU:HD23	1:A:517:LEU:O	2.16	0.45
2:F:252:TYR:HE2	2:F:266:LEU:HD22	1.81	0.45
2:F:208:GLU:OE2	2:F:219:ARG:NH1	2.50	0.45
2:F:528:ALA:HB2	2:F:574:VAL:HG12	1.98	0.45
2:F:20:THR:HG23	2:F:22:GLU:H	1.82	0.45
2:F:85:LEU:HD12	2:F:88:ILE:HD12	1.99	0.45
2:F:263:PRO:HD2	2:F:266:LEU:HD12	1.98	0.44
1:A:377:PHE:CD1	1:A:434:ILE:HG12	2.52	0.44
2:F:261:CYS:SG	2:F:488:VAL:HG13	2.58	0.44
2:F:119:ILE:HA	2:F:122:THR:HG22	2.00	0.43
2:F:564:GLU:HB3	2:F:568:LEU:HD23	2.00	0.43
1:A:392:PHE:CD1	1:A:517:LEU:HD12	2.53	0.43
2:F:123:MET:HG3	2:F:176:LEU:HD11	2.00	0.43
1:A:354:ASN:O	1:A:398:ASP:HA	2.19	0.42
2:F:74:LYS:HD2	2:F:74:LYS:HA	1.78	0.42
2:F:206:ASP:OD1	2:F:206:ASP:N	2.52	0.42
2:F:309:LYS:O	2:F:313:LYS:HG3	2.19	0.42
2:F:589:GLU:HB3	2:F:590:PRO:HD3	2.01	0.42
2:F:315:PHE:HZ	2:F:408:MET:HG3	1.84	0.42
2:F:67:ASP:O	2:F:71:ALA:N	2.39	0.42
2:F:478:TRP:O	2:F:482:ARG:HG3	2.20	0.42
2:F:131:LYS:HB2	2:F:141:CYS:HB3	2.02	0.41
1:A:444:LYS:O	1:A:499:PRO:HD3	2.21	0.41
2:F:116:LEU:O	2:F:119:ILE:HG22	2.20	0.41
2:F:168:TRP:HE1	2:F:502:SER:HB2	1.85	0.41
2:F:53:ASN:CG	2:F:340:GLN:HE22	2.25	0.41
2:F:156:LEU:HD12	2:F:156:LEU:HA	1.92	0.41
2:F:248:LEU:HD23	2:F:248:LEU:HA	1.88	0.41
2:F:471:ASP:OD1	2:F:471:ASP:N	2.52	0.41
2:F:268:GLY:O	2:F:277:ASN:ND2	2.54	0.41
1:A:489:TYR:CE1	2:F:31:LYS:HG2	2.55	0.40
2:F:458:LYS:O	2:F:462:MET:HG3	2.21	0.40
2:F:419:LYS:NZ	2:F:428:PHE:O	2.54	0.40
2:F:172:VAL:O	2:F:176:LEU:HD23	2.20	0.40
2:F:54:ILE:HD11	2:F:343:VAL:N	2.36	0.40
2:F:55:THR:O	2:F:59:VAL:HG23	2.21	0.40
1:A:390:LEU:H	1:A:390:LEU:HD23	1.87	0.40
2:F:456:LEU:HD23	2:F:512:PHE:CD2	2.57	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	alysed Favoured Allowed		Outliers	Perce	\mathbf{ntiles}
1	A	199/1281 (16%)	188 (94%)	10 (5%)	1 (0%)	29	67
2	F	594/861~(69%)	564 (95%)	30 (5%)	0	100	100
All	All	793/2142 (37%)	752 (95%)	40 (5%)	1 (0%)	54	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	332	ILE

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	$\operatorname{iers} \mid \operatorname{Percentile}$	
1	A	174/1113 (16%)	174 (100%)	0	100	100
2	F	$526/752 \; (70\%)$	526 (100%)	0	100	100
All	All	700/1865~(38%)	700 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	F	552	GLN



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trno	Chain	Res	Link	Вс	ond leng	ths	В	ond ang	les
WIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	В	1	3,1	14,14,15	0.29	0	17,19,21	0.42	0
3	NAG	В	2	3	14,14,15	0.21	0	17,19,21	0.52	0
3	BMA	В	3	3	11,11,12	0.55	0	15,15,17	0.80	0
4	NAG	С	1	4,2	14,14,15	0.20	0	17,19,21	0.41	0
4	NAG	С	2	4	14,14,15	0.27	0	17,19,21	0.56	0
4	NAG	D	1	4,2	14,14,15	0.38	0	17,19,21	1.26	2 (11%)
4	NAG	D	2	4	14,14,15	0.22	0	17,19,21	0.41	0
4	NAG	Е	1	4,2	14,14,15	0.33	0	17,19,21	0.54	0
4	NAG	Е	2	4	14,14,15	0.27	0	17,19,21	0.44	0
4	NAG	G	1	4	14,14,15	0.19	0	17,19,21	0.41	0
4	NAG	G	2	4	14,14,15	0.23	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	В	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	В	2	3	-	3/6/23/26	0/1/1/1
3	BMA	В	3	3	-	0/2/19/22	0/1/1/1

Continued on next page...



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	С	1	4,2	-	4/6/23/26	0/1/1/1
4	NAG	С	2	4	-	3/6/23/26	0/1/1/1
4	NAG	D	1	4,2	-	3/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	NAG	Е	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	NAG	G	1	4	-	2/6/23/26	0/1/1/1
4	NAG	G	2	4	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
4	D	1	NAG	C2-N2-C7	4.31	129.03	122.90
4	D	1	NAG	C1-C2-N2	2.01	113.92	110.49

There are no chirality outliers.

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	В	2	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	Е	2	NAG	O5-C5-C6-O6
3	В	2	NAG	C4-C5-C6-O6
4	С	2	NAG	O5-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
4	С	1	NAG	C8-C7-N2-C2
4	С	1	NAG	O7-C7-N2-C2
4	D	1	NAG	C8-C7-N2-C2
4	D	1	NAG	O7-C7-N2-C2
4	Е	2	NAG	C4-C5-C6-O6
4	G	2	NAG	O5-C5-C6-O6
4	С	2	NAG	C4-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	G	2	NAG	C4-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
3	В	2	NAG	C3-C2-N2-C7
4	С	2	NAG	C3-C2-N2-C7
4	С	1	NAG	C4-C5-C6-O6

Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	D	1	NAG	C3-C2-N2-C7
4	С	1	NAG	O5-C5-C6-O6

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





















5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res Link		Во	ond leng	$ ag{ths}$	В	ond ang	les
MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	F	2002	2	14,14,15	0.19	0	17,19,21	0.49	0
5	NAG	A	1301	1	14,14,15	0.22	0	17,19,21	0.40	0
5	NAG	F	2001	2	14,14,15	0.20	0	17,19,21	0.46	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	F	2002	2	-	0/6/23/26	0/1/1/1
5	NAG	A	1301	1	-	1/6/23/26	0/1/1/1
5	NAG	F	2001	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	F	2001	NAG	C4-C5-C6-O6
5	F	2001	NAG	O5-C5-C6-O6
5	A	1301	NAG	O5-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	F	2001	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-31796. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)


6.1.1 Primary map



The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)

6.2.1 Primary map





The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views (i)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.



6.5 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is $41~\mathrm{nm^3}$; this corresponds to an approximate mass of $37~\mathrm{kDa}$.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



^{*}Reported resolution corresponds to spatial frequency of 0.312 $\rm \mathring{A}^{-1}$



8 Fourier-Shell correlation (i)


This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-31796 and PDB model 7V8B. Per-residue inclusion information can be found in section 3 on page 7.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.4).



9.4 Atom inclusion (i)



At the recommended contour level, 85% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7013	0.4890
A	0.8079	0.5220
В	0.4103	0.4520
С	0.3214	0.4210
D	0.3929	0.4710
E	0.1429	0.3890
F	0.6789	0.4810
G	0.2143	0.2260



