



## Full wwPDB EM Validation Report ⓘ

Jun 1, 2026 – 02:58 PM JST

PDB ID : 9V9S / pdb\_00009v9s  
EMDB ID : EMD-64886  
Title : Cryo-EM structure of the ncPRC1.1 complex bound to the H2AK119ubH2BK120ub-modified nucleosome  
Authors : Yu, Y.; Cai, D.; Zhang, Y.Z.; Huang, J.  
Deposited on : 2025-06-02  
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.













Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10198 ( 3.30 - 4.30 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	228	
1	N	228	
2	A	136	
2	E	136	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	B	103	
3	F	103	
4	C	130	
4	G	130	
5	D	126	
5	H	126	
6	K	76	
6	O	76	
7	I	122	
8	J	123	

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 12748 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RING1 and YY1-binding protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	L	46	Total	C	N	O	S	0	0
			362	222	69	67	4		
1	N	32	Total	C	N	O	S	0	0
			252	156	46	46	4		

- Molecule 2 is a protein called Histone H3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	95	Total	C	N	O	S	0	0
			784	495	150	136	3		
2	E	94	Total	C	N	O	S	0	0
			774	489	147	135	3		

- Molecule 3 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	B	80	Total	C	N	O	S	0	0
			641	405	125	110	1		
3	F	82	Total	C	N	O	S	0	0
			652	412	127	112	1		

- Molecule 4 is a protein called Histone H2A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	C	105	Total	C	N	O	S	0	0
			810	510	158	141	1		
4	G	106	Total	C	N	O	S	0	0
			815	513	159	142	1		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	119	CYS	LYS	engineered mutation	UNP Q6AZJ8

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	119	CYS	LYS	engineered mutation	UNP Q6AZJ8

- Molecule 5 is a protein called Histone H2B.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	D	92	Total	C	N	O	S	0	0
			716	450	128	135	3		
5	H	91	Total	C	N	O	S	0	0
			711	447	127	134	3		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	117	CYS	LYS	engineered mutation	UNP A0A8J0TWI5
H	117	CYS	LYS	engineered mutation	UNP A0A8J0TWI5

- Molecule 6 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	K	76	Total	C	N	O	S	0	0
			603	379	105	117	2		
6	O	76	Total	C	N	O	S	0	0
			603	379	105	117	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	76	CYS	GLY	engineered mutation	UNP P0CG47
O	76	CYS	GLY	engineered mutation	UNP P0CG47

- Molecule 7 is a DNA chain called DNA (122-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
7	I	122	Total	C	N	O	P	0	0
			2485	1178	454	731	122		

- Molecule 8 is a DNA chain called DNA (123-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
8	J	123	Total	C	N	O	P	0	0
			2538	1199	478	738	123		


- Molecule 9 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
9	L	1	Total 1	Zn 1	0
9	N	1	Total 1	Zn 1	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: RING1 and YY1-binding protein



#### • Molecule 1: RING1 and YY1-binding protein



#### • Molecule 2: Histone H3



ARG  
ALA

## ● Molecule 2: Histone H3

Chain E:  62% 7% 31%

MET	ALA	ARG	THR	LYS	GLN	THR	ALA	ARG	LYS	THR	GLY	LYS	PRO	ARG	LYS	GLN	LEU	ALA	THR	LYS	ALA	ARG	SER	PRO	ALA	THR	GLY	VAL	LYS	LYS	PRO	HIS	R40	R63	K79	L82	N90	D106	R116	M120	P121	R131	G132	E133
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------


ARG  
ALA

## ● Molecule 3: Histone H4

Chain B:  70% 8% 22%

MET	SER	GLY	ARG	GLY	LYS	GLY	GLY	LYS	LYS	LEU	GLY	LYS	GLY	GLY	ALA	LYS	ARG	HIS	ARG	LYS	VAL	L22	R23	D24	N25	R35	K44	E52	K77	R78	K79	T80	K91	G101	GLY
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----

## ● Molecule 3: Histone H4

Chain F:  74% 6% 20%


MET	SER	GLY	ARG	GLY	LYS	GLY	GLY	LYS	LYS	LEU	GLY	LYS	GLY	GLY	ALA	LYS	ARG	ARG	LYS	V21	L22	R23	D24	K31	R39	K44	Y51	E52	E53	G102
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------

## ● Molecule 4: Histone H2A

Chain C:  74% 7% 19%

MET	SER	GLY	ARG	GLY	GLN	GLY	GLY	LYS	THR	LYS	ARG	ALA	LYS	ALA	K15	Q24	R42	E56	L63	A69	A70	R71	D90	Q112	L115	L116	P117	K118	C119	THR	GLU	SER	SER	LYS	LYS	ALA	LYS	SER	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## ● Molecule 4: Histone H2A

Chain G:  73% 8% 18%

MET	SER	GLY	ARG	GLN	GLY	GLY	LYS	THR	LYS	ARG	ALA	LYS	LYS	A14	R17	R20	P26	R29	Y50	R71	I79	P80	R81	H82	V107	L115	K118	C119	THR	GLU	SER	SER	LYS	SER	LYS	ALA	LYS	SER	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## ● Molecule 5: Histone H2B

Chain D:  63% 10% 27%


MET	PRO	ASP	PRO	ALA	LYS	SER	ALA	PRO	ALA	ALA	LYS	LYS	GLY	SER	LYS	LYS	ALA	VAL	THR	LYS	THR	GLN	LYS	LYS	ASP	GLY	LYS	LYS	ARG	ARG	LYS	THR	R30	K31	E32	S33	Y34	A35	L42	D48	M56	N60	T76	Y80	T85	L103	T112	V115
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------






- Molecule 5: Histone H2B

Chain H: 67% 5% 28%




- Molecule 6: Ubiquitin

Chain K: 45% 67% 33%




- Molecule 6: Ubiquitin

Chain O: 47% 63% 37%




- Molecule 7: DNA (122-MER)


Chain I: 6% 42% 58%



- Molecule 8: DNA (123-MER)

Chain J: 10% 50% 50%





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	15468	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.062	Depositor
Minimum map value	-0.033	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.01	Depositor
Map size (Å)	264.0, 264.0, 264.0	wwPDB
Map dimensions	240, 240, 240	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	L	0.11	0/367	0.29	0/493
1	N	0.09	0/257	0.23	0/344
2	A	0.08	0/795	0.21	0/1067
2	E	0.08	0/784	0.22	0/1052
3	B	0.09	0/648	0.24	0/868
3	F	0.09	0/659	0.24	0/883
4	C	0.10	0/820	0.22	0/1107
4	G	0.09	0/825	0.21	0/1114
5	D	0.12	0/727	0.31	0/980
5	H	0.10	0/722	0.26	0/973
6	K	0.12	0/609	0.32	0/819
6	O	0.12	0/609	0.36	0/819
7	I	0.17	0/2784	0.37	0/4290
8	J	0.16	0/2850	0.33	0/4401
All	All	0.13	0/13456	0.31	0/19210

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	362	0	354	3	0
1	N	252	0	240	6	0
2	A	784	0	820	7	0
2	E	774	0	813	8	0
3	B	641	0	684	8	0
3	F	652	0	696	5	0
4	C	810	0	864	8	0
4	G	815	0	869	10	0
5	D	716	0	732	10	0
5	H	711	0	727	6	0
6	K	603	0	631	19	0
6	O	603	0	631	22	0
7	I	2485	0	1367	54	0
8	J	2538	0	1379	53	0
9	L	1	0	0	0	0
9	N	1	0	0	0	0
All	All	12748	0	10807	191	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (191) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:O:15:LEU:HD12	6:O:29:LYS:HE2	1.61	0.83
7:I:95:DC:O2	8:J:53:DG:N2	2.13	0.77
6:O:1:MET:N	6:O:17:VAL:O	2.16	0.76
4:C:115:LEU:HB3	3:F:44:LYS:HD2	1.71	0.72
6:O:5:VAL:HG22	6:O:67:LEU:HB2	1.72	0.72
7:I:95:DC:N3	8:J:53:DG:N1	2.31	0.71
6:K:14:THR:O	6:K:29:LYS:NZ	2.24	0.71
6:O:17:VAL:HG21	6:O:29:LYS:HE3	1.72	0.69
7:I:55:DG:H2''	7:I:56:DC:H5'	1.74	0.69
6:O:3:ILE:HB	6:O:15:LEU:HB2	1.75	0.69
6:O:55:THR:HG22	6:O:56:LEU:H	1.58	0.69
6:K:37:PRO:HG2	6:K:40:GLN:HB2	1.75	0.68
6:K:40:GLN:NE2	6:K:72:ARG:O	2.27	0.67
4:C:71:ARG:NH2	5:D:48:ASP:OD1	2.30	0.65
6:K:56:LEU:HA	6:K:59:TYR:HD2	1.60	0.65
6:O:56:LEU:HD23	6:O:59:TYR:HD2	1.63	0.64
4:C:63:LEU:HD12	5:D:42:LEU:HD13	1.80	0.64
6:K:57:SER:HA	6:K:61:ILE:HD11	1.80	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:I:89:DT:H2''	7:I:90:DA:N7	2.14	0.62
6:K:31:GLN:NE2	6:K:36:ILE:O	2.33	0.61
7:I:17:DC:H2''	7:I:18:DC:C5	2.36	0.61
8:J:50:DT:H2'	8:J:51:DT:H71	1.83	0.60
6:O:3:ILE:HD12	6:O:65:SER:HB2	1.84	0.60
7:I:109:DC:H2''	7:I:110:DC:C5	2.36	0.60
6:O:23:ILE:HG13	6:O:55:THR:HG23	1.85	0.59
7:I:4:DG:H1'	7:I:5:DA:C8	2.38	0.58
7:I:38:DT:H2''	7:I:39:DA:N7	2.19	0.58
2:A:83:ARG:HD3	3:B:80:THR:HG22	1.86	0.57
7:I:120:DA:H2''	7:I:121:DG:N7	2.19	0.57
8:J:108:DC:H2''	8:J:109:DT:C5	2.39	0.57
6:K:3:ILE:HD11	6:K:15:LEU:HD23	1.86	0.57
8:J:94:DG:H2'	8:J:95:DG:H8	1.70	0.56
4:C:42:ARG:HB2	5:D:85:THR:HG22	1.86	0.56
2:E:106:ASP:OD2	2:E:131:ARG:NH1	2.37	0.55
8:J:35:DT:H2''	8:J:36:DA:C8	2.42	0.55
6:O:26:VAL:HA	6:O:29:LYS:NZ	2.21	0.55
7:I:93:DC:N3	8:J:56:DG:N2	2.54	0.55
5:H:36:ILE:O	5:H:40:LYS:HG3	2.07	0.55
7:I:28:DC:H2''	7:I:29:DA:N7	2.21	0.55
7:I:48:DT:H2''	7:I:49:DA:N7	2.22	0.55
8:J:82:DG:H2''	8:J:83:DT:H5'	1.89	0.54
2:E:121:PRO:HB3	3:F:53:GLU:HG3	1.89	0.54
4:C:24:GLN:N	4:C:56:GLU:OE2	2.32	0.54
2:A:58:THR:HG21	4:G:81:ARG:HD3	1.90	0.54
7:I:114:DG:H2''	7:I:115:DT:H5''	1.90	0.54
7:I:68:DT:H2''	7:I:69:DA:N7	2.23	0.53
7:I:119:DC:H2''	7:I:120:DA:C8	2.44	0.53
2:A:69:ARG:HB3	3:B:25:ASN:HD22	1.72	0.52
2:A:77:ASP:OD1	2:A:78:PHE:N	2.42	0.52
1:N:29:VAL:HG21	1:N:46:VAL:HG21	1.91	0.52
6:K:29:LYS:HZ3	6:K:33:LYS:HD2	1.75	0.52
4:G:50:TYR:CD1	5:H:111:GLY:HA3	2.45	0.52
6:K:4:PHE:HE2	6:K:12:THR:HG23	1.74	0.52
6:K:42:ARG:NH1	6:K:72:ARG:HH11	2.09	0.51
8:J:25:DG:C8	8:J:25:DG:H5'	2.45	0.51
4:G:17:ARG:NH2	7:I:31:DT:OP2	2.43	0.51
5:H:94:ALA:O	5:H:98:LEU:HG	2.10	0.51
7:I:100:DG:H2''	7:I:101:DG:C8	2.45	0.51
8:J:27:DC:H2''	8:J:28:DT:C5	2.45	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:K:43:LEU:HD11	6:K:67:LEU:HD12	1.92	0.51
7:I:122:DG:H2''	7:I:123:DC:C5	2.46	0.51
7:I:99:DG:H2''	7:I:100:DG:N7	2.26	0.51
8:J:89:DT:H2''	8:J:90:DA:C8	2.46	0.51
4:C:112:GLN:HB2	4:C:115:LEU:HG	1.93	0.50
2:E:90:MET:HA	2:E:90:MET:HE3	1.92	0.50
8:J:67:DG:H2''	8:J:68:DG:N7	2.26	0.50
6:O:42:ARG:HH11	6:O:49:GLN:HG3	1.76	0.50
5:H:30:ARG:HD2	8:J:123:DC:H4'	1.93	0.50
7:I:3:DC:H2'	8:J:145:DG:H1	1.75	0.50
6:O:24:GLU:HA	6:O:27:LYS:HE2	1.93	0.49
8:J:72:DC:H2'	8:J:73:DA:C8	2.47	0.49
8:J:82:DG:H2'	8:J:83:DT:H71	1.94	0.49
8:J:134:DC:H2''	8:J:135:DC:H5'	1.94	0.49
4:G:17:ARG:HA	4:G:20:ARG:HD3	1.95	0.49
5:D:56:MET:HE3	5:D:56:MET:HA	1.93	0.49
6:O:26:VAL:HA	6:O:29:LYS:HZ2	1.78	0.49
6:K:56:LEU:HD12	6:K:59:TYR:HB2	1.95	0.49
6:O:31:GLN:NE2	6:O:36:ILE:O	2.31	0.48
5:D:33:SER:HA	5:D:60:ASN:HD21	1.77	0.48
7:I:6:DG:H2''	7:I:7:DA:N7	2.27	0.48
8:J:95:DG:H2'	8:J:96:DT:H71	1.95	0.48
2:E:79:LYS:HB2	2:E:82:LEU:HD11	1.96	0.47
7:I:4:DG:H2''	7:I:5:DA:OP2	2.14	0.47
8:J:26:DC:H2''	8:J:27:DC:C5	2.49	0.47
8:J:109:DT:H2''	8:J:110:DA:C8	2.49	0.47
8:J:112:DG:H2''	8:J:113:DA:C8	2.49	0.47
3:B:77:LYS:HD3	3:B:77:LYS:HA	1.71	0.47
2:E:63:ARG:HD3	8:J:91:DA:H4'	1.95	0.47
8:J:115:DC:N3	8:J:116:DA:N6	2.62	0.47
7:I:37:DG:H1	8:J:111:DC:H5	1.61	0.47
8:J:38:DG:H2''	8:J:39:DG:C8	2.49	0.47
7:I:121:DG:H2''	7:I:122:DG:N7	2.30	0.47
7:I:65:DA:H2'	7:I:66:DC:C6	2.50	0.46
1:N:52:THR:HG23	1:N:53:ARG:HG3	1.96	0.46
7:I:29:DA:H1'	7:I:30:DA:N7	2.30	0.46
8:J:79:DT:H2''	8:J:80:DA:N7	2.30	0.46
2:A:85:GLN:HG2	8:J:50:DT:OP1	2.15	0.46
7:I:14:DG:H2'	7:I:15:DT:C6	2.50	0.46
8:J:127:DC:H2''	8:J:128:DT:C6	2.50	0.46
1:N:50:THR:HG23	1:N:52:THR:H	1.79	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:I:27:DT:H2''	7:I:28:DC:C5	2.50	0.46
7:I:103:DA:H2'	7:I:104:DT:H71	1.97	0.46
4:G:79:ILE:HG12	4:G:82:HIS:CE1	2.50	0.46
8:J:94:DG:H2'	8:J:95:DG:C8	2.49	0.46
8:J:48:DC:H2''	8:J:49:DC:C5	2.51	0.46
7:I:78:DC:H2''	7:I:79:DC:C5	2.51	0.46
8:J:91:DA:H2''	8:J:92:DG:H8	1.81	0.45
7:I:82:DC:H2''	7:I:83:DG:C8	2.52	0.45
6:O:26:VAL:O	6:O:30:ILE:HG12	2.16	0.45
7:I:62:DC:H2''	7:I:63:DG:H5''	1.98	0.45
7:I:90:DA:H1'	7:I:91:DA:N7	2.32	0.45
8:J:47:DC:H2''	8:J:48:DC:C5	2.52	0.45
6:O:43:LEU:HB3	6:O:50:LEU:HD12	1.98	0.45
7:I:59:DA:H2''	7:I:60:DA:C8	2.51	0.45
8:J:101:DG:H2''	8:J:102:DA:C8	2.52	0.45
1:L:39:PHE:CE1	4:G:71:ARG:HD2	2.52	0.45
7:I:112:DT:H2''	7:I:113:DA:N7	2.32	0.45
5:D:112:THR:HA	5:D:115:VAL:HG12	1.98	0.44
7:I:6:DG:H2''	7:I:7:DA:C8	2.52	0.44
7:I:102:DG:H2''	7:I:103:DA:H5''	1.99	0.44
3:B:79:LYS:HB2	3:B:79:LYS:HE2	1.73	0.44
7:I:30:DA:C8	7:I:30:DA:H5'	2.52	0.44
8:J:31:DA:H2''	8:J:32:DG:C8	2.52	0.44
3:B:52:GLU:H	3:B:52:GLU:CD	2.25	0.44
8:J:51:DT:C2	8:J:52:DG:C8	3.06	0.44
8:J:113:DA:C4	8:J:114:DC:C5	3.05	0.44
8:J:119:DT:H2''	8:J:120:DG:N7	2.33	0.44
6:K:66:THR:HG22	6:K:68:HIS:CE1	2.53	0.44
8:J:123:DC:H2''	8:J:124:DG:H8	1.83	0.44
6:O:4:PHE:HE1	6:O:14:THR:HG22	1.83	0.43
3:B:35:ARG:NH2	7:I:82:DC:OP2	2.49	0.43
3:F:39:ARG:NH1	3:F:44:LYS:O	2.51	0.43
3:F:31:LYS:HG3	3:F:51:TYR:CZ	2.53	0.43
2:E:40:ARG:HH21	8:J:82:DG:H21	1.67	0.42
6:K:62:GLN:OE1	6:K:65:SER:OG	2.33	0.42
8:J:130:DG:H2''	8:J:131:DG:N7	2.33	0.42
7:I:123:DC:H6	7:I:123:DC:H2'	1.68	0.42
8:J:67:DG:H2''	8:J:68:DG:C8	2.53	0.42
8:J:94:DG:H2''	8:J:95:DG:O5'	2.18	0.42
8:J:114:DC:C2	8:J:115:DC:C5	3.07	0.42
7:I:72:DC:H2''	7:I:73:DG:H8	1.85	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:44:LYS:HB2	4:G:115:LEU:HD13	2.02	0.42
4:G:50:TYR:CE1	5:H:111:GLY:HA3	2.55	0.42
6:K:54:ARG:NH1	6:K:57:SER:HB2	2.35	0.42
6:O:45:PHE:HB2	6:O:50:LEU:HD11	2.00	0.42
2:A:115:LYS:HB3	2:A:115:LYS:HE2	1.89	0.42
5:D:35:ALA:HA	5:D:56:MET:HE2	2.01	0.42
6:O:43:LEU:HB2	6:O:50:LEU:HB2	2.01	0.42
6:K:43:LEU:HD21	6:K:67:LEU:HD12	2.02	0.42
6:O:54:ARG:HD2	6:O:55:THR:O	2.19	0.42
7:I:6:DG:N2	8:J:143:DT:O2	2.53	0.42
7:I:70:DC:H2''	7:I:71:DG:N7	2.34	0.42
8:J:51:DT:C2	8:J:52:DG:N7	2.88	0.42
8:J:110:DA:H2''	8:J:111:DC:O2	2.20	0.42
1:N:47:ARG:HH22	4:C:69:ALA:HA	1.85	0.42
5:D:76:ARG:CZ	5:D:76:ARG:HB2	2.50	0.42
7:I:3:DC:H2'	7:I:3:DC:H6	1.70	0.42
8:J:53:DG:C4	8:J:54:DC:C5	3.08	0.41
4:G:26:PRO:HG2	4:G:29:ARG:HB3	2.01	0.41
7:I:89:DT:H2''	7:I:90:DA:C8	2.54	0.41
7:I:98:DA:H2''	7:I:99:DG:C8	2.55	0.41
8:J:99:DT:H2''	8:J:100:DA:N7	2.35	0.41
8:J:91:DA:H2''	8:J:92:DG:C8	2.56	0.41
6:K:43:LEU:HD22	6:K:50:LEU:HD12	2.03	0.41
7:I:40:DG:H1'	7:I:41:DA:C8	2.55	0.41
4:G:81:ARG:NH1	4:G:107:VAL:O	2.37	0.41
7:I:7:DA:H2''	7:I:8:DA:C8	2.55	0.41
5:H:36:ILE:H	5:H:36:ILE:HD12	1.86	0.41
7:I:64:DC:H2''	7:I:65:DA:C8	2.55	0.41
3:F:24:ASP:OD1	3:F:24:ASP:N	2.54	0.41
6:O:21:ASP:O	6:O:55:THR:HG21	2.20	0.41
6:K:29:LYS:NZ	6:K:33:LYS:HD2	2.36	0.41
6:O:15:LEU:HD13	6:O:33:LYS:NZ	2.36	0.41
8:J:81:DC:H2''	8:J:82:DG:C8	2.55	0.41
8:J:123:DC:C2	8:J:124:DG:N7	2.88	0.41
7:I:77:DT:H2''	7:I:78:DC:C6	2.56	0.41
1:L:32:PHE:CG	1:L:33:ARG:N	2.89	0.40
1:N:53:ARG:NH2	4:C:90:ASP:OD2	2.33	0.40
7:I:75:DT:H2''	7:I:76:DG:C8	2.56	0.40
5:D:103:LEU:HD23	5:D:103:LEU:HA	1.89	0.40
7:I:60:DA:H2''	7:I:61:DA:H8	1.87	0.40
1:N:26:ASP:HB3	1:N:33:ARG:HH22	1.85	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:40:ARG:NH2	8:J:83:DT:O2	2.52	0.40
2:E:116:ARG:NH1	2:E:120:MET:HG3	2.36	0.40
8:J:28:DT:H2''	8:J:29:DG:C8	2.56	0.40
1:L:27:CYS:HB3	1:L:32:PHE:H	1.87	0.40
2:A:116:ARG:NH1	2:A:118:THR:O	2.55	0.40
7:I:24:DC:H2'	7:I:25:DG:C8	2.57	0.40
3:B:91:LYS:NZ	5:D:80:TYR:OH	2.27	0.40
6:K:54:ARG:HH12	6:K:57:SER:HB2	1.86	0.40
7:I:111:DC:H6	7:I:111:DC:H2'	1.76	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	44/228 (19%)	43 (98%)	1 (2%)	0	100	100
1	N	30/228 (13%)	30 (100%)	0	0	100	100
2	A	93/136 (68%)	91 (98%)	2 (2%)	0	100	100
2	E	92/136 (68%)	90 (98%)	2 (2%)	0	100	100
3	B	78/103 (76%)	77 (99%)	1 (1%)	0	100	100
3	F	80/103 (78%)	77 (96%)	3 (4%)	0	100	100
4	C	103/130 (79%)	101 (98%)	2 (2%)	0	100	100
4	G	104/130 (80%)	104 (100%)	0	0	100	100
5	D	90/126 (71%)	89 (99%)	1 (1%)	0	100	100
5	H	89/126 (71%)	88 (99%)	1 (1%)	0	100	100
6	K	74/76 (97%)	68 (92%)	6 (8%)	0	100	100
6	O	74/76 (97%)	67 (90%)	7 (10%)	0	100	100
All	All	951/1598 (60%)	925 (97%)	26 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	41/205 (20%)	41 (100%)	0	100	100
1	N	29/205 (14%)	29 (100%)	0	100	100
2	A	83/111 (75%)	83 (100%)	0	100	100
2	E	82/111 (74%)	82 (100%)	0	100	100
3	B	66/79 (84%)	66 (100%)	0	100	100
3	F	67/79 (85%)	67 (100%)	0	100	100
4	C	84/102 (82%)	84 (100%)	0	100	100
4	G	84/102 (82%)	84 (100%)	0	100	100
5	D	78/105 (74%)	78 (100%)	0	100	100
5	H	78/105 (74%)	78 (100%)	0	100	100
6	K	69/69 (100%)	69 (100%)	0	100	100
6	O	69/69 (100%)	69 (100%)	0	100	100
All	All	830/1342 (62%)	830 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	34	ASN
2	A	85	GLN
3	B	25	ASN
4	C	104	GLN
3	F	75	HIS
4	G	104	GLN
5	H	60	ASN
6	K	68	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-64886. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 120




Y Index: 120




Z Index: 120


### 6.2.2 Raw map



X Index: 120



Y Index: 120




Z Index: 120

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 128




Y Index: 116




Z Index: 125


### 6.3.2 Raw map



X Index: 128



Y Index: 116




Z Index: 120


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.01. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_64886\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 110 nm<sup>3</sup>; this corresponds to an approximate mass of 99 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.263 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.263  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.80	-	-
Author-provided FSC curve	3.76	4.46	3.86
Unmasked-calculated*	6.05	7.92	6.64

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 6.05 differs from the reported value 3.8 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-64886 and PDB model 9V9S. Per-residue inclusion information can be found in section [3](#) on page [7](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.01 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.01).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.01) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7660	<div></div> 0.4110
A	<div></div> 0.8400	<div></div> 0.5090
B	<div></div> 0.8590	<div></div> 0.5140
C	<div></div> 0.8060	<div></div> 0.4880
D	<div></div> 0.8130	<div></div> 0.4760
E	<div></div> 0.8190	<div></div> 0.5060
F	<div></div> 0.8200	<div></div> 0.5050
G	<div></div> 0.8330	<div></div> 0.5180
H	<div></div> 0.8360	<div></div> 0.4950
I	<div></div> 0.7980	<div></div> 0.3680
J	<div></div> 0.7930	<div></div> 0.3550
K	<div></div> 0.4110	<div></div> 0.1930
L	<div></div> 0.6520	<div></div> 0.3580
N	<div></div> 0.6950	<div></div> 0.3350
O	<div></div> 0.3810	<div></div> 0.2260

1.0

0.0

<0.0