



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2024 – 12:19 PM EDT

PDB ID : 8VHA
Title : Crystal Structure of Human IDH1 R132Q in complex with NADPH and Alpha-Ketoglutarate
Authors : Mealka, M.; Sohl, C.D.; Huxford, T.
Deposited on : 2023-12-31
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	430	3% 82% 13% ..
1	B	430	% 82% 13% .
1	C	430	11% 74% 21% ..
1	D	430	4% 83% 13% .

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 13870 atoms, of which 106 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	414	3286	2087	557	623	19	0	1	0
1	B	411	3262	2073	552	619	18	0	1	0
1	C	412	3266	2077	550	620	19	0	1	0
1	D	412	3260	2072	551	619	18	0	0	0

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-15	HIS	-	expression tag	UNP O75874
A	-14	HIS	-	expression tag	UNP O75874
A	-13	HIS	-	expression tag	UNP O75874
A	-12	HIS	-	expression tag	UNP O75874
A	-11	HIS	-	expression tag	UNP O75874
A	-10	HIS	-	expression tag	UNP O75874
A	-9	SER	-	expression tag	UNP O75874
A	-8	SER	-	expression tag	UNP O75874
A	-7	GLY	-	expression tag	UNP O75874
A	-6	LEU	-	expression tag	UNP O75874
A	-5	VAL	-	expression tag	UNP O75874
A	-4	PRO	-	expression tag	UNP O75874
A	-3	ARG	-	expression tag	UNP O75874
A	-2	GLY	-	expression tag	UNP O75874
A	-1	SER	-	expression tag	UNP O75874
A	0	HIS	-	expression tag	UNP O75874
A	132	GLN	ARG	engineered mutation	UNP O75874
B	-15	HIS	-	expression tag	UNP O75874
B	-14	HIS	-	expression tag	UNP O75874
B	-13	HIS	-	expression tag	UNP O75874
B	-12	HIS	-	expression tag	UNP O75874

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-11	HIS	-	expression tag	UNP O75874
B	-10	HIS	-	expression tag	UNP O75874
B	-9	SER	-	expression tag	UNP O75874
B	-8	SER	-	expression tag	UNP O75874
B	-7	GLY	-	expression tag	UNP O75874
B	-6	LEU	-	expression tag	UNP O75874
B	-5	VAL	-	expression tag	UNP O75874
B	-4	PRO	-	expression tag	UNP O75874
B	-3	ARG	-	expression tag	UNP O75874
B	-2	GLY	-	expression tag	UNP O75874
B	-1	SER	-	expression tag	UNP O75874
B	0	HIS	-	expression tag	UNP O75874
B	132	GLN	ARG	engineered mutation	UNP O75874
C	-15	HIS	-	expression tag	UNP O75874
C	-14	HIS	-	expression tag	UNP O75874
C	-13	HIS	-	expression tag	UNP O75874
C	-12	HIS	-	expression tag	UNP O75874
C	-11	HIS	-	expression tag	UNP O75874
C	-10	HIS	-	expression tag	UNP O75874
C	-9	SER	-	expression tag	UNP O75874
C	-8	SER	-	expression tag	UNP O75874
C	-7	GLY	-	expression tag	UNP O75874
C	-6	LEU	-	expression tag	UNP O75874
C	-5	VAL	-	expression tag	UNP O75874
C	-4	PRO	-	expression tag	UNP O75874
C	-3	ARG	-	expression tag	UNP O75874
C	-2	GLY	-	expression tag	UNP O75874
C	-1	SER	-	expression tag	UNP O75874
C	0	HIS	-	expression tag	UNP O75874
C	132	GLN	ARG	engineered mutation	UNP O75874
D	-15	HIS	-	expression tag	UNP O75874
D	-14	HIS	-	expression tag	UNP O75874
D	-13	HIS	-	expression tag	UNP O75874
D	-12	HIS	-	expression tag	UNP O75874
D	-11	HIS	-	expression tag	UNP O75874
D	-10	HIS	-	expression tag	UNP O75874
D	-9	SER	-	expression tag	UNP O75874
D	-8	SER	-	expression tag	UNP O75874
D	-7	GLY	-	expression tag	UNP O75874
D	-6	LEU	-	expression tag	UNP O75874
D	-5	VAL	-	expression tag	UNP O75874
D	-4	PRO	-	expression tag	UNP O75874

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-3	ARG	-	expression tag	UNP O75874
D	-2	GLY	-	expression tag	UNP O75874
D	-1	SER	-	expression tag	UNP O75874
D	0	HIS	-	expression tag	UNP O75874
D	132	GLN	ARG	engineered mutation	UNP O75874

- Molecule 2 is (3 {S})-3-[(4 {S})-3-aminocarbonyl-1-[(2 {R},3 {R},4 {S},5 {R})-5-[[[(2 {R},3 {R},4 {R},5 {R})-5-(6-aminopurin-9-yl)-3-oxidanyl-4-phosphonoxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxymethyl]-3,4-bis(oxidanyl)oxolan-2-yl]-4 {H}-pyridin-4-yl]-2-oxidanylidene-pentanedioic acid (three-letter code: EE1) (formula: C₂₆H₃₄N₇O₂₂P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
2	A	1	Total	C	H	N	O	P	0	0
			86	26	28	7	22	3		
2	C	1	Total	C	H	N	O	P	0	0
			86	26	28	7	22	3		

- Molecule 3 is NITRATE ION (three-letter code: NO3) (formula: NO₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total N O 4 1 3	0	0
3	B	1	Total N O 4 1 3	0	0
3	C	1	Total N O 4 1 3	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Ca 1 1	0	0
4	B	1	Total Ca 1 1	0	0
4	C	1	Total Ca 1 1	0	0
4	D	1	Total Ca 1 1	0	0

- Molecule 5 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			P
5	B	1	59	15	19	6	16	3	0	0
5	D	1	59	15	19	6	16	3	0	0

- Molecule 6 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: $C_5H_6O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
6	B	1	14	5	4	5	0	0

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	H	O		
7	D	1	14	3	8	3	0	0


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	107	Total	O	0	0
			107	107		
8	B	130	Total	O	0	0
			130	130		
8	C	71	Total	O	0	0
			71	71		
8	D	154	Total	O	0	0
			154	154		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic





- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic





• Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.82Å 104.86Å 107.71Å 90.00° 98.19° 90.00°	Depositor
Resolution (Å)	39.15 – 2.28 39.15 – 2.28	Depositor EDS
% Data completeness (in resolution range)	98.2 (39.15-2.28) 98.2 (39.15-2.28)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.01 (at 2.27Å)	Xtrriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.167 , 0.222 0.167 , 0.221	Depositor DCC
R_{free} test set	4053 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	35.6	Xtrriage
Anisotropy	0.279	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13870	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, EE1, CA, GOL, AKG, NO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.45	0/3355	0.61	0/4524
1	B	0.47	0/3330	0.59	0/4490
1	C	0.40	0/3335	0.56	0/4500
1	D	0.46	0/3328	0.59	0/4488
All	All	0.45	0/13348	0.59	0/18002

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3286	0	3245	42	0
1	B	3262	0	3227	39	0
1	C	3266	0	3211	85	0
1	D	3260	0	3221	42	0
2	A	58	28	0	0	0
2	C	58	28	0	1	0
3	A	4	0	0	0	0
3	B	4	0	0	0	0
3	C	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	B	40	19	19	1	0
5	D	40	19	19	4	0
6	B	10	4	4	1	0
7	D	6	8	8	1	0
8	A	107	0	0	3	0
8	B	130	0	0	2	0
8	C	71	0	0	1	0
8	D	154	0	0	2	0
All	All	13764	106	12954	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:334:PHE:HA	1:C:337:THR:HG22	1.35	1.03
1:A:218:LYS:HE3	1:A:218:LYS:HA	1.46	0.97
1:D:225:ASP:O	1:D:229:GLU:HG3	1.75	0.86
1:C:30:LEU:HD21	1:C:398:MET:CE	2.07	0.84
1:A:119:ARG:HG3	1:A:285:TYR:HA	1.58	0.82
1:C:30:LEU:HD21	1:C:398:MET:HE1	1.62	0.82
1:C:291:MET:HG2	1:C:308:ALA:HB2	1.63	0.80
1:C:102:ILE:HG22	1:C:103:LEU:HD12	1.64	0.79
1:B:317:ARG:O	1:B:321:LYS:HD2	1.82	0.78
1:C:26:ILE:HA	1:C:30:LEU:HD23	1.66	0.77
1:C:91:MET:HB3	1:D:217:LYS:HE2	1.64	0.77
1:C:35:VAL:HG12	1:C:37:LEU:CD2	2.15	0.76
1:C:330:ILE:CD1	1:C:367:ILE:HD11	2.17	0.75
1:B:127:PRO:HG2	1:B:205:TRP:HH2	1.50	0.74
1:C:334:PHE:HA	1:C:337:THR:CG2	2.16	0.74
1:C:15:GLY:O	1:C:20:ARG:HD2	1.89	0.73
1:A:87:LYS:HE3	1:A:87:LYS:CA	2.18	0.73
1:C:12:GLU:OE2	1:C:14:GLN:HG3	1.90	0.71
1:A:87:LYS:HE3	1:A:87:LYS:HA	1.72	0.70
1:A:83:VAL:HA	1:A:88:LEU:HD12	1.74	0.69
1:B:49:ARG:HD2	8:B:608:HOH:O	1.92	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26:ILE:HA	1:C:30:LEU:CD2	2.23	0.68
1:C:291:MET:HG2	1:C:308:ALA:CB	2.23	0.68
1:B:29:LYS:HE3	1:B:399:ASP:OD1	1.97	0.65
1:C:334:PHE:CA	1:C:337:THR:HG22	2.19	0.64
1:C:35:VAL:HG12	1:C:37:LEU:HD22	1.81	0.63
1:A:112:ILE:HD12	1:A:334:PHE:CE2	2.35	0.62
1:C:330:ILE:HD12	1:C:367:ILE:HD11	1.80	0.62
1:C:30:LEU:HD21	1:C:398:MET:HE3	1.80	0.61
1:C:23:TRP:CD2	1:C:73:CYS:HB2	2.35	0.61
1:B:4:LYS:NZ	1:B:32:PHE:O	2.29	0.61
1:C:403:GLU:O	1:C:407:ILE:HD13	2.00	0.61
1:C:81:LYS:HE3	1:D:224:LYS:NZ	2.15	0.61
1:C:392:LEU:HB3	1:C:396:GLU:HB2	1.82	0.61
1:D:77:THR:N	5:D:501:NDP:O2D	2.20	0.61
1:C:383:LEU:HD22	1:C:383:LEU:O	2.01	0.60
1:B:362:VAL:HG21	1:B:405:LEU:HA	1.84	0.59
1:C:46:ILE:HD11	1:C:78:PRO:HG3	1.84	0.59
1:C:81:LYS:HE2	1:C:81:LYS:H	1.68	0.58
1:C:79:ASP:O	1:C:83:VAL:HG23	2.03	0.58
1:C:35:VAL:HG12	1:C:37:LEU:HD21	1.82	0.58
1:A:282:ALA:HB2	1:A:291:MET:HG2	1.86	0.57
1:D:364:ILE:O	1:D:368:GLU:HG3	2.05	0.57
1:C:81:LYS:HE3	1:D:224:LYS:HZ1	1.70	0.56
1:C:319:TYR:HB2	1:C:325:THR:HG21	1.87	0.56
1:A:312:VAL:HG12	1:A:315:HIS:HB2	1.87	0.56
1:A:218:LYS:HA	1:A:218:LYS:CE	2.24	0.56
1:D:156:TYR:HB3	1:D:165:VAL:CG1	2.36	0.56
1:A:80:GLU:OE1	1:A:80:GLU:N	2.36	0.56
1:D:162:THR:HG22	1:D:163:GLN:N	2.21	0.55
1:B:80:GLU:O	1:B:83:VAL:HG22	2.05	0.55
1:C:282:ALA:HB2	1:C:291:MET:SD	2.47	0.55
1:B:257:GLN:HG2	8:B:607:HOH:O	2.05	0.55
1:C:313:THR:O	1:C:317:ARG:HG2	2.06	0.55
1:B:50:ASP:O	1:B:89:LYS:NZ	2.29	0.54
1:A:197:PHE:CZ	1:A:231:TYR:HB2	2.43	0.54
1:C:69:VAL:HG21	1:C:343:ARG:HG2	1.89	0.53
1:D:412:ALA:O	1:D:413:LYS:HB2	2.07	0.53
1:C:367:ILE:HD13	1:C:376:LEU:CD1	2.39	0.53
1:A:238:GLN:HG3	8:A:623:HOH:O	2.08	0.53
1:C:21:ILE:O	1:C:25:LEU:HD12	2.09	0.52
1:A:174:GLU:H	1:A:174:GLU:CD	2.12	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:49:ARG:HD2	8:A:647:HOH:O	2.10	0.52
1:D:234:GLN:O	1:D:238:GLN:NE2	2.38	0.52
1:C:66:LYS:HA	1:C:66:LYS:HE2	1.92	0.51
1:D:383:LEU:HB3	1:D:384:PRO:HD3	1.91	0.51
1:C:26:ILE:HG23	1:C:30:LEU:HD23	1.92	0.51
1:A:312:VAL:HG12	1:A:312:VAL:O	2.09	0.51
1:D:235:TYR:HA	1:D:238:GLN:NE2	2.24	0.51
1:D:7:GLY:HA3	1:D:37:LEU:HD23	1.90	0.51
1:C:13:MET:CE	1:C:64:ILE:HD11	2.41	0.51
1:A:247:GLU:OE1	1:A:249:ARG:NH2	2.43	0.51
1:C:66:LYS:HA	1:C:66:LYS:CE	2.41	0.51
1:C:101:ASN:OD1	1:C:140:ARG:HD3	2.11	0.51
1:D:162:THR:CG2	1:D:163:GLN:N	2.74	0.51
1:A:53:ASN:HA	1:A:92:TRP:CH2	2.46	0.50
1:A:219:TYR:HB2	1:B:143:ASP:HB2	1.94	0.50
1:D:25:LEU:HD22	1:D:29:LYS:HE2	1.93	0.50
1:B:119:ARG:NH2	1:B:122:SER:O	2.40	0.50
1:C:5:ILE:HB	1:C:35:VAL:HG22	1.94	0.50
1:C:81:LYS:N	1:C:81:LYS:HD3	2.27	0.50
1:D:163:GLN:HG3	1:D:164:LYS:O	2.12	0.50
1:A:210:SER:HA	1:A:249:ARG:O	2.12	0.50
1:B:127:PRO:HG2	1:B:205:TRP:CH2	2.39	0.49
1:C:67:HIS:O	1:C:68:ASN:HB2	2.11	0.49
1:C:383:LEU:N	1:C:384:PRO:HD2	2.28	0.49
1:C:44:LEU:HD11	1:C:57:THR:HA	1.93	0.49
1:B:79:ASP:O	1:B:83:VAL:HG13	2.13	0.49
1:D:185:GLN:O	1:D:189:ILE:HG13	2.13	0.49
5:D:501:NDP:O2N	5:D:501:NDP:O2A	2.29	0.49
1:D:362:VAL:HG21	1:D:405:LEU:HA	1.94	0.49
1:A:330:ILE:HD12	1:A:363:SER:HB3	1.94	0.48
1:C:388:ARG:HH11	1:C:388:ARG:HG3	1.78	0.48
1:D:299:ASP:OD2	7:D:502:GOL:H12	2.14	0.48
1:C:30:LEU:N	1:C:30:LEU:HD22	2.28	0.48
1:B:22:ILE:HD11	1:B:394:THR:CG2	2.43	0.48
1:C:382:GLY:O	1:C:386:VAL:HG23	2.12	0.48
1:A:127:PRO:HD2	1:A:205:TRP:CH2	2.49	0.48
1:C:30:LEU:CD2	1:C:398:MET:HE1	2.39	0.48
1:B:22:ILE:HD11	1:B:394:THR:HG21	1.94	0.48
1:D:412:ALA:O	1:D:413:LYS:CB	2.62	0.48
1:D:381:LYS:HE2	1:D:385:ASN:O	2.14	0.48
1:B:383:LEU:N	1:B:384:PRO:HD2	2.28	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:149:PRO:HB2	1:D:159:SER:OG	2.14	0.48
1:A:112:ILE:HD11	1:A:292:THR:HG21	1.96	0.47
1:C:123:GLY:O	1:C:262:GLU:HA	2.14	0.47
1:A:362:VAL:HG23	1:A:408:LYS:HD2	1.94	0.47
1:B:311:THR:C	1:B:312:VAL:HG23	2.35	0.47
1:C:17:GLU:O	1:C:21:ILE:HG12	2.14	0.47
1:B:6:SER:O	1:B:349:ASN:ND2	2.47	0.47
1:C:388:ARG:HG3	1:C:388:ARG:NH1	2.29	0.47
1:B:210:SER:HA	1:B:249:ARG:O	2.15	0.47
1:B:23:TRP:CD2	1:B:73:CYS:HB2	2.50	0.46
1:C:22:ILE:HD11	1:C:327:THR:HB	1.97	0.46
1:B:16:ASP:HB2	1:B:311:THR:HG21	1.98	0.46
1:A:87:LYS:HA	1:A:87:LYS:CE	2.37	0.46
1:C:78:PRO:HD2	1:C:92:TRP:O	2.16	0.46
1:A:200:ALA:HA	1:A:266:ILE:HG13	1.97	0.46
1:C:197:PHE:CZ	1:C:231:TYR:HB2	2.51	0.46
1:D:83:VAL:O	1:D:87:LYS:N	2.49	0.46
1:C:81:LYS:H	1:C:81:LYS:CE	2.28	0.45
1:C:91:MET:HB3	1:D:217:LYS:CE	2.42	0.45
1:C:347:ASP:HB3	8:C:666:HOH:O	2.16	0.45
1:C:392:LEU:HD22	1:C:397:PHE:HA	1.98	0.45
1:C:407:ILE:HD12	1:C:407:ILE:N	2.31	0.45
1:D:252:ASP:OD1	1:D:252:ASP:N	2.50	0.45
1:D:413:LYS:HA	1:D:413:LYS:HD2	1.65	0.45
1:D:354:PHE:CZ	1:D:412:ALA:HB2	2.52	0.45
1:A:115:LYS:HG2	1:A:368:GLU:OE2	2.16	0.45
1:B:38:ASP:OD2	1:B:40:HIS:NE2	2.48	0.45
1:C:113:ILE:HD11	1:C:285:TYR:CD1	2.51	0.45
1:C:46:ILE:HD12	1:C:49:ARG:NH1	2.32	0.45
1:C:151:LYS:HB3	1:C:151:LYS:HE2	1.77	0.45
1:A:392:LEU:HD21	1:D:350:LYS:NZ	2.32	0.44
1:D:109:ARG:HH21	1:D:308:ALA:HB1	1.81	0.44
1:B:114:CYS:HB2	1:B:117:ILE:HG12	2.00	0.44
1:C:66:LYS:HE2	1:C:66:LYS:CA	2.46	0.44
1:A:330:ILE:CD1	1:A:363:SER:HB3	2.47	0.44
5:B:501:NDP:O1X	5:B:501:NDP:O3B	2.29	0.44
1:B:13:MET:CE	1:B:64:ILE:HD11	2.47	0.44
1:A:279:ASP:OD2	1:B:252:ASP:HB3	2.18	0.44
1:C:12:GLU:O	1:C:41:SER:HA	2.18	0.44
1:C:358:ALA:O	1:C:362:VAL:HG23	2.17	0.44
1:B:81:LYS:HE3	1:B:81:LYS:HB2	1.57	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:LYS:HE2	1:B:151:LYS:HB2	1.62	0.44
1:C:328:ASN:HA	1:C:373:THR:HG21	1.98	0.44
1:D:210:SER:HA	1:D:249:ARG:O	2.18	0.44
1:D:359:LEU:HD12	1:D:359:LEU:O	2.18	0.44
1:D:155:THR:HG22	8:D:641:HOH:O	2.16	0.44
1:C:398:MET:HB3	1:C:398:MET:HE2	1.87	0.44
1:B:155:THR:HG21	1:B:164:LYS:NZ	2.33	0.43
1:C:330:ILE:HD11	1:C:367:ILE:HD11	1.95	0.43
1:C:391:TYR:C	1:C:391:TYR:CD1	2.92	0.43
1:A:114:CYS:HB2	1:A:117:ILE:HG12	1.99	0.43
1:C:253:ASP:O	1:C:257:GLN:HG2	2.17	0.43
1:A:314:ARG:HH21	1:A:315:HIS:HE2	1.65	0.43
1:B:39:LEU:HD12	1:B:39:LEU:HA	1.81	0.43
8:A:616:HOH:O	1:B:155:THR:HG22	2.18	0.43
1:A:13:MET:CE	1:A:64:ILE:HD11	2.48	0.43
1:C:19:THR:O	1:C:23:TRP:HB2	2.19	0.43
1:C:178:VAL:HG11	1:D:219:TYR:HA	2.00	0.43
1:A:18:MET:HB3	1:A:312:VAL:HB	2.00	0.43
1:A:72:LYS:HE3	1:A:96:ASN:OD1	2.18	0.43
1:B:29:LYS:CE	1:B:399:ASP:OD1	2.65	0.42
1:B:140:ARG:HA	1:B:140:ARG:HD2	1.85	0.42
1:A:325:THR:O	1:A:393:ASN:HB2	2.19	0.42
1:B:96:ASN:HD22	6:B:503:AKG:H41	1.85	0.42
1:C:13:MET:HE1	1:C:64:ILE:HD11	2.02	0.42
1:C:392:LEU:HD12	1:C:392:LEU:N	2.34	0.42
1:D:156:TYR:HB3	1:D:165:VAL:HG12	2.00	0.42
1:D:330:ILE:HD12	1:D:363:SER:HB3	2.01	0.42
1:C:330:ILE:CD1	1:C:367:ILE:CD1	2.95	0.42
1:C:32:PHE:N	1:C:33:PRO:HD2	2.35	0.42
1:C:329:PRO:O	1:C:333:ILE:HD12	2.20	0.42
1:B:139:TYR:CD1	1:B:139:TYR:N	2.87	0.42
1:A:69:VAL:HG22	1:A:342:HIS:HD2	1.83	0.42
1:C:291:MET:HE3	1:C:291:MET:HB2	1.98	0.42
1:C:11:VAL:O	1:C:70:GLY:HA2	2.20	0.42
1:C:364:ILE:HG22	1:C:368:GLU:OE1	2.20	0.42
1:D:77:THR:H	5:D:501:NDP:HO2N	1.58	0.41
1:C:70:GLY:O	1:C:304:GLU:HA	2.20	0.41
1:C:81:LYS:N	1:C:81:LYS:CD	2.83	0.41
1:A:252:ASP:OD1	1:A:252:ASP:N	2.49	0.41
1:A:16:ASP:CB	1:A:76:ILE:HG13	2.51	0.41
1:A:398:MET:HE2	1:A:398:MET:HB3	1.92	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:GLU:HB2	1:B:311:THR:HB	2.02	0.41
1:B:155:THR:CG2	1:B:164:LYS:HE3	2.50	0.41
1:A:247:GLU:OE1	1:A:249:ARG:NH1	2.50	0.41
1:D:138:GLN:HG3	1:D:182:MET:HE2	2.02	0.41
1:D:224:LYS:HD2	1:D:248:HIS:CE1	2.54	0.41
1:D:79:ASP:OD1	1:D:82:ARG:HG2	2.20	0.41
1:A:180:MET:HG2	1:B:182:MET:HG2	2.02	0.41
1:B:109:ARG:HA	1:B:292:THR:O	2.20	0.41
1:D:77:THR:HG22	5:D:501:NDP:O2D	2.21	0.41
1:C:310:GLY:HA2	2:C:502:EE1:C05	2.51	0.41
1:A:115:LYS:HG2	1:A:115:LYS:H	1.74	0.40
1:B:25:LEU:O	1:B:29:LYS:HB2	2.21	0.40
1:D:109:ARG:NH1	8:D:603:HOH:O	2.38	0.40
1:C:68:ASN:HA	1:C:302:THR:HG23	2.02	0.40
1:D:325:THR:O	1:D:393:ASN:HB2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	413/430 (96%)	401 (97%)	11 (3%)	1 (0%)	47	57
1	B	410/430 (95%)	396 (97%)	14 (3%)	0	100	100
1	C	411/430 (96%)	392 (95%)	19 (5%)	0	100	100
1	D	410/430 (95%)	399 (97%)	11 (3%)	0	100	100
All	All	1644/1720 (96%)	1588 (97%)	55 (3%)	1 (0%)	51	63

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	350/364 (96%)	340 (97%)	10 (3%)	42	56
1	B	348/364 (96%)	341 (98%)	7 (2%)	55	70
1	C	346/364 (95%)	338 (98%)	8 (2%)	50	65
1	D	347/364 (95%)	340 (98%)	7 (2%)	55	70
All	All	1391/1456 (96%)	1359 (98%)	32 (2%)	50	65

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	2	SER
1	A	3	LYS
1	A	6	SER
1	A	87	LYS
1	A	174	GLU
1	A	180	MET
1	A	252	ASP
1	A	338	ARG
1	A	408	LYS
1	B	159	SER
1	B	237	SER
1	B	252	ASP
1	B	309	HIS
1	B	314	ARG
1	B	321	LYS
1	B	408	LYS
1	C	0	HIS
1	C	2	SER
1	C	66	LYS
1	C	81	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	184	ASN
1	C	288	LEU
1	C	343	ARG
1	C	391	TYR
1	D	2	SER
1	D	3	LYS
1	D	90	GLN
1	D	151	LYS
1	D	385	ASN
1	D	411	GLN
1	D	413	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	185	GLN
1	D	385	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NO3	A	502	-	1,3,3	1.36	0	0,3,3	-	-
5	NDP	D	501	-	36,43,52	2.80	12 (33%)	44,67,80	2.04	10 (22%)
3	NO3	B	502	-	1,3,3	0.96	0	0,3,3	-	-
6	AKG	B	503	4	9,9,9	0.79	1 (11%)	11,11,11	0.43	0
7	GOL	D	502	-	5,5,5	0.57	0	5,5,5	0.85	0
2	EE1	C	502	4	54,62,62	1.83	10 (18%)	66,95,95	1.60	12 (18%)
5	NDP	B	501	-	36,43,52	2.85	9 (25%)	44,67,80	1.77	9 (20%)
3	NO3	C	501	-	1,3,3	1.26	0	0,3,3	-	-
2	EE1	A	501	-	54,62,62	2.59	12 (22%)	66,95,95	1.64	15 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NDP	D	501	-	-	10/23/59/77	0/4/4/5
7	GOL	D	502	-	-	3/4/4/4	-
2	EE1	C	502	4	-	16/45/96/96	0/5/5/5
5	NDP	B	501	-	-	7/23/59/77	0/4/4/5
6	AKG	B	503	4	-	3/9/9/9	-
2	EE1	A	501	-	-	15/45/96/96	0/5/5/5

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	501	NDP	P2B-O2B	12.23	1.82	1.59
5	D	501	NDP	P2B-O2B	11.36	1.80	1.59
2	A	501	EE1	P39-O38	10.86	1.79	1.59
2	A	501	EE1	C10-C15	10.46	1.60	1.51
2	C	502	EE1	P39-O38	7.94	1.74	1.59
5	D	501	NDP	O4B-C1B	5.80	1.49	1.41
5	B	501	NDP	O4B-C4B	5.46	1.57	1.45
5	B	501	NDP	O4B-C1B	5.27	1.48	1.41
5	B	501	NDP	PN-O5D	5.05	1.79	1.59
5	D	501	NDP	O4B-C4B	4.92	1.56	1.45
2	C	502	EE1	O21-C22	-4.58	1.34	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	501	NDP	PN-O5D	4.51	1.77	1.59
2	A	501	EE1	O21-C22	-4.00	1.36	1.45
2	A	501	EE1	C02-N01	3.58	1.42	1.33
2	A	501	EE1	C07-N06	3.49	1.46	1.37
5	B	501	NDP	C3B-C2B	3.32	1.60	1.52
2	A	501	EE1	O24-C23	-3.30	1.32	1.44
2	A	501	EE1	P29-O32	3.19	1.72	1.59
5	D	501	NDP	O5B-C5B	-3.11	1.32	1.44
5	D	501	NDP	C3B-C2B	3.00	1.59	1.52
2	A	501	EE1	O38-C37	-2.97	1.33	1.44
2	C	502	EE1	P25-O24	2.92	1.71	1.59
2	C	502	EE1	O58-C57	-2.80	1.36	1.43
2	C	502	EE1	C07-N06	2.76	1.44	1.37
5	D	501	NDP	C2D-C1D	2.71	1.62	1.53
5	B	501	NDP	C3D-C4D	2.65	1.59	1.53
5	B	501	NDP	O5B-C5B	-2.59	1.34	1.44
5	D	501	NDP	O4D-C1D	2.50	1.47	1.42
5	B	501	NDP	C2A-N3A	2.46	1.36	1.32
2	C	502	EE1	C02-N01	2.40	1.39	1.33
5	D	501	NDP	C3D-C4D	2.40	1.59	1.53
2	A	501	EE1	C11-C12	2.31	1.57	1.51
2	C	502	EE1	P29-O32	2.29	1.68	1.59
5	D	501	NDP	C2D-C3D	2.27	1.59	1.53
5	B	501	NDP	O2B-C2B	-2.21	1.36	1.44
2	C	502	EE1	O44-C43	-2.18	1.37	1.43
5	D	501	NDP	O2B-C2B	-2.18	1.36	1.44
2	A	501	EE1	P25-O24	2.10	1.67	1.59
2	A	501	EE1	C55-C22	2.08	1.58	1.53
2	C	502	EE1	C10-C15	2.07	1.53	1.51
5	D	501	NDP	O2D-C2D	-2.07	1.38	1.43
6	B	503	AKG	C2-C1	2.07	1.56	1.53
2	A	501	EE1	O32-C33	-2.03	1.37	1.44
2	C	502	EE1	O38-C37	-2.01	1.36	1.44

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	501	NDP	PN-O3-PA	-7.96	105.51	132.83
5	B	501	NDP	PN-O3-PA	-6.04	112.11	132.83
2	C	502	EE1	O21-C22-C55	4.44	113.90	105.11
5	D	501	NDP	O4B-C1B-C2B	-4.03	99.59	106.59
2	A	501	EE1	C11-C10-C09	4.02	116.61	110.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	501	NDP	C5D-C4D-C3D	-4.00	100.18	115.18
2	C	502	EE1	O38-C37-C36	-3.85	96.25	110.10
5	B	501	NDP	C5D-C4D-C3D	-3.84	100.79	115.18
2	C	502	EE1	O19-C17-C15	-3.63	116.89	122.11
5	D	501	NDP	O2B-P2B-O1X	-3.57	95.59	109.39
2	A	501	EE1	O19-C17-C15	-3.53	117.02	122.11
5	B	501	NDP	O4B-C1B-C2B	-3.41	100.67	106.59
2	C	502	EE1	C36-N45-C54	-3.36	120.74	126.64
5	D	501	NDP	C2A-N1A-C6A	-3.18	113.32	118.75
2	A	501	EE1	O38-C37-C36	-3.16	98.72	110.10
2	A	501	EE1	C04-C05-N06	3.01	126.19	122.84
2	A	501	EE1	O03-C02-N01	-2.98	115.90	122.88
2	A	501	EE1	O16-C15-C17	-2.93	114.99	119.38
5	D	501	NDP	PA-O5B-C5B	-2.93	104.51	121.68
2	A	501	EE1	O21-C22-C55	2.74	110.53	105.11
5	B	501	NDP	O3X-P2B-O2B	-2.73	93.78	105.99
2	A	501	EE1	C10-C15-C17	2.71	122.00	116.34
5	B	501	NDP	O3X-P2B-O2X	2.68	117.87	107.64
2	C	502	EE1	O03-C02-N01	-2.67	116.64	122.88
5	B	501	NDP	PA-O5B-C5B	-2.65	106.12	121.68
5	B	501	NDP	C2A-N1A-C6A	-2.55	114.40	118.75
2	A	501	EE1	C23-C22-C55	-2.53	105.70	115.18
2	C	502	EE1	C11-C10-C09	2.52	114.20	110.15
2	A	501	EE1	O40-P39-O42	2.52	120.53	110.68
2	C	502	EE1	C57-C55-C22	-2.50	97.79	102.64
2	A	501	EE1	O21-C20-N06	2.46	112.86	108.06
2	A	501	EE1	C43-C37-C36	-2.42	98.35	102.89
2	C	502	EE1	O38-P39-O42	-2.40	100.12	109.39
2	C	502	EE1	O21-C20-N06	2.38	112.71	108.06
2	A	501	EE1	C20-N06-C07	2.38	125.96	120.83
5	B	501	NDP	O2B-P2B-O1X	-2.37	100.23	109.39
2	A	501	EE1	O27-P25-O26	2.34	123.79	112.24
5	D	501	NDP	O3X-P2B-O2X	2.32	116.49	107.64
2	C	502	EE1	O30-P29-O31	2.30	123.63	112.24
2	A	501	EE1	O30-P29-O31	2.28	123.52	112.24
5	D	501	NDP	C1B-N9A-C4A	-2.20	122.77	126.64
5	B	501	NDP	O2N-PN-O1N	2.20	123.11	112.24
2	C	502	EE1	C37-C43-C34	-2.16	97.31	101.99
2	C	502	EE1	C10-C15-C17	2.16	120.84	116.34
5	D	501	NDP	O2N-PN-O1N	2.12	122.71	112.24
5	D	501	NDP	C4A-C5A-N7A	2.11	111.59	109.40

There are no chirality outliers.

All (54) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	EE1	C11-C10-C15-C17
2	A	501	EE1	C11-C10-C15-O16
2	A	501	EE1	O16-C15-C17-O18
2	A	501	EE1	C23-O24-P25-O27
2	C	502	EE1	C11-C10-C15-C17
2	C	502	EE1	C11-C10-C15-O16
2	C	502	EE1	C10-C15-C17-O19
2	C	502	EE1	O16-C15-C17-O19
2	C	502	EE1	N01-C02-C04-C05
2	C	502	EE1	C23-O24-P25-O26
2	C	502	EE1	C23-O24-P25-O27
5	D	501	NDP	C5B-O5B-PA-O1A
5	D	501	NDP	C5B-O5B-PA-O2A
5	D	501	NDP	C5B-O5B-PA-O3
5	D	501	NDP	PA-O3-PN-O5D
5	D	501	NDP	C5D-O5D-PN-O3
5	D	501	NDP	O4D-C4D-C5D-O5D
5	D	501	NDP	C3D-C4D-C5D-O5D
7	D	502	GOL	O2-C2-C3-O3
5	B	501	NDP	O4D-C4D-C5D-O5D
7	D	502	GOL	O1-C1-C2-C3
7	D	502	GOL	C1-C2-C3-O3
5	D	501	NDP	C3B-C4B-C5B-O5B
2	C	502	EE1	O32-C33-C34-O35
5	D	501	NDP	O4B-C4B-C5B-O5B
2	A	501	EE1	O32-C33-C34-O35
2	A	501	EE1	O32-C33-C34-C43
2	C	502	EE1	O32-C33-C34-C43
2	C	502	EE1	C57-C20-N06-C05
2	A	501	EE1	C23-O24-P25-O28
2	C	502	EE1	C23-O24-P25-O28
5	B	501	NDP	C5D-O5D-PN-O3
2	A	501	EE1	O16-C15-C17-O19
2	A	501	EE1	N01-C02-C04-C05
2	C	502	EE1	O03-C02-C04-C05
5	B	501	NDP	C5D-O5D-PN-O2N
5	D	501	NDP	C5D-O5D-PN-O1N
6	B	503	AKG	C1-C2-C3-C4
2	C	502	EE1	O21-C20-N06-C05
2	A	501	EE1	C10-C15-C17-O19
2	A	501	EE1	O21-C20-N06-C05
2	A	501	EE1	C57-C20-N06-C05

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	B	503	AKG	C3-C4-C5-O4
2	C	502	EE1	C57-C20-N06-C07
6	B	503	AKG	C3-C4-C5-O3
5	B	501	NDP	C3D-C4D-C5D-O5D
2	C	502	EE1	O21-C20-N06-C07
2	A	501	EE1	C37-O38-P39-O41
5	B	501	NDP	PN-O3-PA-O1A
5	B	501	NDP	PN-O3-PA-O2A
2	A	501	EE1	O03-C02-C04-C05
2	A	501	EE1	C23-O24-P25-O26
2	C	502	EE1	C33-O32-P29-O31
5	B	501	NDP	C5D-O5D-PN-O1N



There are no ring outliers.


5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	501	NDP	4	0
6	B	503	AKG	1	0
7	D	502	GOL	1	0
2	C	502	EE1	1	0
5	B	501	NDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	414/430 (96%)	0.16	11 (2%) 54 60	25, 37, 63, 121	0
1	B	411/430 (95%)	0.02	4 (0%) 82 86	24, 37, 54, 75	0
1	C	412/430 (95%)	0.56	46 (11%) 5 6	27, 56, 90, 106	0
1	D	412/430 (95%)	0.09	16 (3%) 39 44	25, 35, 51, 84	0
All	All	1649/1720 (95%)	0.21	77 (4%) 31 37	24, 38, 77, 121	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	0	HIS	7.5
1	D	412	ALA	5.1
1	C	407	ILE	4.9
1	C	51	ALA	4.6
1	A	2	SER	4.4
1	C	362	VAL	4.1
1	C	88	LEU	3.7
1	C	369	ALA	3.7
1	C	403	GLU	3.5
1	C	54	ASP	3.5
1	C	90	GLN	3.2
1	C	55	GLN	3.2
1	D	3	LYS	3.1
1	B	411	GLN	3.1
1	C	81	LYS	3.1
1	D	107	VAL	3.1
1	B	413	LYS	3.0
1	B	276	VAL	3.0
1	C	83	VAL	3.0
1	C	389	SER	3.0
1	C	57	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	387	GLN	2.9
1	C	84	GLU	2.8
1	C	92	TRP	2.8
1	C	87	LYS	2.8
1	A	89	LYS	2.7
1	C	50	ASP	2.7
1	A	413	LYS	2.6
1	C	47	GLU	2.6
1	A	101	ASN	2.6
1	C	276	VAL	2.5
1	D	276	VAL	2.5
1	C	408	LYS	2.5
1	C	61	ALA	2.4
1	D	274	GLY	2.4
1	C	397	PHE	2.4
1	C	401	LEU	2.4
1	C	325	THR	2.4
1	C	251	ILE	2.4
1	C	49	ARG	2.4
1	C	233	LYS	2.3
1	C	53	ASN	2.3
1	C	58	LYS	2.3
1	C	66	LYS	2.3
1	C	384	PRO	2.3
1	C	410	ALA	2.3
1	D	272	TYR	2.3
1	A	412	ALA	2.3
1	C	78	PRO	2.3
1	A	251	ILE	2.3
1	D	411	GLN	2.2
1	C	8	GLY	2.2
1	C	0	HIS	2.2
1	D	139	TYR	2.2
1	C	354	PHE	2.2
1	D	2	SER	2.2
1	C	399	ASP	2.2
1	A	84	GLU	2.2
1	C	366	THR	2.2
1	A	323	GLN	2.2
1	D	163	GLN	2.2
1	C	125	VAL	2.1
1	D	162	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	380	ILE	2.1
1	A	1	MET	2.1
1	C	319	TYR	2.1
1	D	87	LYS	2.1
1	C	367	ILE	2.1
1	C	80	GLU	2.1
1	D	410	ALA	2.1
1	C	46	ILE	2.0
1	C	321	LYS	2.0
1	D	134	ALA	2.0
1	D	307	ALA	2.0
1	B	66	LYS	2.0
1	D	161	GLY	2.0
1	A	51	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	AKG	B	503	10/10	0.71	0.28	56,67,78,78	0
3	NO3	C	501	4/4	0.90	0.14	44,49,49,63	0
2	EE1	C	502	58/58	0.90	0.16	45,61,79,82	0
7	GOL	D	502	6/6	0.90	0.25	44,53,68,68	0
3	NO3	B	502	4/4	0.92	0.14	49,50,54,59	0
3	NO3	A	502	4/4	0.93	0.11	34,35,52,56	0
5	NDP	D	501	40/48	0.93	0.15	29,43,67,76	0
5	NDP	B	501	40/48	0.94	0.13	30,43,73,77	0
4	CA	C	503	1/1	0.95	0.13	59,59,59,59	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	CA	D	503	1/1	0.95	0.17	53,53,53,53	0
2	EE1	A	501	58/58	0.95	0.13	37,46,59,75	0
4	CA	A	503	1/1	0.96	0.09	38,38,38,38	0
4	CA	B	504	1/1	0.97	0.18	52,52,52,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around EE1 C 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around EE1 A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.