



## wwPDB EM Validation Summary Report ⓘ

Dec 7, 2022 – 04:16 PM JST

PDB ID : 7VMO  
EMDB ID : EMD-33938  
Title : Structure of recombinant RyR2 (Ca<sup>2+</sup> dataset, class 1, open state)  
Authors : Kobayashi, T.; Tsutsumi, A.; Kurebayashi, N.; Kodama, M.; Kikkawa, M.;  
Murayama, T.; Ogawa, H.  
Deposited on : 2021-10-09  
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	4966	
1	B	4966	
1	C	4966	
1	D	4966	
2	G	176	
2	H	176	
2	I	176	
2	J	176	

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 122036 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ryanodine receptor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	3991	29688	18782	5180	5553	173	0	0
1	B	3991	29688	18782	5180	5553	173	0	0
1	C	3991	29688	18782	5180	5553	173	0	0
1	D	3991	29688	18782	5180	5553	173	0	0

- Molecule 2 is a protein called Peptidyl-prolyl cis-trans isomerase FKBP1B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	G	107	819	516	144	155	4	0	0
2	H	107	819	516	144	155	4	0	0
2	I	107	819	516	144	155	4	0	0
2	J	107	819	516	144	155	4	0	0

There are 276 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	-67	MET	-	initiating methionine	UNP P68106
G	-66	GLY	-	expression tag	UNP P68106
G	-65	SER	-	expression tag	UNP P68106
G	-64	SER	-	expression tag	UNP P68106
G	-63	HIS	-	expression tag	UNP P68106
G	-62	HIS	-	expression tag	UNP P68106
G	-61	HIS	-	expression tag	UNP P68106
G	-60	HIS	-	expression tag	UNP P68106
G	-59	HIS	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-58	HIS	-	expression tag	UNP P68106
G	-57	SER	-	expression tag	UNP P68106
G	-56	SER	-	expression tag	UNP P68106
G	-55	GLY	-	expression tag	UNP P68106
G	-54	LEU	-	expression tag	UNP P68106
G	-53	VAL	-	expression tag	UNP P68106
G	-52	PRO	-	expression tag	UNP P68106
G	-51	ARG	-	expression tag	UNP P68106
G	-50	GLY	-	expression tag	UNP P68106
G	-49	SER	-	expression tag	UNP P68106
G	-48	HIS	-	expression tag	UNP P68106
G	-47	MET	-	expression tag	UNP P68106
G	-46	ALA	-	expression tag	UNP P68106
G	-45	SER	-	expression tag	UNP P68106
G	-44	MET	-	expression tag	UNP P68106
G	-43	ASP	-	expression tag	UNP P68106
G	-42	GLU	-	expression tag	UNP P68106
G	-41	LYS	-	expression tag	UNP P68106
G	-40	THR	-	expression tag	UNP P68106
G	-39	THR	-	expression tag	UNP P68106
G	-38	GLY	-	expression tag	UNP P68106
G	-37	TRP	-	expression tag	UNP P68106
G	-36	ARG	-	expression tag	UNP P68106
G	-35	GLY	-	expression tag	UNP P68106
G	-34	GLY	-	expression tag	UNP P68106
G	-33	HIS	-	expression tag	UNP P68106
G	-32	VAL	-	expression tag	UNP P68106
G	-31	VAL	-	expression tag	UNP P68106
G	-30	GLU	-	expression tag	UNP P68106
G	-29	GLY	-	expression tag	UNP P68106
G	-28	LEU	-	expression tag	UNP P68106
G	-27	ALA	-	expression tag	UNP P68106
G	-26	GLY	-	expression tag	UNP P68106
G	-25	GLU	-	expression tag	UNP P68106
G	-24	LEU	-	expression tag	UNP P68106
G	-23	GLU	-	expression tag	UNP P68106
G	-22	GLN	-	expression tag	UNP P68106
G	-21	LEU	-	expression tag	UNP P68106
G	-20	ARG	-	expression tag	UNP P68106
G	-19	ALA	-	expression tag	UNP P68106
G	-18	ARG	-	expression tag	UNP P68106
G	-17	LEU	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	-16	GLU	-	expression tag	UNP P68106
G	-15	HIS	-	expression tag	UNP P68106
G	-14	HIS	-	expression tag	UNP P68106
G	-13	PRO	-	expression tag	UNP P68106
G	-12	GLN	-	expression tag	UNP P68106
G	-11	GLY	-	expression tag	UNP P68106
G	-10	GLN	-	expression tag	UNP P68106
G	-9	ARG	-	expression tag	UNP P68106
G	-8	GLU	-	expression tag	UNP P68106
G	-7	PRO	-	expression tag	UNP P68106
G	-6	GLY	-	expression tag	UNP P68106
G	-5	SER	-	expression tag	UNP P68106
G	-4	GLY	-	expression tag	UNP P68106
G	-3	GLY	-	expression tag	UNP P68106
G	-2	SER	-	expression tag	UNP P68106
G	-1	GLY	-	expression tag	UNP P68106
G	0	GLY	-	expression tag	UNP P68106
G	1	THR	-	expression tag	UNP P68106
H	-67	MET	-	initiating methionine	UNP P68106
H	-66	GLY	-	expression tag	UNP P68106
H	-65	SER	-	expression tag	UNP P68106
H	-64	SER	-	expression tag	UNP P68106
H	-63	HIS	-	expression tag	UNP P68106
H	-62	HIS	-	expression tag	UNP P68106
H	-61	HIS	-	expression tag	UNP P68106
H	-60	HIS	-	expression tag	UNP P68106
H	-59	HIS	-	expression tag	UNP P68106
H	-58	HIS	-	expression tag	UNP P68106
H	-57	SER	-	expression tag	UNP P68106
H	-56	SER	-	expression tag	UNP P68106
H	-55	GLY	-	expression tag	UNP P68106
H	-54	LEU	-	expression tag	UNP P68106
H	-53	VAL	-	expression tag	UNP P68106
H	-52	PRO	-	expression tag	UNP P68106
H	-51	ARG	-	expression tag	UNP P68106
H	-50	GLY	-	expression tag	UNP P68106
H	-49	SER	-	expression tag	UNP P68106
H	-48	HIS	-	expression tag	UNP P68106
H	-47	MET	-	expression tag	UNP P68106
H	-46	ALA	-	expression tag	UNP P68106
H	-45	SER	-	expression tag	UNP P68106
H	-44	MET	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-43	ASP	-	expression tag	UNP P68106
H	-42	GLU	-	expression tag	UNP P68106
H	-41	LYS	-	expression tag	UNP P68106
H	-40	THR	-	expression tag	UNP P68106
H	-39	THR	-	expression tag	UNP P68106
H	-38	GLY	-	expression tag	UNP P68106
H	-37	TRP	-	expression tag	UNP P68106
H	-36	ARG	-	expression tag	UNP P68106
H	-35	GLY	-	expression tag	UNP P68106
H	-34	GLY	-	expression tag	UNP P68106
H	-33	HIS	-	expression tag	UNP P68106
H	-32	VAL	-	expression tag	UNP P68106
H	-31	VAL	-	expression tag	UNP P68106
H	-30	GLU	-	expression tag	UNP P68106
H	-29	GLY	-	expression tag	UNP P68106
H	-28	LEU	-	expression tag	UNP P68106
H	-27	ALA	-	expression tag	UNP P68106
H	-26	GLY	-	expression tag	UNP P68106
H	-25	GLU	-	expression tag	UNP P68106
H	-24	LEU	-	expression tag	UNP P68106
H	-23	GLU	-	expression tag	UNP P68106
H	-22	GLN	-	expression tag	UNP P68106
H	-21	LEU	-	expression tag	UNP P68106
H	-20	ARG	-	expression tag	UNP P68106
H	-19	ALA	-	expression tag	UNP P68106
H	-18	ARG	-	expression tag	UNP P68106
H	-17	LEU	-	expression tag	UNP P68106
H	-16	GLU	-	expression tag	UNP P68106
H	-15	HIS	-	expression tag	UNP P68106
H	-14	HIS	-	expression tag	UNP P68106
H	-13	PRO	-	expression tag	UNP P68106
H	-12	GLN	-	expression tag	UNP P68106
H	-11	GLY	-	expression tag	UNP P68106
H	-10	GLN	-	expression tag	UNP P68106
H	-9	ARG	-	expression tag	UNP P68106
H	-8	GLU	-	expression tag	UNP P68106
H	-7	PRO	-	expression tag	UNP P68106
H	-6	GLY	-	expression tag	UNP P68106
H	-5	SER	-	expression tag	UNP P68106
H	-4	GLY	-	expression tag	UNP P68106
H	-3	GLY	-	expression tag	UNP P68106
H	-2	SER	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	-1	GLY	-	expression tag	UNP P68106
H	0	GLY	-	expression tag	UNP P68106
H	1	THR	-	expression tag	UNP P68106
I	-67	MET	-	initiating methionine	UNP P68106
I	-66	GLY	-	expression tag	UNP P68106
I	-65	SER	-	expression tag	UNP P68106
I	-64	SER	-	expression tag	UNP P68106
I	-63	HIS	-	expression tag	UNP P68106
I	-62	HIS	-	expression tag	UNP P68106
I	-61	HIS	-	expression tag	UNP P68106
I	-60	HIS	-	expression tag	UNP P68106
I	-59	HIS	-	expression tag	UNP P68106
I	-58	HIS	-	expression tag	UNP P68106
I	-57	SER	-	expression tag	UNP P68106
I	-56	SER	-	expression tag	UNP P68106
I	-55	GLY	-	expression tag	UNP P68106
I	-54	LEU	-	expression tag	UNP P68106
I	-53	VAL	-	expression tag	UNP P68106
I	-52	PRO	-	expression tag	UNP P68106
I	-51	ARG	-	expression tag	UNP P68106
I	-50	GLY	-	expression tag	UNP P68106
I	-49	SER	-	expression tag	UNP P68106
I	-48	HIS	-	expression tag	UNP P68106
I	-47	MET	-	expression tag	UNP P68106
I	-46	ALA	-	expression tag	UNP P68106
I	-45	SER	-	expression tag	UNP P68106
I	-44	MET	-	expression tag	UNP P68106
I	-43	ASP	-	expression tag	UNP P68106
I	-42	GLU	-	expression tag	UNP P68106
I	-41	LYS	-	expression tag	UNP P68106
I	-40	THR	-	expression tag	UNP P68106
I	-39	THR	-	expression tag	UNP P68106
I	-38	GLY	-	expression tag	UNP P68106
I	-37	TRP	-	expression tag	UNP P68106
I	-36	ARG	-	expression tag	UNP P68106
I	-35	GLY	-	expression tag	UNP P68106
I	-34	GLY	-	expression tag	UNP P68106
I	-33	HIS	-	expression tag	UNP P68106
I	-32	VAL	-	expression tag	UNP P68106
I	-31	VAL	-	expression tag	UNP P68106
I	-30	GLU	-	expression tag	UNP P68106
I	-29	GLY	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
I	-28	LEU	-	expression tag	UNP P68106
I	-27	ALA	-	expression tag	UNP P68106
I	-26	GLY	-	expression tag	UNP P68106
I	-25	GLU	-	expression tag	UNP P68106
I	-24	LEU	-	expression tag	UNP P68106
I	-23	GLU	-	expression tag	UNP P68106
I	-22	GLN	-	expression tag	UNP P68106
I	-21	LEU	-	expression tag	UNP P68106
I	-20	ARG	-	expression tag	UNP P68106
I	-19	ALA	-	expression tag	UNP P68106
I	-18	ARG	-	expression tag	UNP P68106
I	-17	LEU	-	expression tag	UNP P68106
I	-16	GLU	-	expression tag	UNP P68106
I	-15	HIS	-	expression tag	UNP P68106
I	-14	HIS	-	expression tag	UNP P68106
I	-13	PRO	-	expression tag	UNP P68106
I	-12	GLN	-	expression tag	UNP P68106
I	-11	GLY	-	expression tag	UNP P68106
I	-10	GLN	-	expression tag	UNP P68106
I	-9	ARG	-	expression tag	UNP P68106
I	-8	GLU	-	expression tag	UNP P68106
I	-7	PRO	-	expression tag	UNP P68106
I	-6	GLY	-	expression tag	UNP P68106
I	-5	SER	-	expression tag	UNP P68106
I	-4	GLY	-	expression tag	UNP P68106
I	-3	GLY	-	expression tag	UNP P68106
I	-2	SER	-	expression tag	UNP P68106
I	-1	GLY	-	expression tag	UNP P68106
I	0	GLY	-	expression tag	UNP P68106
I	1	THR	-	expression tag	UNP P68106
J	-67	MET	-	initiating methionine	UNP P68106
J	-66	GLY	-	expression tag	UNP P68106
J	-65	SER	-	expression tag	UNP P68106
J	-64	SER	-	expression tag	UNP P68106
J	-63	HIS	-	expression tag	UNP P68106
J	-62	HIS	-	expression tag	UNP P68106
J	-61	HIS	-	expression tag	UNP P68106
J	-60	HIS	-	expression tag	UNP P68106
J	-59	HIS	-	expression tag	UNP P68106
J	-58	HIS	-	expression tag	UNP P68106
J	-57	SER	-	expression tag	UNP P68106
J	-56	SER	-	expression tag	UNP P68106

*Continued on next page...*



*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	-55	GLY	-	expression tag	UNP P68106
J	-54	LEU	-	expression tag	UNP P68106
J	-53	VAL	-	expression tag	UNP P68106
J	-52	PRO	-	expression tag	UNP P68106
J	-51	ARG	-	expression tag	UNP P68106
J	-50	GLY	-	expression tag	UNP P68106
J	-49	SER	-	expression tag	UNP P68106
J	-48	HIS	-	expression tag	UNP P68106
J	-47	MET	-	expression tag	UNP P68106
J	-46	ALA	-	expression tag	UNP P68106
J	-45	SER	-	expression tag	UNP P68106
J	-44	MET	-	expression tag	UNP P68106
J	-43	ASP	-	expression tag	UNP P68106
J	-42	GLU	-	expression tag	UNP P68106
J	-41	LYS	-	expression tag	UNP P68106
J	-40	THR	-	expression tag	UNP P68106
J	-39	THR	-	expression tag	UNP P68106
J	-38	GLY	-	expression tag	UNP P68106
J	-37	TRP	-	expression tag	UNP P68106
J	-36	ARG	-	expression tag	UNP P68106
J	-35	GLY	-	expression tag	UNP P68106
J	-34	GLY	-	expression tag	UNP P68106
J	-33	HIS	-	expression tag	UNP P68106
J	-32	VAL	-	expression tag	UNP P68106
J	-31	VAL	-	expression tag	UNP P68106
J	-30	GLU	-	expression tag	UNP P68106
J	-29	GLY	-	expression tag	UNP P68106
J	-28	LEU	-	expression tag	UNP P68106
J	-27	ALA	-	expression tag	UNP P68106
J	-26	GLY	-	expression tag	UNP P68106
J	-25	GLU	-	expression tag	UNP P68106
J	-24	LEU	-	expression tag	UNP P68106
J	-23	GLU	-	expression tag	UNP P68106
J	-22	GLN	-	expression tag	UNP P68106
J	-21	LEU	-	expression tag	UNP P68106
J	-20	ARG	-	expression tag	UNP P68106
J	-19	ALA	-	expression tag	UNP P68106
J	-18	ARG	-	expression tag	UNP P68106
J	-17	LEU	-	expression tag	UNP P68106
J	-16	GLU	-	expression tag	UNP P68106
J	-15	HIS	-	expression tag	UNP P68106
J	-14	HIS	-	expression tag	UNP P68106

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
J	-13	PRO	-	expression tag	UNP P68106
J	-12	GLN	-	expression tag	UNP P68106
J	-11	GLY	-	expression tag	UNP P68106
J	-10	GLN	-	expression tag	UNP P68106
J	-9	ARG	-	expression tag	UNP P68106
J	-8	GLU	-	expression tag	UNP P68106
J	-7	PRO	-	expression tag	UNP P68106
J	-6	GLY	-	expression tag	UNP P68106
J	-5	SER	-	expression tag	UNP P68106
J	-4	GLY	-	expression tag	UNP P68106
J	-3	GLY	-	expression tag	UNP P68106
J	-2	SER	-	expression tag	UNP P68106
J	-1	GLY	-	expression tag	UNP P68106
J	0	GLY	-	expression tag	UNP P68106
J	1	THR	-	expression tag	UNP P68106

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
3	A	1	Total Zn 1 1	0
3	B	1	Total Zn 1 1	0
3	C	1	Total Zn 1 1	0
3	D	1	Total Zn 1 1	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
4	A	1	Total Ca 1 1	0
4	B	1	Total Ca 1 1	0
4	C	1	Total Ca 1 1	0
4	D	1	Total Ca 1 1	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Ryanodine receptor 2







Table with 12 columns (residue ID, amino acid type, and color-coded status). The table lists residues from I1834 to Q1918, with various amino acid types like VAL, PHE, LYS, etc., and color-coded indicators (green, yellow, orange, red, grey) representing different validation or quality status levels.









• Molecule 1: Ryanodine receptor 2













X3368	X3429	X3489	X3549	UNK	Q8843	V9990	E4075	14205	LYS	LYS	ARG	GLY
X3369	X3490	X3490	X3550	UNK	L3844	D4000	T4076	GLU	GLN	VAL	GLU	GLU
X3370	X3491	X3491	X3551	P3611	M3850	V4003	D4077	SER	MET	ALA	GLY	LYS
X3371	X3492	X3492	X3552	R3612	N3871	E4004	E4078	ASP	LEU	LEU	GLN	GLU
X3372	X3493	X3493	X3553	H3613	I3871	V4003	Y4079	ASP	LEU	LEU	TYR	LYS
X3373	X3494	X3494	X3553	R3614	I3871	E4004	E4080	ASN	LEU	ALA	LYS	ALA
X3374	UNK	X3494	X3554	R3615	S3872	T4012	V4083	GLU	ASN	LEU	LEU	LEU
X3375	UNK	X3495	X3555	V3616	T3873	L4013	R4084	ARG	ARG	ILE	ASP	ASP
X3376	UNK	X3496	X3556	N3617	V3874	L4013	R4085	LEU	VAL	PRO	PRO	GLU
X3377	UNK	X3497	X3557	A3728	L3878	M4018	F4086	ALA	VAL	HIS	HIS	LYS
X3378	UNK	X3498	X3558	R3729	L3878	M4018	F4086	ASN	ASN	PRO	ASN	ASN
X3379	UNK	X3499	X3559	L3730	Y3890	L4022	H4087	LYS	LYS	THR	ASN	GLN
X3380	UNK	X3500	X3560	H3731	Y3890	L4022	H4087	GLU	GLU	GLN	ASN	GLN
X3381	UNK	X3501	X3561	E3732	D3895	D4024	I4093	GLU	VAL	ASP	ALA	LEU
X3382	UNK	X3502	X3562	R3733	I3896	L4025	S4105	SER	LEU	GLU	GLY	LEU
X3383	UNK	X3503	X3563	I3897	D3898	T4026	E4106	LYS	ALA	VAL	ARG	GLN
X3384	UNK	X3504	X3564	D3898	D3898	S4027	H4107	GLY	PHE	ARG	SER	LEU
X3385	UNK	X3505	X3565	E3631	F3905	S4028	P4108	ASP	SER	ASP	LEU	HIS
X3386	UNK	X3506	X3566	E3632	I3909	D4029	M4110	MET	THR	THR	THR	HIS
X3387	UNK	X3507	X3567	D3637	F3916	T4030	D4111	PRO	GLU	GLU	ASN	ARG
X3388	UNK	X3508	X3568	R3638	F3916	F4031	D4112	GLY	TRP	PRO	PRO	TYR
X3389	UNK	X3509	X3569	L3639	F3916	F4032	T4113	LEU	SER	VAL	VAL	GLY
X3390	UNK	X3510	X3570	I3640	F3919	D4035	R4114	ALA	PHE	ARG	ARG	GLU
X3391	UNK	X3511	X3571	I3641	L3919	P4036	T4115	ALA	VAL	LYS	VAL	PRO
X3392	UNK	X3512	X3572	D3642	L3919	P4036	Q4116	LEU	ALA	LYS	THR	PRO
X3393	UNK	X3513	X3573	L3643	E3921	D4037	Q4117	LEU	VAL	THR	THR	VAL
X3394	UNK	X3514	X3574	L3643	E3921	D4037	F4117	LEU	VAL	THR	THR	VAL
X3395	UNK	X3515	X3575	I3644	E3922	G4038	L4118	PHE	VAL	GLY	GLY	VAL
X3396	UNK	X3516	X3576	I3645	I3923	K4039	E4119	SER	ALA	ALA	GLU	GLY
X3397	UNK	X3517	X3577	I3645	I3923	K4039	E4119	SER	ALA	ALA	GLU	GLY
X3398	UNK	X3518	X3578	A3648	P3926	G4040	L4120	SER	VAL	LEU	LEU	ALA
X3399	UNK	X3519	X3579	GLU	F3926	V4041	A4121	LEU	ALA	LEU	LEU	ALA
X3400	UNK	X3520	UNK	LEU	F3926	V4041	A4121	LEU	ALA	LEU	LEU	ALA
X3401	UNK	X3521	UNK	PRO	L3934	L4042	E4122	THR	ALA	PRO	PHE	GLN
X3402	UNK	X3522	UNK	PRO	L3934	L4042	E4122	THR	ALA	PRO	PHE	GLN
X3403	UNK	X3523	UNK	GLU	R3938	S4043	S4123	ILE	ALA	PRO	PHE	GLN
X3404	UNK	X3524	UNK	GLU	L3939	K4044	V4124	GLN	ALA	PRO	PHE	GLN
X3405	UNK	X3525	UNK	ASP	M3940	R4045	L4125	SER	ALA	PRO	PHE	GLN
X3406	UNK	X3526	UNK	GLU	W3940	R4045	L4125	SER	ALA	PRO	PHE	GLN
X3407	UNK	X3527	UNK	ALA	V3944	F4047	L4132	ALA	ALA	PRO	PHE	GLN
X3408	UNK	X3528	UNK	ALA	F3950	H4048	L4133	LEU	ALA	PRO	PHE	GLN
X3409	UNK	X3529	UNK	ALA	F3950	H4048	G4134	PHE	ALA	PRO	PHE	GLN
X3410	UNK	X3530	UNK	GLU	A3951	R4049	I4135	LEU	ALA	PRO	PHE	GLN
X3411	UNK	X3531	UNK	GLU	A3951	R4049	I4135	LEU	ALA	PRO	PHE	GLN
X3412	UNK	X3532	UNK	ASP	Q3954	A4050	E4136	ARG	ALA	PRO	PHE	GLN
X3413	UNK	X3533	UNK	ASP	Q3954	A4050	E4136	ARG	ALA	PRO	PHE	GLN
X3414	UNK	X3534	UNK	GLY	I3964	Y4057	H4056	LEU	ALA	PRO	PHE	GLN
X3414	UNK	X3535	UNK	GLU	I3964	Y4057	H4056	LEU	ALA	PRO	PHE	GLN
X3417	X3478	X3536	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3418	X3478	X3537	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3419	X3478	X3538	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3420	X3478	X3539	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3421	X3478	X3540	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3422	X3478	X3541	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3423	X3478	X3542	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3424	X3478	X3543	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3425	X3478	X3544	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3426	X3478	X3545	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3427	X3478	X3546	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3428	X3478	X3547	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X3478	X3478	X3547	UNK	H3699	E3969	T4058	Q4158	VAL	VAL	LEU	GLY	ASP
X4478	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
K4480	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
K4481	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
L4482	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
L4483	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
A4494	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
V4507	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
A4508	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
F4509	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
L4515	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
L4516	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
F4517	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
Y4518	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
S4521	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
THR	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
SER	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
VAL	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
VAL	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
GLU	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
GLY	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK
LYS	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK




• Molecule 1: Ryanodine receptor 2






K2881	K2882	K2883	D2884	E2885	K2886	K2887	A2888	D2889	D2890	I2891	F2892	F2893	F2894	L2895	Q2896	S2898	G2899	Y2900	V2901	V2902	S2903	R2904	G2905																																				
PHE	LYS	ASP	LEU	ASP	THR	GLY	THR	GLU	GLY	ASP	GLY	ASP	GLY	ASP	PRO	SER	L2916	X2919	X2920	X2921	X2922	X2923	X2924	X2925	X2926	X2927	X2928	X2929	X2930	X2931	X2932	X2933	X2934	X2935	X2936	X2937	X2938	X2939	X2940																				
LYS	GLY	THR	GLU	ASP	THR	GLY	THR	GLU	GLY	ASP	GLY	ASP	GLY	ASP	PRO	SER	L2916	X2919	X2920	X2921	X2922	X2923	X2924	X2925	X2926	X2927	X2928	X2929	X2930	X2931	X2932	X2933	X2934	X2935	X2936	X2937	X2938	X2939	X2940																				
X2641	X2642	X2643	X2644	X2645	X2646	X2647	X2648	X2649	X2650	X2651	X2652	X2653	X2654	X2655	X2656	X2657	X2658	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK																			
UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK																		
I2712	P2713	E2714	K2715	E2717	Y2718	F2719	I2720	M2721	K2722	Y2723	A2724	E2725	H2726	S2727	H2728	D2729	K2730	W2731	S2732	M2733	D2734	K2735	L2736	A2737	G2738	W2740	I2741	Y2742	G2743	E2744	I2745	Y2746	G2747	D2748	S2749	W2750	K2751	Q2753	Y2754	L2755	H2756	LYS	PRO	TYR	LYS														
UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK	UNK											
L2761	L2762	S2763	E2764	K2765	K2767	E2768	I2769	Y2770	R2771	W2772	P2773	L2774	K2775	E2776	S2777	L2778	K2779	T2780	M2781	L2782	A2783	W2784	TRP	ARG	ILE	GLU	ARG	THR	ARG	GLU	GLY	ASP	SER	MET	ALA	LEU	TYR	ASN	ARG	THR	ARG	ILE	GLN	THR	SER	GLN	VAL	ILE	SER	THR	ILE	ASP	ALA	ALA	HIS	GLY	TYR		
SER	PRO	ARG	ALA	ILE	ASP	MET	SER	ASN	VAL	THR	LEU	LEU	LEU	ARG	D2835	L2836	H2837	A2838	M2839	A2840	E2841	M2842	M2843	A2844	E2845	M2846	Y2847	H2848	N2849	I2850	W2851	A2852	K2853	K2854	K2855	K2856	E2858	L2859	E2860	S2861	K2862	G2863	G2864	G2865	M2866	H2867	P2868	L2869	L2870	S2871	P2872	Y2873	D2874	T2875	L2876	T2877	A2878	K2879	E2880
K2881	K2882	K2883	D2884	E2885	K2886	K2887	A2888	D2889	D2890	I2891	F2892	F2893	F2894	L2895	Q2896	S2898	G2899	Y2900	V2901	V2902	S2903	R2904	G2905																																				
PRO	ARG	ALA	ILE	ASP	MET	SER	ASN	VAL	THR	LEU	LEU	LEU	ARG	D2835	L2836	H2837	A2838	M2839	A2840	E2841	M2842	M2843	A2844	E2845	M2846	Y2847	H2848	N2849	I2850	W2851	A2852	K2853	K2854	K2855	K2856	E2858	L2859	E2860	S2861	K2862	G2863	G2864	G2865	M2866	H2867	P2868	L2869	L2870	S2871	P2872	Y2873	D2874	T2875	L2876	T2877	A2878	K2879	E2880	


			X2942 UNK
			X2961 X2962
			X2963 X2964 X2965 X2966
			X2969 X2970 X2971 X2972 X2973 X2974 X2975 X2976 X2977 X2978 X2979 X2980 X2981 X2982 X2983 X2984 X2985 X2986 X2987 X2988 X2989 X2990 X2991 X2992 X2993 X2994 X2995 X2996 X2997 X2998 X2999 X3000 X3001 X3002
			X3003 X3004 X3005 X3006 X3007 X3008 X3009 X3010 X3011 X3012 X3013 X3014 X3015 X3016 X3017 X3018 X3019 X3020 X3021 X3022 X3023 X3024 X3025 X3026 X3027 X3028 X3029
			X3104 X3105 X3106 X3107 X3108 X3109 X3110 X3111 X3112 X3113 X3114 X3115 X3116 X3117 X3118 X3119 X3120 X3121 X3122
			X3123 X3124 X3125 X3126 X3127 X3128 X3129
			X3136 X3137 X3138 X3139 X3140 X3141 X3142 X3143 X3144 X3145 X3146 X3147 X3148 X3149 X3150 X3151 X3152 X3153 X3154 X3155 X3156 X3157 X3158 X3159 X3160 X3161 X3162 X3163 X3164 X3165 X3166 X3167 X3168 X3169 X3170 X3171 X3172 X3173 X3174 X3175 X3176 X3177 X3178 X3179 X3180 X3181 X3182
			X3183 X3184 X3185 X3186 X3187 X3188 X3189 X3190 X3191 X3192 X3193 X3194 X3195 X3196 X3197 X3198 X3199 X3200 X3201 X3202
			X3231 X3232 X3233 X3234 X3235 X3236 X3237 X3238 X3239 X3240 X3241 X3242
			X3243 X3244 X3245 X3246 X3247 X3248 X3249 X3250 X3251 X3252 X3253 X3254 X3255 X3256 X3257 X3258 X3259 X3260 X3261 X3262 X3263 X3264 X3265 X3266 X3267 X3268 X3269 X3270 X3271 X3272 X3273 X3274 X3275 X3276 X3277 X3278 X3279 X3280 X3281 X3282 X3283 X3284 X3285 X3286 X3287 X3288
			X3291 X3292 X3293 X3294 X3295 X3296 X3297 X3298 X3299 X3300 X3301 X3302 X3303
			X3304 X3305 X3306 X3307 X3308 X3309 X3310 X3311 X3312 X3313 X3314 X3315 X3316 X3317 X3318 X3319 X3320 X3321 X3322 X3323 X3324 X3325 X3326 X3327 X3328 X3329 X3330 X3331 X3332 X3333 X3334 X3335
			X3338 X3339 X3340 X3341 X3342 X3343 X3344 X3345 X3346 X3347 X3348 X3349 X3350 X3351 X3352 X3353 X3354 X3355 X3356 X3357 X3358 X3359 X3360 X3361 X3362 X3363 X3364 X3365
			X3366 X3367 X3368 X3369 X3370 X3371 X3372 X3373 X3374 X3375 X3376 X3377 X3378 X3379 X3380 X3381 X3382 X3383 X3384 X3385 X3386 X3387 X3388 X3389 X3390 X3391 X3392 X3393 X3394 X3395 X3396 X3397 X3398 X3399 X3400 X3401 X3402 X3403 X3404 X3405 X3406 X3407 X3408 X3409 X3410 X3411 X3412 X3413 X3414 X3417 X3418 X3419 X3420 X3421 X3422 X3423 X3424 X3425
			X3426 X3427 X3428 X3429 X3430 X3431 X3432 X3433 X3434
			X3486 X3487 X3488 X3489 X3490 X3491 X3492 X3493 X3494 X3495 X3496 X3497 X3498 X3499 X3500 X3501 X3502 X3503 X3504 X3505 X3506 X3507 X3508 X3509 X3510 X3511 X3512 X3513 X3514 X3515 X3516 X3517 X3518 X3519 X3520 X3521 X3522 X3523 X3524 X3525 X3526 X3527 X3528 X3529 X3530 X3531 X3532 X3533 X3534 X3535 X3536 X3537 X3538 X3539 X3540 X3541 X3542 X3543 X3544 X3545
			X3546 X3547 X3548 X3549 X3550 X3551 X3552 X3553 X3554 X3555 X3556 X3557 X3558 X3559 X3560 X3561 X3562 X3563 X3564 X3565 X3566 X3567 X3568 X3569 X3570 X3571 X3572 X3573 X3574 X3575 X3576 X3577 X3578 X3579
			X3611 X3612 X3613 X3614 X3615 X3616 X3617 X3618 X3619 X3624 X3628 X3631 X3632 X3637 X3638 X3639 X3640 X3641 X3642 X3643 X3646 X3648 X3659 X3660 X3661 X3662 X3666 X3686 X3693 X3698 X3699 X3731 X3732 X3733 X3754 X3757 X3768 X3769 X3773 X3795 X3804 X3814 X3815 X3816 X3817 X3818 X3819 X3820 X3821 X3822 X3823 X3824 X3825 X3826 X3827 X3831 X3832 X3833 X3834 X3839 X3840 X3843 X3844 X3850
			X3969 X3970 X3971 X3972 X3973 X3974 X3975 X3976 X3977 X3978 X3979 X3980 X3981 X3982 X3983 X3984 X3985 X3986 X3987 X3988 X3989 X3990 X3991 X3992 X3993 X3994 X3995 X3996 X3997 X3998 X3999 X4000 X4001 X4002 X4003 X4004 X4005 X4006 X4007 X4008 X4009 X4010 X4011 X4012 X4013 X4014 X4017 X4018 X4019 X4020 X4021 X4022 X4023 X4024 X4025 X4026 X4027 X4028 X4029 X4030 X4031 X4032 X4033 X4034 X4035 X4036 X4037 X4038 X4039 X4040 X4041 X4042 X4043 X4044 X4045 X4046 X4047 X4048 X4049 X4050 X4051 X4052 X4053 X4054 X4055 X4056 X4057 X4058 X4059 X4060 X4061 X4062 X4063 X4064 X4065 X4066 X4067 X4068 X4069 X4070 X4071 X4072 X4073 X4074 X4075 X4076 X4077 X4078 X4079 X4080 X4081 X4082 X4083 X4084 X4085 X4086 X4087 X4088 X4089 X4090 X4091 X4092 X4093 X4094 X4095 X4096 X4097 X4098 X4099 X4100 X4101 X4102 X4103 X4104 X4105 X4106 X4107 X4108 X4109 X4110 X4111 X4112 X4113 X4114 X4115 X4116 X4117 X4118 X4119 X4120 X4121 X4122 X4123 X4124 X4125 X4126 X4127 X4128 X4129 X4130 X4131 X4132 X4133 X4134 X4135 X4136 X4137 X4138 X4139 X4140 X4141 X4142 X4143 X4144 X4145 X4146 X4147 X4148 X4149 X4150 X4151 X4152 X4153 X4154 X4155 X4156 X4157 X4158 X4159 X4160 X4161 X4162 X4163 X4164 X4165 X4166 X4167 X4168 X4169 X4170 X4171 X4172 X4173 X4174 X4175 X4176 X4177 X4178 X4179 X4180 X4181 X4182 X4183 X4184 X4185 X4186 X4187 X4188 X4189 X4190 X4191 X4192 X4193 X4194 X4195 X4196 X4197 X4198 X4199 X4200 X4201 X4202 X4203 X4204 X4205 X4206 X4207 X4208 X4209 X4210 X4211 X4212 X4213 X4214 X4215 X4216 X4217 X4218 X4219 X4220 X4221 X4222 X4223 X4224 X4225 X4226 X4227 X4228 X4229 X4230 X4231 X4232 X4233 X4234 X4235 X4236 X4237 X4238 X4239 X4240 X4241 X4242 X4243 X4244 X4245



● Molecule 1: Ryanodine receptor 2




















• Molecule 2: Peptidyl-prolyl cis-trans isomerase FKBP1B



• Molecule 2: Peptidyl-prolyl cis-trans isomerase FKBP1B



• Molecule 2: Peptidyl-prolyl cis-trans isomerase FKBP1B



• Molecule 2: Peptidyl-prolyl cis-trans isomerase FKBP1B



MET GLY SER SER HIS HIS HIS HIS HIS HIS SER SER LEU VAL PRO ARG GLY SER HIS MET ALA SER MET ASP GLU LYS THR THR GLY TRP ARG GLY HIS VAL VAL GLU GLY LEU ALA GLY LEU LEU LEU GLN LEU ARG ALA ARG LEU LEU HIS HIS PRO GLY GLN ARG GLU

PRO GLY SER GLY SER GLY THR C2 D12 G13 R14 P17 K18 K19 C23 V24 T28 S39 D42 R43 R44 K45 K48 F49 R50 I51 I57 F60 L69 P79 D80 V81 A82 Y83 G87 V91 N95 L104 L107 E108

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	45432	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.205	Depositor
Minimum map value	-0.110	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.006	Depositor
Recommended contour level	0.021	Depositor
Map size (Å)	421.25998, 421.25998, 421.25998	wwPDB
Map dimensions	340, 340, 340	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.239, 1.239, 1.239	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.24	0/26573	0.41	0/35881
1	B	0.24	0/26573	0.41	0/35881
1	C	0.25	0/26573	0.41	0/35881
1	D	0.25	0/26573	0.41	0/35881
2	G	0.26	0/835	0.49	1/1123 (0.1%)
2	H	0.26	0/835	0.49	1/1123 (0.1%)
2	I	0.26	0/835	0.49	1/1123 (0.1%)
2	J	0.26	0/835	0.49	1/1123 (0.1%)
All	All	0.25	0/109632	0.42	4/148016 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	I	12	ASP	CB-CG-OD1	5.10	122.89	118.30
2	J	12	ASP	CB-CG-OD1	5.08	122.87	118.30
2	G	12	ASP	CB-CG-OD1	5.04	122.84	118.30
2	H	12	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	29688	0	26383	476	0
1	B	29688	0	26383	479	0
1	C	29688	0	26383	482	0
1	D	29688	0	26383	480	0
2	G	819	0	821	13	0
2	H	819	0	821	15	0
2	I	819	0	821	19	0
2	J	819	0	821	16	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	122036	0	108816	1939	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1939 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1682:ASP:HB2	1:A:1685:GLN:HB3	1.60	0.82
1:C:1682:ASP:HB2	1:C:1685:GLN:HB3	1.60	0.82
1:B:1682:ASP:HB2	1:B:1685:GLN:HB3	1.60	0.82
1:D:1682:ASP:HB2	1:D:1685:GLN:HB3	1.60	0.81
1:D:4105:SER:HB2	1:D:4118:LEU:HD21	1.64	0.80

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	3218/4966 (65%)	3005 (93%)	213 (7%)	0	100	100
1	B	3218/4966 (65%)	3005 (93%)	213 (7%)	0	100	100
1	C	3218/4966 (65%)	3005 (93%)	213 (7%)	0	100	100
1	D	3218/4966 (65%)	3006 (93%)	212 (7%)	0	100	100
2	G	105/176 (60%)	98 (93%)	7 (7%)	0	100	100
2	H	105/176 (60%)	97 (92%)	8 (8%)	0	100	100
2	I	105/176 (60%)	98 (93%)	7 (7%)	0	100	100
2	J	105/176 (60%)	98 (93%)	7 (7%)	0	100	100
All	All	13292/20568 (65%)	12412 (93%)	880 (7%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	2827/3387 (84%)	2751 (97%)	76 (3%)	44	73
1	B	2827/3387 (84%)	2750 (97%)	77 (3%)	44	73
1	C	2827/3387 (84%)	2750 (97%)	77 (3%)	44	73
1	D	2827/3387 (84%)	2751 (97%)	76 (3%)	44	73
2	G	88/140 (63%)	87 (99%)	1 (1%)	73	88
2	H	88/140 (63%)	87 (99%)	1 (1%)	73	88
2	I	88/140 (63%)	87 (99%)	1 (1%)	73	88
2	J	88/140 (63%)	87 (99%)	1 (1%)	73	88
All	All	11660/14108 (83%)	11350 (97%)	310 (3%)	48	73

5 of 310 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	4842	ARG
1	D	2750	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	637	LEU
1	D	1045	SER
1	D	4041	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 199 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	903	GLN
1	C	4170	GLN
1	C	1029	ASN
1	C	2159	ASN
1	D	23	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-33938. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 170




Y Index: 170




Z Index: 170


### 6.2.2 Raw map



X Index: 170



Y Index: 170




Z Index: 170


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 159




Y Index: 181




Z Index: 174


### 6.3.2 Raw map



X Index: 181



Y Index: 159




Z Index: 170

The images above show the largest variance slices of the map in three orthogonal directions.


## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.021. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

## 6.5 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 659 nm<sup>3</sup>; this corresponds to an approximate mass of 596 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.286 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.87	5.79	3.95

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.87 differs from the reported value 3.5 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-33938 and PDB model 7VMO. Per-residue inclusion information can be found in section 3 on page 11.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.021 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.021).

## 9.4 Atom inclusion [i](#)





















At the recommended contour level, 63% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.021) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5680	 0.3790
A	 0.5656	 0.3770
B	 0.5658	 0.3770
C	 0.5655	 0.3770
D	 0.5654	 0.3770
G	 0.6568	 0.4500
H	 0.6555	 0.4520
I	 0.6530	 0.4540
J	 0.6580	 0.4500

