



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 7, 2023 – 03:27 pm GMT

PDB ID : 1W7N  
Title : Crystal structure of human kynurenine aminotransferase I in PMP form  
Authors : Rossi, F.; Han, Q.; Li, J.; Li, J.; Rizzi, M.  
Deposited on : 2004-09-06  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	422	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3534 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called KYNURENINE--OXOGLUTARATE TRANSAMINASE I.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	415	3321	2146	558	598	19	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	332	LEU	ILE	conflict	UNP Q16773

- Molecule 2 is 4'-DEOXY-4'-AMINOPYRIDOXAL-5'-PHOSPHATE (three-letter code: PMP) (formula: C<sub>8</sub>H<sub>13</sub>N<sub>2</sub>O<sub>5</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	16	8	2	5	1	0	0

- Molecule 3 is water.


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	A	197	Total 197	O 197	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: KYNURENINE--OXOGLUTARATE TRANSAMINASE I



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	145.46Å 145.46Å 67.09Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	38.92 – 2.90	Depositor
% Data completeness (in resolution range)	100.0 (38.92-2.90)	Depositor
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	REFMAC 5.1.24	Depositor
R, $R_{free}$	0.171 , 0.220	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3534	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.84	1/3417 (0.0%)	0.91	12/4637 (0.3%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	18	TRP	CB-CG	7.38	1.63	1.50

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	318	ASP	CB-CG-OD2	8.09	125.58	118.30
1	A	270	ARG	NE-CZ-NH2	-7.58	116.51	120.30
1	A	412	ASP	CB-CG-OD2	6.25	123.92	118.30
1	A	207	ASP	CB-CG-OD2	6.15	123.84	118.30
1	A	163	ASP	CB-CG-OD2	6.15	123.83	118.30
1	A	18	TRP	CA-CB-CG	5.90	124.90	113.70
1	A	270	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	346	ASP	CB-CG-OD2	5.54	123.28	118.30
1	A	89	ASP	CB-CG-OD2	5.53	123.28	118.30
1	A	363	ASP	CB-CG-OD2	5.53	123.28	118.30
1	A	44	ASP	CB-CG-OD2	5.43	123.19	118.30
1	A	29	ASP	CB-CG-OD2	5.21	122.99	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3321	0	3254	83	0
2	A	16	0	10	5	0
3	A	197	0	0	14	0
All	All	3534	0	3264	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:89:ASP:H	1:A:93:ASN:HD22	1.20	0.90
1:A:326:SER:O	1:A:327:VAL:HG23	1.81	0.80
1:A:157:SER:HB2	1:A:335:GLN:OE1	1.91	0.71
1:A:274:GLN:HB2	3:A:2147:HOH:O	1.91	0.69
1:A:159:ASN:O	1:A:161:GLN:HG2	1.92	0.69
1:A:247:LYS:NZ	2:A:913:PMP:HNA1	1.91	0.67
1:A:247:LYS:HZ3	2:A:913:PMP:HNA1	1.43	0.67
1:A:224:HIS:CD2	1:A:335:GLN:HG3	2.30	0.66
1:A:270:ARG:HD3	3:A:2145:HOH:O	1.96	0.65
1:A:16:ASN:ND2	1:A:18:TRP:HB2	2.12	0.65
1:A:89:ASP:H	1:A:93:ASN:ND2	1.92	0.63
1:A:89:ASP:N	1:A:93:ASN:HD22	1.95	0.62
1:A:160:TRP:O	1:A:189:LYS:HE2	1.99	0.62
1:A:369:TRP:CD1	1:A:373:ASN:ND2	2.68	0.61
1:A:332:LEU:HD13	1:A:341:ILE:HG13	1.83	0.60
1:A:247:LYS:NZ	2:A:913:PMP:N4A	2.50	0.59
1:A:224:HIS:NE2	1:A:335:GLN:HG3	2.17	0.59
1:A:133:MET:HE2	3:A:2006:HOH:O	2.02	0.58
1:A:213:ASP:OD1	1:A:215:VAL:HG13	2.05	0.56
1:A:157:SER:CB	1:A:335:GLN:OE1	2.54	0.56
1:A:330:LYS:HB3	1:A:343:ASP:HB3	1.88	0.56
1:A:335:GLN:HG2	3:A:2173:HOH:O	2.04	0.56
1:A:360:GLU:HG2	1:A:365:ARG:CG	2.36	0.55
1:A:320:MET:HG2	1:A:340:LEU:HD21	1.89	0.55

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:163:ASP:HB3	1:A:166:GLU:HB2	1.88	0.54
1:A:360:GLU:HG2	1:A:365:ARG:HG2	1.90	0.54
1:A:53:ALA:HA	3:A:2029:HOH:O	2.07	0.53
1:A:349:ARG:HH11	1:A:349:ARG:HB2	1.74	0.53
1:A:349:ARG:HB2	1:A:349:ARG:NH1	2.25	0.52
1:A:207:ASP:OD1	1:A:238:ARG:NH2	2.44	0.51
1:A:369:TRP:NE1	1:A:373:ASN:ND2	2.59	0.51
1:A:6:GLN:HB2	1:A:10:LEU:HD12	1.93	0.50
1:A:197:GLU:O	1:A:201:SER:HB3	2.11	0.50
1:A:182:THR:HA	1:A:183:PRO:C	2.31	0.50
1:A:358:VAL:O	1:A:359:ASP:HB2	2.11	0.50
1:A:177:ALA:HB1	1:A:211:ILE:HD12	1.94	0.49
1:A:16:ASN:ND2	1:A:18:TRP:CD1	2.80	0.49
1:A:65:LYS:HD2	3:A:2040:HOH:O	2.12	0.49
1:A:304:SER:O	1:A:308:GLN:HG3	2.13	0.49
1:A:38:PRO:HG2	1:A:250:SER:HB3	1.95	0.48
1:A:321:ILE:HD13	1:A:333:ILE:HG12	1.95	0.48
1:A:196:LEU:HD22	1:A:229:ILE:HG13	1.94	0.48
1:A:327:VAL:HG12	1:A:327:VAL:O	2.14	0.47
1:A:387:VAL:HA	1:A:390:GLN:HG3	1.97	0.47
1:A:236:TRP:O	1:A:262:PRO:HD3	2.15	0.47
1:A:64:THR:HG21	1:A:69:TYR:HB2	1.97	0.46
1:A:321:ILE:O	1:A:325:GLN:HB2	2.16	0.46
1:A:95:LEU:O	1:A:258:TRP:HA	2.16	0.46
1:A:103:ALA:HB1	1:A:242:ILE:HG12	1.97	0.46
1:A:419:LYS:O	1:A:421:GLU:N	2.48	0.46
1:A:66:THR:HG23	1:A:67:PHE:N	2.30	0.46
1:A:35:GLN:HB3	1:A:37:PHE:CE2	2.51	0.45
1:A:351:MET:N	1:A:352:PRO:HD3	2.32	0.45
2:A:913:PMP:H4A2	2:A:913:PMP:O4P	2.17	0.45
1:A:180:LEU:O	1:A:212:THR:HA	2.16	0.45
1:A:338:TYR:CD1	1:A:402:VAL:HG21	2.52	0.45
1:A:405:GLU:HG2	3:A:2191:HOH:O	2.16	0.45
1:A:267:LYS:HA	1:A:270:ARG:NH2	2.31	0.45
1:A:196:LEU:HA	1:A:196:LEU:HD23	1.69	0.45
1:A:233:PRO:HD3	3:A:2130:HOH:O	2.16	0.44
1:A:237:GLU:HB2	3:A:2131:HOH:O	2.16	0.44
1:A:84:LEU:O	1:A:231:SER:HB2	2.18	0.44
1:A:55:SER:HB3	3:A:2028:HOH:O	2.17	0.44
1:A:69:TYR:CZ	1:A:71:PRO:HG2	2.53	0.44
2:A:913:PMP:O4P	2:A:913:PMP:C4A	2.65	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:ASN:HD22	1:A:18:TRP:HB2	1.82	0.44
1:A:392:HIS:HB2	3:A:2186:HOH:O	2.18	0.43
1:A:31:VAL:HG23	1:A:414:LYS:HG3	2.00	0.43
1:A:301:GLN:HA	1:A:302:PRO:HD2	1.81	0.43
1:A:70:PRO:HA	1:A:73:THR:OG1	2.19	0.43
1:A:69:TYR:HA	1:A:70:PRO:HD3	1.90	0.43
1:A:33:LEU:HD22	1:A:320:MET:HE1	2.01	0.43
1:A:317:ARG:HD2	1:A:334:PRO:HD2	2.01	0.43
1:A:111:LEU:O	1:A:176:LYS:HD3	2.18	0.42
1:A:273:HIS:HE1	1:A:278:PHE:O	2.02	0.42
1:A:327:VAL:O	1:A:327:VAL:CG1	2.68	0.42
1:A:174:ARG:HG2	3:A:2068:HOH:O	2.19	0.42
1:A:316:CYS:HB3	1:A:401:PHE:O	2.20	0.42
1:A:65:LYS:HD3	1:A:65:LYS:HA	1.74	0.42
1:A:299:PHE:O	1:A:300:ARG:HB2	2.20	0.41
1:A:111:LEU:O	1:A:176:LYS:CD	2.68	0.41
1:A:391:LYS:HA	3:A:2184:HOH:O	2.20	0.41
1:A:178:LEU:C	1:A:178:LEU:HD23	2.42	0.40
1:A:273:HIS:CE1	1:A:278:PHE:O	2.74	0.40
1:A:335:GLN:CG	3:A:2173:HOH:O	2.66	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	411/422 (97%)	391 (95%)	16 (4%)	4 (1%)	<b>15</b>   45

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	20	GLU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	327	VAL
1	A	420	VAL
1	A	217	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	362/368 (98%)	333 (92%)	29 (8%)	12 33

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	LEU
1	A	22	VAL
1	A	23	LYS
1	A	50	PHE
1	A	78	SER
1	A	138	ARG
1	A	145	LYS
1	A	157	SER
1	A	166	GLU
1	A	172	THR
1	A	174	ARG
1	A	176	LYS
1	A	201	SER
1	A	212	THR
1	A	220	VAL
1	A	229	ILE
1	A	238	ARG
1	A	247	LYS
1	A	267	LYS
1	A	274	GLN
1	A	279	HIS
1	A	296	GLN
1	A	330	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	383	ILE
1	A	409	GLN
1	A	413	GLU
1	A	419	LYS
1	A	420	VAL
1	A	421	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	ASN
1	A	28	HIS
1	A	62	GLN
1	A	93	ASN
1	A	273	HIS
1	A	308	GLN
1	A	325	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PMP	A	913	-	16,16,16	1.80	2 (12%)	21,23,23	2.42	6 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PMP	A	913	-	-	2/8/8/8	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	913	PMP	C2A-C2	-5.33	1.41	1.50
2	A	913	PMP	C2-N1	3.31	1.40	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	913	PMP	C2A-C2-C3	7.82	130.55	120.89
2	A	913	PMP	C2A-C2-N1	-3.66	110.53	117.67
2	A	913	PMP	C5-C6-N1	-3.09	118.67	123.82
2	A	913	PMP	C6-C5-C4	3.02	120.25	118.12
2	A	913	PMP	O4P-C5A-C5	2.60	114.31	109.35
2	A	913	PMP	C3-C2-N1	-2.42	117.65	120.77

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	913	PMP	C4-C5-C5A-O4P
2	A	913	PMP	C6-C5-C5A-O4P

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	913	PMP	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.