



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2024 – 03:17 PM EST

PDB ID : 3WAD
Title : Crystal structure of glycosyltransferase VinC involved in the biosynthesis of vicienistatin
Authors : Nango, E.; Minami, A.; Kumasaka, T.; Eguchi, T.
Deposited on : 2013-05-02
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	419	 5% 70% 22% • 5%
1	B	419	 3% 72% 20% • •

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	398	3101	1968	544	577	12	0	1	0
1	B	401	3116	1975	550	579	12	0	0	0

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	207	Total	O	0	0
			207	207		
3	B	214	Total	O	0	0
			214	214		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Glycosyltransferase



- Molecule 1: Glycosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	98.20Å 130.39Å 140.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.21 – 2.00 40.21 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.4 (40.21-2.00) 98.4 (40.21-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.18 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.5.0063	Depositor
R, R_{free}	0.202 , 0.253 0.203 , 0.251	Depositor DCC
R_{free} test set	3053 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	29.8	Xtrriage
Anisotropy	0.051	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 50.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6639	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.07	4/3183 (0.1%)	1.00	9/4358 (0.2%)
1	B	1.13	4/3195 (0.1%)	1.03	9/4373 (0.2%)
All	All	1.10	8/6378 (0.1%)	1.02	18/8731 (0.2%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	108	ASP	CB-CG	-6.53	1.38	1.51
1	A	342	TRP	CB-CG	6.51	1.61	1.50
1	A	129	TRP	CB-CG	6.23	1.61	1.50
1	A	108	ASP	CB-CG	-6.22	1.38	1.51
1	B	127	VAL	CB-CG1	5.37	1.64	1.52
1	B	404	GLU	CD-OE1	5.37	1.31	1.25
1	B	3	VAL	CB-CG1	5.18	1.63	1.52
1	A	342	TRP	CE3-CZ3	5.07	1.47	1.38

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	108	ASP	CB-CG-OD1	-17.09	102.92	118.30
1	A	108	ASP	CB-CG-OD1	-12.90	106.69	118.30
1	B	17	MET	CG-SD-CE	-12.16	80.74	100.20
1	B	108	ASP	CB-CG-OD2	9.50	126.85	118.30
1	A	108	ASP	CB-CG-OD2	8.56	126.01	118.30
1	A	352	ARG	NE-CZ-NH2	-7.46	116.57	120.30
1	A	59	ILE	CB-CA-C	-6.21	99.18	111.60
1	B	266	LEU	CA-CB-CG	5.87	128.79	115.30
1	B	2	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	A	171	ARG	NE-CZ-NH2	-5.84	117.38	120.30
1	B	59	ILE	CB-CA-C	-5.75	100.11	111.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	5	MET	CG-SD-CE	5.75	109.39	100.20
1	A	125	ASP	CB-CG-OD2	5.54	123.28	118.30
1	A	343	LEU	CA-CB-CG	5.47	127.89	115.30
1	A	108	ASP	N-CA-C	5.46	125.73	111.00
1	B	56	ASP	CB-CG-OD1	5.37	123.13	118.30
1	B	155	ASP	CB-CG-OD1	5.36	123.12	118.30
1	B	337	LEU	CA-CB-CG	5.34	127.59	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3101	0	3032	75	0
1	B	3116	0	3047	76	0
2	A	1	0	0	0	0
3	A	207	0	0	6	0
3	B	214	0	0	3	0
All	All	6639	0	6079	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:266:LEU:HG	1:B:292:ILE:HG22	1.38	1.05
1:B:373:ARG:HD2	1:B:377:ARG:HH21	1.29	0.98
1:B:288:GLN:O	1:B:292:ILE:HG23	1.65	0.95
1:B:341:ASN:HD22	1:B:342:TRP:H	0.98	0.94
1:B:292:ILE:HD11	1:B:295:LEU:HD23	1.50	0.93
1:B:265:THR:HG22	1:B:268:ASP:CG	1.92	0.91
1:B:341:ASN:ND2	1:B:342:TRP:H	1.71	0.89
1:B:341:ASN:HD22	1:B:342:TRP:N	1.69	0.89

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:288:GLN:O	1:A:292:ILE:HG23	1.75	0.85
1:B:230:ASN:HD22	1:B:308:HIS:HD2	1.27	0.81
1:A:373:ARG:HG2	1:A:377:ARG:HH12	1.47	0.78
1:A:378:ARG:HG2	1:A:382:GLU:OE1	1.84	0.78
1:A:373:ARG:HG2	1:A:377:ARG:NH1	1.99	0.77
1:A:275:ASP:HB3	1:A:373:ARG:HD2	1.67	0.76
1:B:93:HIS:NE2	1:B:177:HIS:HD2	1.83	0.76
1:A:272:ALA:O	1:A:373:ARG:HG3	1.84	0.76
1:A:189:GLU:HG3	1:A:190:PRO:HD3	1.69	0.75
1:B:213:MET:HE3	1:B:349:VAL:HG22	1.69	0.74
1:A:141:GLU:HG3	1:A:199:LEU:HD21	1.69	0.74
1:B:265:THR:HG23	1:B:268:ASP:H	1.53	0.72
1:B:200:VAL:HG12	1:B:201:THR:HG23	1.71	0.72
1:B:120:ARG:O	1:B:123:GLN:HG2	1.91	0.71
1:B:240:ARG:HH11	1:B:240:ARG:HG2	1.55	0.71
1:A:370:ASP:OD1	1:A:373:ARG:NH1	2.24	0.70
1:A:287:GLU:O	1:A:291:GLU:HG3	1.91	0.70
1:B:373:ARG:CD	1:B:377:ARG:HH21	2.04	0.70
1:A:93:HIS:NE2	1:A:177:HIS:HD2	1.90	0.69
1:B:240:ARG:HH11	1:B:240:ARG:CG	2.06	0.68
1:B:265:THR:CG2	1:B:268:ASP:H	2.09	0.66
1:B:285:SER:HB2	1:B:288:GLN:H	1.60	0.66
1:A:1:MET:HE2	1:A:125:ASP:HB2	1.77	0.65
1:A:1:MET:HE1	1:A:413:ALA:CB	2.26	0.65
1:A:319:HIS:HE1	1:A:336:GLN:OE1	1.80	0.64
1:B:154:LEU:HD21	1:B:213:MET:CE	2.28	0.64
1:B:177:HIS:HE1	1:B:182:ASP:OD2	1.80	0.64
1:B:266:LEU:HG	1:B:292:ILE:CG2	2.22	0.62
1:B:245:ARG:HB2	1:B:246:PRO:CD	2.30	0.62
1:A:168:THR:O	1:A:176:ARG:HD2	2.00	0.62
1:A:191:HIS:HE1	3:A:702:HOH:O	1.81	0.62
1:B:230:ASN:HD22	1:B:308:HIS:CD2	2.12	0.61
1:A:285:SER:O	1:A:289:VAL:HG23	2.00	0.61
1:A:177:HIS:HE1	1:A:182:ASP:OD2	1.84	0.59
1:B:373:ARG:HD2	1:B:377:ARG:NH2	2.11	0.59
1:A:177:HIS:CE1	1:A:182:ASP:OD2	2.57	0.58
1:B:154:LEU:HD21	1:B:213:MET:HE2	1.85	0.58
1:B:252:LEU:HD11	1:B:339:VAL:HG21	1.86	0.58
1:A:1:MET:HG2	1:A:29:HIS:ND1	2.18	0.57
1:A:1:MET:CE	1:A:413:ALA:CB	2.82	0.57
1:B:319:HIS:CD2	1:B:321:GLY:H	2.23	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:411:ARG:HB3	1:B:415:ARG:NH1	2.20	0.57
1:A:319:HIS:CD2	1:A:321:GLY:H	2.24	0.56
1:A:244:SER:O	1:A:245:ARG:HB3	2.04	0.56
1:A:141:GLU:HG3	1:A:199:LEU:CD2	2.35	0.55
1:A:287:GLU:H	1:A:287:GLU:CD	2.09	0.55
1:B:213:MET:CE	1:B:349:VAL:HG22	2.35	0.55
1:A:240:ARG:O	1:B:121:GLN:HG3	2.06	0.55
1:A:373:ARG:CG	1:A:377:ARG:HH12	2.16	0.54
1:B:235:LEU:HD23	1:B:240:ARG:HG3	1.88	0.54
1:B:245:ARG:HB2	1:B:246:PRO:HD2	1.89	0.53
1:A:373:ARG:NE	1:A:377:ARG:HH12	2.07	0.53
1:A:120:ARG:HG2	1:A:120:ARG:HH11	1.75	0.52
1:A:319:HIS:CE1	1:A:336:GLN:OE1	2.61	0.52
1:B:175:ASP:C	1:B:176:ARG:HG2	2.29	0.52
1:A:116:VAL:HG22	1:A:139:ALA:HA	1.91	0.52
1:A:241:GLU:N	1:A:241:GLU:OE1	2.43	0.52
1:A:285:SER:OG	1:A:288:GLN:HG3	2.09	0.52
1:A:259:LEU:HD23	1:A:367:LEU:HD23	1.92	0.51
1:A:265:THR:O	1:A:268:ASP:HB2	2.09	0.51
1:A:9:ALA:HB2	1:A:36:HIS:HB2	1.91	0.51
1:B:1:MET:HG2	1:B:29:HIS:ND1	2.24	0.51
1:A:85[B]:GLU:CD	1:A:85[B]:GLU:H	2.14	0.51
1:B:177:HIS:CE1	1:B:182:ASP:OD2	2.61	0.50
1:B:2:ARG:HD2	1:B:122:TRP:CE2	2.47	0.49
1:B:92:ILE:HG21	1:B:164:PHE:HB2	1.94	0.49
1:A:57:LEU:HD21	1:A:59:ILE:HG23	1.95	0.49
1:B:1:MET:HE1	1:B:413:ALA:CB	2.43	0.49
1:A:295:LEU:HD13	3:A:759:HOH:O	2.12	0.49
1:A:148:VAL:HG21	1:A:409:LEU:CD2	2.43	0.48
1:B:240:ARG:HG2	1:B:240:ARG:NH1	2.22	0.48
1:A:200:VAL:HG12	1:A:201:THR:HG23	1.94	0.48
1:B:411:ARG:O	1:B:415:ARG:HB2	2.14	0.48
1:B:93:HIS:NE2	1:B:177:HIS:CD2	2.74	0.48
1:A:1:MET:HE1	1:A:413:ALA:HB2	1.95	0.48
1:B:286:ALA:O	1:B:289:VAL:HG12	2.13	0.48
1:A:1:MET:HE2	1:A:125:ASP:CB	2.43	0.47
1:B:103:TYR:CZ	1:B:132:LEU:HD22	2.50	0.47
1:A:311:LEU:HD12	1:A:328:ASN:HB3	1.96	0.47
1:A:101:GLN:HG2	3:A:751:HOH:O	2.14	0.47
1:A:1:MET:CE	1:A:413:ALA:HB1	2.45	0.47
1:A:109:SER:HA	3:A:700:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:LEU:HB3	3:A:767:HOH:O	2.14	0.46
1:A:127:VAL:O	1:A:147:HIS:HA	2.15	0.46
1:A:129:TRP:CD2	1:A:137:PRO:HD3	2.50	0.46
1:A:263:ASN:ND2	1:A:264:VAL:HG13	2.30	0.46
1:A:373:ARG:HE	1:A:377:ARG:HH22	1.62	0.46
1:A:250:LEU:HD22	1:A:273:VAL:HG11	1.96	0.46
1:A:171:ARG:O	1:A:176:ARG:NH1	2.38	0.46
1:A:171:ARG:HD3	1:A:175:ASP:O	2.16	0.46
1:B:408:GLU:CD	1:B:411:ARG:HH12	2.18	0.46
1:A:240:ARG:NH2	1:B:114:ASP:O	2.49	0.45
1:B:8:PHE:CE1	1:B:10:ASN:HB2	2.51	0.45
1:B:272:ALA:O	1:B:373:ARG:HG3	2.16	0.45
1:B:240:ARG:HH11	1:B:240:ARG:CB	2.29	0.44
1:B:248:VAL:HG11	1:B:376:LEU:HD21	1.99	0.44
1:A:373:ARG:CD	1:A:377:ARG:HH12	2.31	0.44
1:B:341:ASN:ND2	1:B:342:TRP:N	2.46	0.44
1:A:362:THR:OG1	1:A:371:ARG:HD3	2.17	0.44
1:B:127:VAL:O	1:B:147:HIS:HA	2.17	0.44
1:B:79:LEU:HD12	1:B:160:MET:HG3	1.99	0.44
1:A:11:ARG:HD3	1:A:15:TYR:OH	2.18	0.43
1:B:269:PHE:O	1:B:273:VAL:HG23	2.18	0.43
1:A:266:LEU:HB3	1:A:292:ILE:HG22	1.99	0.43
1:A:377:ARG:CG	1:A:377:ARG:HH11	2.31	0.43
1:B:54:GLY:HA2	1:B:110:THR:HG22	2.00	0.43
1:A:93:HIS:NE2	1:A:177:HIS:CD2	2.80	0.43
1:B:154:LEU:HD21	1:B:213:MET:HE3	1.99	0.43
1:B:240:ARG:CG	1:B:240:ARG:NH1	2.75	0.42
1:B:213:MET:CE	1:B:349:VAL:CG2	2.97	0.42
1:A:411:ARG:O	1:A:415:ARG:HG2	2.20	0.42
1:A:373:ARG:HE	1:A:377:ARG:HH12	1.68	0.42
1:B:189:GLU:HB3	1:B:190:PRO:HD3	2.00	0.42
1:B:240:ARG:HH11	1:B:240:ARG:HB3	1.84	0.42
1:B:283:THR:HA	1:B:302:VAL:O	2.20	0.42
1:A:368:THR:O	1:A:369:PRO:C	2.58	0.42
1:B:210:PRO:HA	1:B:211:PRO:HD3	1.91	0.42
1:B:256:LEU:HD12	1:B:256:LEU:HA	1.84	0.42
1:B:414:GLU:HA	1:B:417:ARG:HD2	2.02	0.42
1:A:382:GLU:HA	1:A:383:PRO:HD2	1.88	0.41
1:B:108:ASP:HB3	1:B:111:MET:H	1.84	0.41
1:A:236:PRO:HD2	1:A:239:LEU:HD12	2.02	0.41
1:B:37:PRO:HB2	1:B:56:ASP:OD1	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:ILE:HD11	1:A:295:LEU:HD23	2.01	0.41
1:A:295:LEU:CD1	3:A:759:HOH:O	2.69	0.41
1:B:163:HIS:O	1:B:167:LEU:HG	2.21	0.41
1:B:227:LEU:HD21	3:B:605:HOH:O	2.20	0.41
1:B:149:ARG:HD2	3:B:699:HOH:O	2.20	0.41
1:B:123:GLN:HB3	3:B:693:HOH:O	2.20	0.41
1:A:285:SER:HB2	1:A:287:GLU:OE1	2.20	0.41
1:A:2:ARG:HB3	1:A:122:TRP:CZ2	2.56	0.41
1:A:245:ARG:O	1:A:246:PRO:C	2.59	0.41
1:B:154:LEU:CD2	1:B:213:MET:HE2	2.51	0.40
1:B:311:LEU:HD21	1:B:317:ILE:HD12	2.03	0.40
1:A:41:GLN:NE2	1:A:45:ASP:OD1	2.54	0.40
1:A:376:LEU:HD12	1:A:376:LEU:HA	1.92	0.40
1:B:171:ARG:O	1:B:176:ARG:NH1	2.54	0.40
1:B:276:ILE:HD12	1:B:278:ALA:HB3	2.02	0.40
1:A:26:THR:HB	1:B:402:LEU:HD23	2.02	0.40
1:B:1:MET:HE2	1:B:125:ASP:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	393/419 (94%)	378 (96%)	12 (3%)	3 (1%)	19	13
1	B	395/419 (94%)	373 (94%)	20 (5%)	2 (0%)	29	23
All	All	788/838 (94%)	751 (95%)	32 (4%)	5 (1%)	25	19

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	108	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	245	ARG
1	B	285	SER
1	A	275	ASP
1	B	108	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/340 (96%)	303 (93%)	22 (7%)	16	11
1	B	326/340 (96%)	303 (93%)	23 (7%)	14	10
All	All	651/680 (96%)	606 (93%)	45 (7%)	15	11

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	11	ARG
1	A	44	SER
1	A	59	ILE
1	A	60	MET
1	A	79	LEU
1	A	111	MET
1	A	130	ASP
1	A	245	ARG
1	A	254	LEU
1	A	256	LEU
1	A	257	ARG
1	A	258	GLU
1	A	266	LEU
1	A	294	ASP
1	A	300	ARG
1	A	302	VAL
1	A	307	LEU
1	A	337	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	341	ASN
1	A	343	LEU
1	A	377	ARG
1	B	59	ILE
1	B	60	MET
1	B	111	MET
1	B	176	ARG
1	B	240	ARG
1	B	245	ARG
1	B	247	ARG
1	B	252	LEU
1	B	254	LEU
1	B	256	LEU
1	B	258	GLU
1	B	259	LEU
1	B	263	ASN
1	B	266	LEU
1	B	292	ILE
1	B	302	VAL
1	B	307	LEU
1	B	337	LEU
1	B	341	ASN
1	B	352	ARG
1	B	380	ILE
1	B	402	LEU
1	B	417	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	177	HIS
1	A	191	HIS
1	A	263	ASN
1	A	308	HIS
1	A	319	HIS
1	A	320	HIS
1	A	341	ASN
1	B	101	GLN
1	B	177	HIS
1	B	191	HIS
1	B	271	ASN
1	B	308	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	319	HIS
1	B	336	GLN
1	B	341	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	398/419 (94%)	0.06	19 (4%) 30 29	19, 32, 61, 75	0
1	B	401/419 (95%)	-0.16	13 (3%) 47 46	20, 31, 60, 83	0
All	All	799/838 (95%)	-0.05	32 (4%) 38 37	19, 32, 61, 83	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	257	ARG	5.6
1	B	290	ALA	5.0
1	B	259	LEU	4.6
1	A	291	GLU	4.4
1	B	287	GLU	4.4
1	A	290	ALA	4.4
1	A	286	ALA	3.8
1	A	264	VAL	3.8
1	A	293	GLY	3.6
1	B	61	ALA	3.5
1	B	256	LEU	3.5
1	A	257	ARG	3.4
1	A	295	LEU	3.2
1	B	60	MET	3.0
1	A	266	LEU	3.0
1	B	244	SER	3.0
1	B	342	TRP	3.0
1	B	286	ALA	3.0
1	B	263	ASN	3.0
1	A	61	ALA	2.9
1	A	289	VAL	2.8
1	A	297	ASP	2.7
1	A	294	ASP	2.7
1	B	258	GLU	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	263	ASN	2.6
1	A	265	THR	2.6
1	A	258	GLU	2.6
1	B	264	VAL	2.5
1	A	287	GLU	2.4
1	A	60	MET	2.3
1	A	240	ARG	2.3
1	A	175	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	MG	A	500	1/1	0.96	0.44	48,48,48,48	1

6.5 Other polymers [i](#)

There are no such residues in this entry.