



wwPDB X-ray Structure Validation Summary Report ⓘ

Jul 21, 2026 – 02:19 PM JST

PDB ID : 9WDF / pdb_00009wdf
Title : Crystal structure of PAK4-KPT-7523 complex
Authors : Lee, S.J.; Park, J.
Deposited on : 2025-08-19
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	292	11% 75% 18% 6% .
1	B	292	9% 69% 25% 5% .
1	C	292	8% 79% 15% 5%
1	D	292	16% 76% 20% . ..
1	E	292	8% 74% 21% . .
1	F	292	12% 71% 20% 8% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	292	
1	H	292	
1	I	292	
1	J	292	
1	K	292	
1	L	292	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	SEP	E	474	-	-	X	-

2 Entry composition


There are 3 unique types of molecules in this entry. The entry contains 28560 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase PAK 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	B	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	C	291	Total	C	N	O	P	S	0	0	0
			2302	1466	406	415	1	14			
1	D	289	Total	C	N	O	P	S	0	0	0
			2278	1452	399	412	1	14			
1	E	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	F	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	G	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	H	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	I	287	Total	C	N	O	P	S	0	0	0
			2268	1447	399	407	1	14			
1	J	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			
1	K	287	Total	C	N	O	P	S	0	0	0
			2268	1447	399	407	1	14			
1	L	289	Total	C	N	O	P	S	0	0	0
			2286	1457	402	412	1	14			

- Molecule 2 is ({E})-3-(6-azanylpyridin-3-yl)- {N}-[[(2 {S})-7-chloranyl-5-(4-piperazin-1-ylcarbonylphenyl)-2,3-dihydro-1-benzofuran-2-yl]methyl]prop-2-enamide (CCD ID: A1MBG) (formula: C₂₈H₂₈ClN₅O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	A	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	B	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	B	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	C	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	C	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	D	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	D	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	E	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	F	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	F	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	G	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	G	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	H	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	I	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	I	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	I	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	J	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	K	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	K	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	L	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	L	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		
2	L	1	Total	C	Cl	N	O	0	0
			37	28	1	5	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	31	Total	O	0	0
			31	31		
3	B	19	Total	O	0	0
			19	19		
3	C	42	Total	O	0	0
			42	42		
3	D	32	Total	O	0	0
			32	32		
3	E	28	Total	O	0	0
			28	28		
3	F	11	Total	O	0	0
			11	11		
3	G	27	Total	O	0	0
			27	27		
3	H	25	Total	O	0	0
			25	25		
3	I	8	Total	O	0	0
			8	8		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	J	20	Total 20	O 20	0	0
3	K	12	Total 12	O 12	0	0
3	L	13	Total 13	O 13	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Serine/threonine-protein kinase PAK 4



- Molecule 1: Serine/threonine-protein kinase PAK 4




- Molecule 1: Serine/threonine-protein kinase PAK 4




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain D: 




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain E: 




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain F: 



- Molecule 1: Serine/threonine-protein kinase PAK 4


Chain G: 



ARG


- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain H: 




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain I: 




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain J: 




- Molecule 1: Serine/threonine-protein kinase PAK 4

Chain K: 



● Molecule 1: Serine/threonine-protein kinase PAK 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	88.51Å 208.67Å 132.49Å 90.00° 103.34° 90.00°	Depositor
Resolution (Å)	44.76 – 2.20 44.76 – 2.20	Depositor EDS
% Data completeness (in resolution range)	96.6 (44.76-2.20) 97.0 (44.76-2.20)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.11 (at 2.20Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.221 , 0.255 0.221 , 0.254	Depositor DCC
R_{free} test set	1973 reflections (0.84%)	wwPDB-VP
Wilson B-factor (Å ²)	61.4	Xtriage
Anisotropy	0.182	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	28560	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: A1MBG, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	0/2322	0.68	0/3144
1	B	0.45	0/2322	0.67	0/3144
1	C	0.49	0/2339	0.72	0/3167
1	D	0.44	0/2311	0.71	2/3130 (0.1%)
1	E	0.47	0/2322	0.69	0/3144
1	F	0.38	0/2322	0.68	0/3144
1	G	0.49	0/2322	0.70	0/3144
1	H	0.46	0/2322	0.69	0/3144
1	I	0.43	0/2304	0.72	2/3120 (0.1%)
1	J	0.45	0/2322	0.77	4/3144 (0.1%)
1	K	0.36	0/2304	0.70	2/3120 (0.1%)
1	L	0.38	1/2322 (0.0%)	0.71	2/3144 (0.1%)
All	All	0.45	1/27834 (0.0%)	0.70	12/37689 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	B	0	1
1	C	0	3
1	D	0	1
1	E	0	4
1	F	0	4
1	G	0	2
1	H	0	1
1	I	0	3
1	J	0	3
1	K	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	2
All	All	0	28

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	L	305	ARG	CB-CG	5.90	1.70	1.52

The worst 5 of 12 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	312	VAL	CA-C-N	7.42	139.91	121.80
1	K	312	VAL	C-N-CA	7.42	139.91	121.80
1	J	516	PHE	CA-C-N	6.86	130.39	120.38
1	J	516	PHE	C-N-CA	6.86	130.39	120.38
1	J	358	GLN	CB-CG-CD	-6.30	101.89	112.60

There are no chirality outliers.

5 of 28 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	305	ARG	Sidechain
1	A	411	ARG	Sidechain
1	B	341	ARG	Sidechain
1	C	341	ARG	Sidechain
1	C	359	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2286	0	2346	53	0
1	B	2286	0	2346	58	0
1	C	2302	0	2358	45	0
1	D	2278	0	2330	47	0
1	E	2286	0	2346	59	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	2286	0	2346	60	0
1	G	2286	0	2346	62	0
1	H	2286	0	2346	60	0
1	I	2268	0	2332	60	0
1	J	2286	0	2345	48	0
1	K	2268	0	2332	48	0
1	L	2286	0	2346	82	0
2	A	74	0	0	1	0
2	B	74	0	0	0	0
2	C	74	0	0	0	0
2	D	74	0	0	2	0
2	E	37	0	0	1	0
2	F	74	0	0	1	0
2	G	74	0	0	0	0
2	H	74	0	0	2	0
2	I	111	0	0	1	0
2	J	37	0	0	0	0
2	K	74	0	0	1	0
2	L	111	0	0	2	0
3	A	31	0	0	1	0
3	B	19	0	0	3	0
3	C	42	0	0	1	0
3	D	32	0	0	1	0
3	E	28	0	0	3	0
3	F	11	0	0	1	0
3	G	27	0	0	2	0
3	H	25	0	0	4	0
3	I	8	0	0	1	0
3	J	20	0	0	2	0
3	K	12	0	0	3	0
3	L	13	0	0	3	0
All	All	28560	0	28119	673	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 673 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:537:ASN:HD21	1:A:540:LYS:HB2	0.99	1.09
1:K:495:GLU:HG3	1:K:557:PRO:HB3	1.36	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:537:ASN:ND2	1:A:540:LYS:HB2	1.83	0.93
1:F:310:LEU:HG	1:F:311:VAL:HG13	1.50	0.92
1:I:510:ASP:OD1	1:I:537:ASN:ND2	2.03	0.91

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	286/292 (98%)	277 (97%)	7 (2%)	2 (1%)	18	19
1	B	286/292 (98%)	271 (95%)	12 (4%)	3 (1%)	12	11
1	C	288/292 (99%)	273 (95%)	10 (4%)	5 (2%)	7	5
1	D	286/292 (98%)	266 (93%)	16 (6%)	4 (1%)	9	7
1	E	286/292 (98%)	271 (95%)	12 (4%)	3 (1%)	12	11
1	F	286/292 (98%)	271 (95%)	12 (4%)	3 (1%)	12	11
1	G	286/292 (98%)	272 (95%)	12 (4%)	2 (1%)	18	19
1	H	286/292 (98%)	276 (96%)	6 (2%)	4 (1%)	9	7
1	I	284/292 (97%)	271 (95%)	9 (3%)	4 (1%)	9	7
1	J	286/292 (98%)	274 (96%)	8 (3%)	4 (1%)	9	7
1	K	284/292 (97%)	266 (94%)	12 (4%)	6 (2%)	5	3
1	L	286/292 (98%)	267 (93%)	11 (4%)	8 (3%)	4	2
All	All	3430/3504 (98%)	3255 (95%)	127 (4%)	48 (1%)	9	7

5 of 48 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	313	ASP
1	E	313	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	314	PRO
1	F	330	GLY
1	F	358	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/254 (99%)	226 (90%)	25 (10%)	7	7
1	B	251/254 (99%)	226 (90%)	25 (10%)	7	7
1	C	253/254 (100%)	235 (93%)	18 (7%)	13	16
1	D	249/254 (98%)	231 (93%)	18 (7%)	13	15
1	E	251/254 (99%)	231 (92%)	20 (8%)	11	13
1	F	251/254 (99%)	214 (85%)	37 (15%)	3	2
1	G	251/254 (99%)	230 (92%)	21 (8%)	10	11
1	H	251/254 (99%)	228 (91%)	23 (9%)	8	9
1	I	249/254 (98%)	223 (90%)	26 (10%)	7	7
1	J	251/254 (99%)	226 (90%)	25 (10%)	7	7
1	K	249/254 (98%)	226 (91%)	23 (9%)	8	9
1	L	251/254 (99%)	217 (86%)	34 (14%)	4	3
All	All	3008/3048 (99%)	2713 (90%)	295 (10%)	7	8

5 of 295 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	J	476	VAL
1	L	535	LEU
1	K	304	PHE
1	K	581	ILE
1	E	521	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33

such sidechains are listed below:

Mol	Chain	Res	Type
1	J	450	HIS
1	J	588	ASN
1	L	537	ASN
1	D	588	ASN
1	D	434	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	SEP	F	474	1	8,9,10	1.69	2 (25%)	8,12,14	0.97	0
1	SEP	B	474	1	8,9,10	1.49	1 (12%)	8,12,14	2.67	3 (37%)
1	SEP	G	474	1	8,9,10	1.42	1 (12%)	8,12,14	1.36	2 (25%)
1	SEP	I	474	1	8,9,10	1.67	1 (12%)	8,12,14	2.74	2 (25%)
1	SEP	E	474	1	8,9,10	1.52	1 (12%)	8,12,14	1.44	1 (12%)
1	SEP	D	474	1	8,9,10	1.54	2 (25%)	8,12,14	1.37	2 (25%)
1	SEP	K	474	1	8,9,10	1.60	1 (12%)	8,12,14	1.39	2 (25%)
1	SEP	L	474	1	8,9,10	1.68	1 (12%)	8,12,14	2.60	3 (37%)
1	SEP	C	474	1	8,9,10	1.41	1 (12%)	8,12,14	1.53	1 (12%)
1	SEP	J	474	1	8,9,10	1.63	1 (12%)	8,12,14	2.48	3 (37%)
1	SEP	H	474	1	8,9,10	1.48	1 (12%)	8,12,14	1.25	1 (12%)
1	SEP	A	474	1	8,9,10	1.15	0	8,12,14	1.85	3 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	F	474	1	-	0/5/8/10	-
1	SEP	B	474	1	-	4/5/8/10	-
1	SEP	G	474	1	-	0/5/8/10	-
1	SEP	I	474	1	-	4/5/8/10	-
1	SEP	E	474	1	-	0/5/8/10	-
1	SEP	D	474	1	-	0/5/8/10	-
1	SEP	K	474	1	-	3/5/8/10	-
1	SEP	L	474	1	-	0/5/8/10	-
1	SEP	C	474	1	-	0/5/8/10	-
1	SEP	J	474	1	-	1/5/8/10	-
1	SEP	H	474	1	-	3/5/8/10	-
1	SEP	A	474	1	-	0/5/8/10	-

The worst 5 of 13 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	474	SEP	P-O1P	3.77	1.62	1.50
1	F	474	SEP	P-O1P	3.68	1.62	1.50
1	J	474	SEP	P-O1P	3.63	1.62	1.50
1	L	474	SEP	P-O1P	3.63	1.62	1.50
1	K	474	SEP	P-O1P	3.44	1.61	1.50

The worst 5 of 23 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	474	SEP	OG-CB-CA	-5.80	102.50	108.14
1	L	474	SEP	OG-CB-CA	5.33	113.33	108.14
1	I	474	SEP	OG-CB-CA	5.16	113.17	108.14
1	I	474	SEP	P-OG-CB	-5.14	104.13	118.30
1	J	474	SEP	P-OG-CB	-4.79	105.11	118.30

There are no chirality outliers.

5 of 15 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	474	SEP	N-CA-CB-OG
1	B	474	SEP	CB-OG-P-O2P
1	B	474	SEP	CB-OG-P-O3P
1	H	474	SEP	CB-OG-P-O2P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	H	474	SEP	CB-OG-P-O3P

There are no ring outliers.

9 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	474	SEP	1	0
1	G	474	SEP	3	0
1	I	474	SEP	1	0
1	E	474	SEP	5	0
1	K	474	SEP	1	0
1	C	474	SEP	1	0
1	J	474	SEP	3	0
1	H	474	SEP	2	0
1	A	474	SEP	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	A1MBG	I	601	-	40,41,41	2.52	9 (22%)	54,57,57	1.61	11 (20%)
2	A1MBG	L	602	-	40,41,41	2.51	8 (20%)	54,57,57	1.71	11 (20%)
2	A1MBG	J	601	-	40,41,41	2.40	10 (25%)	54,57,57	2.28	11 (20%)
2	A1MBG	D	601	-	40,41,41	2.57	12 (30%)	54,57,57	1.60	12 (22%)
2	A1MBG	B	601	-	40,41,41	2.52	11 (27%)	54,57,57	1.83	16 (29%)
2	A1MBG	I	602	-	40,41,41	2.46	10 (25%)	54,57,57	1.75	15 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	A1MBG	D	602	-	40,41,41	2.64	13 (32%)	54,57,57	2.48	16 (29%)
2	A1MBG	H	601	-	40,41,41	2.53	10 (25%)	54,57,57	1.97	13 (24%)
2	A1MBG	F	601	-	40,41,41	2.35	10 (25%)	54,57,57	1.84	17 (31%)
2	A1MBG	H	602	-	40,41,41	2.58	14 (35%)	54,57,57	2.25	16 (29%)
2	A1MBG	A	602	-	40,41,41	2.51	11 (27%)	54,57,57	2.20	12 (22%)
2	A1MBG	G	602	-	40,41,41	2.44	12 (30%)	54,57,57	2.63	21 (38%)
2	A1MBG	C	602	-	40,41,41	2.66	11 (27%)	54,57,57	2.03	13 (24%)
2	A1MBG	I	603	-	40,41,41	2.66	11 (27%)	54,57,57	1.97	13 (24%)
2	A1MBG	C	601	-	40,41,41	2.40	9 (22%)	54,57,57	1.92	18 (33%)
2	A1MBG	L	601	-	40,41,41	2.61	11 (27%)	54,57,57	1.72	9 (16%)
2	A1MBG	K	601	-	40,41,41	2.65	10 (25%)	54,57,57	1.69	12 (22%)
2	A1MBG	B	602	-	40,41,41	2.69	13 (32%)	54,57,57	2.13	12 (22%)
2	A1MBG	K	602	-	40,41,41	2.69	11 (27%)	54,57,57	1.91	13 (24%)
2	A1MBG	E	601	-	40,41,41	2.50	13 (32%)	54,57,57	2.31	21 (38%)
2	A1MBG	F	602	-	40,41,41	2.53	11 (27%)	54,57,57	1.99	12 (22%)
2	A1MBG	L	603	-	40,41,41	2.69	13 (32%)	54,57,57	1.79	11 (20%)
2	A1MBG	A	601	-	40,41,41	2.50	14 (35%)	54,57,57	1.84	14 (25%)
2	A1MBG	G	601	-	40,41,41	2.34	10 (25%)	54,57,57	1.79	13 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1MBG	I	601	-	-	0/22/38/38	1/5/5/5
2	A1MBG	L	602	-	-	0/22/38/38	0/5/5/5
2	A1MBG	J	601	-	-	4/22/38/38	0/5/5/5
2	A1MBG	D	601	-	-	0/22/38/38	0/5/5/5
2	A1MBG	B	601	-	-	0/22/38/38	1/5/5/5
2	A1MBG	I	602	-	-	0/22/38/38	0/5/5/5
2	A1MBG	D	602	-	-	4/22/38/38	0/5/5/5
2	A1MBG	H	601	-	-	0/22/38/38	0/5/5/5
2	A1MBG	F	601	-	-	0/22/38/38	0/5/5/5
2	A1MBG	H	602	-	-	3/22/38/38	0/5/5/5
2	A1MBG	A	602	-	-	4/22/38/38	0/5/5/5
2	A1MBG	G	602	-	-	5/22/38/38	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	A1MBG	C	602	-	-	2/22/38/38	0/5/5/5
2	A1MBG	I	603	-	-	2/22/38/38	0/5/5/5
2	A1MBG	C	601	-	-	0/22/38/38	0/5/5/5
2	A1MBG	L	601	-	-	0/22/38/38	1/5/5/5
2	A1MBG	K	601	-	-	0/22/38/38	1/5/5/5
2	A1MBG	B	602	-	-	3/22/38/38	0/5/5/5
2	A1MBG	K	602	-	-	6/22/38/38	0/5/5/5
2	A1MBG	E	601	-	-	4/22/38/38	0/5/5/5
2	A1MBG	F	602	-	-	6/22/38/38	0/5/5/5
2	A1MBG	L	603	-	-	3/22/38/38	0/5/5/5
2	A1MBG	A	601	-	-	0/22/38/38	0/5/5/5
2	A1MBG	G	601	-	-	0/22/38/38	1/5/5/5

The worst 5 of 267 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	602	A1MBG	O14-C15	8.76	1.51	1.38
2	D	601	A1MBG	C09-N11	8.44	1.52	1.34
2	A	602	A1MBG	O14-C15	8.41	1.50	1.38
2	K	601	A1MBG	C09-N11	8.35	1.52	1.34
2	K	602	A1MBG	C09-N11	8.30	1.52	1.34

The worst 5 of 332 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	601	A1MBG	O14-C13-C12	-7.97	102.26	109.33
2	A	602	A1MBG	C13-C12-N11	-7.47	95.90	112.16
2	D	602	A1MBG	C23-C24-N26	7.41	128.13	118.72
2	G	602	A1MBG	C13-C12-N11	-7.08	96.76	112.16
2	G	602	A1MBG	O14-C13-C12	7.06	115.60	109.33

There are no chirality outliers.

5 of 46 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	602	A1MBG	N11-C12-C13-C36
2	A	602	A1MBG	C08-C09-N11-C12
2	A	602	A1MBG	O10-C09-N11-C12
2	B	602	A1MBG	C08-C09-N11-C12
2	B	602	A1MBG	O10-C09-N11-C12



All (5) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	K	601	A1MBG	C27-C28-C30-C31-N26-N29
2	L	601	A1MBG	C27-C28-C30-C31-N26-N29
2	G	601	A1MBG	C27-C28-C30-C31-N26-N29
2	B	601	A1MBG	C27-C28-C30-C31-N26-N29
2	I	601	A1MBG	C27-C28-C30-C31-N26-N29


9 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	602	A1MBG	2	0
2	D	601	A1MBG	2	0
2	I	602	A1MBG	1	0
2	H	601	A1MBG	1	0
2	F	601	A1MBG	1	0
2	H	602	A1MBG	1	0
2	K	601	A1MBG	1	0
2	E	601	A1MBG	1	0
2	A	601	A1MBG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand A1MBG J 601




Ligand A1MBG D 601








Ligand A1MBG D 602







Ligand A1MBG H 601

























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	288/292 (98%)	0.58	33 (11%) 9 7	42, 58, 96, 110	0
1	B	288/292 (98%)	0.76	25 (8%) 16 13	48, 65, 101, 123	0
1	C	290/292 (99%)	0.54	22 (7%) 20 17	43, 58, 94, 110	0
1	D	288/292 (98%)	0.90	46 (15%) 5 3	51, 63, 111, 128	0
1	E	288/292 (98%)	0.68	23 (7%) 18 16	47, 62, 98, 113	0
1	F	288/292 (98%)	1.00	36 (12%) 8 6	53, 77, 103, 118	0
1	G	288/292 (98%)	0.58	26 (9%) 15 12	44, 59, 91, 115	0
1	H	288/292 (98%)	0.83	28 (9%) 13 10	52, 66, 95, 108	0
1	I	286/292 (97%)	1.03	35 (12%) 8 6	56, 76, 103, 115	0
1	J	288/292 (98%)	0.72	30 (10%) 11 9	50, 66, 104, 119	0
1	K	286/292 (97%)	1.27	44 (15%) 5 4	60, 85, 111, 124	0
1	L	288/292 (98%)	1.59	82 (28%) 1 1	76, 101, 124, 137	0
All	All	3454/3504 (98%)	0.87	430 (12%) 8 6	42, 69, 108, 137	0

The worst 5 of 430 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	308	LEU	5.8
1	A	304	PHE	5.7
1	H	304	PHE	5.2
1	L	469	VAL	5.0
1	K	304	PHE	5.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	SEP	L	474	10/11	0.60	0.17	114,115,116,116	0
1	SEP	K	474	10/11	0.73	0.15	102,103,103,103	0
1	SEP	I	474	10/11	0.84	0.12	84,87,89,90	0
1	SEP	F	474	10/11	0.86	0.12	80,83,84,84	0
1	SEP	A	474	10/11	0.90	0.11	62,65,68,73	0
1	SEP	E	474	10/11	0.91	0.11	66,68,73,74	0
1	SEP	J	474	10/11	0.92	0.10	68,69,70,71	0
1	SEP	B	474	10/11	0.95	0.09	63,65,69,73	0
1	SEP	H	474	10/11	0.95	0.08	67,68,71,74	0
1	SEP	G	474	10/11	0.96	0.08	62,64,67,68	0
1	SEP	D	474	10/11	0.96	0.08	61,61,63,64	0
1	SEP	C	474	10/11	0.97	0.07	54,55,56,57	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	A1MBG	L	603	37/37	0.79	0.17	79,87,96,97	0
2	A1MBG	K	602	37/37	0.88	0.15	77,86,92,96	0
2	A1MBG	C	602	37/37	0.88	0.13	58,65,76,76	0
2	A1MBG	B	602	37/37	0.89	0.14	58,68,79,80	0
2	A1MBG	A	602	37/37	0.90	0.12	54,62,68,75	0
2	A1MBG	I	603	37/37	0.91	0.13	61,68,77,77	0
2	A1MBG	D	602	37/37	0.91	0.11	51,61,74,79	0
2	A1MBG	F	602	37/37	0.91	0.12	60,67,77,80	0
2	A1MBG	H	602	37/37	0.92	0.12	56,63,69,71	0
2	A1MBG	L	602	37/37	0.92	0.12	71,74,77,78	0
2	A1MBG	E	601	37/37	0.92	0.11	50,56,68,74	0
2	A1MBG	J	601	37/37	0.93	0.11	53,61,69,70	0
2	A1MBG	G	602	37/37	0.93	0.11	46,54,65,67	0
2	A1MBG	D	601	37/37	0.93	0.11	52,57,68,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	A1MBG	A	601	37/37	0.93	0.10	43,49,60,77	0
2	A1MBG	H	601	37/37	0.94	0.10	49,55,63,81	0
2	A1MBG	I	602	37/37	0.94	0.10	47,55,66,88	0
2	A1MBG	K	601	37/37	0.94	0.10	56,60,64,67	0
2	A1MBG	L	601	37/37	0.95	0.10	56,66,75,78	0
2	A1MBG	I	601	37/37	0.95	0.10	47,54,64,92	0
2	A1MBG	B	601	37/37	0.95	0.09	45,52,62,63	0
2	A1MBG	F	601	37/37	0.96	0.07	51,56,66,69	0
2	A1MBG	C	601	37/37	0.96	0.08	46,51,57,58	0
2	A1MBG	G	601	37/37	0.96	0.08	45,51,57,61	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around A1MBG L 603:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG K 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG C 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG B 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG A 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG I 603:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG D 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG F 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG H 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG L 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG E 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG J 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG G 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG A 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG H 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG I 602:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG K 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG L 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG I 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1MBG F 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1MBG C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1MBG G 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.