



Full wwPDB EM Validation Report ⓘ

Jun 24, 2024 – 10:42 PM JST

PDB ID : 8WI4
EMDB ID : EMD-37557
Title : m6-hMRP5 inward open
Authors : Liu, Z.M.; Huang, Y.
Deposited on : 2023-09-24
Resolution : 3.20 Å (reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev92
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1437	

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 9443 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-binding cassette sub-family C member 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1207	9443	6054	1616	1715	58	0	0


There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	240	ALA	TRP	conflict	UNP O15440
A	288	ALA	PHE	conflict	UNP O15440
A	452	ALA	PHE	conflict	UNP O15440
A	988	ALA	PHE	conflict	UNP O15440
A	1091	ALA	PHE	conflict	UNP O15440
A	1145	ALA	PHE	conflict	UNP O15440

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ATP-binding cassette sub-family C member 5



L1210	I1340
I1217	A1341
K1218	R1342
P1219	A1343
K1220	L1344
E1221	L1345
K1222	R1346
I1223	K1349
V1226	K1349
G1227	I1352
R1228	L1363
G1237	D1364
L1243	E1365
G1249	A1368
G1260	A1369
I1251	Q1369
R1257	E1370
I1258	T1371
S1259	I1372
D1260	R1373
L1263	E1374
A1264	A1375
D1265	D1378
L1266	M1381
R1267	A1385
S1268	I1385
K1269	I1397
L1270	F1408
Q1275	D1409
V1278	T1410
T1283	P1411
V1284	S1412
R1285	V1413
F1291	L1414
E1296	L1415
E1304	S1416
R1305	N1417
T1306	D1418
H1307	Y1423
M1308	A1424
K1309	M1425
V1323	K1432
N1329	VAL
L1337	ALA
	VAL
	VAL
	LYS
	GLY

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1207343	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	4.609	Depositor
Minimum map value	-2.586	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.070	Depositor
Recommended contour level	0.192	Depositor
Map size (Å)	324.0, 324.0, 324.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.08, 1.08, 1.08	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/9619	0.47	0/13018

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9443	0	9668	146	0
All	All	9443	0	9668	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1264:ALA:O	1:A:1268:SER:HB2	1.75	0.86
1:A:1397:ILE:HG22	1:A:1411:PRO:HD3	1.61	0.81
1:A:1028:LEU:HD21	1:A:1101:ARG:HB3	1.63	0.79
1:A:1222:LYS:HA	1:A:1381:MET:HB3	1.74	0.69
1:A:1275:GLN:HG3	1:A:1354:ASP:HB3	1.76	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:377:PHE:O	1:A:381:VAL:HG23	1.98	0.64
1:A:167:LEU:HB3	1:A:464:VAL:HG13	1.81	0.63
1:A:1054:ILE:HD11	1:A:1077:TYR:HE1	1.65	0.61
1:A:1323:VAL:HA	1:A:1329:ASN:HD21	1.65	0.61
1:A:1220:LYS:NZ	1:A:1378:ASP:O	2.34	0.60
1:A:1305:ARG:HD2	1:A:1344:LEU:HD11	1.84	0.60
1:A:1021:LEU:HD22	1:A:1105:ILE:HG23	1.84	0.59
1:A:644:LEU:HD21	1:A:649:TYR:HB2	1.84	0.59
1:A:633:TRP:NE1	1:A:1056:SER:O	2.35	0.58
1:A:186:LEU:HD13	1:A:296:LEU:HD22	1.84	0.58
1:A:741:THR:HG21	1:A:747:LEU:HD11	1.84	0.58
1:A:703:ARG:HH11	1:A:1067:TYR:HD1	1.52	0.58
1:A:1103:ASP:O	1:A:1107:ILE:HG13	2.04	0.58
1:A:1285:ARG:NH2	1:A:1296:GLU:OE1	2.37	0.58
1:A:1198:ALA:HA	1:A:1249:GLY:HA3	1.85	0.57
1:A:1237:GLY:HA2	1:A:1352:ILE:HG21	1.87	0.57
1:A:318:THR:HG21	1:A:421:HIS:HB2	1.86	0.57
1:A:887:GLY:O	1:A:908:ASN:ND2	2.38	0.57
1:A:261:LYS:HE2	1:A:471:PHE:HA	1.86	0.56
1:A:993:PHE:HB2	1:A:1149:LEU:HB3	1.88	0.56
1:A:1051:LEU:O	1:A:1055:THR:HG23	2.06	0.56
1:A:157:LEU:HD22	1:A:162:PRO:HA	1.87	0.55
1:A:243:ASN:HA	1:A:246:THR:HG22	1.89	0.54
1:A:724:PHE:HD1	1:A:728:ILE:HD12	1.72	0.54
1:A:324:ALA:HA	1:A:327:ILE:HG12	1.89	0.54
1:A:1369:GLN:O	1:A:1373:ARG:HG3	2.07	0.54
1:A:252:GLY:HA2	1:A:1081:LEU:HD21	1.90	0.54
1:A:279:ILE:HD12	1:A:470:LEU:HD22	1.90	0.54
1:A:412:ILE:HD11	1:A:926:LEU:HD21	1.89	0.54
1:A:1209:VAL:HG13	1:A:1210:LEU:HD23	1.90	0.54
1:A:497:LEU:HD13	1:A:607:ALA:HB1	1.90	0.53
1:A:585:ILE:HD11	1:A:591:VAL:HG21	1.89	0.53
1:A:1306:THR:HG21	1:A:1341:ALA:HA	1.90	0.53
1:A:1054:ILE:O	1:A:1058:ILE:HD12	2.07	0.53
1:A:643:ILE:HG22	1:A:700:TYR:HD2	1.74	0.53
1:A:1217:ILE:HD12	1:A:1223:ILE:HG13	1.90	0.52
1:A:627:TYR:HB2	1:A:707:ILE:HB	1.91	0.52
1:A:673:SER:OG	1:A:674:ASP:N	2.42	0.52
1:A:491:GLU:HB3	1:A:620:ALA:HB3	1.91	0.52
1:A:1370:GLU:OE1	1:A:1373:ARG:NH2	2.42	0.52
1:A:389:ARG:HA	1:A:392:LEU:HB2	1.92	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:385:ARG:O	1:A:389:ARG:HG2	2.10	0.51
1:A:299:GLY:O	1:A:302:VAL:HG12	2.11	0.51
1:A:1257:ARG:NH2	1:A:1260:ASP:OD2	2.44	0.51
1:A:961:LYS:O	1:A:965:THR:HG23	2.12	0.50
1:A:1264:ALA:O	1:A:1268:SER:CB	2.53	0.50
1:A:633:TRP:O	1:A:634:ILE:HG12	2.12	0.50
1:A:1283:THR:HG22	1:A:1285:ARG:H	1.76	0.50
1:A:153:TRP:HE3	1:A:170:VAL:HG21	1.77	0.49
1:A:1139:LEU:HA	1:A:1142:LEU:HD12	1.93	0.49
1:A:1425:MET:SD	1:A:1425:MET:N	2.85	0.49
1:A:685:LEU:HD21	1:A:693:ILE:HD12	1.95	0.49
1:A:189:THR:OG1	1:A:232:ARG:O	2.28	0.49
1:A:633:TRP:CD2	1:A:1060:GLY:HA3	2.48	0.49
1:A:869:ASN:O	1:A:872:SER:OG	2.29	0.49
1:A:1201:ARG:HH21	1:A:1206:LEU:H	1.60	0.49
1:A:1251:ILE:HG13	1:A:1258:ILE:HB	1.95	0.49
1:A:866:PHE:HZ	1:A:991:GLU:HG3	1.77	0.48
1:A:745:GLN:OE1	1:A:745:GLN:N	2.46	0.48
1:A:1103:ASP:OD1	1:A:1144:GLN:NE2	2.47	0.48
1:A:753:VAL:N	1:A:765:GLY:O	2.41	0.48
1:A:1197:ASN:O	1:A:1197:ASN:ND2	2.47	0.48
1:A:268:ILE:HD12	1:A:268:ILE:H	1.79	0.48
1:A:1304:GLU:HB2	1:A:1309:LYS:NZ	2.29	0.47
1:A:953:ARG:HH21	1:A:957:ARG:HH12	1.62	0.47
1:A:142:SER:OG	1:A:1082:ASP:OD1	2.32	0.47
1:A:578:LEU:HA	1:A:759:GLY:HA3	1.97	0.47
1:A:1305:ARG:HH11	1:A:1375:ALA:HA	1.80	0.47
1:A:321:LEU:HD13	1:A:420:VAL:HG21	1.97	0.46
1:A:294:GLY:HA2	1:A:453:SER:HB2	1.96	0.46
1:A:1270:LEU:O	1:A:1346:ARG:NH2	2.47	0.46
1:A:1355:GLU:HG3	1:A:1385:ALA:HA	1.96	0.46
1:A:1179:LYS:O	1:A:1181:LYS:N	2.48	0.46
1:A:495:ALA:HB1	1:A:497:LEU:HG	1.98	0.46
1:A:873:THR:HG22	1:A:925:MET:SD	2.56	0.45
1:A:344:ARG:HH21	1:A:984:VAL:HB	1.80	0.45
1:A:1415:LEU:HD22	1:A:1423:TYR:CD1	2.51	0.45
1:A:186:LEU:HA	1:A:189:THR:HG22	1.98	0.45
1:A:661:CYS:HB3	1:A:663:LEU:HD23	1.98	0.45
1:A:371:TYR:OH	1:A:1343:ALA:HB2	2.17	0.45
1:A:872:SER:HB2	1:A:925:MET:HB2	1.99	0.45
1:A:1263:LEU:HD22	1:A:1267:ARG:HE	1.82	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1308:MET:SD	1:A:1337:LEU:HD22	2.57	0.45
1:A:315:LEU:HD11	1:A:436:VAL:HG21	1.99	0.45
1:A:483:PRO:HD2	1:A:622:SER:HB3	1.99	0.45
1:A:740:VAL:O	1:A:741:THR:HB	2.17	0.45
1:A:1180:ASN:HB2	1:A:1260:ASP:HB3	1.98	0.45
1:A:1345:LEU:HD12	1:A:1345:LEU:H	1.82	0.45
1:A:747:LEU:HD22	1:A:753:VAL:HG13	1.99	0.44
1:A:960:MET:HA	1:A:963:PHE:HD2	1.81	0.44
1:A:344:ARG:C	1:A:346:LYS:H	2.20	0.44
1:A:1186:ASP:OD1	1:A:1186:ASP:N	2.42	0.44
1:A:1409:ASP:HB3	1:A:1414:LEU:HD13	1.98	0.44
1:A:635:LEU:HB2	1:A:642:ASN:OD1	2.18	0.44
1:A:179:LEU:HD23	1:A:179:LEU:HA	1.89	0.44
1:A:757:LYS:HD3	1:A:757:LYS:HA	1.89	0.44
1:A:688:GLY:HA2	1:A:715:LEU:HG	2.00	0.44
1:A:988:ALA:O	1:A:992:MET:HG3	2.17	0.44
1:A:1038:GLU:OE1	1:A:1041:ARG:NH2	2.51	0.44
1:A:1156:ARG:O	1:A:1159:SER:OG	2.35	0.43
1:A:136:LEU:HD23	1:A:136:LEU:HA	1.89	0.43
1:A:1418:ASP:HA	1:A:1423:TYR:HD2	1.82	0.43
1:A:415:VAL:HG22	1:A:918:TYR:CE2	2.53	0.43
1:A:642:ASN:HD22	1:A:678:ILE:HD11	1.84	0.43
1:A:375:LYS:HB2	1:A:1291:PHE:HE1	1.82	0.43
1:A:1048:SER:HB2	1:A:1049:PRO:HD3	2.01	0.43
1:A:593:ILE:HG23	1:A:754:ILE:HD11	2.01	0.43
1:A:411:VAL:HG21	1:A:873:THR:HB	2.00	0.42
1:A:1139:LEU:HD23	1:A:1142:LEU:HD12	2.01	0.42
1:A:1226:VAL:HG12	1:A:1397:ILE:HD11	2.00	0.42
1:A:407:PRO:HD2	1:A:408:ILE:HD12	2.01	0.42
1:A:267:ASN:HB3	1:A:270:GLU:HB2	2.02	0.42
1:A:366:LYS:HG2	1:A:370:MET:HE2	2.02	0.42
1:A:1018:VAL:HG23	1:A:1109:LEU:HD21	2.00	0.42
1:A:960:MET:HG3	1:A:1243:LEU:HD12	2.00	0.42
1:A:596:SER:O	1:A:599:SER:OG	2.32	0.42
1:A:1258:ILE:HD13	1:A:1258:ILE:HA	1.94	0.41
1:A:279:ILE:O	1:A:283:ASP:HB2	2.20	0.41
1:A:304:ALA:O	1:A:308:MET:HG2	2.21	0.41
1:A:767:HIS:O	1:A:770:LEU:N	2.52	0.41
1:A:955:ILE:O	1:A:958:SER:OG	2.32	0.41
1:A:1278:VAL:O	1:A:1342:ARG:NH2	2.49	0.41
1:A:1083:ASP:OD1	1:A:1083:ASP:N	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:LEU:HB3	1:A:1058:ILE:HG12	2.01	0.41
1:A:490:ILE:HB	1:A:585:ILE:HB	2.02	0.41
1:A:638:THR:HA	1:A:677:GLU:HA	2.02	0.41
1:A:670:LEU:HD13	1:A:676:THR:HG21	2.02	0.41
1:A:743:GLN:O	1:A:744:LEU:HB2	2.21	0.41
1:A:116:SER:O	1:A:120:ARG:NH2	2.54	0.40
1:A:589:LYS:HB3	1:A:591:VAL:HG13	2.03	0.40
1:A:1340:ILE:HG12	1:A:1372:ILE:HD11	2.03	0.40
1:A:201:VAL:HG11	1:A:438:THR:HG21	2.02	0.40
1:A:168:ARG:HG3	1:A:464:VAL:HG11	2.02	0.40
1:A:685:LEU:HD23	1:A:690:ARG:HG2	2.03	0.40
1:A:853:ALA:HA	1:A:943:ALA:HB2	2.03	0.40
1:A:1206:LEU:HD23	1:A:1206:LEU:HA	1.91	0.40
1:A:1228:ARG:HA	1:A:1228:ARG:HD2	1.87	0.40
1:A:1349:LYS:HA	1:A:1349:LYS:HD3	1.80	0.40
1:A:128:LEU:HD12	1:A:128:LEU:HA	1.92	0.40
1:A:175:CYS:O	1:A:179:LEU:HB2	2.22	0.40
1:A:1128:TYR:HA	1:A:1131:LEU:HD23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1199/1437 (83%)	1131 (94%)	62 (5%)	6 (0%)	29 67

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	634	ILE
1	A	1309	LYS
1	A	901	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	741	THR
1	A	1410	THR
1	A	1218	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	1033/1234 (84%)	1000 (97%)	33 (3%)	39 71

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	109	CYS
1	A	141	SER
1	A	151	ARG
1	A	266	LYS
1	A	272	SER
1	A	310	TYR
1	A	337	SER
1	A	344	ARG
1	A	356	GLN
1	A	357	LYS
1	A	371	TYR
1	A	582	ASP
1	A	692	ARG
1	A	747	LEU
1	A	756	MET
1	A	757	LYS
1	A	843	TRP
1	A	881	SER
1	A	918	TYR
1	A	974	ARG
1	A	1003	CYS
1	A	1029	HIS
1	A	1037	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1186	ASP
1	A	1265	ASP
1	A	1267	ARG
1	A	1308	MET
1	A	1408	PHE
1	A	1412	SER
1	A	1414	LEU
1	A	1415	LEU
1	A	1416	SER
1	A	1423	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1329	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-37557. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 149




Y Index: 157




Z Index: 133


6.3.2 Raw map



X Index: 149



Y Index: 165




Z Index: 133


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)

6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.192. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 344 nm³; this corresponds to an approximate mass of 310 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.312 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.71	4.18	3.77

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.71 differs from the reported value 3.2 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-37557 and PDB model 8WI4. Per-residue inclusion information can be found in section [3](#) on page [4](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.192 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [\(i\)](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [\(i\)](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.192).





9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.192) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9190	 0.4310
A	 0.9190	 0.4310

