

wwPDB X-ray Structure Validation Summary Report (i)

Oct 12, 2023 – 05:29 PM EDT

PDB ID : 6WM5

Title: Structure of a phosphatidylinositol-phosphate synthase (PIPS) from My-

cobacterium kansasii

Authors: Belcher Dufrisne, M.; Jorge, C.D.; Timoteo, C.G.; Petrou, V.I.; Ashraf, K.U.;

Banerjee, S.; Clarke, O.B.; Santos, H.; Mancia, F.; New York Consortium on

Membrane Protein Structure (NYCOMPS)

Deposited on : 2020-04-20

Resolution : 1.96 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

 $Mol Probity \quad : \quad 4.02b\text{--}467$

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35.1




1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}({\rm \AA})) \end{array}$
R_{free}	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain			
1	A	370	75%	15%		9%
1	С	370	73%	16%	•	9%



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 5682 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called AfCTD-Phosphatidylinositol-phosphate synthase (PIPS) fusion.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	A	337	Total 2588	C 1691	N 436	O 451	S 10	0	7	0
1	С	335	Total 2531	C 1650	N 422	O 451	S 8	0	4	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	linker	UNP A0A101DFK9
A	-1	SER	-	linker	UNP A0A101DFK9
A	0	GLY	-	linker	UNP A0A101DFK9
A	1	SER	-	linker	UNP A0A101DFK9
A	17	LEU	LEU ASP engineered mutation		UNP U5WZP7
A	77	LEU	GLN	engineered mutation	UNP U5WZP7
A	79	SER	GLY	engineered mutation	UNP U5WZP7
С	-2	GLY	-	linker	UNP A0A101DFK9
С	-1	SER	-	linker	UNP A0A101DFK9
С	0	GLY	-	linker	UNP A0A101DFK9
С	1	SER	-	linker	UNP A0A101DFK9
С	17	LEU	ASP	engineered mutation	UNP U5WZP7
С	77	LEU	GLN	engineered mutation	UNP U5WZP7
С	79	SER	GLY	engineered mutation	UNP U5WZP7

• Molecule 2 is CITRATE ANION (three-letter code: FLC) (formula: $C_6H_5O_7$).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 13 6 7	0	0
2	С	1	Total C O 13 6 7	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	4	Total Na 4 4	0	0
3	С	3	Total Na 3 3	0	0


 \bullet Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: $\mathrm{O_4P}).$





Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
4	A	1	Total 5	O 4	P 1	0	1


• Molecule 5 is 3,3',3''-phosphanetriyltripropanoic acid (three-letter code: TCE) (formula: $C_9H_{15}O_6P$).



Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
5	A	1	Total 16	C 9	O 6	P 1	0	0

• Molecule 6 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: $C_{21}H_{40}O_4$).






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 10 6 4	0	0
6	A	1	Total C O 17 13 4	0	0
6	A	1	Total C O 18 14 4	0	0
6	A	1	Total C O 19 15 4	0	0
6	С	1	Total C O 16 12 4	0	0
6	С	1	Total C O 25 21 4	0	0
6	С	1	Total C O 9 5 4	0	0
6	С	1	Total C O 25 21 4	0	0

 \bullet Molecule 7 is Octa decane (three-letter code: 8K6) (formula: $\mathrm{C}_{18}\mathrm{H}_{38}).$






Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total C 17 17	0	0
7	A	1	Total C 10 10	0	0
7	A	1	Total C 7 7	0	0
7	A	1	Total C 5 5	0	0
7	A	1	Total C 5 5	0	0
7	A	1	Total C 5 5	0	0
7	A	1	Total C 5 5	0	0
7	A	1	Total C 5 5	0	0
7	A	1	Total C 8 8	0	0
7	A	1	Total C 7 7	0	0
7	A	1	Total C 7 7	0	0
7	A	1	Total C 14 14	0	0
7	A	1	Total C 9 9	0	0
7	A	1	Total C 8 8	0	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues		ZeroOcc	AltConf
7	A	1	Total C 12 12	0	0
7	A	1	Total C 7 7	0	0
7	С	1	Total C 9 9	0	0
7	С	1	Total C 8 8	0	0
7	С	1	Total C 8 8	0	0
7	С	1	Total C 7 7	0	0
7	С	1	Total C 8 8	0	0
7	С	1	Total C 7 7	0	0
7	С	1	Total C 8 8	0	0
7	С	1	Total C 5 5	0	0

 \bullet Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: $\mathrm{C_3H_8O_3}).$




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 6 3 3	0	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total C O 6 3 3	0	0
8	A	1	Total C O 6 3 3	0	0
8	A	1	Total C O 6 3 3	0	0
8	С	1	Total C O 6 3 3	0	0
8	С	1	Total C O 6 3 3	0	0

• Molecule 9 is 1,2-DIMYRISTOYL-SN-GLYCERO-3-PHOSPHATE (three-letter code: XP4) (formula: $C_{31}H_{60}O_8P$).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf		
9	A	1	Total 40	C 31	O 8	P 1	0	0

• Molecule 10 is water.


\mathbf{Mol}	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	51	Total O 51 51	0	0
10	С	52	Total O 52 52	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: AfCTD-Phosphatidylinositol-phosphate synthase (PIPS) fusion





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	78.34Å 60.24Å 85.38Å	Donositor
a, b, c, α , β , γ	90.00° 90.91° 90.00°	Depositor
Resolution (Å)	49.22 - 1.96	Depositor
Resolution (A)	49.22 - 1.96	EDS
% Data completeness	65.4 (49.22-1.96)	Depositor
(in resolution range)	65.4 (49.22-1.96)	EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	0.93 (at 1.97Å)	Xtriage
Refinement program	PHENIX 1.13_2998	Depositor
D.D.	0.235 , 0.277	Depositor
R, R_{free}	0.235 , 0.277	DCC
R_{free} test set	1930 reflections (5.15%)	wwPDB-VP
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.36 , 74.1	EDS
L-test for twinning ²	$< L >=0.50, < L^2>=0.33$	Xtriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5682	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.97% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, NA, XP4, 8K6, OLC, GOL, TCE, FLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.33	0/2643	0.48	0/3599
1	С	0.33	0/2582	0.49	0/3520
All	All	0.33	0/5225	0.48	0/7119

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2588	0	2618	48	0
1	С	2531	0	2535	50	0
2	A	13	0	5	1	0
2	С	13	0	5	0	0
3	A	4	0	0	0	0
3	С	3	0	0	0	0
4	A	5	0	0	0	0
5	A	16	0	12	0	0
6	A	64	0	79	7	0
6	С	75	0	108	11	0
7	A	131	0	237	8	0



Continued	trom	mmoninonic	maaa
COHABABACA		DIEUIUU	DUIUE
0 0 1000100000			

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	С	60	0	112	7	0
8	A	24	0	32	0	0
8	С	12	0	16	1	0
9	A	40	0	60	1	0
10	A	51	0	0	3	0
10	С	52	0	0	1	0
All	All	5682	0	5819	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 99 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$
1:C:62:TRP:CD2	7:C:315:8K6:H181	2.18	0.78
1:A:182:TRP:HE1	6:A:310:OLC:H21A	1.50	0.77
1:A:54:LEU:HD22	6:A:309:OLC:H2	1.70	0.73
1:A:168:PHE:CD2	1:A:169:PRO:HD2	2.26	0.69
1:C:62:TRP:CE2	7:C:315:8K6:H181	2.27	0.69

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	A	339/370 (92%)	335 (99%)	4 (1%)	0	100	100
1	С	335/370~(90%)	327 (98%)	8 (2%)	0	100	100
All	All	674/740 (91%)	662 (98%)	12 (2%)	0	100	100

There are no Ramachandran outliers to report.



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	260/300 (87%)	255 (98%)	5 (2%)	57 50
1	С	255/300~(85%)	249 (98%)	6 (2%)	49 40
All	All	515/600 (86%)	504 (98%)	11 (2%)	59 46

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	С	-71	ARG
1	С	-29	TYR
1	С	192	LEU
1	С	68	ASP
1	A	68	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	129	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

Of 50 ligands modelled in this entry, 7 are monoatomic - leaving 43 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

3.6.1	TD.	GI .	Ъ	T . 1	Во	ond leng	$_{ m ths}$	В	ond ang	les
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	8K6	A	323	-	13,13,17	0.10	0	12,12,16	0.07	0
7	8K6	A	314	-	6,6,17	0.13	0	5,5,16	0.09	0
7	8K6	A	322	-	6,6,17	0.14	0	5,5,16	0.09	0
7	8K6	С	310	-	7,7,17	0.13	0	6,6,16	0.10	0
6	OLC	A	308	-	9,9,24	1.49	1 (11%)	10,10,25	1.47	1 (10%)
6	OLC	A	311	-	18,18,24	1.04	1 (5%)	18,19,25	0.99	1 (5%)
8	GOL	С	318	-	5,5,5	0.35	0	5,5,5	0.29	0
6	OLC	A	309	-	16,16,24	1.15	1 (6%)	17,17,25	1.17	2 (11%)
7	8K6	A	320	-	7,7,17	0.16	0	6,6,16	0.08	0
7	8K6	A	315	-	4,4,17	0.15	0	3,3,16	0.23	0
6	OLC	С	305	-	15,15,24	1.18	1 (6%)	16,16,25	0.99	1 (6%)
8	GOL	A	329	-	5,5,5	0.36	0	5,5,5	0.23	0
7	8K6	A	319	-	4,4,17	0.34	0	3,3,16	0.53	0
6	OLC	С	308	-	24,24,24	0.96	1 (4%)	25,25,25	0.92	2 (8%)
7	8K6	A	324	-	8,8,17	0.12	0	7,7,16	0.10	0
7	8K6	С	312	-	6,6,17	0.14	0	5,5,16	0.10	0
6	OLC	A	310	-	17,17,24	1.09	1 (5%)	18,18,25	1.12	2 (11%)
7	8K6	A	317	-	4,4,17	0.33	0	3,3,16	0.52	0
8	GOL	A	327	_	5,5,5	0.34	0	5,5,5	0.28	0
8	GOL	A	332	_	5,5,5	0.37	0	5,5,5	0.20	0
8	GOL	С	317	_	5,5,5	0.40	0	5,5,5	0.27	0
5	TCE	A	307	-	12,15,15	1.31	0	12,18,18	3.15	3 (25%)
7	8K6	С	313	-	7,7,17	0.14	0	6,6,16	0.10	0
7	8K6	A	316	-	4,4,17	0.34	0	3,3,16	0.53	0
7	8K6	A	325	-	7,7,17	0.13	0	6,6,16	0.09	0
7	8K6	С	316	-	4,4,17	0.32	0	3,3,16	0.51	0
6	OLC	С	307	-	8,8,24	1.03	1 (12%)	9,9,25	0.94	0
7	8K6	A	318	-	4,4,17	0.32	0	3,3,16	0.54	0
7	8K6	A	312	-	16,16,17	0.09	0	15,15,16	0.09	0
4	PO4	A	306[A]	_	4,4,4	0.88	0	6,6,6	0.34	0



Mol	Trino	Chain	Res	Link	Во	ond leng	$_{ m gths}$	В	ond ang	les
MIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FLC	С	301	3	12,12,12	1.21	1 (8%)	17,17,17	1.26	2 (11%)
7	8K6	С	315	-	7,7,17	0.15	0	6,6,16	0.08	0
7	8K6	С	314	-	6,6,17	0.14	0	5,5,16	0.10	0
7	8K6	A	321	-	6,6,17	0.18	0	5,5,16	0.11	0
7	8K6	A	326	-	11,11,17	0.14	0	10,10,16	0.08	0
7	8K6	С	311	-	7,7,17	0.15	0	6,6,16	0.11	0
8	GOL	A	328	-	5,5,5	0.35	0	5,5,5	0.38	0
7	8K6	A	313	-	9,9,17	0.14	0	8,8,16	0.10	0
9	XP4	A	330	-	39,39,39	1.02	2 (5%)	43,44,44	1.18	3 (6%)
7	8K6	A	331	-	6,6,17	0.15	0	5,5,16	0.09	0
6	OLC	С	306	-	24,24,24	0.94	1 (4%)	25,25,25	0.83	1 (4%)
7	8K6	С	309	-	8,8,17	0.13	0	7,7,16	0.09	0
2	FLC	A	301	-	12,12,12	1.16	1 (8%)	17,17,17	1.31	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	8K6	A	323	-	-	6/11/11/15	-
7	8K6	A	314	-	-	3/4/4/15	-
7	8K6	A	322	-	-	1/4/4/15	-
7	8K6	C	310	-	-	3/5/5/15	-
6	OLC	A	308	-	-	0/9/9/24	-
6	OLC	A	311	-	-	2/18/18/24	-
8	GOL	С	318	-	-	2/4/4/4	-
6	OLC	A	309	-	-	5/16/16/24	-
7	8K6	A	320	-	-	1/5/5/15	-
7	8K6	A	315	-	-	0/2/2/15	_
6	OLC	С	305	-	-	2/15/15/24	-
8	GOL	A	329	-	-	2/4/4/4	-
7	8K6	A	319	-	-	0/2/2/15	-
6	OLC	С	308	-	-	7/24/24/24	-
7	8K6	A	324	-	-	2/6/6/15	-
7	8K6	С	312	-	-	1/4/4/15	-
6	OLC	A	310	-	-	7/17/17/24	-
7	8K6	A	317	-	-	0/2/2/15	-
8	GOL	A	327	_	_	2/4/4/4	_



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	GOL	A	332	-	-	2/4/4/4	-
8	GOL	С	317	-	-	4/4/4/4	-
5	TCE	A	307	-	-	9/15/15/15	-
7	8K6	С	313	-	-	1/5/5/15	-
7	8K6	A	316	-	-	1/2/2/15	-
7	8K6	A	325	-	-	3/5/5/15	-
7	8K6	С	316	-	-	2/2/2/15	-
6	OLC	С	307	-	-	4/7/7/24	-
7	8K6	A	318	-	-	0/2/2/15	-
7	8K6	A	312	-	-	5/14/14/15	-
2	FLC	С	301	3	-	3/16/16/16	-
7	8K6	С	315	-	-	2/5/5/15	-
7	8K6	С	314	-	-	2/4/4/15	-
7	8K6	A	321	-	-	1/4/4/15	-
7	8K6	A	326	-	-	6/9/9/15	-
7	8K6	С	311	-	-	2/5/5/15	-
8	GOL	A	328	-	-	4/4/4/4	-
7	8K6	A	313	-	-	2/7/7/15	-
9	XP4	A	330	-	-	20/41/41/41	-
7	8K6	A	331	-	-	1/4/4/15	-
6	OLC	С	306	-	-	5/24/24/24	-
7	8K6	С	309	-	-	1/6/6/15	-
2	FLC	A	301	-	-	11/16/16/16	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(A)
6	С	305	OLC	O20-C1	4.38	1.46	1.33
6	С	308	OLC	O20-C1	4.38	1.46	1.33
6	С	306	OLC	O20-C1	4.35	1.46	1.33
6	A	308	OLC	O20-C1	4.33	1.46	1.33
6	A	309	OLC	O20-C1	4.33	1.46	1.33

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
5	A	307	TCE	C1-P-C3	6.17	120.59	100.95
5	A	307	TCE	C3-P-C2	6.00	120.08	100.95



Continued from previous page...

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}(^{o})$
5	A	307	TCE	C1-P-C2	5.77	119.32	100.95
9	A	330	XP4	O7-C18-C19	4.78	121.81	111.50
6	A	308	OLC	O20-C1-C2	3.68	121.03	111.38

There are no chirality outliers.

5 of 137 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	FLC	OHB-CB-CBC-OB1
2	A	301	FLC	OHB-CB-CBC-OB2
2	С	301	FLC	CA-CB-CG-CGC
2	С	301	FLC	OHB-CB-CG-CGC
5	A	307	TCE	C5-C2-P-C3

There are no ring outliers.


20 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	323	8K6	2	0
7	A	314	8K6	1	0
7	С	310	8K6	1	0
6	A	311	OLC	2	0
8	С	318	GOL	1	0
6	A	309	OLC	1	0
6	С	305	OLC	2	0
6	С	308	OLC	4	0
7	С	312	8K6	1	0
6	A	310	OLC	4	0
7	С	313	8K6	1	0
7	С	316	8K6	1	0
7	A	312	8K6	3	0
7	С	315	8K6	3	0
7	A	326	8K6	1	0
7	С	311	8K6	1	0
9	A	330	XP4	1	0
7	A	331	8K6	1	0
6	С	306	OLC	5	0
2	A	301	FLC	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will




also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















Torsions


Rings































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	$\#\mathrm{RSRZ}{>}2$	$OWAB(A^2)$	Q<0.9
1	A	337/370 (91%)	0.30	17 (5%) 28 39	13, 31, 58, 71	0
1	С	335/370 (90%)	0.25	10 (2%) 50 59	14, 32, 51, 65	0
All	All	672/740 (90%)	0.28	27 (4%) 38 48	13, 31, 55, 71	0

The worst 5 of 27 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	10	ALA	4.0
1	С	-5	ILE	3.8
1	С	-6	LEU	3.7
1	С	-29	TYR	3.6
1	A	-26[A]	TRP	3.6

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}({ m \AA}^2)$	Q<0.9
5	TCE	A	307	16/16	0.59	0.24	49,53,64,74	0
8	GOL	A	329	6/6	0.65	0.16	48,57,60,62	0
7	8K6	A	318	5/18	0.82	0.22	29,31,34,37	0
6	OLC	С	307	9/25	0.82	0.12	42,50,62,64	0
8	GOL	A	327	6/6	0.83	0.12	39,43,48,55	0
2	FLC	A	301	13/13	0.83	0.22	33,45,55,57	0
7	8K6	A	331	7/18	0.84	0.15	27,32,36,36	0
6	OLC	A	309	17/25	0.84	0.18	21,42,56,60	0
6	OLC	С	306	25/25	0.84	0.18	28,40,52,55	0
7	8K6	A	321	7/18	0.85	0.17	32,38,43,47	0
6	OLC	A	308	10/25	0.85	0.15	28,37,51,52	0
8	GOL	С	317	6/6	0.85	0.22	31,39,43,51	0
7	8K6	A	316	5/18	0.86	0.19	24,25,33,39	0
6	OLC	С	305	16/25	0.87	0.15	37,43,49,50	0
4	PO4	A	306[A]	5/5	0.87	0.21	28,30,31,32	5
7	8K6	A	326	12/18	0.87	0.15	22,31,39,44	0
3	NA	С	302	1/1	0.87	0.13	43,43,43,43	0
6	OLC	С	308	25/25	0.87	0.14	15,33,46,51	0
7	8K6	A	315	5/18	0.87	0.26	33,37,40,45	0
6	OLC	A	311	19/25	0.87	0.17	26,38,50,52	0
3	NA	С	303	1/1	0.88	0.10	33,33,33,33	0
3	NA	A	305	1/1	0.88	0.13	38,38,38,38	0
6	OLC	A	310	18/25	0.88	0.24	36,41,51,54	0
7	8K6	A	319	5/18	0.88	0.13	31,34,38,41	0
2	FLC	С	301	13/13	0.88	0.21	38,46,57,58	0
7	8K6	A	313	10/18	0.89	0.17	20,32,38,43	0
7	8K6	A	320	8/18	0.89	0.15	26,30,41,42	0
7	8K6	С	309	9/18	0.90	0.12	22,27,35,37	0
7	8K6	С	310	8/18	0.90	0.12	30,34,39,43	0
7	8K6	С	312	7/18	0.90	0.12	29,32,35,43	0
7	8K6	A	325	8/18	0.90	0.18	27,32,37,42	0
3	NA	A	302	1/1	0.90	0.27	41,41,41,41	0
7	8K6	A	323	14/18	0.90	0.16	17,28,40,41	0
8	GOL	С	318	6/6	0.90	0.16	49,50,52,53	0
7	8K6	A	322	7/18	0.91	0.12	18,22,28,35	0
7	8K6	С	311	8/18	0.91	0.10	33,36,43,44	0
7	8K6	A	317	5/18	0.91	0.12	24,29,37,39	0
7	8K6	С	313	8/18	0.91	0.12	21,31,39,41	0
9	XP4	A	330	40/40	0.91	0.15	20,40,66,78	0
8	GOL	A	328	6/6	0.92	0.18	22,33,43,45	0
7	8K6	C	315	8/18	0.92	0.12	26,31,39,42	0
8	GOL	A	332	6/6	0.92	0.33	43,46,56,57	0
7	8K6	A	314	7/18	0.94	0.20	29,35,38,39	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
7	8K6	С	314	7/18	0.94	0.13	18,22,27,30	0
7	8K6	С	316	5/18	0.95	0.11	17,20,21,26	0
3	NA	С	304	1/1	0.95	0.13	37,37,37,37	0
7	8K6	A	324	9/18	0.95	0.10	23,30,35,35	0
7	8K6	A	312	17/18	0.95	0.10	16,28,39,42	0
3	NA	A	304	1/1	0.99	0.04	24,24,24,24	0
3	NA	A	303	1/1	0.99	0.07	21,21,21,21	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around OLC C 307: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c \text{ (at } 0.7 \mathrm{\ rmsd) in gray}$

 ${
m mF}_o{
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 A 331:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around OLC C 306:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 A 321:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around OLC A 308:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 A 316:


 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















Electron density around OLC C 308:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around OLC A 311:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











Electron density around OLC A 310: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive) Electron density around 8K6 A 313:







Electron density around $8\mathrm{K}6$ A 320:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 C 309:

 $2 \text{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\text{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around 8K6 C 310:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 C 312:


 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)














Electron density around 8K6 A 323:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around 8K6 A 322:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 C 311:

 $2 \mathrm{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around 8K6 C 313:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around XP4 A 330:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)













Electron density around 8K6 A 314:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around 8K6 C 314:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around 8K6 C 316:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)













and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.

