



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 1, 2023 – 05:03 PM JST

PDB ID : 5WT1
Title : Pyrococcus abyssi methyltransferase PaTrm5a bound by SAH and cognate tRNA
Authors : Xie, W.; Wang, C.; Jia, Q.
Deposited on : 2016-12-09
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)
RNA backbone	3102	1040 (2.90-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	333	
1	B	333	
2	C	76	
2	F	76	

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			26	14	6	5	1		
3	B	1	Total	C	N	O	S	0	0
			26	14	6	5	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	22	Total	O	0	0
			22	22		
4	C	17	Total	O	0	0
			17	17		
4	B	11	Total	O	0	0
			11	11		
4	F	10	Total	O	0	0
			10	10		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: tRNA (guanine(37)-N1)-methyltransferase Trm5a



- Molecule 1: tRNA (guanine(37)-N1)-methyltransferase Trm5a



- Molecule 2: RNA (76-MER)



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	102.10Å 57.02Å 115.81Å 90.00° 101.53° 90.00°	Depositor
Resolution (Å)	40.22 – 2.60 40.22 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.8 (40.22-2.60) 98.7 (40.22-2.60)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 2.61Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, R_{free}	0.247 , 0.274 0.248 , 0.275	Depositor DCC
R_{free} test set	2020 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	64.8	Xtrriage
Anisotropy	0.371	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 52.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7973	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 45.74 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2655e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SAH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.33	0/2603	0.58	0/3532
1	B	0.43	2/2453 (0.1%)	0.81	4/3345 (0.1%)
2	C	0.27	0/1605	0.90	1/2502 (0.0%)
2	F	0.30	0/1631	0.98	5/2543 (0.2%)
All	All	0.35	2/8292 (0.0%)	0.81	10/11922 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	232	ARG	CZ-NH1	-6.92	1.24	1.33
1	B	232	ARG	NE-CZ	-6.69	1.24	1.33

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	232	ARG	NE-CZ-NH1	-18.44	111.08	120.30
1	B	232	ARG	NE-CZ-NH2	16.53	128.57	120.30
1	B	232	ARG	CG-CD-NE	10.33	133.49	111.80
2	F	45	U	P-O3'-C3'	7.00	128.10	119.70
2	F	59	A	O4'-C1'-N9	6.20	113.16	108.20
2	F	4	G	N9-C4-C5	-5.74	103.10	105.40
2	C	19	G	N1-C6-O6	-5.45	116.63	119.90
1	B	292	ARG	NE-CZ-NH1	5.26	122.93	120.30
2	F	4	G	C4-C5-N7	5.16	112.86	110.80
2	F	4	G	N1-C6-O6	5.03	122.92	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2558	0	2533	65	0
1	B	2408	0	2196	66	0
2	C	1436	0	728	16	0
2	F	1459	0	739	11	0
3	A	26	0	19	2	0
3	B	26	0	19	1	0
4	A	22	0	0	0	0
4	B	11	0	0	1	0
4	C	17	0	0	1	0
4	F	10	0	0	0	0
All	All	7973	0	6234	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:ASP:H	1:A:148:THR:HG21	1.31	0.92
1:B:292:ARG:HG2	1:B:292:ARG:HH11	1.36	0.90
1:A:23:ILE:HG21	1:A:46:ILE:HD11	1.55	0.89
1:B:29:LYS:NZ	2:F:19:G:OP2	2.08	0.86
1:B:91:ASP:H	1:B:148:THR:HG21	1.41	0.85
1:A:4:VAL:O	1:A:38:ILE:HA	1.78	0.84
1:B:99:ASP:OD2	1:B:124:ARG:NH2	2.13	0.81
1:B:164:VAL:HG21	1:B:194:VAL:HG13	1.63	0.79
1:A:286:HIS:HD2	1:A:288:SER:H	1.32	0.77
2:F:58:A:O2'	2:F:60:U:OP2	2.05	0.74
1:B:79:ILE:HD11	1:B:104:GLU:HG2	1.70	0.73
1:A:248:LEU:O	1:A:274:LYS:NZ	2.21	0.73
1:B:76:PRO:HG2	1:B:79:ILE:HD12	1.74	0.70
1:B:248:LEU:O	1:B:274:LYS:NZ	2.23	0.70
1:A:23:ILE:HG21	1:A:46:ILE:CD1	2.22	0.68
2:C:58:A:O2'	2:C:60:U:OP2	2.11	0.68
1:B:4:VAL:O	1:B:38:ILE:HA	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:PRO:HD2	1:A:79:ILE:HD11	1.77	0.66
1:A:286:HIS:CD2	1:A:288:SER:H	2.13	0.66
1:A:91:ASP:N	1:A:148:THR:HG21	2.10	0.64
1:A:23:ILE:CG2	1:A:46:ILE:HD11	2.25	0.63
1:B:125:ARG:HD3	1:B:135:ARG:CZ	2.28	0.63
1:A:294:ARG:NH1	1:A:310:VAL:O	2.32	0.63
1:B:296:ARG:NH1	4:B:501:HOH:O	2.32	0.62
1:B:195:ILE:O	1:B:199:LEU:HD13	2.00	0.62
1:B:182:ASN:O	1:B:185:GLU:HG3	1.99	0.62
2:C:23:A:H2'	2:C:24:G:C8	2.35	0.61
2:F:23:A:H2'	2:F:24:G:C8	2.36	0.61
1:B:62:ARG:HG3	1:B:63:PRO:HD2	1.82	0.61
1:A:231:ASP:OD1	1:A:231:ASP:N	2.29	0.59
1:B:26:GLY:O	1:B:62:ARG:NH2	2.36	0.59
1:B:220:LYS:HE3	1:B:221:LEU:HG	1.85	0.58
1:A:148:THR:HG22	1:A:149:ILE:N	2.19	0.58
1:A:286:HIS:HD2	1:A:288:SER:N	2.02	0.58
1:A:44:THR:HB	1:A:54:VAL:HG21	1.87	0.57
1:B:289:GLU:OE1	1:B:292:ARG:NH1	2.38	0.56
1:A:158:LYS:NZ	1:A:224:GLU:OE1	2.28	0.56
1:A:70:ASN:OD1	1:A:73:ASP:N	2.36	0.56
1:A:219:VAL:HG23	1:A:239:ILE:HG21	1.88	0.56
1:B:148:THR:HG22	1:B:149:ILE:N	2.21	0.56
1:B:219:VAL:HG23	1:B:239:ILE:HD11	1.87	0.55
1:A:199:LEU:HD11	1:A:225:ASN:HB3	1.89	0.55
1:B:292:ARG:HG2	1:B:292:ARG:NH1	2.13	0.55
1:A:19:LYS:HZ1	2:C:20:G:P	2.29	0.55
1:B:70:ASN:OD1	1:B:73:ASP:N	2.34	0.55
1:B:97:ILE:O	1:B:124:ARG:NH2	2.40	0.55
1:A:32:ARG:NH2	2:C:19:G:N7	2.54	0.55
1:A:102:LEU:O	1:A:105:ARG:CB	2.54	0.55
1:A:313:ARG:NH2	1:A:328:ASP:OD2	2.40	0.54
2:C:63:C:H2'	2:C:64:C:C6	2.44	0.53
1:A:23:ILE:HD13	1:A:46:ILE:HD11	1.91	0.52
2:C:63:C:H2'	2:C:64:C:H6	1.74	0.52
1:A:146:LEU:HD23	1:A:162:SER:HB3	1.91	0.52
1:A:244:VAL:HG23	3:A:401:SAH:C2	2.40	0.52
1:A:118:LYS:HZ1	2:C:14:A:P	2.32	0.51
1:A:104:GLU:N	1:A:104:GLU:OE1	2.43	0.51
1:B:46:ILE:HA	1:B:49:SER:HB3	1.93	0.51
1:A:216:GLU:HA	1:A:219:VAL:HG12	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:VAL:HG13	1:B:248:LEU:HD13	1.92	0.51
1:B:3:GLY:HA2	1:B:39:PHE:O	2.11	0.50
1:A:158:LYS:N	1:A:225:ASN:OD1	2.22	0.50
1:B:209:VAL:CG1	1:B:237:ILE:HG12	2.41	0.50
1:A:219:VAL:HG23	1:A:239:ILE:CG2	2.42	0.50
1:A:2:SER:OG	1:A:56:ASP:OD1	2.28	0.50
1:B:105:ARG:O	1:B:108:ILE:HB	2.12	0.49
1:A:85:ARG:N	4:C:101:HOH:O	2.43	0.49
1:A:128:HIS:CD2	2:C:37:G:H2'	2.47	0.49
2:C:62:C:H2'	2:C:63:C:H6	1.77	0.49
1:B:256:ARG:HG3	1:B:278:PHE:HB2	1.94	0.49
1:B:293:PHE:O	1:B:296:ARG:HB3	2.13	0.49
1:A:19:LYS:HE3	2:C:20:G:H4'	1.95	0.49
1:A:148:THR:HG22	1:A:149:ILE:H	1.78	0.49
1:A:226:LEU:CD2	1:A:237:ILE:HB	2.43	0.49
1:B:216:GLU:HA	1:B:219:VAL:HG12	1.95	0.49
1:A:93:ALA:HB2	1:A:119:VAL:HG21	1.93	0.48
1:A:276:GLU:N	1:A:276:GLU:OE1	2.46	0.48
1:B:92:ILE:HG23	1:B:121:VAL:HG13	1.94	0.48
1:A:29:LYS:HB2	1:A:62:ARG:HG2	1.95	0.48
1:A:152:GLU:O	1:A:155:VAL:HG22	2.14	0.48
1:A:186:ARG:HG2	1:A:254:PHE:CD2	2.48	0.48
1:A:256:ARG:HG3	1:A:278:PHE:HB2	1.96	0.48
1:B:199:LEU:O	1:B:203:ARG:CB	2.62	0.47
1:A:137:LEU:HB2	1:A:146:LEU:HD21	1.95	0.47
1:B:195:ILE:HG12	1:B:222:ALA:HB1	1.97	0.47
1:B:86:LEU:HD11	1:B:93:ALA:HB1	1.96	0.47
1:B:148:THR:HG22	1:B:149:ILE:H	1.81	0.46
1:B:310:VAL:HG12	1:B:329:VAL:HG13	1.95	0.46
1:B:160:ASP:O	1:B:164:VAL:HG12	2.15	0.46
1:B:294:ARG:HB2	1:B:312:VAL:HG11	1.98	0.46
1:B:319:LYS:NZ	2:F:35:A:OP2	2.49	0.46
1:A:128:HIS:CE1	1:A:135:ARG:HB2	2.51	0.46
1:B:147:HIS:HA	1:B:160:ASP:HA	1.98	0.46
1:B:125:ARG:HA	1:B:137:LEU:HD23	1.97	0.45
1:B:128:HIS:CE1	1:B:135:ARG:HB2	2.50	0.45
1:A:319:LYS:NZ	2:C:35:A:OP2	2.49	0.45
1:B:226:LEU:CD2	1:B:237:ILE:HB	2.46	0.45
1:B:244:VAL:HG23	3:B:401:SAH:C2	2.47	0.45
1:B:62:ARG:HG3	1:B:63:PRO:CD	2.45	0.45
1:A:85:ARG:HB2	2:C:39:U:OP1	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:226:LEU:HD21	1:B:237:ILE:HB	1.98	0.44
2:F:62:C:H2'	2:F:63:C:H6	1.81	0.44
1:A:23:ILE:HG21	1:A:46:ILE:CG1	2.47	0.44
1:A:85:ARG:HH21	2:C:25:C:P	2.41	0.44
1:A:116:TYR:O	1:A:119:VAL:HG12	2.18	0.44
1:B:219:VAL:HG23	1:B:239:ILE:CD1	2.48	0.44
1:A:79:ILE:HD12	1:A:80:PHE:N	2.33	0.43
1:A:124:ARG:N	1:A:138:GLU:O	2.46	0.43
1:A:176:ARG:O	1:A:180:LEU:HD22	2.17	0.43
1:B:91:ASP:N	1:B:148:THR:HG21	2.21	0.43
2:C:62:C:H2'	2:C:63:C:C6	2.53	0.43
1:B:220:LYS:HE3	1:B:221:LEU:CG	2.46	0.43
1:A:146:LEU:HD12	1:A:146:LEU:HA	1.86	0.43
1:B:157:ILE:HG22	1:B:159:VAL:HG13	2.01	0.43
1:A:157:ILE:HG22	1:A:159:VAL:HG13	2.01	0.43
1:B:85:ARG:NH2	2:F:26:A:OP2	2.44	0.43
1:B:285:VAL:HG12	1:B:286:HIS:O	2.18	0.43
1:A:122:ILE:HB	1:A:141:TRP:HB3	2.01	0.42
1:B:181:VAL:HG13	1:B:185:GLU:OE1	2.19	0.42
1:B:87:ASP:CG	1:B:169:ARG:HH21	2.23	0.42
2:F:6:G:O2'	2:F:7:G:H5'	2.19	0.42
1:A:286:HIS:CD2	1:A:287:GLU:N	2.87	0.42
1:B:278:PHE:CE2	1:B:330:GLU:HB2	2.54	0.42
1:B:91:ASP:OD1	1:B:120:LYS:N	2.53	0.42
1:B:224:GLU:O	1:B:228:LEU:HD13	2.19	0.42
3:A:401:SAH:HG1	3:A:401:SAH:H4'	1.51	0.41
1:B:217:PHE:HA	1:B:220:LYS:HE2	2.02	0.41
2:F:63:C:H2'	2:F:64:C:C6	2.55	0.41
1:A:46:ILE:HA	1:A:49:SER:OG	2.20	0.41
2:F:64:C:H2'	2:F:65:C:H6	1.86	0.41
1:B:23:ILE:O	1:B:42:THR:N	2.47	0.41
1:B:209:VAL:HG13	1:B:237:ILE:HG23	2.02	0.41
1:B:220:LYS:HE2	1:B:220:LYS:HB3	1.85	0.41
2:F:7:G:O2'	2:F:49:G:OP2	2.22	0.41
1:A:21:VAL:HG11	1:A:46:ILE:HD13	2.03	0.41
1:A:72:GLU:HB2	1:A:80:PHE:CZ	2.55	0.41
1:A:244:VAL:HG13	1:A:248:LEU:HD13	2.03	0.40
1:B:195:ILE:HG12	1:B:222:ALA:CB	2.50	0.40
2:F:24:G:H2'	2:F:25:C:O4'	2.21	0.40
1:A:285:VAL:HG12	1:A:286:HIS:O	2.21	0.40
1:A:302:ARG:HH12	1:A:305:GLY:C	2.25	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:64:C:H2'	2:C:65:C:H6	1.86	0.40
1:B:75:LEU:HD23	1:B:80:PHE:HB2	2.03	0.40
1:B:148:THR:CG2	1:B:149:ILE:N	2.83	0.40
1:A:82:LYS:CB	1:A:101:ILE:HD13	2.52	0.40
1:A:115:LEU:HD12	1:A:115:LEU:HA	1.91	0.40
1:B:152:GLU:O	1:B:155:VAL:HG22	2.20	0.40
2:C:14:A:C5	2:C:22:G:C2	3.09	0.40
1:B:74:LEU:HD21	1:B:114:LYS:CB	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/333 (99%)	327 (99%)	3 (1%)	0	100	100
1	B	328/333 (98%)	322 (98%)	6 (2%)	0	100	100
All	All	658/666 (99%)	649 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/301 (87%)	256 (98%)	6 (2%)	50	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	220/301 (73%)	215 (98%)	5 (2%)	50	75
All	All	482/602 (80%)	471 (98%)	11 (2%)	50	75

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ARG
1	A	86	LEU
1	A	103	SER
1	A	176	ARG
1	A	226	LEU
1	A	231	ASP
1	B	29	LYS
1	B	75	LEU
1	B	226	LEU
1	B	269	SER
1	B	292	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	286	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	C	66/76 (86%)	12 (18%)	2 (3%)
2	F	67/76 (88%)	14 (20%)	1 (1%)
All	All	133/152 (87%)	26 (19%)	3 (2%)

All (26) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	C	8	U
2	C	19	G
2	C	20	G
2	C	21	A
2	C	33	U
2	C	34	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	38	A
2	C	44	G
2	C	45	U
2	C	48	C
2	C	58	A
2	C	69	C
2	F	19	G
2	F	20	G
2	F	21	A
2	F	22	G
2	F	33	U
2	F	34	G
2	F	37	G
2	F	38	A
2	F	42	G
2	F	44	G
2	F	45	U
2	F	46	G
2	F	48	C
2	F	58	A

All (3) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	C	20	G
2	C	46	G
2	F	45	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SAH	A	401	-	24,28,28	1.03	1 (4%)	25,40,40	1.30	2 (8%)
3	SAH	B	401	-	24,28,28	1.01	1 (4%)	25,40,40	1.43	3 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAH	A	401	-	-	3/11/31/31	0/3/3/3
3	SAH	B	401	-	-	1/11/31/31	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	SAH	C5-C4	2.43	1.47	1.40
3	B	401	SAH	C5-C4	2.30	1.47	1.40

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	401	SAH	N3-C2-N1	-3.34	123.46	128.68
3	A	401	SAH	N3-C2-N1	-3.21	123.66	128.68
3	A	401	SAH	C4-C5-N7	-2.80	106.48	109.40
3	B	401	SAH	C4-C5-N7	-2.58	106.72	109.40
3	B	401	SAH	C4'-C5'-SD	-2.35	105.35	113.78

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	401	SAH	N-CA-CB-CG
3	A	401	SAH	C-CA-CB-CG

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	401	SAH	C4'-C5'-SD-CG
3	B	401	SAH	C-CA-CB-CG


There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	SAH	2	0
3	B	401	SAH	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/333 (99%)	0.62	27 (8%) 12 8	36, 64, 97, 126	0
1	B	330/333 (99%)	1.02	57 (17%) 1 0	37, 76, 117, 130	0
2	C	67/76 (88%)	-0.15	2 (2%) 50 43	41, 57, 104, 157	0
2	F	68/76 (89%)	-0.10	3 (4%) 34 27	48, 64, 99, 158	0
All	All	797/818 (97%)	0.66	89 (11%) 5 3	36, 69, 112, 158	0

All (89) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	101	ILE	6.8
1	B	55	VAL	6.4
1	A	11	ALA	6.2
1	B	79	ILE	6.1
1	B	98	PRO	5.6
1	B	4	VAL	5.3
1	B	52	LEU	4.9
1	B	32	ARG	4.8
1	B	33	ASP	4.6
1	A	3	GLY	4.6
1	B	108	ILE	4.5
1	A	39	PHE	4.3
1	B	31	ILE	4.1
1	A	4	VAL	4.0
1	B	140	ILE	4.0
1	B	3	GLY	3.9
1	B	100	GLU	3.9
1	B	202	ALA	3.9
1	A	108	ILE	3.9
1	B	54	VAL	3.8
1	B	110	SER	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	20	SER	3.8
1	B	237	ILE	3.7
1	B	199	LEU	3.6
2	F	3	G	3.5
1	B	35	LYS	3.5
1	B	51	GLY	3.4
1	B	154	GLY	3.4
1	A	14	VAL	3.3
1	A	2	SER	3.3
1	B	47	ALA	3.3
1	B	57	VAL	3.3
1	B	39	PHE	3.2
1	B	115	LEU	3.2
1	A	105	ARG	3.2
1	B	30	ALA	3.1
1	A	17	LEU	3.1
1	B	71	LEU	3.1
1	B	37	VAL	3.0
2	C	4	G	3.0
1	B	99	ASP	3.0
1	B	107	VAL	3.0
1	B	148	THR	3.0
1	A	104	GLU	2.9
1	B	50	LEU	2.9
1	B	44	THR	2.9
1	B	80	PHE	2.9
1	B	122	ILE	2.9
1	B	49	SER	2.8
1	A	170	MET	2.8
1	A	78	GLU	2.8
1	B	123	ALA	2.8
1	A	83	LEU	2.8
1	B	242	GLY	2.6
1	A	52	LEU	2.6
2	F	69	C	2.6
1	B	146	LEU	2.5
1	A	21	VAL	2.5
1	A	54	VAL	2.5
1	A	101	ILE	2.5
1	B	17	LEU	2.4
1	B	36	TYR	2.4
1	A	79	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	254	PHE	2.4
1	A	113	ARG	2.4
1	A	36	TYR	2.4
1	B	232	ARG	2.4
1	A	112	ILE	2.4
1	B	120	LYS	2.3
1	B	323	TYR	2.3
1	B	13	LYS	2.3
1	B	46	ILE	2.3
1	A	121	VAL	2.3
1	B	112	ILE	2.3
1	A	49	SER	2.2
1	A	33	ASP	2.2
1	B	103	SER	2.2
2	F	4	G	2.2
1	B	109	VAL	2.2
1	B	170	MET	2.2
1	A	15	LEU	2.2
1	A	168	PRO	2.1
1	B	76	PRO	2.1
1	B	15	LEU	2.1
2	C	69	C	2.1
1	B	195	ILE	2.1
1	B	12	LYS	2.1
1	B	106	GLU	2.0
1	A	323	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	SAH	B	401	26/26	0.91	0.20	52,61,70,71	0
3	SAH	A	401	26/26	0.92	0.19	33,47,55,57	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.