



Full wwPDB EM Validation Report ⓘ

Apr 27, 2026 – 10:29 PM JST

PDB ID : 9WT0 / pdb_00009wt0
EMDB ID : EMD-66212
Title : CryoEM structure of one tail-fiber connected to the baseplate wedge in the contracted AlgoCIS
Authors : Xu, J.; Ericson, C.F.; Toenshoff, E.R.; Pilhofer, M.
Deposited on : 2025-09-15
Resolution : 3.90 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDb archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	a	1443	<div> <div>8%</div> <div>31%</div> <div>66%</div> </div>
1	b	1443	<div> <div>7%</div> <div>32%</div> <div>66%</div> </div>
1	c	1443	<div> <div>9%</div> <div>32%</div> <div>66%</div> </div>
2	A	922	<div> <div>42%</div> <div>85%</div> <div>8%</div> <div>6%</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 18756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PKD domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	a	488	Total	C	N	O	S	0	0
			3902	2486	647	761	8		
1	b	487	Total	C	N	O	S	0	0
			3893	2481	646	758	8		
1	c	488	Total	C	N	O	S	0	0
			3902	2486	647	761	8		

- Molecule 2 is a protein called The baseplate protein Alg12.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A	866	Total	C	N	O	S	0	0
			7059	4523	1149	1364	23		


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	727	THR	-	insertion	UNP A3HTB3
A	728	PHE	-	insertion	UNP A3HTB3

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: PKD domain-containing protein



[illegible]

- Molecule 1: PKD domain-containing protein






- Molecule 1: PKD domain-containing protein



[illegible]

- Molecule 2: The baseplate protein Alg12





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	72307	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	3000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.083	Depositor
Minimum map value	-0.053	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	616.0, 616.0, 616.0	wwPDB
Map dimensions	560, 560, 560	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.1, 1.1, 1.1	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	a	0.90	4/3977 (0.1%)	1.15	18/5387 (0.3%)
1	b	0.85	0/3968	1.13	16/5375 (0.3%)
1	c	0.86	0/3977	1.17	11/5387 (0.2%)
2	A	0.81	9/7205 (0.1%)	1.00	19/9739 (0.2%)
All	All	0.85	13/19127 (0.1%)	1.10	64/25888 (0.2%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	462	ILE	CG1-CD1	-10.59	1.10	1.51
1	a	326	HIS	CB-CG	-7.65	1.39	1.50
1	a	182	HIS	CG-CD2	-6.84	1.28	1.35
2	A	383	PHE	C-N	6.38	1.43	1.33
2	A	70	ILE	CG1-CD1	-6.03	1.28	1.51
2	A	75	LEU	CB-CG	-5.97	1.41	1.53
2	A	70	ILE	CB-CG1	-5.74	1.42	1.53
1	a	52	GLY	CA-C	-5.72	1.46	1.52
2	A	81	GLY	N-CA	5.70	1.50	1.45
2	A	770	PRO	N-CA	5.24	1.52	1.46
2	A	426	LEU	CG-CD1	-5.17	1.35	1.52
1	a	23	HIS	CB-CG	-5.12	1.43	1.50
2	A	81	GLY	CA-C	5.01	1.59	1.52

All (64) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	c	120	GLY	N-CA-C	-11.12	97.28	112.18
1	b	52	GLY	N-CA-C	9.47	124.43	111.54
1	c	119	LEU	N-CA-C	-8.44	100.07	110.61
1	a	149	VAL	N-CA-C	-8.10	105.43	113.20
2	A	81	GLY	N-CA-C	7.89	119.45	111.95
1	a	394	ASP	N-CA-C	-7.84	102.63	112.90
1	a	481	ASP	N-CA-C	7.83	122.41	109.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	b	117	PHE	CA-CB-CG	7.79	121.59	113.80
1	b	351	THR	N-CA-C	-7.74	105.80	114.62
1	c	323	PHE	CB-CA-C	-7.47	101.54	111.11
2	A	653	SER	CA-C-N	7.24	130.29	120.38
2	A	653	SER	C-N-CA	7.24	130.29	120.38
1	b	120	GLY	N-CA-C	-6.96	98.05	110.86
1	c	323	PHE	CA-CB-CG	6.77	120.57	113.80
1	b	145	ILE	N-CA-C	-6.71	100.09	109.21
1	b	53	PHE	N-CA-C	-6.56	98.03	108.73
1	b	479	ASP	N-CA-C	6.42	119.09	110.88
1	b	393	GLY	N-CA-C	-6.39	106.74	113.58
1	c	219	LYS	N-CA-C	6.30	118.28	110.91
1	b	317	LEU	CA-C-N	6.12	125.81	119.56
1	b	317	LEU	C-N-CA	6.12	125.81	119.56
2	A	763	TYR	CA-C-N	5.95	128.86	120.42
2	A	763	TYR	C-N-CA	5.95	128.86	120.42
2	A	466	LYS	CA-C-N	-5.90	113.17	122.79
2	A	466	LYS	C-N-CA	-5.90	113.17	122.79
1	c	381	ILE	N-CA-C	5.85	116.31	108.11
2	A	608	ASN	N-CA-C	-5.81	107.18	114.56
1	a	188	THR	N-CA-C	5.80	117.78	109.14
1	b	138	THR	N-CA-C	-5.74	105.02	111.28
1	c	52	GLY	N-CA-C	5.73	122.98	115.36
1	a	119	LEU	N-CA-C	-5.71	101.46	109.96
1	a	124	ILE	N-CA-C	5.70	117.11	108.80
2	A	828	ILE	N-CA-C	5.65	115.71	108.82
1	a	482	VAL	N-CA-C	5.60	116.19	108.12
1	a	376	THR	CA-C-N	5.55	125.75	120.31
1	a	376	THR	C-N-CA	5.55	125.75	120.31
1	a	323	PHE	CA-CB-CG	5.52	119.32	113.80
1	a	143	SER	N-CA-C	-5.46	100.41	107.73
1	b	117	PHE	CB-CA-C	-5.40	102.25	111.26
1	a	142	ILE	CA-C-N	5.39	132.60	122.84
1	a	142	ILE	C-N-CA	5.39	132.60	122.84
2	A	732	GLU	N-CA-C	5.37	119.09	112.54
1	b	279	LYS	CA-C-N	5.33	125.28	119.78
1	b	279	LYS	C-N-CA	5.33	125.28	119.78
2	A	348	ASN	CA-C-N	5.31	124.98	119.56
2	A	348	ASN	C-N-CA	5.31	124.98	119.56
2	A	156	LYS	N-CA-C	5.31	119.74	112.68
2	A	81	GLY	O-C-N	-5.28	117.38	122.87
2	A	748	LEU	N-CA-C	-5.26	108.62	114.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	c	118	ASN	N-CA-C	5.26	117.38	108.02
2	A	770	PRO	N-CA-C	5.23	120.50	111.77
2	A	652	LEU	N-CA-C	-5.21	103.51	110.55
1	a	284	TYR	N-CA-C	5.21	119.60	112.88
1	a	338	THR	N-CA-C	5.20	115.11	108.24
1	a	152	ILE	N-CA-C	5.18	115.36	108.11
1	a	113	HIS	CA-CB-CG	-5.18	108.62	113.80
2	A	731	THR	N-CA-C	5.17	118.38	111.24
2	A	730	PHE	N-CA-CB	-5.12	102.03	109.82
1	b	386	SER	N-CA-C	5.11	114.99	108.24
1	c	17	VAL	N-CA-C	5.08	117.41	111.05
1	b	53	PHE	CZ-CE2-CD2	5.05	129.08	120.00
1	c	376	THR	CA-C-N	5.02	126.35	120.98
1	c	376	THR	C-N-CA	5.02	126.35	120.98
1	a	182	HIS	CG-CD2-NE2	5.00	112.20	107.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	a	3902	0	3856	29	0
1	b	3893	0	3850	14	0
1	c	3902	0	3856	14	0
2	A	7059	0	6979	57	0
All	All	18756	0	18541	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:70:ILE:HD11	2:A:75:LEU:HD21	1.39	1.00

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:a:221:GLN:NE2	1:b:443:GLU:OE2	1.98	0.96
1:a:172:CYS:SG	2:A:901:HIS:HA	2.05	0.96
1:a:182:HIS:HD2	1:a:184:ARG:CZ	1.78	0.95
1:c:167:CYS:O	2:A:631:PRO:HB3	1.68	0.93
1:a:182:HIS:CD2	1:a:184:ARG:CZ	2.59	0.86
2:A:70:ILE:HD11	2:A:75:LEU:CD2	2.13	0.77
1:a:18:ASP:OD1	2:A:908:ARG:NH2	2.18	0.77
1:b:53:PHE:CE2	1:b:68:GLY:C	2.70	0.70
2:A:393:GLN:NE2	2:A:430:ASP:OD2	2.24	0.70
1:c:466:MET:HE3	1:c:482:VAL:HG12	1.75	0.69
1:c:245:MET:SD	1:c:278:GLN:O	2.55	0.65
1:a:182:HIS:HD2	1:a:184:ARG:NH2	1.94	0.65
2:A:78:ASN:OD1	2:A:444:LYS:NZ	2.31	0.63
2:A:70:ILE:HG13	2:A:75:LEU:HG	1.80	0.62
1:a:124:ILE:CG2	1:a:125:ASN:N	2.61	0.62
2:A:923:LEU:HD23	2:A:928:THR:HB	1.83	0.61
2:A:438:GLU:HB2	2:A:460:GLN:HG3	1.83	0.61
2:A:384:ALA:HB3	2:A:386:TRP:CE2	2.36	0.60
1:a:150:ASP:OD1	1:a:150:ASP:N	2.35	0.59
2:A:393:GLN:HG2	2:A:426:LEU:HD13	1.85	0.59
1:b:53:PHE:HE2	1:b:68:GLY:C	2.10	0.58
1:c:123:LYS:HD2	1:c:123:LYS:N	2.18	0.58
2:A:597:VAL:HG11	2:A:730:PHE:CE1	2.37	0.58
2:A:431:GLN:HA	2:A:462:ILE:HD11	1.86	0.58
1:a:466:MET:SD	1:a:482:VAL:CG1	2.92	0.58
2:A:70:ILE:HG21	2:A:386:TRP:CZ3	2.39	0.58
1:b:150:ASP:OD1	1:b:150:ASP:N	2.36	0.57
2:A:654:ASP:OD1	2:A:654:ASP:N	2.34	0.57
1:a:18:ASP:CG	2:A:908:ARG:HH21	2.09	0.57
1:b:53:PHE:CE2	1:b:68:GLY:CA	2.88	0.56
1:c:86:GLU:OE2	1:c:132:LYS:NZ	2.39	0.56
1:b:443:GLU:O	1:b:443:GLU:HG2	2.05	0.56
2:A:442:LYS:HB2	2:A:458:PHE:CZ	2.40	0.56
1:b:481:ASP:OD2	1:b:482:VAL:N	2.39	0.56
1:a:182:HIS:CD2	1:a:184:ARG:NH1	2.74	0.56
2:A:391:SER:N	2:A:464:ASP:OD2	2.38	0.55
1:a:182:HIS:CD2	1:a:184:ARG:NH2	2.73	0.55
1:a:172:CYS:CB	2:A:826:CYS:SG	2.95	0.54
2:A:430:ASP:HB3	2:A:462:ILE:HD13	1.89	0.54
2:A:70:ILE:HD12	2:A:386:TRP:CH2	2.43	0.53
1:a:188:THR:OG1	1:a:189:ASP:N	2.41	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:568:THR:OG1	2:A:569:LEU:N	2.42	0.53
2:A:773:SER:O	2:A:776:TYR:N	2.43	0.52
2:A:133:GLN:OE1	2:A:772:CYS:HA	2.09	0.52
1:b:53:PHE:CD2	1:b:68:GLY:HA3	2.46	0.51
2:A:773:SER:O	2:A:774:ASP:C	2.54	0.51
2:A:438:GLU:HG3	2:A:458:PHE:CD2	2.47	0.50
1:a:479:ASP:OD1	1:a:479:ASP:N	2.45	0.49
1:c:471:ASP:OD2	1:c:475:LYS:NZ	2.44	0.49
1:a:172:CYS:O	2:A:901:HIS:HB2	2.12	0.49
2:A:56:VAL:HG13	2:A:395:GLU:HB2	1.95	0.49
1:c:414:GLU:O	1:c:414:GLU:HG2	2.11	0.49
1:c:464:LYS:NZ	1:c:468:GLU:OE2	2.45	0.48
2:A:457:TYR:HB2	2:A:493:ASP:OD2	2.13	0.48
1:a:274:LYS:O	1:a:275:ILE:C	2.57	0.48
2:A:397:PRO:HB2	2:A:399:THR:HG22	1.96	0.48
1:a:124:ILE:HG22	1:a:125:ASN:N	2.27	0.48
2:A:764:ILE:O	2:A:887:ASN:ND2	2.47	0.47
1:c:414:GLU:O	1:c:417:ARG:HG2	2.15	0.47
1:a:216:LYS:NZ	1:b:434:GLU:OE2	2.48	0.47
2:A:135:LEU:HD21	2:A:771:PHE:CE2	2.50	0.47
2:A:445:SER:O	2:A:453:PRO:HD3	2.14	0.47
1:a:338:THR:OG1	1:a:339:GLU:N	2.49	0.46
2:A:231:GLU:OE2	2:A:332:LYS:NZ	2.48	0.46
2:A:453:PRO:O	2:A:499:ARG:HD3	2.16	0.46
1:c:238:ASP:OD1	1:c:279:LYS:NZ	2.42	0.46
1:a:18:ASP:OD1	2:A:908:ARG:NE	2.46	0.46
1:c:167:CYS:C	2:A:631:PRO:HB3	2.40	0.46
2:A:419:ALA:O	2:A:423:LYS:N	2.48	0.46
2:A:306:ASN:OD1	2:A:306:ASN:N	2.49	0.45
2:A:439:HIS:HA	2:A:458:PHE:CZ	2.51	0.45
2:A:464:ASP:OD1	2:A:464:ASP:N	2.49	0.45
1:a:136:ASN:OD1	1:a:136:ASN:N	2.48	0.45
2:A:70:ILE:HD12	2:A:386:TRP:CZ2	2.52	0.45
2:A:423:LYS:HB3	2:A:471:LEU:HD11	1.98	0.45
1:c:101:TYR:CD2	1:c:127:TRP:HB3	2.52	0.45
2:A:88:TYR:CE1	2:A:449:LEU:HD13	2.51	0.44
1:a:119:LEU:O	1:a:120:GLY:C	2.61	0.44
1:b:479:ASP:OD1	1:b:479:ASP:N	2.46	0.44
1:a:103:HIS:HB3	1:a:139:ASP:OD1	2.18	0.43
2:A:647:ILE:HG21	2:A:727:THR:HG21	2.01	0.43
1:a:182:HIS:NE2	1:a:184:ARG:NH1	2.66	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:646:LYS:O	2:A:650:THR:HG23	2.19	0.43
2:A:252:THR:OG1	2:A:253:MET:N	2.51	0.42
1:a:274:LYS:O	1:a:276:PHE:N	2.53	0.42
2:A:438:GLU:HG3	2:A:458:PHE:CE2	2.54	0.42
1:c:108:ASN:OD1	1:c:108:ASN:N	2.52	0.42
1:a:148:LEU:N	1:a:150:ASP:OD1	2.53	0.42
2:A:504:ASP:OD1	2:A:537:LYS:NZ	2.48	0.42
2:A:462:ILE:HD13	2:A:462:ILE:HG21	1.87	0.42
1:a:274:LYS:O	1:a:277:GLN:N	2.25	0.41
2:A:659:LEU:HB2	2:A:661:VAL:HG13	2.02	0.41
2:A:659:LEU:H	2:A:659:LEU:HG	1.73	0.41
1:a:123:LYS:H	1:a:123:LYS:HG3	1.62	0.41
1:b:3:ASN:OD1	1:b:3:ASN:N	2.46	0.41
1:b:386:SER:OG	1:b:387:VAL:N	2.52	0.41
2:A:424:GLY:HA2	2:A:471:LEU:HD22	2.02	0.41
2:A:75:LEU:HA	2:A:75:LEU:HD23	1.86	0.41
2:A:553:GLU:N	2:A:553:GLU:OE1	2.54	0.41
1:b:188:THR:OG1	1:b:189:ASP:N	2.54	0.41
1:b:53:PHE:CD2	1:b:68:GLY:CA	3.04	0.40
1:c:74:ASP:OD2	1:c:325:LYS:NZ	2.55	0.40
2:A:402:ILE:HG21	2:A:422:LEU:HG	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	a	486/1443 (34%)	472 (97%)	14 (3%)	0	100	100
1	b	485/1443 (34%)	465 (96%)	20 (4%)	0	100	100
1	c	486/1443 (34%)	464 (96%)	22 (4%)	0	100	100
2	A	862/922 (94%)	834 (97%)	28 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	2319/5251 (44%)	2235 (96%)	84 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	a	435/1296 (34%)	435 (100%)	0	100	100
1	b	434/1296 (34%)	434 (100%)	0	100	100
1	c	435/1296 (34%)	435 (100%)	0	100	100
2	A	782/831 (94%)	781 (100%)	1 (0%)	88	89
All	All	2086/4719 (44%)	2085 (100%)	1 (0%)	100	100

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	659	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	a	45	ASN
1	a	140	GLN
1	a	144	GLN
1	a	182	HIS
1	a	221	GLN
1	a	278	GLN
1	a	289	GLN
1	a	326	HIS
1	a	375	HIS
1	a	449	ASN
1	c	144	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	c	340	GLN
1	c	458	GLN
2	A	86	GLN
2	A	337	ASN
2	A	901	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-66212. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 280




Y Index: 280




Z Index: 280


6.2.2 Raw map



X Index: 280



Y Index: 280




Z Index: 280


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 194




Y Index: 166




Z Index: 246


6.3.2 Raw map



X Index: 256



Y Index: 248




Z Index: 246


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_66212_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 117 nm^3 ; this corresponds to an approximate mass of 105 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	8.06	14.12	8.61

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.06 differs from the reported value 3.9 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-66212 and PDB model 9WT0. Per-residue inclusion information can be found in [section 3](#) on [page 4](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

9.4 Atom inclusion [i](#)



At the recommended contour level, 64% of all backbone atoms, 52% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.5210	<div></div> 0.3770
A	<div></div> 0.4350	<div></div> 0.3260
a	<div></div> 0.5690	<div></div> 0.4130
b	<div></div> 0.5880	<div></div> 0.4210
c	<div></div> 0.5640	<div></div> 0.3890

