



Full wwPDB X-ray Structure Validation Report i

Oct 11, 2023 – 01:14 AM EDT

PDB ID : 6WW0
Title : Human steroidogenic cytochrome P450 17A1 with 3-keto-5alpha-abiraterone analog
Authors : Petrunak, E.M.; Bart, A.G.; Scott, E.E.
Deposited on : 2020-05-07
Resolution : 2.01 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 31551 atoms, of which 15427 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Steroid 17-alpha-hydroxylase/17,20 lyase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	464	Total	C 7477	H 2376	N 3777	O 640	S 669	15	0	0
1	B	469	Total	C 7561	H 2403	N 3823	O 647	S 673	15	0	0
1	C	467	Total	C 7516	H 2388	N 3794	O 644	S 675	15	0	0
1	D	467	Total	C 7508	H 2386	N 3789	O 643	S 675	15	0	0

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	initiating methionine	UNP P05093
A	20	ALA	-	expression tag	UNP P05093
A	21	LYS	-	expression tag	UNP P05093
A	22	LYS	-	expression tag	UNP P05093
A	23	THR	-	expression tag	UNP P05093
A	509	HIS	-	expression tag	UNP P05093
A	510	HIS	-	expression tag	UNP P05093
A	511	HIS	-	expression tag	UNP P05093
A	512	HIS	-	expression tag	UNP P05093
B	19	MET	-	initiating methionine	UNP P05093
B	20	ALA	-	expression tag	UNP P05093
B	21	LYS	-	expression tag	UNP P05093
B	22	LYS	-	expression tag	UNP P05093
B	23	THR	-	expression tag	UNP P05093
B	509	HIS	-	expression tag	UNP P05093
B	510	HIS	-	expression tag	UNP P05093
B	511	HIS	-	expression tag	UNP P05093
B	512	HIS	-	expression tag	UNP P05093
C	19	MET	-	initiating methionine	UNP P05093
C	20	ALA	-	expression tag	UNP P05093
C	21	LYS	-	expression tag	UNP P05093

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	22	LYS	-	expression tag	UNP P05093
C	23	THR	-	expression tag	UNP P05093
C	509	HIS	-	expression tag	UNP P05093
C	510	HIS	-	expression tag	UNP P05093
C	511	HIS	-	expression tag	UNP P05093
C	512	HIS	-	expression tag	UNP P05093
D	19	MET	-	initiating methionine	UNP P05093
D	20	ALA	-	expression tag	UNP P05093
D	21	LYS	-	expression tag	UNP P05093
D	22	LYS	-	expression tag	UNP P05093
D	23	THR	-	expression tag	UNP P05093
D	509	HIS	-	expression tag	UNP P05093
D	510	HIS	-	expression tag	UNP P05093
D	511	HIS	-	expression tag	UNP P05093
D	512	HIS	-	expression tag	UNP P05093

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	Fe	H	N	O	0	0
			73	34	1	30	4	4		
2	B	1	Total	C	Fe	H	N	O	0	0
			73	34	1	30	4	4		
2	C	1	Total	C	Fe	H	N	O	0	0
			73	34	1	30	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	D	1	Total	C	Fe	H	N	O	0	0
			73	34	1	30	4	4		

- Molecule 3 is (5alpha,8alpha)-17-(pyridin-3-yl)androst-16-en-3-one (three-letter code: UDJ) (formula: C₂₄H₃₁NO) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O		0	0
			57	24	31	1	1			
3	B	1	Total	C	H	N	O		0	0
			57	24	31	1	1			
3	C	1	Total	C	H	N	O		0	0
			57	24	31	1	1			
3	D	1	Total	C	H	N	O		0	0
			57	24	31	1	1			

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	2	Total Cl		0	0
			2	2		



- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	256	Total O 256 256	0	0
5	B	246	Total O 246 246	0	0
5	C	256	Total O 256 256	0	0
5	D	209	Total O 209 209	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase




- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase



- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase



- Molecule 1: Steroid 17-alpha-hydroxylase/17,20 lyase



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	85.72 Å 151.18 Å 169.94 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.68 – 2.01 38.68 – 2.01	Depositor EDS
% Data completeness (in resolution range)	98.1 (38.68-2.01) 90.6 (38.68-2.01)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	0.97 (at 2.01 Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R , R_{free}	0.185 , 0.218 0.185 , 0.218	Depositor DCC
R_{free} test set	7240 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	24.4	Xtriage
Anisotropy	0.467	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 48.8	EDS
L-test for twinning ²	$< L > = 0.46$, $< L^2 > = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	31551	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.45 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1683e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CL, UDJ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.64	0/3780	0.75	0/5117
1	B	0.66	0/3820	0.77	0/5170
1	C	0.62	0/3802	0.76	0/5147
1	D	0.61	0/3799	0.76	1/5143 (0.0%)
All	All	0.63	0/15201	0.76	1/20577 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	440	ARG	NE-CZ-NH1	5.80	123.20	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3700	3777	3775	26	0
1	B	3738	3823	3821	21	0
1	C	3722	3794	3792	15	0
1	D	3719	3789	3789	26	0
2	A	43	30	30	6	0
2	B	43	30	30	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	43	30	30	4	0
2	D	43	30	30	4	0
3	A	26	31	0	0	0
3	B	26	31	0	0	0
3	C	26	31	0	0	0
3	D	26	31	0	0	0
4	D	2	0	0	0	0
5	A	256	0	0	1	0
5	B	246	0	0	1	0
5	C	256	0	0	0	0
5	D	209	0	0	1	0
All	All	16124	15427	15297	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:68:MET:CE	1:C:40:LEU:HD12	2.22	0.69
1:A:479:ILE:HD11	1:A:487:ASP:OD1	1.92	0.69
1:C:229:LEU:HD11	1:C:233:LYS:HE3	1.75	0.69
1:B:479:ILE:HD11	1:B:487:ASP:OD1	1.94	0.68
2:D:601:HEM:HBB2	2:D:601:HEM:HHC	1.76	0.67
1:A:370:LEU:HD22	1:A:394:ILE:HB	1.75	0.67
1:D:120:HIS:CE1	1:D:286:LEU:HD23	2.34	0.63
2:A:600:HEM:HBB2	2:A:600:HEM:HMB2	1.82	0.61
2:C:600:HEM:HHC	2:C:600:HEM:HBB2	1.83	0.60
2:B:600:HEM:HBB2	2:B:600:HEM:HHC	1.84	0.59
1:D:315:LEU:HD21	1:D:465:LEU:HD13	1.85	0.59
1:C:206:ILE:HD11	1:C:305:GLU:HG3	1.86	0.57
1:A:71:LYS:HE2	1:A:391:GLU:OE1	2.04	0.57
1:A:447:LEU:HD23	2:A:600:HEM:HBC2	1.87	0.56
1:A:68:MET:HG3	1:A:217:LEU:O	2.07	0.55
1:A:68:MET:HE1	1:C:40:LEU:HG	1.88	0.54
1:B:143:GLU:OE2	1:B:343:THR:HB	2.08	0.54
1:B:442:CYS:HB2	2:B:600:HEM:NA	2.24	0.52
2:C:600:HEM:HBC2	2:C:600:HEM:HMC2	1.91	0.52
1:D:349:ARG:HH11	1:D:349:ARG:HG2	1.73	0.52
1:D:247:LEU:HD12	1:D:247:LEU:O	2.10	0.51
1:D:206:ILE:HD11	1:D:305:GLU:HG3	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:600:HEM:HBB2	2:A:600:HEM:CMB	2.40	0.50
1:D:363:LEU:HD11	1:D:412:PHE:HA	1.93	0.50
1:D:167:ILE:C	1:D:167:ILE:HD12	2.32	0.50
1:D:442:CYS:HB2	2:D:601:HEM:NA	2.27	0.50
1:C:354:GLU:O	1:C:358:ARG:HG3	2.11	0.49
2:B:600:HEM:HBC2	2:B:600:HEM:CMC	2.43	0.49
1:A:71:LYS:CE	1:A:391:GLU:OE1	2.61	0.49
1:A:442:CYS:HB2	2:A:600:HEM:NA	2.28	0.48
1:B:68:MET:HE3	1:D:40:LEU:HB2	1.94	0.48
1:A:315:LEU:HD22	1:A:465:LEU:HD13	1.96	0.47
1:A:384:PHE:HB3	1:C:34:LEU:HG	1.97	0.47
1:A:382:GLY:O	1:A:383:GLU:HB2	2.15	0.47
1:D:330:GLU:O	1:D:334:GLN:HG3	2.15	0.47
1:A:206:ILE:HD11	1:A:305:GLU:HG3	1.97	0.47
1:B:262:MET:SD	1:B:299:ILE:HG13	2.55	0.47
1:A:120:HIS:HB2	5:A:891:HOH:O	2.14	0.46
2:B:600:HEM:HBC2	2:B:600:HEM:HMC2	1.98	0.46
1:B:37:VAL:HG12	1:B:37:VAL:O	2.15	0.46
1:A:120:HIS:CE1	1:A:286:LEU:HD23	2.51	0.46
2:D:601:HEM:HMC2	2:D:601:HEM:HBC2	1.97	0.46
1:B:307:THR:HG21	1:B:451:GLU:OE1	2.15	0.46
2:A:600:HEM:HBC2	2:A:600:HEM:HMC2	1.98	0.46
1:C:133:ALA:O	1:C:136:LYS:HG2	2.15	0.45
1:D:303:GLY:HA2	2:D:601:HEM:HMC2	1.98	0.45
2:C:600:HEM:HBC2	2:C:600:HEM:CMC	2.47	0.45
1:D:231:LYS:NZ	5:D:709:HOH:O	2.39	0.45
1:D:76:VAL:HB	1:D:394:ILE:HD13	1.98	0.45
1:B:442:CYS:HB2	2:B:600:HEM:C4A	2.53	0.44
1:A:86:LEU:O	1:A:438:GLY:HA3	2.18	0.44
1:B:51:ASN:O	1:B:55:LYS:HG3	2.18	0.44
1:D:167:ILE:C	1:D:167:ILE:CD1	2.86	0.44
1:C:262:MET:SD	1:C:299:ILE:HG13	2.58	0.44
1:A:49:MET:CE	1:A:53:PHE:CZ	3.01	0.44
2:A:600:HEM:HBC2	2:A:600:HEM:CMC	2.48	0.44
1:D:499:TRP:O	1:D:503:GLN:HG2	2.18	0.44
1:B:120:HIS:CE1	1:B:286:LEU:HA	2.53	0.43
1:C:115:ALA:HB1	1:C:120:HIS:NE2	2.32	0.43
1:D:270:LYS:HD3	1:D:287:LEU:O	2.18	0.43
1:D:344:ILE:HD13	1:D:344:ILE:HA	1.88	0.43
1:C:303:GLY:HA2	2:C:600:HEM:HMC2	2.00	0.43
1:D:251:LYS:NZ	1:D:289:ASP:OD2	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:349:ARG:HG2	1:D:349:ARG:NH1	2.33	0.43
1:A:131:THR:HB	1:A:262:MET:HE2	1.99	0.43
1:A:250:TYR:CG	1:A:263:LEU:HD23	2.54	0.43
1:A:37:VAL:HG11	1:C:56:LEU:HD21	2.01	0.42
1:C:169:PHE:HB3	1:C:170:PRO:HD3	2.01	0.42
1:A:354:GLU:O	1:A:358:ARG:HG3	2.20	0.42
1:B:270:LYS:O	1:B:270:LYS:HG2	2.19	0.42
1:D:217:LEU:HD23	1:D:217:LEU:HA	1.88	0.42
1:B:303:GLY:HA2	2:B:600:HEM:HMC2	2.01	0.41
1:D:247:LEU:HG	1:D:251:LYS:HE3	2.02	0.41
1:B:123:LEU:HD22	1:B:286:LEU:HD13	2.02	0.41
1:C:143:GLU:OE2	1:C:343:THR:HB	2.20	0.41
1:B:494:LYS:NZ	5:B:724:HOH:O	2.54	0.41
1:D:55:LYS:O	1:D:58:LYS:HE2	2.19	0.41
1:A:140:GLN:O	1:A:140:GLN:HG3	2.21	0.41
1:D:120:HIS:CE1	1:D:286:LEU:CD2	3.02	0.41
1:D:75:ILE:HD13	1:D:393:ILE:HB	2.03	0.41
1:A:171:VAL:O	1:A:175:VAL:HG22	2.21	0.41
1:B:71:LYS:HE2	1:B:391:GLU:OE1	2.21	0.41
1:A:370:LEU:HD13	1:A:396:LEU:HB2	2.03	0.41
1:B:382:GLY:O	1:B:383:GLU:HB2	2.21	0.41
1:B:419:ASN:ND2	1:B:424:GLN:HB2	2.35	0.41
1:A:474:PRO:HB3	1:A:489:PHE:CG	2.56	0.41
1:C:79:HIS:O	1:C:83:LYS:HD2	2.20	0.41
1:B:217:LEU:HD23	1:B:217:LEU:HA	1.81	0.40
1:A:68:MET:HE1	1:C:40:LEU:CG	2.50	0.40
1:B:140:GLN:HG2	1:B:140:GLN:O	2.21	0.40
1:B:34:LEU:HD13	1:D:74:VAL:HG22	2.03	0.40
1:B:327:LYS:HE3	1:B:327:LYS:HB3	1.91	0.40
1:D:455:ILE:O	1:D:459:LEU:HG	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/494 (93%)	452 (98%)	8 (2%)	0	100	100
1	B	465/494 (94%)	458 (98%)	7 (2%)	0	100	100
1	C	463/494 (94%)	453 (98%)	10 (2%)	0	100	100
1	D	463/494 (94%)	452 (98%)	11 (2%)	0	100	100
All	All	1851/1976 (94%)	1815 (98%)	36 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	414/436 (95%)	408 (99%)	6 (1%)	67	72
1	B	417/436 (96%)	412 (99%)	5 (1%)	71	76
1	C	416/436 (95%)	409 (98%)	7 (2%)	60	65
1	D	416/436 (95%)	412 (99%)	4 (1%)	76	81
All	All	1663/1744 (95%)	1641 (99%)	22 (1%)	69	74

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	137	ASP
1	A	202	ASN
1	A	216	ASP
1	A	293	LEU
1	A	349	ARG
1	A	484	PHE
1	B	148	GLN
1	B	202	ASN
1	B	216	ASP
1	B	332	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	484	PHE
1	C	140	GLN
1	C	201	TYR
1	C	202	ASN
1	C	245	LYS
1	C	247	LEU
1	C	271	MET
1	C	282	GLN
1	D	45	ARG
1	D	202	ASN
1	D	470	ASP
1	D	484	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	ASN
1	B	120	HIS
1	B	202	ASN
1	C	140	GLN
1	C	202	ASN
1	D	51	ASN
1	D	202	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	HEM	B	600	3,1	41,50,50	1.40	4 (9%)	45,82,82	1.54	7 (15%)
2	HEM	C	600	3,1	41,50,50	1.48	5 (12%)	45,82,82	1.67	15 (33%)
3	UDJ	B	601	2	30,30,30	3.06	17 (56%)	44,47,47	2.60	15 (34%)
3	UDJ	C	601	2	30,30,30	2.92	16 (53%)	44,47,47	2.30	12 (27%)
3	UDJ	D	602	2	30,30,30	3.06	15 (50%)	44,47,47	2.44	12 (27%)
3	UDJ	A	601	2	30,30,30	2.55	14 (46%)	44,47,47	2.44	12 (27%)
2	HEM	D	601	3,1	41,50,50	1.61	7 (17%)	45,82,82	1.42	7 (15%)
2	HEM	A	600	3,1	41,50,50	1.40	4 (9%)	45,82,82	1.43	8 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	600	3,1	-	1/12/54/54	-
2	HEM	C	600	3,1	-	2/12/54/54	-
3	UDJ	B	601	2	-	1/4/62/62	0/5/5/5
3	UDJ	C	601	2	-	1/4/62/62	0/5/5/5
3	UDJ	D	602	2	-	0/4/62/62	0/5/5/5
3	UDJ	A	601	2	-	0/4/62/62	0/5/5/5
2	HEM	D	601	3,1	-	0/12/54/54	-
2	HEM	A	600	3,1	-	1/12/54/54	-

All (82) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	602	UDJ	C16-C15	-8.02	1.40	1.54
3	C	601	UDJ	C15-C08	-7.80	1.46	1.53
3	D	602	UDJ	C15-C08	-6.34	1.47	1.53
3	B	601	UDJ	C15-C08	-5.94	1.47	1.53
3	C	601	UDJ	C06-C07	-5.71	1.41	1.50
3	B	601	UDJ	C17-C15	-5.59	1.43	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	UDJ	C06-C05	-5.49	1.46	1.54
2	D	601	HEM	C3C-C2C	-5.49	1.32	1.40
3	B	601	UDJ	C06-C07	-5.32	1.42	1.50
3	D	602	UDJ	C06-C07	-4.80	1.43	1.50
3	B	601	UDJ	O25-C24	-4.76	1.13	1.21
3	A	601	UDJ	O25-C24	-4.59	1.13	1.21
3	D	602	UDJ	O25-C24	-4.32	1.14	1.21
3	C	601	UDJ	O25-C24	-4.26	1.14	1.21
3	C	601	UDJ	C22-C20	-4.24	1.46	1.54
2	B	600	HEM	C3C-C2C	-4.22	1.34	1.40
3	B	601	UDJ	C22-C20	-4.18	1.46	1.54
3	A	601	UDJ	C15-C08	-4.13	1.49	1.53
3	A	601	UDJ	C06-C05	-4.12	1.48	1.54
3	D	602	UDJ	C17-C15	-4.10	1.46	1.54
3	A	601	UDJ	C26-C24	-4.10	1.43	1.50
2	C	600	HEM	C3C-C2C	-4.03	1.34	1.40
3	C	601	UDJ	C20-C01	-3.97	1.49	1.55
3	A	601	UDJ	C17-C15	-3.93	1.46	1.54
3	A	601	UDJ	C16-C15	-3.90	1.47	1.54
3	C	601	UDJ	C21-C20	-3.89	1.47	1.54
3	B	601	UDJ	C20-C01	-3.83	1.49	1.55
2	A	600	HEM	C3C-C2C	-3.78	1.35	1.40
3	D	602	UDJ	C21-C20	-3.77	1.47	1.54
3	C	601	UDJ	C16-C15	-3.77	1.48	1.54
2	C	600	HEM	C3C-CAC	3.76	1.55	1.47
3	D	602	UDJ	C14-N13	-3.73	1.26	1.34
3	D	602	UDJ	C20-C01	-3.58	1.49	1.55
3	B	601	UDJ	C14-N13	-3.52	1.26	1.34
3	A	601	UDJ	C20-C01	-3.51	1.49	1.55
3	A	601	UDJ	C22-C23	-3.49	1.45	1.53
2	A	600	HEM	C3C-CAC	3.41	1.54	1.47
3	C	601	UDJ	C14-N13	-3.39	1.26	1.34
3	B	601	UDJ	C14-C09	-3.34	1.33	1.39
2	A	600	HEM	CAB-C3B	3.25	1.56	1.47
3	B	601	UDJ	C04-C05	-3.23	1.47	1.53
3	D	602	UDJ	C14-C09	-3.15	1.34	1.39
3	B	601	UDJ	C18-C19	-3.15	1.48	1.53
3	D	602	UDJ	C06-C05	-3.12	1.49	1.54
2	D	601	HEM	C3C-CAC	3.11	1.54	1.47
3	A	601	UDJ	C04-C19	-3.09	1.47	1.53
3	A	601	UDJ	C14-N13	-3.05	1.27	1.34
3	C	601	UDJ	C03-C04	-3.05	1.47	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	602	UDJ	C22-C20	-3.04	1.48	1.54
3	B	601	UDJ	C16-C15	-3.04	1.49	1.54
2	C	600	HEM	CAB-C3B	2.96	1.55	1.47
3	A	601	UDJ	C14-C09	-2.86	1.34	1.39
2	B	600	HEM	C3C-CAC	2.84	1.53	1.47
3	B	601	UDJ	C23-C24	-2.78	1.44	1.50
3	C	601	UDJ	C06-C05	-2.78	1.50	1.54
2	B	600	HEM	CAB-C3B	2.73	1.54	1.47
3	D	602	UDJ	C26-C24	-2.71	1.46	1.50
2	D	601	HEM	C3B-C2B	-2.70	1.31	1.37
3	B	601	UDJ	C22-C23	-2.67	1.47	1.53
3	D	602	UDJ	C23-C24	-2.66	1.44	1.50
2	D	601	HEM	CAB-C3B	2.64	1.54	1.47
2	B	600	HEM	CMB-C2B	2.64	1.56	1.50
3	D	602	UDJ	C15-C05	-2.60	1.49	1.54
3	D	602	UDJ	C03-C04	-2.55	1.48	1.53
3	B	601	UDJ	C26-C24	-2.53	1.46	1.50
2	A	600	HEM	CAA-C2A	2.51	1.55	1.52
2	D	601	HEM	CAA-C2A	2.46	1.55	1.52
3	C	601	UDJ	C23-C24	-2.44	1.44	1.50
3	A	601	UDJ	C06-C07	-2.43	1.46	1.50
2	C	600	HEM	CAA-C2A	2.38	1.55	1.52
3	C	601	UDJ	C22-C23	-2.37	1.48	1.53
3	C	601	UDJ	C14-C09	-2.36	1.35	1.39
2	D	601	HEM	C2C-C1C	2.33	1.47	1.42
3	A	601	UDJ	C22-C20	-2.26	1.50	1.54
3	A	601	UDJ	C04-C05	-2.15	1.49	1.53
3	B	601	UDJ	C26-C01	-2.09	1.49	1.53
3	C	601	UDJ	C04-C05	-2.09	1.49	1.53
2	D	601	HEM	CMD-C2D	2.09	1.55	1.50
3	C	601	UDJ	C17-C15	-2.08	1.50	1.54
3	C	601	UDJ	C07-C08	-2.07	1.30	1.33
3	B	601	UDJ	C07-C08	-2.04	1.30	1.33
2	C	600	HEM	C4D-ND	-2.03	1.36	1.40

All (88) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	602	UDJ	C09-C08-C07	9.07	137.63	125.19
3	A	601	UDJ	C09-C08-C07	8.23	136.48	125.19
3	B	601	UDJ	C09-C08-C07	7.34	135.26	125.19
3	C	601	UDJ	C09-C08-C07	7.11	134.94	125.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	UDJ	C06-C05-C15	-7.05	98.77	104.05
3	C	601	UDJ	C10-C09-C08	5.89	130.40	120.99
3	B	601	UDJ	C16-C15-C17	-5.62	104.51	111.13
3	C	601	UDJ	C06-C05-C15	-5.47	99.95	104.05
3	D	602	UDJ	C10-C09-C08	5.47	129.72	120.99
3	A	601	UDJ	C16-C15-C17	-5.32	104.87	111.13
3	B	601	UDJ	C06-C05-C04	-5.25	115.27	121.57
3	D	602	UDJ	C16-C15-C17	-5.20	105.01	111.13
3	A	601	UDJ	C10-C09-C08	5.05	129.06	120.99
3	B	601	UDJ	C10-C09-C08	4.83	128.70	120.99
3	C	601	UDJ	C10-C09-C14	-4.75	112.24	117.63
3	D	602	UDJ	C06-C05-C04	-4.72	115.90	121.57
3	A	601	UDJ	C06-C05-C04	-4.55	116.10	121.57
3	C	601	UDJ	C06-C05-C04	-4.54	116.12	121.57
3	A	601	UDJ	C06-C05-C15	-4.44	100.72	104.05
3	A	601	UDJ	C10-C09-C14	-4.43	112.61	117.63
3	B	601	UDJ	C10-C09-C14	-4.40	112.64	117.63
3	D	602	UDJ	C06-C05-C15	-4.34	100.80	104.05
3	D	602	UDJ	C10-C09-C14	-4.33	112.72	117.63
2	C	600	HEM	C3B-C2B-C1B	3.79	109.30	106.49
3	B	601	UDJ	C05-C15-C08	-3.58	96.64	99.70
3	C	601	UDJ	C16-C15-C17	-3.43	107.09	111.13
2	B	600	HEM	CBA-CAA-C2A	3.32	118.28	112.62
3	B	601	UDJ	C15-C08-C07	-3.29	105.72	109.72
2	B	600	HEM	CAA-CBA-CGA	-3.25	104.64	113.76
2	D	601	HEM	C3B-C2B-C1B	3.25	108.89	106.49
2	A	600	HEM	CMC-C2C-C3C	3.24	130.73	124.68
2	C	600	HEM	C1B-NB-C4B	3.21	108.39	105.07
2	B	600	HEM	O2A-CGA-CBA	3.18	124.25	114.03
3	B	601	UDJ	C05-C06-C07	-3.18	96.28	101.39
3	A	601	UDJ	C05-C06-C07	-3.11	96.38	101.39
2	C	600	HEM	O2A-CGA-CBA	3.09	123.97	114.03
2	C	600	HEM	O1A-CGA-CBA	-2.98	113.51	123.08
2	B	600	HEM	CMC-C2C-C3C	2.96	130.22	124.68
3	A	601	UDJ	C15-C08-C07	-2.90	106.19	109.72
2	C	600	HEM	C4C-CHD-C1D	2.82	126.28	122.56
2	D	601	HEM	CMD-C2D-C1D	2.82	129.33	125.04
2	A	600	HEM	C4C-CHD-C1D	2.76	126.21	122.56
3	A	601	UDJ	C19-C04-C05	-2.75	105.41	109.09
2	A	600	HEM	CMA-C3A-C4A	-2.75	124.24	128.46
3	D	602	UDJ	C12-N13-C14	2.70	121.52	116.85
2	A	600	HEM	O1A-CGA-CBA	-2.70	114.42	123.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	UDJ	C11-C10-C09	2.69	123.52	120.34
3	B	601	UDJ	C19-C04-C05	-2.68	105.50	109.09
3	D	602	UDJ	C19-C04-C05	-2.66	105.53	109.09
2	A	600	HEM	CHC-C4B-NB	2.63	127.29	124.43
2	A	600	HEM	O2A-CGA-CBA	2.57	122.29	114.03
3	C	601	UDJ	C15-C08-C07	-2.54	106.63	109.72
3	B	601	UDJ	C18-C19-C04	-2.52	108.13	111.75
3	C	601	UDJ	C05-C06-C07	-2.51	97.34	101.39
3	D	602	UDJ	C05-C06-C07	-2.51	97.35	101.39
3	C	601	UDJ	C12-N13-C14	2.49	121.16	116.85
2	C	600	HEM	C4B-CHC-C1C	2.45	125.79	122.56
2	C	600	HEM	CAA-CBA-CGA	-2.41	106.99	113.76
3	D	602	UDJ	C15-C08-C07	-2.35	106.86	109.72
2	C	600	HEM	CMA-C3A-C4A	-2.35	124.85	128.46
2	C	600	HEM	CMA-C3A-C2A	2.32	129.31	124.94
2	D	601	HEM	O2A-CGA-CBA	2.31	121.45	114.03
3	A	601	UDJ	C20-C19-C04	-2.29	110.02	112.42
2	C	600	HEM	O2D-CGD-CBD	2.27	121.33	114.03
2	B	600	HEM	O1A-CGA-CBA	-2.26	115.83	123.08
2	D	601	HEM	O1A-CGA-CBA	-2.23	115.91	123.08
3	C	601	UDJ	C19-C04-C05	-2.23	106.11	109.09
3	D	602	UDJ	C20-C19-C04	-2.20	110.11	112.42
2	D	601	HEM	O2D-CGD-CBD	2.19	121.08	114.03
2	C	600	HEM	CAB-C3B-C2B	-2.19	121.40	128.60
2	C	600	HEM	CHC-C4B-C3B	2.18	127.91	124.57
2	A	600	HEM	CBA-CAA-C2A	2.18	116.34	112.62
2	C	600	HEM	CMC-C2C-C3C	2.18	128.75	124.68
2	A	600	HEM	C1D-C2D-C3D	2.14	109.20	106.96
3	B	601	UDJ	C12-N13-C14	2.13	120.53	116.85
3	B	601	UDJ	C09-C14-N13	2.11	126.61	123.49
2	D	601	HEM	CMB-C2B-C3B	-2.10	123.15	128.30
3	A	601	UDJ	C19-C20-C01	2.10	111.53	108.58
3	B	601	UDJ	C11-C10-C09	2.09	122.82	120.34
3	B	601	UDJ	C22-C20-C19	-2.09	108.07	111.35
2	B	600	HEM	O1D-CGD-CBD	-2.08	116.40	123.08
3	C	601	UDJ	C05-C15-C08	-2.06	97.94	99.70
2	B	600	HEM	CHB-C1B-NB	2.06	126.92	124.38
2	C	600	HEM	C2C-C3C-C4C	2.05	108.33	106.90
2	D	601	HEM	CMC-C2C-C3C	2.02	128.47	124.68
2	C	600	HEM	C2B-C1B-NB	-2.01	107.46	109.84
3	D	602	UDJ	C11-C10-C09	2.00	122.72	120.34
3	C	601	UDJ	C11-C10-C09	2.00	122.71	120.34

There are no chirality outliers.

All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	600	HEM	C4B-C3B-CAB-CBB
3	B	601	UDJ	C07-C08-C09-C10
3	C	601	UDJ	C07-C08-C09-C10
2	A	600	HEM	CAD-CBD-CGD-O1D
2	B	600	HEM	CAD-CBD-CGD-O1D
2	C	600	HEM	CAD-CBD-CGD-O2D



There are no ring outliers.



4 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	600	HEM	6	0
2	C	600	HEM	4	0
2	D	601	HEM	4	0
2	A	600	HEM	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	464/494 (93%)	0.16	16 (3%) 45 44	20, 30, 53, 87	0
1	B	469/494 (94%)	0.24	25 (5%) 26 25	21, 31, 59, 89	0
1	C	467/494 (94%)	0.28	26 (5%) 24 23	20, 30, 56, 100	0
1	D	467/494 (94%)	0.45	38 (8%) 12 11	21, 33, 57, 86	0
All	All	1867/1976 (94%)	0.28	105 (5%) 24 23	20, 31, 56, 100	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	139	ASP	8.7
1	A	139	ASP	6.8
1	B	139	ASP	6.6
1	C	45	ARG	6.1
1	C	138	GLY	6.0
1	D	42	PHE	6.0
1	A	138	GLY	5.9
1	B	140	GLN	5.8
1	C	46	HIS	5.8
1	D	46	HIS	5.2
1	D	139	ASP	5.0
1	D	471	GLY	4.4
1	D	136	LYS	4.2
1	D	138	GLY	4.1
1	C	282	GLN	4.0
1	D	45	ARG	4.0
1	C	136	LYS	4.0
1	D	137	ASP	3.9
1	C	43	LEU	3.9
1	C	42	PHE	3.9
1	B	29	LYS	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	27	TYR	3.8
1	A	283	ASP	3.7
1	B	497	GLN	3.6
1	C	273	SER	3.6
1	A	273	SER	3.6
1	A	284	SER	3.6
1	A	271	MET	3.5
1	C	134	LEU	3.5
1	D	140	GLN	3.5
1	D	472	GLN	3.4
1	B	501	GLU	3.4
1	C	137	ASP	3.4
1	D	273	SER	3.4
1	C	135	PHE	3.3
1	C	469	ASP	3.3
1	D	504	ALA	3.3
1	B	138	GLY	3.2
1	B	28	PRO	3.2
1	B	254	PHE	3.2
1	B	271	MET	3.1
1	D	274	ASP	3.1
1	D	469	ASP	3.1
1	A	140	GLN	3.0
1	C	140	GLN	3.0
1	B	257	ASP	3.0
1	D	134	LEU	3.0
1	B	253	LYS	2.9
1	B	25	ALA	2.8
1	C	283	ASP	2.8
1	D	424	GLN	2.8
1	C	366	VAL	2.7
1	B	134	LEU	2.7
1	C	504	ALA	2.7
1	D	470	ASP	2.7
1	C	274	ASP	2.6
1	B	24	GLY	2.6
1	B	70	THR	2.6
1	D	370	LEU	2.6
1	A	137	ASP	2.5
1	D	482	VAL	2.5
1	B	26	LYS	2.5
1	A	257	ASP	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	306	THR	2.4
1	D	394	ILE	2.4
1	A	304	VAL	2.4
1	D	310	VAL	2.4
1	C	370	LEU	2.4
1	B	286	LEU	2.4
1	B	250	TYR	2.4
1	A	31	LEU	2.3
1	D	365	PRO	2.3
1	D	336	VAL	2.3
1	D	371	ILE	2.3
1	D	44	PRO	2.3
1	D	483	VAL	2.3
1	D	369	MET	2.2
1	B	252	GLU	2.2
1	C	371	ILE	2.2
1	D	366	VAL	2.2
1	D	368	PRO	2.2
1	A	134	LEU	2.2
1	B	338	PHE	2.2
1	A	272	ASN	2.2
1	B	249	ASN	2.2
1	B	502	ALA	2.2
1	D	473	LEU	2.2
1	D	349	ARG	2.2
1	D	367	ALA	2.2
1	C	372	PRO	2.2
1	D	497	GLN	2.2
1	C	368	PRO	2.1
1	D	283	ASP	2.1
1	B	255	ARG	2.1
1	C	369	MET	2.1
1	A	250	TYR	2.1
1	B	258	SER	2.1
1	C	500	ARG	2.1
1	D	284	SER	2.0
1	A	198	ILE	2.0
1	D	334	GLN	2.0
1	D	159	THR	2.0
1	A	70	THR	2.0
1	C	361	LEU	2.0
1	D	393	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	UDJ	C	601	26/26	0.91	0.22	19,27,34,35	0
4	CL	D	604	1/1	0.93	0.13	48,48,48,48	0
3	UDJ	D	602	26/26	0.94	0.20	20,27,33,33	0
3	UDJ	B	601	26/26	0.95	0.16	21,27,34,35	0
3	UDJ	A	601	26/26	0.96	0.18	19,26,33,33	0
2	HEM	A	600	43/43	0.97	0.19	17,24,34,41	0
2	HEM	D	601	43/43	0.98	0.22	19,24,36,44	0
2	HEM	B	600	43/43	0.98	0.17	19,27,35,43	0
2	HEM	C	600	43/43	0.98	0.23	17,22,33,40	0
4	CL	D	603	1/1	1.00	0.07	28,28,28,28	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.














6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.