



## Full wwPDB X-ray Structure Validation Report ⓘ

Nov 6, 2023 – 07:42 AM EST

PDB ID : 6WY5  
Title : CRYSTAL STRUCTURE OF MYELOPEROXIDASE SUBFORM C (MPO)  
COMPLEX WITH Compound-37 A.K.A 7-(1-phenyl-3-(((1S,3S)-3-phenyl-2,  
3-dihydro-1H-inden-1-yl)amino)propyl)-1H-[1,2,3]triazolo[4,5-b]pyridin-5-ami  
ne  
Authors : Khan, J.A.  
Deposited on : 2020-05-12  
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	105	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 81%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 18%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 30px;">3%      81%      18%      •</p>
1	D	105	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 85%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 30px;">3%      85%      13%      ••</p>
2	B	467	<div style="display: flex; align-items: center;"> <div style="width: 9%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 30px;">9%      87%      12%      •</p>
2	E	467	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 87%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 30px;">2%      87%      12%</p>
3	C	2	<div style="display: flex; align-items: center;"> <div style="width: 50%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 50%; height: 10px; background-color: yellow; margin-right: 5px;"></div> </div> <p style="margin-left: 30px;">50%      50%</p>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	G	2	 100%
4	F	6	 17% 83%
4	H	6	 17% 83%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
9	NAG	E	601	-	-	-	X

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 9075 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myeloperoxidase light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	104	805	511	141	148	5	0	0	0
1	D	104	810	515	141	149	5	0	0	0

- Molecule 2 is a protein called Myeloperoxidase heavy chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	464	3442	2160	618	638	26	7	0	0
2	E	465	3645	2303	656	659	27	21	0	0

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	2	28	16	2	10	0	0	0
3	G	2	28	16	2	10	0	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	F	6	Total	C	N	O	0	0	0
			71	40	2	29			
4	H	6	Total	C	N	O	0	0	0
			71	40	2	29			

- Molecule 5 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	D	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Cl	0	0
			1	1		
6	B	1	Total	Cl	0	0
			1	1		
6	D	1	Total	Cl	0	0
			1	1		

- Molecule 7 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	1	Total Ca 1 1	0	0
7	E	1	Total Ca 1 1	0	0

- Molecule 8 is 7-[(1R)-1-phenyl-3-{[(1S,3S)-3-phenyl-2,3-dihydro-1H-inden-1-yl]amino}propyl]-3H-[1,2,3]triazolo[4,5-b]pyridin-5-amine (three-letter code: UF7) (formula: C<sub>29</sub>H<sub>28</sub>N<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C N 35 29 6	0	0
8	E	1	Total C N 35 29 6	0	0

- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
9	E	1	14	8	1	5	0	0





### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Myeloperoxidase light chain




- Molecule 1: Myeloperoxidase light chain




- Molecule 2: Myeloperoxidase heavy chain



- Molecule 2: Myeloperoxidase heavy chain





- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

MAG1  
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G: 100%

MAG1  
MAG2

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F: 17% 83%

MAG1  
MAG2  
MAN3  
MAN4  
MAN5  
FUC6

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H: 17% 83%

MAG1  
MAG2  
MAN3  
MAN4  
MAN5  
FUC6

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	107.90Å 107.90Å 240.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.21 – 2.90 49.21 – 2.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.21-2.90) 100.0 (49.21-2.90)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.06	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.82 (at 2.91Å)	Xtrriage
Refinement program	BUSTER 2.11.7 (17-DEC-2019)	Depositor
R, $R_{free}$	0.222 , 0.245 0.236 , 0.261	Depositor DCC
$R_{free}$ test set	1641 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	74.2	Xtrriage
Anisotropy	0.617	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.26 , 54.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	9075	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	97.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.17% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, FUC, NAG, CSO, MAN, HEC, BMA, UF7, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.46	0/830	0.66	0/1134
1	D	0.46	0/835	0.65	0/1142
2	B	0.42	0/3517	0.60	0/4799
2	E	0.44	0/3722	0.59	0/5059
All	All	0.43	0/8904	0.61	0/12134

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	805	0	742	17	0
1	D	810	0	753	12	0
2	B	3442	0	3150	43	0
2	E	3645	0	3574	32	0
3	C	28	0	25	0	0
3	G	28	0	25	0	0
4	F	71	0	61	0	0
4	H	71	0	61	0	0
5	A	43	0	28	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	43	0	28	2	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	B	1	0	0	0	0
7	E	1	0	0	0	0
8	B	35	0	0	1	0
8	E	35	0	0	0	0
9	E	14	0	13	1	0
All	All	9075	0	8460	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:230:ILE:HG13	2:B:369:TRP:HB3	1.28	1.12
2:E:267:LEU:HG	2:E:576:ARG:HB3	1.46	0.97
2:B:228:ALA:HB3	2:B:230:ILE:HD12	1.60	0.82
2:E:311:PRO:O	2:E:507:ARG:NH2	2.18	0.75
1:A:52:LYS:HE2	1:A:57:PRO:HD3	1.69	0.74
2:B:313:TYR:HD1	2:B:507:ARG:HD3	1.52	0.73
2:B:313:TYR:CD1	2:B:507:ARG:HD3	2.25	0.71
2:B:230:ILE:H	2:B:230:ILE:HD13	1.56	0.70
2:B:230:ILE:CG1	2:B:369:TRP:HB3	2.18	0.64
2:B:314:ARG:O	2:B:315:SER:HB3	1.98	0.63
2:E:333:ARG:HH11	2:E:421:ASN:ND2	1.97	0.62
2:B:333:ARG:HH11	2:B:421:ASN:ND2	1.97	0.60
2:E:313:TYR:CD1	2:E:507:ARG:HD3	2.36	0.60
2:B:356:ASN:HD22	2:B:370:ARG:HH21	1.50	0.60
2:E:267:LEU:CG	2:E:576:ARG:HB3	2.28	0.60
1:D:84:LEU:HD13	2:E:389:ALA:HA	1.84	0.59
2:B:356:ASN:ND2	2:B:370:ARG:HH21	2.00	0.59
2:B:230:ILE:HG13	2:B:369:TRP:CB	2.19	0.58
2:B:230:ILE:O	2:B:230:ILE:HG12	2.03	0.58
2:E:440:CYS:SG	2:E:497:CYS:SG	3.02	0.56
1:A:19:SER:HB3	1:A:22:LEU:HG	1.86	0.56
1:A:8:ARG:NE	2:B:172:ASP:HB3	2.21	0.56
1:D:43:LEU:HD22	1:D:47:TRP:CD1	2.42	0.55
2:E:440:CYS:CB	2:E:497:CYS:HG	2.19	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LEU:HD22	1:A:47:TRP:CD1	2.42	0.55
2:B:514:TRP:CE2	2:B:515:GLU:HG3	2.42	0.54
1:D:19:SER:HB3	1:D:22:LEU:HG	1.88	0.54
2:B:333:ARG:HH11	2:B:421:ASN:HD22	1.56	0.54
1:D:91:GLN:HB2	5:D:201:HEC:HMC3	1.91	0.53
2:E:333:ARG:HH11	2:E:421:ASN:HD22	1.56	0.53
2:E:538:CYS:SG	2:E:564:CYS:SG	3.08	0.52
2:E:394:GLN:HB3	2:E:460:LEU:HD22	1.92	0.52
2:B:257:HIS:CE1	2:B:280:ALA:HB3	2.45	0.52
2:E:448:VAL:HB	2:E:465:MET:HG3	1.92	0.51
2:B:343:MET:HB3	2:B:359:VAL:HG13	1.92	0.51
2:B:230:ILE:H	2:B:230:ILE:CD1	2.22	0.51
1:A:8:ARG:HE	2:B:172:ASP:HB3	1.76	0.50
1:A:32:TRP:CE2	2:B:325:ALA:HB2	2.47	0.50
2:E:544:THR:O	2:E:564:CYS:SG	2.69	0.50
2:B:440:CYS:CB	2:B:497:CYS:HG	2.25	0.50
2:E:538:CYS:HG	2:E:564:CYS:HG	1.54	0.50
2:B:330:ASN:HA	2:B:333:ARG:HD2	1.93	0.49
2:E:330:ASN:HA	2:E:333:ARG:HD2	1.94	0.49
2:E:340:GLN:OE1	2:E:341:PRO:HD2	2.13	0.48
2:E:243:MET:HG3	2:E:245:GLU:OE2	2.13	0.48
1:D:13:MET:O	1:D:14:CYS:HB2	2.14	0.48
2:E:257:HIS:CE1	2:E:280:ALA:HB3	2.48	0.48
1:A:82:ARG:HH21	2:B:299:LEU:CB	2.27	0.48
2:B:134:ASP:HB3	2:B:137:ILE:O	2.14	0.47
2:E:436:TRP:CD1	2:E:476:ILE:HD13	2.49	0.47
2:B:436:TRP:CD1	2:B:476:ILE:HD13	2.49	0.47
1:A:82:ARG:HH21	2:B:299:LEU:HA	1.80	0.47
2:B:447:THR:H	2:B:450:GLN:HE21	1.63	0.47
1:A:40:GLY:HA2	1:D:20:PRO:HD2	1.96	0.46
1:A:82:ARG:HH21	2:B:299:LEU:CA	2.29	0.46
2:E:128:LEU:HB2	2:E:144:ILE:HB	1.96	0.46
2:E:214:ASP:HB2	2:E:234:LEU:HB2	1.98	0.46
1:A:13:MET:O	1:A:14:CYS:HB2	2.16	0.46
2:E:134:ASP:HB3	2:E:137:ILE:O	2.15	0.46
2:B:128:LEU:HB2	2:B:144:ILE:HB	1.97	0.46
2:B:188:ARG:HA	2:B:197:LEU:HA	1.98	0.46
2:B:440:CYS:SG	2:B:497:CYS:SG	3.12	0.46
1:A:90:GLY:C	5:A:201:HEC:HBC3	2.37	0.45
2:B:523:GLN:NE2	2:B:523:GLN:H	2.14	0.45
2:E:198:ALA:HB1	9:E:601:NAG:H81	1.99	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:535:ARG:HE	2:E:569:ALA:HB2	1.82	0.45
1:D:16:ASN:O	1:D:20:PRO:HA	2.17	0.45
1:D:90:GLY:C	5:D:201:HEC:HBC3	2.38	0.44
2:B:507:ARG:HD2	2:B:508:ASP:OD1	2.17	0.44
2:E:523:GLN:NE2	2:E:523:GLN:H	2.15	0.44
2:B:242:GLU:O	2:B:365:PHE:HA	2.17	0.44
1:D:22:LEU:HB3	2:E:322:PRO:HD2	2.00	0.44
2:B:510:ASP:HB3	2:B:513:TRP:HB2	2.00	0.44
2:B:243:MET:HG3	2:B:245:GLU:OE2	2.18	0.43
1:D:29:PHE:CE1	2:E:165:ASN:HB2	2.53	0.43
1:A:16:ASN:O	1:A:20:PRO:HA	2.18	0.43
2:B:336:HIS:HA	2:B:339:ILE:HD12	2.02	0.42
1:A:91:GLN:HB2	5:A:201:HEC:HMC3	2.02	0.42
2:B:200:ASN:HB2	2:B:211:LEU:O	2.20	0.42
1:A:29:PHE:CE1	2:B:165:ASN:HB2	2.55	0.42
2:B:447:THR:H	2:B:450:GLN:NE2	2.18	0.42
2:E:471:PRO:HA	2:E:474:ILE:HG13	2.02	0.41
5:A:201:HEC:O2D	8:B:611:UF7:N2	2.52	0.41
2:E:336:HIS:HA	2:E:339:ILE:HD12	2.02	0.41
1:D:32:TRP:CE2	2:E:325:ALA:HB2	2.55	0.41
1:A:20:PRO:HD2	1:D:40:GLY:HA2	2.01	0.41
2:B:468:TYR:CD2	2:B:474:ILE:HG12	2.56	0.41
1:A:68:ILE:HD12	2:B:463:LYS:HB3	2.03	0.40
2:E:537:ILE:O	2:E:541:THR:OG1	2.24	0.40
2:E:341:PRO:HD3	2:E:399:VAL:HG11	2.02	0.40
2:B:336:HIS:CE1	2:B:417:LEU:HD21	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	102/105 (97%)	96 (94%)	6 (6%)	0	100	100
1	D	102/105 (97%)	97 (95%)	5 (5%)	0	100	100
2	B	461/467 (99%)	441 (96%)	19 (4%)	1 (0%)	47	78
2	E	462/467 (99%)	448 (97%)	14 (3%)	0	100	100
All	All	1127/1144 (98%)	1082 (96%)	44 (4%)	1 (0%)	51	82

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	315	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	81/90 (90%)	80 (99%)	1 (1%)	71	91
1	D	83/90 (92%)	81 (98%)	2 (2%)	49	79
2	B	337/411 (82%)	326 (97%)	11 (3%)	38	72
2	E	389/411 (95%)	377 (97%)	12 (3%)	40	74
All	All	890/1002 (89%)	864 (97%)	26 (3%)	42	76

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	CYS
2	B	114	ASN
2	B	115	CYS
2	B	175	MET
2	B	230	ILE
2	B	240	SER
2	B	241	SER
2	B	275	ARG
2	B	315	SER
2	B	319	SER

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
2	B	547	SER
2	B	574	SER
1	D	1	CYS
1	D	84	LEU
2	E	113	VAL
2	E	115	CYS
2	E	159	THR
2	E	175	MET
2	E	181	GLU
2	E	240	SER
2	E	241	SER
2	E	318	ASP
2	E	353	MET
2	E	356	ASN
2	E	487	ARG
2	E	547	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	GLN
1	A	91	GLN
2	B	114	ASN
2	B	200	ASN
2	B	250	HIS
2	B	356	ASN
2	B	421	ASN
2	B	450	GLN
2	B	523	GLN
1	D	54	ASN
2	E	421	ASN
2	E	523	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	CSO	B	150	2	3,6,7	0.63	0	0,6,8	-	-
2	CSO	E	150	2	3,6,7	0.70	0	0,6,8	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSO	B	150	2	-	0/1/5/7	-
2	CSO	E	150	2	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates

16 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	C	1	3,2	14,14,15	0.31	0	17,19,21	0.57	0
3	NAG	C	2	3	14,14,15	0.31	0	17,19,21	0.94	1 (5%)
4	NAG	F	1	4,2	14,14,15	0.29	0	17,19,21	1.13	1 (5%)
4	NAG	F	2	4	14,14,15	0.32	0	17,19,21	0.99	1 (5%)
4	BMA	F	3	4	11,11,12	0.23	0	15,15,17	1.02	1 (6%)
4	MAN	F	4	4	11,11,12	0.31	0	15,15,17	1.54	2 (13%)
4	MAN	F	5	4	11,11,12	0.29	0	15,15,17	1.12	2 (13%)
4	FUC	F	6	4	10,10,11	0.35	0	14,14,16	0.54	0
3	NAG	G	1	3,2	14,14,15	0.31	0	17,19,21	0.72	1 (5%)
3	NAG	G	2	3	14,14,15	0.28	0	17,19,21	1.09	1 (5%)
4	NAG	H	1	4,2	14,14,15	0.30	0	17,19,21	1.08	1 (5%)
4	NAG	H	2	4	14,14,15	0.34	0	17,19,21	1.00	1 (5%)
4	BMA	H	3	4	11,11,12	0.27	0	15,15,17	0.96	1 (6%)
4	MAN	H	4	4	11,11,12	0.30	0	15,15,17	1.51	2 (13%)
4	MAN	H	5	4	11,11,12	0.33	0	15,15,17	1.31	2 (13%)
4	FUC	H	6	4	10,10,11	0.42	0	14,14,16	0.93	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	C	2	3	-	0/6/23/26	0/1/1/1
4	NAG	F	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	F	2	4	-	2/6/23/26	0/1/1/1
4	BMA	F	3	4	-	0/2/19/22	0/1/1/1
4	MAN	F	4	4	-	1/2/19/22	0/1/1/1
4	MAN	F	5	4	-	0/2/19/22	0/1/1/1
4	FUC	F	6	4	-	-	0/1/1/1
3	NAG	G	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	G	2	3	-	0/6/23/26	0/1/1/1
4	NAG	H	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	H	2	4	-	2/6/23/26	0/1/1/1
4	BMA	H	3	4	-	0/2/19/22	0/1/1/1
4	MAN	H	4	4	-	1/2/19/22	0/1/1/1
4	MAN	H	5	4	-	0/2/19/22	0/1/1/1
4	FUC	H	6	4	-	-	0/1/1/1

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	4	MAN	C1-O5-C5	4.80	118.69	112.19
4	H	4	MAN	C1-O5-C5	4.76	118.64	112.19
4	H	2	NAG	C1-O5-C5	3.66	117.15	112.19
4	F	2	NAG	C1-O5-C5	3.58	117.04	112.19
4	F	3	BMA	C1-O5-C5	3.51	116.95	112.19
4	H	3	BMA	C1-O5-C5	3.35	116.73	112.19
4	F	1	NAG	O5-C1-C2	-3.13	106.34	111.29
4	H	1	NAG	C1-O5-C5	3.09	116.37	112.19
3	C	2	NAG	C1-O5-C5	2.99	116.25	112.19
3	G	2	NAG	C1-O5-C5	2.97	116.22	112.19
4	H	5	MAN	C1-O5-C5	2.88	116.09	112.19
4	H	5	MAN	C3-C4-C5	2.44	114.59	110.24
4	F	4	MAN	C3-C4-C5	2.43	114.58	110.24
4	H	4	MAN	C3-C4-C5	2.41	114.53	110.24
4	F	5	MAN	C1-O5-C5	2.21	115.19	112.19
3	G	1	NAG	C1-C2-N2	-2.16	106.79	110.49
4	F	5	MAN	C3-C4-C5	2.12	114.02	110.24

There are no chirality outliers.


All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	1	NAG	C4-C5-C6-O6
3	G	1	NAG	C4-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
3	G	1	NAG	O5-C5-C6-O6
4	F	4	MAN	O5-C5-C6-O6
4	F	2	NAG	C4-C5-C6-O6
4	F	2	NAG	O5-C5-C6-O6
4	H	2	NAG	C4-C5-C6-O6
4	H	4	MAN	O5-C5-C6-O6
4	H	2	NAG	O5-C5-C6-O6


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	HEC	D	201	1,2	32,50,50	1.51	5 (15%)	24,82,82	2.67	17 (70%)
8	UF7	E	611	-	38,40,40	1.07	2 (5%)	41,56,56	1.35	4 (9%)
8	UF7	B	611	-	38,40,40	0.83	2 (5%)	41,56,56	0.89	2 (4%)
5	HEC	A	201	1,2	32,50,50	1.75	5 (15%)	24,82,82	2.53	14 (58%)
9	NAG	E	601	2	14,14,15	0.33	0	17,19,21	1.08	2 (11%)



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	D	201	1,2	-	4/10/54/54	-
8	UF7	E	611	-	-	7/18/30/30	0/6/6/6
8	UF7	B	611	-	-	6/18/30/30	0/6/6/6
5	HEC	A	201	1,2	-	4/10/54/54	-
9	NAG	E	601	2	-	1/6/23/26	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	201	HEC	C2B-C3B	-5.31	1.35	1.40
8	E	611	UF7	C3-N3	5.24	1.43	1.34
5	A	201	HEC	CBC-CAC	-4.18	1.33	1.49
5	D	201	HEC	CBC-CAC	-3.80	1.35	1.49
5	A	201	HEC	CBB-CAB	-3.59	1.36	1.49
5	A	201	HEC	C4B-C3B	3.47	1.49	1.43
5	D	201	HEC	C3C-C2C	-3.46	1.37	1.40
8	B	611	UF7	C3-N3	3.46	1.40	1.34
5	D	201	HEC	CBB-CAB	-3.29	1.37	1.49
5	D	201	HEC	C2B-C3B	-3.20	1.37	1.40
5	D	201	HEC	C4B-C3B	2.58	1.47	1.43
8	E	611	UF7	C4-N5	2.42	1.42	1.37
5	A	201	HEC	C1C-NC	2.27	1.40	1.36
8	B	611	UF7	C4-N5	2.24	1.42	1.37

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	E	611	UF7	C10-C11-C12	-5.09	101.32	106.58
5	D	201	HEC	CBA-CAA-C2A	-4.65	104.77	112.60
5	D	201	HEC	CBD-CAD-C3D	-4.60	104.77	112.62
5	A	201	HEC	CBA-CAA-C2A	-4.36	105.26	112.60
5	A	201	HEC	CBD-CAD-C3D	-4.32	105.26	112.62
5	A	201	HEC	CMC-C2C-C1C	-4.15	122.08	128.46
8	E	611	UF7	C11-C10-C9	-4.13	103.54	110.48
5	D	201	HEC	CMC-C2C-C1C	-3.62	122.89	128.46
5	D	201	HEC	C1D-C2D-C3D	-3.55	104.53	107.00
5	D	201	HEC	O2D-CGD-O1D	-3.38	114.88	123.30
9	E	601	NAG	C1-O5-C5	3.26	116.60	112.19

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	201	HEC	CMC-C2C-C3C	3.21	129.59	125.82
5	A	201	HEC	C1D-C2D-C3D	-3.16	104.80	107.00
5	D	201	HEC	CMB-C2B-C3B	3.13	129.51	125.82
5	A	201	HEC	C4C-C3C-C2C	-3.13	102.97	106.35
5	D	201	HEC	O2D-CGD-CBD	3.06	123.87	114.03
5	D	201	HEC	CMA-C3A-C2A	3.02	130.63	124.94
5	D	201	HEC	CMD-C2D-C3D	2.99	130.59	124.94
5	A	201	HEC	O2D-CGD-O1D	-2.98	115.86	123.30
5	A	201	HEC	CMD-C2D-C3D	2.94	130.49	124.94
5	A	201	HEC	CMA-C3A-C2A	2.90	130.41	124.94
5	D	201	HEC	C4C-C3C-C2C	-2.89	103.23	106.35
8	B	611	UF7	C18-C6-C5	-2.80	106.01	111.73
5	D	201	HEC	CMC-C2C-C3C	2.72	129.02	125.82
5	A	201	HEC	O2D-CGD-CBD	2.71	122.74	114.03
5	D	201	HEC	CMB-C2B-C1B	-2.61	124.44	128.46
8	E	611	UF7	C18-C6-C5	-2.51	106.59	111.73
5	A	201	HEC	CMD-C2D-C1D	-2.50	124.62	128.46
5	D	201	HEC	CAA-CBA-CGA	2.49	120.73	113.76
5	D	201	HEC	O2A-CGA-O1A	-2.47	117.14	123.30
5	A	201	HEC	CMB-C2B-C3B	2.46	128.71	125.82
5	D	201	HEC	O2A-CGA-CBA	2.44	121.87	114.03
5	D	201	HEC	CMD-C2D-C1D	-2.44	124.71	128.46
8	E	611	UF7	C7-C6-C18	2.38	119.26	112.44
9	E	601	NAG	O5-C1-C2	-2.34	107.59	111.29
5	A	201	HEC	CMB-C2B-C1B	-2.33	124.88	128.46
5	A	201	HEC	O2A-CGA-O1A	-2.25	117.68	123.30
5	D	201	HEC	C3C-C4C-NC	2.14	114.98	110.94
8	B	611	UF7	N2-C2-N1	-2.13	116.49	118.26

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	611	UF7	C18-C6-C7-C8
8	B	611	UF7	C5-C6-C7-C8
8	B	611	UF7	C6-C7-C8-N6
8	B	611	UF7	C13-C9-N6-C8
8	B	611	UF7	C10-C9-N6-C8
8	E	611	UF7	C6-C7-C8-N6
8	E	611	UF7	C13-C9-N6-C8
8	E	611	UF7	C10-C9-N6-C8
8	E	611	UF7	C7-C8-N6-C9

Continued on next page...

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
8	E	611	UF7	C13-C12-C24-C25
8	E	611	UF7	C5-C6-C7-C8
8	B	611	UF7	C7-C8-N6-C9
5	D	201	HEC	CAD-CBD-CGD-O1D
5	D	201	HEC	CAD-CBD-CGD-O2D
5	A	201	HEC	CAD-CBD-CGD-O2D
5	A	201	HEC	CAD-CBD-CGD-O1D
8	E	611	UF7	C11-C12-C24-C25
9	E	601	NAG	O5-C5-C6-O6
5	D	201	HEC	CAA-CBA-CGA-O2A
5	A	201	HEC	CAA-CBA-CGA-O2A
5	D	201	HEC	CAA-CBA-CGA-O1A
5	A	201	HEC	CAA-CBA-CGA-O1A


There are no ring outliers.


4 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	D	201	HEC	2	0
8	B	611	UF7	1	0
5	A	201	HEC	3	0
9	E	601	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	104/105 (99%)	0.17	3 (2%) 51 47	56, 89, 146, 153	0
1	D	104/105 (99%)	-0.08	3 (2%) 51 47	58, 79, 100, 109	0
2	B	463/467 (99%)	0.37	44 (9%) 8 6	60, 110, 172, 184	3 (0%)
2	E	464/467 (99%)	0.03	8 (1%) 70 69	54, 88, 114, 139	7 (1%)
All	All	1135/1144 (99%)	0.17	58 (5%) 28 24	54, 94, 148, 184	10 (0%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	547	SER	6.9
2	B	546	VAL	5.3
2	B	203	PHE	4.5
2	B	573	ALA	3.9
2	E	133	ASN	3.9
2	E	207	GLY	3.8
2	E	191	SER	3.8
2	B	199	VAL	3.6
2	B	120	VAL	3.6
2	B	331	ALA	3.6
2	B	545	THR	3.5
2	B	575	TRP	3.5
2	B	198	ALA	3.4
2	B	456	ARG	3.0
2	B	574	SER	3.0
1	A	74	ASP	2.9
2	B	121	GLN	2.9
2	B	567	LEU	2.9
1	A	32	TRP	2.8
1	D	68	ILE	2.8
2	B	207	GLY	2.8

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	327	VAL	2.8
2	B	135	PRO	2.7
2	B	433	TYR	2.7
2	B	373	LEU	2.7
2	B	557	TYR	2.7
2	B	564	CYS	2.7
2	B	565	SER	2.6
2	B	355	PRO	2.6
2	B	566	THR	2.5
2	B	481	VAL	2.5
2	B	209	ALA	2.5
2	B	178	GLY	2.5
2	B	231	PRO	2.4
2	E	130	ILE	2.4
2	B	208	ARG	2.4
2	B	140	GLN	2.4
2	E	567	LEU	2.4
2	B	372	VAL	2.3
2	B	204	GLN	2.3
2	B	377	ILE	2.3
2	B	455	LEU	2.3
2	B	540	ASN	2.2
2	B	375	GLY	2.2
2	B	350	TYR	2.2
2	E	468	TYR	2.2
2	B	261	ALA	2.1
2	B	568	PRO	2.1
2	B	434	ASN	2.1
2	B	521	SER	2.1
1	A	33	LEU	2.1
1	D	59	ALA	2.1
2	E	143	CYS	2.1
2	E	445	PRO	2.0
2	B	474	ILE	2.0
2	B	384	LEU	2.0
2	B	476	ILE	2.0
1	D	77	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	CSO	B	150	7/8	0.94	0.14	72,74,75,75	0
2	CSO	E	150	7/8	0.96	0.17	74,75,77,77	0

### 6.3 Carbohydrates [\(i\)](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	NAG	C	1	14/15	0.71	0.23	147,148,148,149	0
3	NAG	C	2	14/15	0.73	0.29	150,150,151,151	0
3	NAG	G	2	14/15	0.83	0.16	149,150,151,151	0
4	MAN	F	4	11/12	0.87	0.25	93,94,96,96	0
3	NAG	G	1	14/15	0.88	0.16	144,146,147,148	0
4	MAN	F	5	11/12	0.90	0.23	85,86,88,88	0
4	MAN	H	4	11/12	0.90	0.15	89,90,91,92	0
4	MAN	H	5	11/12	0.91	0.17	80,82,83,83	0
4	NAG	F	1	14/15	0.93	0.18	83,85,87,88	0
4	FUC	F	6	10/11	0.93	0.21	83,83,84,84	0
4	BMA	H	3	11/12	0.95	0.13	80,82,84,86	0
4	BMA	F	3	11/12	0.96	0.14	87,88,90,91	0
4	NAG	F	2	14/15	0.96	0.18	81,84,85,87	0
4	NAG	H	2	14/15	0.96	0.13	69,71,73,76	0
4	NAG	H	1	14/15	0.97	0.13	67,68,69,69	0
4	FUC	H	6	10/11	0.97	0.15	67,68,69,70	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around Chain C:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around Chain G:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around Chain F:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	NAG	E	601	14/15	0.69	0.48	98,101,102,103	0
8	UF7	B	611	35/35	0.86	0.28	109,111,112,112	0
6	CL	B	610	1/1	0.87	0.20	112,112,112,112	0
8	UF7	E	611	35/35	0.89	0.24	76,79,89,89	0
6	CL	A	202	1/1	0.92	0.20	69,69,69,69	0
5	HEC	A	201	43/43	0.96	0.23	104,109,112,113	0
5	HEC	D	201	43/43	0.97	0.21	69,73,79,84	0
7	CA	B	609	1/1	0.98	0.15	94,94,94,94	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
6	CL	D	202	1/1	0.98	0.19	63,63,63,63	0
7	CA	E	610	1/1	0.99	0.16	62,62,62,62	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





**Electron density around UF7 E 611:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC A 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.