



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2024 – 10:12 AM JST

PDB ID : 5X3J
Title : Kfla1895 D451A mutant in complex with cyclobis-(1->6)-alpha-nigerosyl
Authors : Tanaka, Y.; Chen, M.; Tagami, T.; Yao, M.; Kimura, A.
Deposited on : 2017-02-06
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	743	
1	B	743	
2	C	4	
2	D	4	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	808	-	-	-	X

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12070 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycoside hydrolase family 31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	718	5641	3584	1001	1044	12	0	0	0
1	B	714	5613	3568	996	1037	12	0	0	0

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP D2PPM7
A	-18	GLY	-	expression tag	UNP D2PPM7
A	-17	SER	-	expression tag	UNP D2PPM7
A	-16	SER	-	expression tag	UNP D2PPM7
A	-15	HIS	-	expression tag	UNP D2PPM7
A	-14	HIS	-	expression tag	UNP D2PPM7
A	-13	HIS	-	expression tag	UNP D2PPM7
A	-12	HIS	-	expression tag	UNP D2PPM7
A	-11	HIS	-	expression tag	UNP D2PPM7
A	-10	HIS	-	expression tag	UNP D2PPM7
A	-9	SER	-	expression tag	UNP D2PPM7
A	-8	SER	-	expression tag	UNP D2PPM7
A	-7	GLY	-	expression tag	UNP D2PPM7
A	-6	LEU	-	expression tag	UNP D2PPM7
A	-5	VAL	-	expression tag	UNP D2PPM7
A	-4	PRO	-	expression tag	UNP D2PPM7
A	-3	ARG	-	expression tag	UNP D2PPM7
A	-2	GLY	-	expression tag	UNP D2PPM7
A	-1	SER	-	expression tag	UNP D2PPM7
A	0	HIS	-	expression tag	UNP D2PPM7
A	451	ALA	ASP	engineered mutation	UNP D2PPM7
B	-19	MET	-	expression tag	UNP D2PPM7
B	-18	GLY	-	expression tag	UNP D2PPM7
B	-17	SER	-	expression tag	UNP D2PPM7
B	-16	SER	-	expression tag	UNP D2PPM7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-15	HIS	-	expression tag	UNP D2PPM7
B	-14	HIS	-	expression tag	UNP D2PPM7
B	-13	HIS	-	expression tag	UNP D2PPM7
B	-12	HIS	-	expression tag	UNP D2PPM7
B	-11	HIS	-	expression tag	UNP D2PPM7
B	-10	HIS	-	expression tag	UNP D2PPM7
B	-9	SER	-	expression tag	UNP D2PPM7
B	-8	SER	-	expression tag	UNP D2PPM7
B	-7	GLY	-	expression tag	UNP D2PPM7
B	-6	LEU	-	expression tag	UNP D2PPM7
B	-5	VAL	-	expression tag	UNP D2PPM7
B	-4	PRO	-	expression tag	UNP D2PPM7
B	-3	ARG	-	expression tag	UNP D2PPM7
B	-2	GLY	-	expression tag	UNP D2PPM7
B	-1	SER	-	expression tag	UNP D2PPM7
B	0	HIS	-	expression tag	UNP D2PPM7
B	451	ALA	ASP	engineered mutation	UNP D2PPM7

- Molecule 2 is an oligosaccharide called Cyclic alpha-D-glucopyranose-(1-3)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-3)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	4	Total	C	O	0	0	0
			44	24	20			
2	D	4	Total	C	O	0	0	0
			44	24	20			

- Molecule 3 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	A	1	5	4	1	0	0
3	B	1	5	4	1	0	0
3	B	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	372	Total	O	0	0
			372	372		
5	B	220	Total	O	0	0
			220	220		

Chain C:  50% 50%

GLC1
GLC2
GLC3
GLC4

- Molecule 2: Cyclic alpha-D-glucopyranose-(1-3)-alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-3)-alpha-D-glucopyranose

Chain D:  100%

GLC1
GLC2
GLC3
GLC4

4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	180.54Å 180.54Å 391.63Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.40 – 2.30 48.40 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.40-2.30) 100.0 (48.40-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.34 (at 2.29Å)	Xtrriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.189 , 0.208 0.190 , 0.209	Depositor DCC
R_{free} test set	2000 reflections (1.84%)	wwPDB-VP
Wilson B-factor (Å ²)	32.2	Xtrriage
Anisotropy	0.375	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	12070	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/5815	0.53	0/7948
1	B	0.30	0/5787	0.49	0/7910
All	All	0.32	0/11602	0.51	0/15858

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	61	ALA	Peptide
1	A	74	LEU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5641	0	5349	37	0
1	B	5613	0	5325	30	0
2	C	44	0	36	0	0
2	D	44	0	36	0	0
3	A	60	0	0	0	0
3	B	40	0	0	1	0
4	A	36	0	48	5	0
5	A	372	0	0	3	0
5	B	220	0	0	1	0
All	All	12070	0	10794	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:31:VAL:H	1:B:92:THR:HG22	1.51	0.75
1:B:704:GLU:OE2	5:B:901:HOH:O	2.10	0.68
1:A:61:ALA:HB1	1:A:64:ALA:H	1.60	0.67
1:A:225:ARG:HH22	4:A:818:GOL:H32	1.63	0.62
1:A:685:ASP:OD2	1:A:699:ARG:NH2	2.33	0.62
1:A:60:ALA:HB3	1:A:61:ALA:HA	1.79	0.62
1:A:20:ARG:HG3	1:A:31:VAL:HG21	1.85	0.59
1:B:465:ASP:OD2	1:B:467:ARG:NH1	2.35	0.59
1:A:76:GLU:HG3	1:A:78:GLN:O	2.07	0.55
1:B:314:GLU:HA	1:B:372:TRP:HB2	1.90	0.54
1:B:47:TRP:O	1:B:50:LEU:HB2	2.08	0.54
1:A:449:LYS:HA	1:A:498:PHE:HB3	1.89	0.54
1:A:61:ALA:HB1	1:A:64:ALA:N	2.23	0.53
1:B:103:PHE:H	1:B:114:THR:HG22	1.74	0.53
1:B:277:TRP:CD2	1:B:368:LYS:HG3	2.45	0.53
1:B:92:THR:HG23	1:B:93:PRO:O	2.10	0.52
1:B:449:LYS:HA	1:B:498:PHE:HB3	1.92	0.52
1:B:10:GLU:CD	1:B:458:GLY:HA2	2.31	0.51
1:B:191:TYR:OH	1:B:577:GLU:OE2	2.22	0.51
1:A:191:TYR:O	1:A:192:LYS:HB2	2.10	0.50
1:A:314:GLU:HA	1:A:372:TRP:HB2	1.94	0.50
1:B:57:THR:HG22	1:B:58:SER:N	2.25	0.50
1:B:69:GLY:HA2	1:B:413:TRP:CD2	2.48	0.49
1:A:682:GLU:CD	1:A:691:ARG:HH11	2.15	0.49
1:A:578:PHE:CZ	1:A:580:HIS:HA	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:585:LEU:O	1:A:592:HIS:NE2	2.39	0.49
1:B:426:GLN:N	3:B:805:SO4:O4	2.38	0.49
1:A:532:LEU:HD21	1:A:655:TYR:HB3	1.95	0.49
1:A:561:ARG:HD2	1:A:666:VAL:HB	1.93	0.48
1:A:41:ASP:OD2	1:A:108:GLY:N	2.45	0.48
1:A:59:ALA:HA	1:A:60:ALA:HA	1.49	0.48
1:B:58:SER:HG	1:B:85:ASP:N	2.12	0.48
1:B:59:ALA:HA	1:B:60:ALA:HA	1.62	0.48
1:A:10:GLU:OE1	1:A:458:GLY:HA2	2.14	0.47
1:A:10:GLU:CD	1:A:458:GLY:HA2	2.35	0.47
1:A:20:ARG:HG3	1:A:31:VAL:CG2	2.44	0.47
1:A:225:ARG:NH2	4:A:818:GOL:H32	2.28	0.47
1:B:74:LEU:HG	1:B:75:SER:H	1.80	0.46
1:A:643:GLU:OE2	5:A:901:HOH:O	2.21	0.46
1:B:578:PHE:CZ	1:B:580:HIS:HA	2.51	0.46
1:A:499:SER:O	1:A:512:PHE:HA	2.16	0.46
1:B:191:TYR:O	1:B:192:LYS:HB2	2.15	0.46
1:A:591:TRP:HE1	4:A:814:GOL:C1	2.29	0.45
1:A:467:ARG:HH12	4:A:817:GOL:H2	1.81	0.45
1:B:393:MET:HA	1:B:398:HIS:HB2	1.99	0.44
1:A:169:PHE:HA	1:A:204:MET:O	2.18	0.44
1:A:63:ASP:O	1:A:67:LEU:HG	2.18	0.44
1:B:385:GLN:NE2	1:B:389:ASP:OD1	2.45	0.44
1:B:60:ALA:HB3	1:B:63:ASP:HB2	2.00	0.43
1:B:57:THR:CG2	1:B:58:SER:N	2.81	0.43
1:A:340:ARG:HD3	1:A:342:GLU:OE2	2.19	0.43
1:B:47:TRP:HZ2	1:B:95:LEU:HD13	1.83	0.43
1:B:32:LEU:HD12	1:B:90:VAL:O	2.19	0.43
1:B:9:ILE:HG23	1:B:11:HIS:H	1.85	0.42
1:A:678:LEU:HB3	1:A:683:TRP:CD1	2.54	0.42
1:B:114:THR:OG1	1:B:115:GLU:N	2.53	0.41
1:A:409:ARG:HG2	5:A:902:HOH:O	2.21	0.41
1:B:146:VAL:HG12	1:B:151:VAL:HG22	2.01	0.41
1:A:9:ILE:HG23	1:A:11:HIS:H	1.85	0.41
1:B:421:PRO:HG3	1:B:432:TRP:CZ3	2.56	0.41
1:A:591:TRP:HE1	4:A:814:GOL:H11	1.86	0.41
1:B:704:GLU:HG2	1:B:705:VAL:HG23	2.03	0.41
1:A:78:GLN:O	1:A:79:ALA:HB3	2.21	0.41
1:A:57:THR:HG22	1:A:58:SER:H	1.86	0.40
1:A:75:SER:HA	1:A:76:GLU:C	2.42	0.40
1:A:660:GLU:OE1	1:A:711:ARG:NH1	2.46	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:GLU:OE2	5:A:902:HOH:O	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	714/743 (96%)	703 (98%)	11 (2%)	0	100	100
1	B	710/743 (96%)	703 (99%)	7 (1%)	0	100	100
All	All	1424/1486 (96%)	1406 (99%)	18 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	568/588 (97%)	557 (98%)	11 (2%)	57	73
1	B	566/588 (96%)	551 (97%)	15 (3%)	44	61
All	All	1134/1176 (96%)	1108 (98%)	26 (2%)	50	67

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	VAL
1	A	51	GLU
1	A	75	SER
1	A	131	GLU
1	A	450	THR
1	A	482	ARG
1	A	513	TRP
1	A	524	PHE
1	A	549	PHE
1	A	573	GLN
1	A	595	GLU
1	B	41	ASP
1	B	53	PRO
1	B	55	SER
1	B	58	SER
1	B	92	THR
1	B	97	GLU
1	B	112	GLU
1	B	115	GLU
1	B	450	THR
1	B	482	ARG
1	B	513	TRP
1	B	517	GLU
1	B	524	PHE
1	B	549	PHE
1	B	573	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	190	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates i

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GLC	C	1	2	11,11,12	0.76	0	15,15,17	0.99	1 (6%)
2	GLC	C	2	2	11,11,12	0.67	0	15,15,17	0.84	0
2	GLC	C	3	2	11,11,12	0.78	0	15,15,17	0.72	0
2	GLC	C	4	2	11,11,12	0.65	0	15,15,17	0.87	1 (6%)
2	GLC	D	1	2	11,11,12	0.65	0	15,15,17	0.78	0
2	GLC	D	2	2	11,11,12	0.76	0	15,15,17	0.73	0
2	GLC	D	3	2	11,11,12	0.72	0	15,15,17	0.45	0
2	GLC	D	4	2	11,11,12	0.67	0	15,15,17	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	0/2/19/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	C	3	2	-	0/2/19/22	0/1/1/1
2	GLC	C	4	2	-	0/2/19/22	0/1/1/1
2	GLC	D	1	2	-	0/2/19/22	0/1/1/1
2	GLC	D	2	2	-	0/2/19/22	0/1/1/1
2	GLC	D	3	2	-	2/2/19/22	0/1/1/1
2	GLC	D	4	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	4	GLC	O5-C5-C6	2.47	111.08	107.20
2	C	1	GLC	C1-O5-C5	2.09	115.02	112.19

There are no chirality outliers.


All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	3	GLC	C4-C5-C6-O6
2	D	3	GLC	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	802	-	4,4,4	0.14	0	6,6,6	0.10	0
3	SO4	A	809	-	4,4,4	0.15	0	6,6,6	0.23	0
3	SO4	A	803	-	4,4,4	0.15	0	6,6,6	0.08	0
4	GOL	A	814	-	5,5,5	0.36	0	5,5,5	0.36	0
4	GOL	A	818	-	5,5,5	0.39	0	5,5,5	0.30	0
3	SO4	A	808	-	4,4,4	0.13	0	6,6,6	0.06	0
3	SO4	A	801	-	4,4,4	0.15	0	6,6,6	0.06	0
4	GOL	A	813	-	5,5,5	0.36	0	5,5,5	0.42	0
3	SO4	A	805	-	4,4,4	0.14	0	6,6,6	0.11	0
3	SO4	B	805	-	4,4,4	0.16	0	6,6,6	0.08	0
3	SO4	B	801	-	4,4,4	0.14	0	6,6,6	0.12	0
3	SO4	B	806	-	4,4,4	0.15	0	6,6,6	0.08	0
3	SO4	A	804	-	4,4,4	0.16	0	6,6,6	0.08	0
3	SO4	A	802	-	4,4,4	0.13	0	6,6,6	0.10	0
3	SO4	A	807	-	4,4,4	0.13	0	6,6,6	0.16	0
3	SO4	B	804	-	4,4,4	0.15	0	6,6,6	0.07	0
3	SO4	B	803	-	4,4,4	0.16	0	6,6,6	0.09	0
3	SO4	B	807	-	4,4,4	0.14	0	6,6,6	0.06	0
3	SO4	B	808	-	4,4,4	0.14	0	6,6,6	0.09	0
4	GOL	A	817	-	5,5,5	0.38	0	5,5,5	0.25	0
3	SO4	A	812	-	4,4,4	0.13	0	6,6,6	0.17	0
3	SO4	A	811	-	4,4,4	0.15	0	6,6,6	0.12	0
4	GOL	A	815	-	5,5,5	0.31	0	5,5,5	0.36	0
3	SO4	A	810	-	4,4,4	0.15	0	6,6,6	0.13	0
3	SO4	A	806	-	4,4,4	0.14	0	6,6,6	0.08	0
4	GOL	A	816	-	5,5,5	0.34	0	5,5,5	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	813	-	-	2/4/4/4	-
4	GOL	A	817	-	-	2/4/4/4	-
4	GOL	A	814	-	-	2/4/4/4	-
4	GOL	A	818	-	-	3/4/4/4	-
4	GOL	A	816	-	-	2/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	815	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	813	GOL	O1-C1-C2-C3
4	A	814	GOL	O1-C1-C2-O2
4	A	814	GOL	O1-C1-C2-C3
4	A	816	GOL	O1-C1-C2-C3
4	A	817	GOL	O1-C1-C2-O2
4	A	818	GOL	C1-C2-C3-O3
4	A	815	GOL	O1-C1-C2-C3
4	A	817	GOL	O1-C1-C2-C3
4	A	818	GOL	O1-C1-C2-C3
4	A	816	GOL	O1-C1-C2-O2
4	A	818	GOL	O2-C2-C3-O3
4	A	813	GOL	O1-C1-C2-O2
4	A	815	GOL	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	814	GOL	2	0
4	A	818	GOL	2	0
3	B	805	SO4	1	0
4	A	817	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	718/743 (96%)	0.01	43 (5%) 21 28	12, 24, 63, 98	0
1	B	714/743 (96%)	0.26	60 (8%) 11 15	16, 34, 83, 105	0
All	All	1432/1486 (96%)	0.14	103 (7%) 15 20	12, 29, 75, 105	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	58	SER	10.6
1	B	62	ALA	8.7
1	B	64	ALA	7.6
1	A	111	ALA	7.5
1	B	67	LEU	7.5
1	A	60	ALA	6.9
1	B	59	ALA	6.5
1	A	108	GLY	6.5
1	B	40	ALA	6.1
1	A	213	ASP	6.1
1	B	61	ALA	6.1
1	A	106	HIS	6.0
1	B	60	ALA	6.0
1	B	57	THR	5.7
1	A	58	SER	5.6
1	A	110	ALA	5.6
1	A	107	ARG	5.5
1	B	110	ALA	5.5
1	B	70	GLY	5.4
1	B	41	ASP	5.4
1	B	109	GLY	5.3
1	B	75	SER	5.2
1	B	52	LEU	5.0
1	B	107	ARG	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	105	ALA	5.0
1	A	78	GLN	4.9
1	B	2	ILE	4.8
1	B	108	GLY	4.5
1	A	75	SER	4.5
1	B	43	VAL	4.5
1	B	66	ALA	4.5
1	B	111	ALA	4.4
1	A	109	GLY	4.4
1	A	112	GLU	4.4
1	A	39	GLU	4.3
1	B	37	ALA	4.2
1	B	53	PRO	4.2
1	A	41	ASP	4.2
1	A	42	ARG	4.1
1	B	74	LEU	4.1
1	B	116	TRP	4.1
1	B	39	GLU	4.1
1	B	48	GLY	4.1
1	B	87	ALA	4.1
1	A	86	GLY	4.0
1	B	342	GLU	3.9
1	B	55	SER	3.8
1	B	54	LEU	3.8
1	B	71	GLU	3.7
1	B	106	HIS	3.7
1	A	88	TRP	3.6
1	B	38	PRO	3.5
1	A	215	ASN	3.4
1	A	40	ALA	3.4
1	B	42	ARG	3.3
1	A	62	ALA	3.3
1	B	65	ALA	3.3
1	A	116	TRP	3.3
1	B	88	TRP	3.2
1	A	113	SER	3.2
1	A	56	ALA	3.2
1	B	85	ASP	3.2
1	B	56	ALA	3.2
1	B	49	THR	3.1
1	A	212	ALA	3.1
1	A	57	THR	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	38	PRO	3.0
1	A	214	GLY	2.9
1	A	2	ILE	2.9
1	B	44	VAL	2.9
1	B	69	GLY	2.9
1	A	105	ALA	2.9
1	B	63	ASP	2.9
1	B	336	GLY	2.8
1	A	44	VAL	2.8
1	B	114	THR	2.8
1	B	340	ARG	2.7
1	A	52	LEU	2.7
1	A	61	ALA	2.6
1	A	85	ASP	2.6
1	B	35	VAL	2.5
1	A	140	ARG	2.5
1	A	162	ASP	2.5
1	B	33	LEU	2.5
1	B	68	ALA	2.4
1	B	113	SER	2.4
1	A	43	VAL	2.4
1	B	103	PHE	2.4
1	B	46	GLU	2.3
1	B	72	GLY	2.3
1	A	77	ALA	2.3
1	A	49	THR	2.3
1	A	159	GLN	2.3
1	A	74	LEU	2.2
1	B	47	TRP	2.2
1	A	50	LEU	2.1
1	B	131	GLU	2.1
1	B	104	HIS	2.1
1	B	51	GLU	2.0
1	A	90	VAL	2.0
1	B	394	VAL	2.0
1	A	137	GLU	2.0
1	B	137	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GLC	D	4	11/12	0.91	0.13	35,42,47,52	0
2	GLC	D	3	11/12	0.93	0.12	30,33,38,47	0
2	GLC	D	1	11/12	0.97	0.14	29,33,36,37	0
2	GLC	D	2	11/12	0.97	0.14	24,28,30,30	0
2	GLC	C	1	11/12	0.97	0.11	15,16,18,19	0
2	GLC	C	4	11/12	0.97	0.08	16,19,25,26	0
2	GLC	C	3	11/12	0.98	0.09	14,17,20,20	0
2	GLC	C	2	11/12	0.98	0.13	13,13,17,17	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	808	5/5	0.80	0.46	88,89,107,109	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	B	805	5/5	0.85	0.40	63,71,83,84	0
4	GOL	A	818	6/6	0.85	0.18	34,39,47,49	0
3	SO4	B	803	5/5	0.88	0.26	68,72,77,82	0
3	SO4	A	812	5/5	0.89	0.28	55,57,68,69	0
4	GOL	A	816	6/6	0.89	0.16	20,28,42,44	0
3	SO4	A	807	5/5	0.89	0.19	56,58,68,70	0
4	GOL	A	817	6/6	0.90	0.15	35,36,41,51	0
3	SO4	B	802	5/5	0.91	0.23	66,68,75,76	0
3	SO4	B	806	5/5	0.91	0.31	56,63,83,92	0
3	SO4	B	807	5/5	0.91	0.22	75,77,81,82	0
3	SO4	A	811	5/5	0.92	0.23	48,49,64,68	0
3	SO4	A	806	5/5	0.92	0.29	48,57,69,82	0
3	SO4	A	805	5/5	0.93	0.21	44,50,57,64	0
3	SO4	B	804	5/5	0.93	0.16	48,55,68,70	0
4	GOL	A	814	6/6	0.94	0.17	26,31,33,42	0
3	SO4	A	802	5/5	0.94	0.19	40,41,53,63	0
3	SO4	B	808	5/5	0.94	0.42	74,75,80,86	0
4	GOL	A	813	6/6	0.94	0.14	24,30,32,37	0
3	SO4	A	801	5/5	0.95	0.19	40,42,49,53	0
3	SO4	A	803	5/5	0.95	0.21	47,52,56,67	0
3	SO4	B	801	5/5	0.96	0.11	28,29,42,49	0
3	SO4	A	809	5/5	0.96	0.10	28,32,37,37	0
4	GOL	A	815	6/6	0.96	0.18	25,26,30,39	0
3	SO4	A	804	5/5	0.97	0.14	40,41,55,55	0
3	SO4	A	810	5/5	0.97	0.20	28,41,53,55	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.