



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 12, 2023 – 05:21 pm GMT

PDB ID : 2X51
Title : M6 delta Insert1
Authors : Squires, G.; Houdusse, A.
Deposited on : 2010-02-04
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	789	 8% 72% 20% • 7%
2	B	149	 2% 79% 18% ..

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7401 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYOSIN-VI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	737	5950	3790	1028	1103	29	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	deletion	UNP Q29122
A	547	VAL	GLY	engineered mutation	UNP Q29122
A	572	ARG	ALA	engineered mutation	UNP Q29122
A	573	ASP	TYR	engineered mutation	UNP Q29122
A	714	LEU	VAL	engineered mutation	UNP Q29122
A	721	TYR	SER	engineered mutation	UNP Q29122
A	722	MET	LEU	engineered mutation	UNP Q29122

- Molecule 2 is a protein called CALMODULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	146	1150	706	185	250	9	0	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O S	0	0
			5	4 1		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	3	Total	Ca	0	0
			3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	198	Total	O	0	0
			198	198		
6	B	53	Total	O	0	0
			53	53		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MYOSIN-VI



• Molecule 2: CALMODULIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	163.89Å 61.02Å 133.27Å 90.00° 116.19° 90.00°	Depositor
Resolution (Å)	26.82 – 2.20 29.56 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (26.82-2.20) 99.9 (29.56-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.83 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.216 , 0.272 0.213 , 0.268	Depositor DCC
R_{free} test set	3017 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	36.6	Xtrriage
Anisotropy	0.786	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7401	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CA, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/6071	0.53	0/8176
2	B	0.43	0/1162	0.53	0/1559
All	All	0.41	0/7233	0.53	0/9735

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5950	0	5866	125	0
2	B	1150	0	1083	28	0
3	A	42	0	56	5	0
4	A	5	0	0	0	0
5	B	3	0	0	0	0
6	A	198	0	0	7	0
6	B	53	0	0	2	0
All	All	7401	0	7005	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:790:CYS:HA	2:B:145:MET:HE3	1.53	0.91
1:A:722:MET:SD	1:A:777:LEU:HD21	2.12	0.90
1:A:11:HIS:HD2	1:A:14:ASP:H	1.20	0.84
2:B:45:THR:HG21	6:B:2021:HOH:O	1.81	0.79
1:A:327:ILE:HG23	1:A:442:CYS:SG	2.26	0.75
2:B:25:ASP:OD1	2:B:27:THR:HG22	1.87	0.75
1:A:272:ARG:NH2	1:A:351:ASP:OD1	2.20	0.74
1:A:508:TYR:CZ	1:A:510:ASP:HB3	2.24	0.72
1:A:364:LEU:HD13	1:A:387:ARG:HG3	1.70	0.72
1:A:510:ASP:HB2	6:A:2098:HOH:O	1.89	0.71
1:A:323:ALA:O	1:A:327:ILE:HG12	1.91	0.70
1:A:461:GLU:OE2	3:A:1820:GOL:H2	1.91	0.70
1:A:739:PHE:CD2	1:A:744:LEU:HD12	2.27	0.69
1:A:11:HIS:HD2	1:A:14:ASP:N	1.90	0.69
1:A:581:HIS:HE1	1:A:588:TYR:OH	1.75	0.68
1:A:671:PRO:HA	1:A:685:ILE:HD11	1.76	0.68
1:A:809:LYS:HG3	2:B:72:MET:O	1.94	0.67
1:A:105:LYS:O	1:A:108:SER:HB3	1.96	0.65
2:B:45:THR:HG22	2:B:47:ALA:H	1.61	0.65
1:A:722:MET:SD	1:A:777:LEU:CD2	2.85	0.64
1:A:44:LEU:HB2	1:A:47:GLN:OE1	1.99	0.63
1:A:489:LEU:CD1	1:A:506:VAL:HB	2.28	0.63
1:A:329:LEU:HD12	1:A:438:ARG:HH21	1.62	0.63
1:A:690:GLN:HG2	1:A:695:VAL:HG21	1.79	0.63
1:A:149:VAL:HG11	1:A:157:LYS:HG3	1.80	0.62
1:A:165:LEU:HD22	1:A:212:ILE:HD11	1.81	0.62
1:A:686:LEU:O	1:A:690:GLN:HG3	1.98	0.62
1:A:185:ALA:HB1	1:A:439:VAL:HG13	1.81	0.61
1:A:443:PHE:N	1:A:444:PRO:HD3	2.15	0.61
1:A:551:HIS:HE1	6:A:2101:HOH:O	1.83	0.61
1:A:11:HIS:CD2	1:A:14:ASP:H	2.12	0.61
1:A:394:VAL:HG22	1:A:604:SER:HB3	1.84	0.60
1:A:52:GLU:HB3	1:A:57:LYS:HE2	1.82	0.60
1:A:581:HIS:CE1	1:A:588:TYR:OH	2.54	0.59
2:B:45:THR:HG22	2:B:47:ALA:N	2.17	0.59
1:A:262:ARG:HH21	1:A:335:LEU:HD21	1.67	0.59
1:A:240:LYS:O	1:A:241:GLU:HB2	2.03	0.59
1:A:666:ILE:O	1:A:667:ARG:HD2	2.03	0.59
1:A:364:LEU:CD1	1:A:387:ARG:HG3	2.33	0.58
1:A:86:ILE:HG21	1:A:99:PRO:HG3	1.86	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:ASN:HB3	1:A:221:VAL:HG11	1.86	0.58
1:A:501:LEU:HD22	1:A:750:LYS:HB3	1.86	0.58
1:A:591:THR:O	1:A:592:GLN:HB2	2.03	0.58
2:B:21:ASP:CA	2:B:28:ILE:HD11	2.34	0.57
1:A:54:ASP:HB3	1:A:57:LYS:HD3	1.86	0.57
1:A:666:ILE:C	1:A:667:ARG:HD2	2.24	0.57
1:A:672:ASN:HA	1:A:684:GLN:NE2	2.20	0.56
1:A:793:TRP:CD1	2:B:145:MET:HE2	2.39	0.56
1:A:184:GLU:O	1:A:187:PRO:HD2	2.06	0.56
1:A:321:CYS:O	1:A:325:LYS:HG3	2.05	0.55
1:A:514:CYS:HB2	1:A:556:ARG:HD2	1.87	0.55
1:A:251:LEU:HD12	1:A:255:ALA:HB2	1.87	0.55
1:A:759:ARG:HD2	6:A:2164:HOH:O	2.06	0.55
1:A:489:LEU:HD11	1:A:506:VAL:HB	1.88	0.55
3:A:1817:GOL:H11	6:A:2039:HOH:O	2.07	0.55
1:A:508:TYR:OH	1:A:510:ASP:HB3	2.08	0.54
1:A:792:ARG:HG2	1:A:792:ARG:HH11	1.71	0.54
1:A:566:ALA:HA	1:A:569:ARG:HD2	1.88	0.54
2:B:34:GLY:O	2:B:38:ARG:HG3	2.08	0.54
1:A:308:ASP:HB3	1:A:311:LEU:HD22	1.90	0.53
1:A:308:ASP:O	1:A:311:LEU:HB2	2.08	0.53
1:A:790:CYS:HA	2:B:145:MET:CE	2.32	0.53
1:A:58:ASP:OD1	1:A:58:ASP:C	2.46	0.53
1:A:813:ARG:HH12	2:B:51:ASP:HB3	1.75	0.52
1:A:509:VAL:O	1:A:509:VAL:HG13	2.09	0.52
2:B:118:THR:OG1	2:B:120:GLU:HG2	2.10	0.52
1:A:730:ASP:OD1	1:A:795:LYS:NZ	2.43	0.52
1:A:591:THR:HG23	6:A:2128:HOH:O	2.09	0.52
1:A:461:GLU:OE2	1:A:470:GLN:HG3	2.10	0.51
1:A:364:LEU:HD13	1:A:387:ARG:CG	2.39	0.51
1:A:573:ASP:HB2	3:A:1822:GOL:H2	1.92	0.51
1:A:639:SER:O	1:A:639:SER:OG	2.25	0.51
2:B:6:THR:H	2:B:9:GLN:NE2	2.09	0.51
1:A:112:ILE:O	1:A:116:GLN:HG3	2.11	0.51
1:A:725:LYS:HE2	1:A:785:ASN:OD1	2.10	0.50
1:A:265:LEU:O	1:A:266:SER:HB3	2.11	0.50
2:B:53:ILE:HA	2:B:72:MET:CE	2.42	0.50
2:B:82:SER:O	2:B:86:ILE:HG12	2.12	0.49
1:A:41:PHE:CD1	1:A:41:PHE:N	2.80	0.49
1:A:357:SER:O	1:A:358:THR:C	2.51	0.49
2:B:87:ARG:O	2:B:91:ARG:HG3	2.13	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:GLY:HA2	1:A:220:VAL:HB	1.94	0.49
1:A:327:ILE:CG2	1:A:442:CYS:SG	2.99	0.48
2:B:53:ILE:HA	2:B:72:MET:HE1	1.96	0.48
1:A:14:ASP:HA	1:A:682:GLY:HA3	1.96	0.47
1:A:423:LEU:O	1:A:427:VAL:HG23	2.13	0.47
1:A:178:ILE:HD12	1:A:220:VAL:CG1	2.44	0.47
1:A:329:LEU:CD1	1:A:438:ARG:HH21	2.25	0.47
1:A:557:LEU:HD11	1:A:577:PHE:HB2	1.96	0.47
2:B:27:THR:OG1	2:B:63:THR:HB	2.15	0.47
1:A:768:GLN:HA	1:A:768:GLN:OE1	2.15	0.47
1:A:8:TRP:CD1	1:A:51:ALA:HB2	2.49	0.47
2:B:86:ILE:HD12	2:B:146:MET:CE	2.45	0.47
1:A:359:SER:O	1:A:410:PRO:HG2	2.14	0.46
1:A:41:PHE:N	1:A:41:PHE:HD1	2.14	0.46
1:A:54:ASP:O	1:A:57:LYS:HG2	2.15	0.46
1:A:420:ARG:HD2	1:A:421:ASP:OD1	2.15	0.46
2:B:65:ASP:OD1	2:B:67:PRO:HD2	2.15	0.46
1:A:748:ASP:HB3	1:A:762:LYS:HG3	1.98	0.45
1:A:106:ILE:HG13	1:A:107:TYR:CD2	2.50	0.45
1:A:473:ILE:HG12	3:A:1818:GOL:O3	2.16	0.45
2:B:38:ARG:HD3	6:B:2014:HOH:O	2.15	0.45
1:A:9:ALA:O	1:A:16:PHE:HA	2.17	0.45
1:A:100:TYR:CE2	1:A:675:MET:HA	2.52	0.45
1:A:722:MET:HE1	1:A:781:VAL:CG2	2.46	0.45
1:A:157:LYS:HB3	1:A:157:LYS:HE2	1.71	0.45
1:A:358:THR:O	1:A:359:SER:O	2.34	0.44
1:A:793:TRP:CD1	2:B:145:MET:CE	3.00	0.44
1:A:348:GLY:HA2	1:A:420:ARG:HD3	1.99	0.44
1:A:333:GLU:O	1:A:337:LEU:HG	2.18	0.44
1:A:508:TYR:OH	1:A:510:ASP:CB	2.66	0.44
1:A:601:LEU:HD11	1:A:605:LEU:HG	2.00	0.44
1:A:809:LYS:O	1:A:813:ARG:HG3	2.18	0.44
1:A:135:PHE:HA	1:A:452:ILE:HD11	2.00	0.44
1:A:334:LYS:HG2	1:A:338:PHE:CE2	2.52	0.44
1:A:521:ARG:O	1:A:522:LEU:HB2	2.18	0.44
1:A:355:ALA:CB	1:A:363:ASN:HD21	2.30	0.43
1:A:87:TYR:O	1:A:125:PRO:HB2	2.18	0.43
1:A:92:ASN:OD1	1:A:120:LEU:HD23	2.18	0.43
1:A:552:LYS:HD3	1:A:552:LYS:HA	1.68	0.43
1:A:742:LEU:HB2	1:A:744:LEU:HG	2.01	0.43
1:A:149:VAL:CG1	1:A:157:LYS:HG3	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:394:VAL:CG2	1:A:604:SER:HB3	2.49	0.43
2:B:17:PHE:CZ	2:B:28:ILE:HG12	2.54	0.43
2:B:21:ASP:N	2:B:28:ILE:HD11	2.34	0.43
1:A:11:HIS:CD2	1:A:13:THR:H	2.37	0.43
1:A:240:LYS:O	1:A:241:GLU:CB	2.63	0.42
1:A:250:ARG:HB3	1:A:317:PHE:HB2	2.01	0.42
1:A:314:HIS:CE1	1:A:318:ILE:HD11	2.53	0.42
2:B:21:ASP:HA	2:B:28:ILE:HD11	2.01	0.42
1:A:489:LEU:HD12	1:A:506:VAL:HB	1.97	0.42
1:A:54:ASP:OD2	1:A:57:LYS:HB3	2.19	0.42
1:A:347:LEU:HD23	1:A:424:ALA:HB2	2.01	0.42
3:A:1817:GOL:H12	6:A:2079:HOH:O	2.19	0.42
1:A:207:GLY:O	1:A:227:HIS:HA	2.19	0.42
1:A:535:LEU:O	1:A:538:PRO:HD3	2.20	0.42
1:A:777:LEU:HD22	6:A:2183:HOH:O	2.19	0.42
1:A:792:ARG:HG2	1:A:792:ARG:NH1	2.33	0.42
1:A:219:SER:O	1:A:221:VAL:HG13	2.20	0.42
2:B:134:ASP:OD1	2:B:134:ASP:C	2.58	0.42
2:B:28:ILE:HD13	2:B:28:ILE:HA	1.83	0.41
1:A:229:LEU:HD22	1:A:647:PHE:CE2	2.55	0.41
1:A:784:VAL:O	1:A:784:VAL:CG1	2.69	0.41
1:A:382:ASP:HB3	1:A:385:ASP:OD2	2.21	0.41
1:A:564:LYS:O	1:A:565:LEU:HD23	2.21	0.41
1:A:670:LYS:HE2	1:A:673:LEU:HA	2.02	0.41
1:A:451:PHE:CD1	1:A:451:PHE:C	2.94	0.41
1:A:100:TYR:HD1	1:A:100:TYR:HA	1.76	0.40
2:B:100:PHE:HB3	2:B:136:GLN:HB3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	721/789 (91%)	682 (95%)	32 (4%)	7 (1%)	15	14
2	B	144/149 (97%)	144 (100%)	0	0	100	100
All	All	865/938 (92%)	826 (96%)	32 (4%)	7 (1%)	19	19

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	266	SER
1	A	176	GLN
1	A	552	LYS
1	A	814	ALA
1	A	358	THR
1	A	443	PHE
1	A	33	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	654/698 (94%)	645 (99%)	9 (1%)	67	80
2	B	126/128 (98%)	125 (99%)	1 (1%)	81	90
All	All	780/826 (94%)	770 (99%)	10 (1%)	69	81

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ASP
1	A	108	SER
1	A	177	ASP
1	A	387	ARG
1	A	450	TYR
1	A	508	TYR
1	A	552	LYS
1	A	763	PHE
1	A	777	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	145	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	HIS
1	A	17	GLN
1	A	116	GLN
1	A	363	ASN
1	A	481	GLN
1	A	485	ASN
1	A	581	HIS
1	A	684	GLN
2	B	9	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 3 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	1820	-	5,5,5	0.28	0	5,5,5	0.61	0
3	GOL	A	1819	-	5,5,5	0.34	0	5,5,5	0.36	0
4	SO4	A	1823	-	4,4,4	0.15	0	6,6,6	0.23	0
3	GOL	A	1821	-	5,5,5	0.38	0	5,5,5	0.27	0
3	GOL	A	1817	-	5,5,5	0.77	0	5,5,5	0.68	0
3	GOL	A	1818	-	5,5,5	0.41	0	5,5,5	0.37	0
3	GOL	A	1822	-	5,5,5	0.25	0	5,5,5	0.46	0
3	GOL	A	1816	-	5,5,5	0.35	0	5,5,5	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	1820	-	-	4/4/4/4	-
3	GOL	A	1819	-	-	2/4/4/4	-
3	GOL	A	1821	-	-	0/4/4/4	-
3	GOL	A	1817	-	-	2/4/4/4	-
3	GOL	A	1818	-	-	1/4/4/4	-
3	GOL	A	1822	-	-	4/4/4/4	-
3	GOL	A	1816	-	-	2/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1816	GOL	O1-C1-C2-O2
3	A	1816	GOL	O1-C1-C2-C3
3	A	1817	GOL	O1-C1-C2-C3
3	A	1819	GOL	O1-C1-C2-C3
3	A	1820	GOL	C1-C2-C3-O3
3	A	1822	GOL	O1-C1-C2-O2
3	A	1822	GOL	O1-C1-C2-C3
3	A	1820	GOL	O1-C1-C2-C3
3	A	1817	GOL	O1-C1-C2-O2
3	A	1819	GOL	O1-C1-C2-O2
3	A	1820	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1820	GOL	O2-C2-C3-O3
3	A	1822	GOL	C1-C2-C3-O3
3	A	1822	GOL	O2-C2-C3-O3
3	A	1818	GOL	O1-C1-C2-C3

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1820	GOL	1	0
3	A	1817	GOL	2	0
3	A	1818	GOL	1	0
3	A	1822	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	737/789 (93%)	0.37	60 (8%) 12 10	28, 46, 77, 106	0
2	B	146/149 (97%)	0.03	3 (2%) 63 61	30, 45, 65, 88	0
All	All	883/938 (94%)	0.32	63 (7%) 16 14	28, 46, 76, 106	0

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	44	LEU	6.9
1	A	175	GLY	6.2
1	A	34	LEU	5.5
1	A	42	LEU	5.4
1	A	103	ILE	5.2
1	A	31	ILE	5.1
1	A	101	PHE	4.9
1	A	45	ILE	4.8
1	A	676	THR	4.4
1	A	673	LEU	4.3
1	A	308	ASP	4.3
1	A	666	ILE	4.0
1	A	276	ARG	4.0
1	A	110	GLU	3.9
1	A	29	LEU	3.8
1	A	113	LYS	3.7
2	B	80	THR	3.7
1	A	41	PHE	3.5
1	A	28	SER	3.5
1	A	357	SER	3.5
1	A	127	VAL	3.3
2	B	79	ASP	3.3
1	A	359	SER	3.3
1	A	567	ILE	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	569	ARG	3.2
1	A	105	LYS	3.1
1	A	565	LEU	3.1
1	A	409	VAL	3.0
1	A	815	GLU	2.9
2	B	78	LYS	2.9
1	A	12	PRO	2.9
1	A	94	LEU	2.8
1	A	675	MET	2.8
1	A	508	TYR	2.8
1	A	679	HIS	2.8
1	A	640	PHE	2.7
1	A	450	TYR	2.7
1	A	30	THR	2.6
1	A	240	LYS	2.6
1	A	106	ILE	2.6
1	A	147	ILE	2.6
1	A	223	GLY	2.4
1	A	148	ILE	2.4
1	A	564	LYS	2.4
1	A	677	SER	2.4
1	A	355	ALA	2.4
1	A	672	ASN	2.4
1	A	311	LEU	2.3
1	A	104	PRO	2.3
1	A	93	ILE	2.3
1	A	150	SER	2.3
1	A	613	ARG	2.3
1	A	27	ASP	2.3
1	A	570	ASN	2.3
1	A	678	HIS	2.2
1	A	130	ILE	2.1
1	A	95	ILE	2.1
1	A	507	HIS	2.1
1	A	354	GLU	2.1
1	A	457	ILE	2.1
1	A	142	LYS	2.1
1	A	668	CYS	2.0
1	A	361	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	GOL	A	1822	6/6	0.62	0.29	57,60,65,69	0
3	GOL	A	1817	6/6	0.85	0.28	32,34,35,39	0
3	GOL	A	1819	6/6	0.89	0.16	43,50,55,66	0
3	GOL	A	1821	6/6	0.90	0.16	47,51,54,55	0
3	GOL	A	1818	6/6	0.91	0.18	32,34,35,36	0
5	CA	B	1150	1/1	0.92	0.26	74,74,74,74	0
3	GOL	A	1820	6/6	0.94	0.10	38,43,49,53	0
4	SO4	A	1823	5/5	0.95	0.08	61,62,65,67	0
3	GOL	A	1816	6/6	0.95	0.15	37,42,43,43	0
5	CA	B	1152	1/1	0.96	0.05	46,46,46,46	0
5	CA	B	1151	1/1	0.98	0.09	40,40,40,40	0

6.5 Other polymers [i](#)

There are no such residues in this entry.