



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 3, 2026 – 01:54 AM JST

PDB ID : 9X6H / pdb_00009x6h
Title : Crystal structure of Bas30_86
Authors : Yan, J.; Liu, S.Y.; Luo, Z.R.; Su, Z.; Teng, G.Q.; Li, M.Q.; Ma, J.G.; Gao, R.S.; Qu, J.X.; Huang, M.; Gan, J.H.; Feng, Y.J.
Deposited on : 2025-10-15
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Xtrriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.015 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	357	73% 18% 8%
1	B	357	75% 17% 8%
1	C	357	76% 16% 7%
1	D	357	76% 17% 7%

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 10585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nicotinamide-nucleotide adenylyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	327	2582	1666	429	479	8	0	0	0
1	B	330	2640	1701	435	496	8	0	0	0
1	C	333	2676	1727	446	494	9	0	0	0
1	D	333	2685	1730	448	498	9	0	0	0

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	HIS	-	expression tag	UNP A0AAE7VZZ7
A	-4	HIS	-	expression tag	UNP A0AAE7VZZ7
A	-3	HIS	-	expression tag	UNP A0AAE7VZZ7
A	-2	HIS	-	expression tag	UNP A0AAE7VZZ7
A	-1	HIS	-	expression tag	UNP A0AAE7VZZ7
A	0	HIS	-	expression tag	UNP A0AAE7VZZ7
B	-5	HIS	-	expression tag	UNP A0AAE7VZZ7
B	-4	HIS	-	expression tag	UNP A0AAE7VZZ7
B	-3	HIS	-	expression tag	UNP A0AAE7VZZ7
B	-2	HIS	-	expression tag	UNP A0AAE7VZZ7
B	-1	HIS	-	expression tag	UNP A0AAE7VZZ7
B	0	HIS	-	expression tag	UNP A0AAE7VZZ7
C	-5	HIS	-	expression tag	UNP A0AAE7VZZ7
C	-4	HIS	-	expression tag	UNP A0AAE7VZZ7
C	-3	HIS	-	expression tag	UNP A0AAE7VZZ7
C	-2	HIS	-	expression tag	UNP A0AAE7VZZ7
C	-1	HIS	-	expression tag	UNP A0AAE7VZZ7
C	0	HIS	-	expression tag	UNP A0AAE7VZZ7
D	-5	HIS	-	expression tag	UNP A0AAE7VZZ7
D	-4	HIS	-	expression tag	UNP A0AAE7VZZ7
D	-3	HIS	-	expression tag	UNP A0AAE7VZZ7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	HIS	-	expression tag	UNP A0AAE7VZZ7
D	-1	HIS	-	expression tag	UNP A0AAE7VZZ7
D	0	HIS	-	expression tag	UNP A0AAE7VZZ7


- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0



- Molecule 1: Nicotinamide-nucleotide adenylyltransferase

Chain D: 76% 17% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	106.89Å 106.89Å 311.08Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.92 – 2.70 19.92 – 2.70	Depositor EDS
% Data completeness (in resolution range)	90.4 (19.92-2.70) 90.1 (19.92-2.70)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.30 (at 2.71Å)	Xtrriage
Refinement program	PHENIX (1.19.1_4122: ???)	Depositor
R, R_{free}	0.250 , 0.290 0.252 , 0.290	Depositor DCC
R_{free} test set	2455 reflections (4.33%)	wwPDB-VP
Wilson B-factor (Å ²)	43.3	Xtrriage
Anisotropy	0.082	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 0.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.36$, $\langle L^2 \rangle = 0.19$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	10585	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.12	0/2644	0.28	0/3606
1	B	0.12	0/2704	0.29	0/3684
1	C	0.18	0/2742	0.33	0/3730
1	D	0.12	0/2752	0.28	0/3746
All	All	0.14	0/10842	0.29	0/14766

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2582	0	2436	37	0
1	B	2640	0	2502	31	0
1	C	2676	0	2571	34	0
1	D	2685	0	2578	33	0
2	A	1	0	0	0	0
2	D	1	0	0	0	0
All	All	10585	0	10087	128	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (128) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:12:ALA:HB1	1:C:54:LEU:HD13	1.68	0.76
1:B:172:ILE:HG23	1:B:249:ILE:HD11	1.70	0.73
1:A:3:LYS:HD2	1:A:106:GLU:HG3	1.75	0.68
1:C:8:ILE:HD11	1:C:109:ILE:HG12	1.79	0.65
1:B:197:GLU:HG2	1:B:200:ARG:H	1.63	0.64
1:D:199:GLY:HA2	1:D:222:ILE:HD13	1.80	0.64
1:B:244:ASP:O	1:B:245:THR:HG22	1.98	0.63
1:A:189:LEU:HD11	1:B:138:ARG:HD2	1.81	0.63
1:C:8:ILE:HG23	1:C:35:VAL:HB	1.80	0.63
1:B:199:GLY:HA2	1:B:222:ILE:HD13	1.79	0.62
1:D:172:ILE:HD11	1:D:279:VAL:HG13	1.81	0.62
1:D:277:VAL:HB	1:D:320:THR:HG23	1.82	0.61
1:C:70:ILE:HG22	1:C:72:HIS:HD2	1.65	0.61
1:C:26:ALA:HB2	1:C:73:ILE:HD11	1.83	0.60
1:B:252:PHE:HA	1:B:307:MET:HE1	1.83	0.59
1:A:165:TYR:O	1:A:167:ARG:NH1	2.36	0.57
1:C:204:GLU:HA	1:C:209:GLY:H	1.70	0.56
1:C:208:VAL:HG12	1:C:208:VAL:O	2.07	0.55
1:A:26:ALA:HB2	1:A:73:ILE:HD11	1.88	0.55
1:A:278:ILE:HG23	1:A:323:ILE:HD12	1.88	0.55
1:C:83:ILE:HB	1:C:92:GLU:HG2	1.89	0.55
1:B:327:ASP:HB3	1:B:330:VAL:HB	1.89	0.55
1:C:138:ARG:NH2	1:D:340:ASP:OD2	2.40	0.54
1:A:12:ALA:HB1	1:A:54:LEU:HD13	1.92	0.52
1:D:171:ILE:HG22	1:D:179:LYS:HG3	1.91	0.52
1:B:95:ARG:O	1:B:99:GLU:HG3	2.09	0.52
1:D:154:TRP:CZ2	1:D:162:ARG:HB2	2.45	0.52
1:B:83:ILE:HG21	1:B:96:ILE:HD11	1.92	0.52
1:B:12:ALA:HB1	1:B:54:LEU:HD13	1.92	0.51
1:C:146:ILE:HG21	1:C:157:LEU:HD21	1.92	0.51
1:C:197:GLU:HG2	1:C:200:ARG:H	1.75	0.51
1:B:276:LEU:HB2	1:B:342:LEU:HD22	1.91	0.51
1:A:150:LEU:HB3	1:A:151:MET:HE2	1.92	0.51
1:A:240:ILE:HD11	1:A:342:LEU:HD23	1.93	0.51
1:D:168:LYS:HG2	1:D:241:MET:HE2	1.92	0.51
1:A:54:LEU:O	1:A:59:ARG:NH2	2.45	0.50
1:C:92:GLU:CD	1:C:95:ARG:HH21	2.19	0.50
1:C:172:ILE:HD12	1:C:277:VAL:HG13	1.93	0.50
1:C:198:TYR:HD2	1:C:222:ILE:HG23	1.76	0.50
1:C:251:GLU:HB2	1:C:265:VAL:HG12	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:70:ILE:HG22	1:C:72:HIS:CD2	2.45	0.50
1:B:37:SER:OG	1:B:80:GLU:OE2	2.29	0.50
1:B:254:HIS:CD2	1:B:262:ASN:HB2	2.47	0.50
1:D:120:TYR:HB3	1:D:129:HIS:NE2	2.27	0.50
1:A:158:PRO:HG2	1:A:161:VAL:HG23	1.93	0.49
1:C:53:VAL:HG12	1:C:54:LEU:HD23	1.94	0.49
1:B:4:THR:HG21	1:B:104:LEU:HD22	1.93	0.49
1:A:144:THR:HA	1:A:147:ARG:NH1	2.28	0.49
1:B:26:ALA:HB2	1:B:73:ILE:HD11	1.93	0.49
1:C:172:ILE:HG23	1:C:249:ILE:HD11	1.94	0.49
1:A:197:GLU:HG2	1:A:200:ARG:H	1.77	0.49
1:C:38:HIS:HD2	1:C:59:ARG:HH12	1.61	0.49
1:A:204:GLU:HA	1:A:209:GLY:H	1.79	0.48
1:D:151:MET:HE3	1:D:239:LYS:HD3	1.94	0.48
1:D:324:ASP:OD1	1:D:324:ASP:N	2.42	0.48
1:B:12:ALA:O	1:B:147:ARG:NH1	2.47	0.48
1:B:154:TRP:CZ2	1:B:162:ARG:HB3	2.49	0.48
1:A:185:TYR:HB3	1:A:332:MET:HE1	1.95	0.48
1:D:197:GLU:HG2	1:D:200:ARG:H	1.79	0.48
1:D:133:ASP:OD1	1:D:134:SER:N	2.47	0.48
1:B:278:ILE:HG23	1:B:323:ILE:HD13	1.96	0.47
1:C:113:GLU:OE2	1:C:133:ASP:HA	2.14	0.47
1:C:136:ARG:HH21	1:D:333:ASP:HA	1.79	0.47
1:A:149:ASP:HA	1:A:347:ASN:HD21	1.78	0.47
1:C:136:ARG:HD3	1:C:136:ARG:HA	1.64	0.47
1:A:62:TRP:O	1:A:66:THR:OG1	2.30	0.47
1:D:227:LYS:NZ	1:D:272:GLU:OE2	2.45	0.47
1:A:39:ASP:OD2	1:A:42:TRP:N	2.46	0.47
1:A:168:LYS:NZ	1:A:230:GLU:OE1	2.48	0.47
1:A:328:TYR:HA	1:A:331:ARG:HD2	1.97	0.47
1:A:221:LYS:O	1:A:225:ARG:HG3	2.16	0.46
1:D:211:GLU:HB3	1:D:257:TYR:HE2	1.80	0.46
1:A:39:ASP:HB2	1:A:80:GLU:HG3	1.98	0.46
1:D:166:VAL:HG21	1:D:237:ALA:HB3	1.97	0.46
1:D:308:LYS:HG2	1:D:315:PHE:CE2	2.51	0.46
1:A:251:GLU:OE2	1:A:255:ARG:NE	2.44	0.46
1:D:159:SER:HA	1:D:162:ARG:HG2	1.97	0.46
1:A:90:TRP:HB3	1:A:123:TYR:CE2	2.52	0.45
1:C:120:TYR:HB3	1:C:129:HIS:CE1	2.51	0.45
1:C:218:ASP:O	1:C:222:ILE:HG13	2.16	0.45
1:A:61:ARG:HG2	1:D:213:LEU:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:179:LYS:HE3	1:D:179:LYS:HB3	1.69	0.45
1:B:62:TRP:CD2	1:B:161:VAL:HG22	2.52	0.45
1:C:308:LYS:HG2	1:C:315:PHE:CE1	2.52	0.45
1:D:39:ASP:HB3	1:D:42:TRP:HB3	1.97	0.45
1:B:93:TYR:HA	1:B:96:ILE:HD12	1.99	0.44
1:D:56:LEU:HD21	1:D:77:TYR:CD2	2.53	0.44
1:B:192:THR:OG1	1:B:240:ILE:O	2.27	0.44
1:B:34:VAL:HG11	1:B:63:LEU:HD22	1.99	0.44
1:A:252:PHE:HB2	1:A:307:MET:HE1	2.00	0.44
1:C:26:ALA:HB1	1:C:72:HIS:CE1	2.52	0.44
1:C:303:LEU:O	1:C:307:MET:HG3	2.18	0.43
1:C:120:TYR:HB3	1:C:129:HIS:HE1	1.83	0.43
1:A:227:LYS:NZ	1:A:272:GLU:OE2	2.50	0.43
1:B:12:ALA:HA	1:B:13:PRO:HA	1.84	0.43
1:D:142:SER:O	1:D:146:ILE:HG13	2.19	0.43
1:A:227:LYS:HD3	1:A:227:LYS:HA	1.82	0.43
1:B:2:ILE:O	1:B:29:CYS:HA	2.19	0.43
1:B:188:LYS:HA	1:B:188:LYS:HD2	1.82	0.43
1:D:255:ARG:NH1	1:D:310:GLU:OE1	2.47	0.42
1:C:49:ARG:NE	1:C:50:ASP:OD1	2.42	0.42
1:A:167:ARG:HH21	1:A:346:PHE:CB	2.32	0.42
1:A:235:ARG:H	1:A:235:ARG:HG2	1.62	0.42
1:A:344:HIS:C	1:A:346:PHE:H	2.27	0.42
1:D:158:PRO:HG2	1:D:161:VAL:HG23	2.01	0.42
1:A:138:ARG:HG3	1:B:189:LEU:HD11	2.00	0.42
1:A:192:THR:OG1	1:A:240:ILE:O	2.34	0.42
1:B:141:ILE:HD12	1:B:153:TYR:CD1	2.55	0.42
1:C:154:TRP:NE1	1:C:162:ARG:HD2	2.35	0.42
1:C:167:ARG:HG3	1:C:275:ASP:CG	2.45	0.42
1:D:49:ARG:O	1:D:53:VAL:HG23	2.19	0.42
1:A:13:PRO:HG2	1:A:157:LEU:HD21	2.01	0.42
1:A:61:ARG:NH1	1:D:218:ASP:OD2	2.52	0.42
1:B:227:LYS:NZ	1:B:272:GLU:OE2	2.51	0.42
1:C:276:LEU:HB2	1:C:342:LEU:HD22	2.01	0.42
1:A:150:LEU:HD12	1:A:150:LEU:HA	1.91	0.41
1:B:2:ILE:HG21	1:B:108:THR:OG1	2.21	0.41
1:A:104:LEU:HB2	1:A:107:ILE:CG2	2.50	0.41
1:C:328:TYR:HB3	1:D:27:THR:O	2.20	0.41
1:D:145:MET:HE2	1:D:145:MET:HA	2.02	0.41
1:B:179:LYS:HE2	1:B:244:ASP:OD1	2.19	0.41
1:D:28:MET:HE3	1:D:28:MET:HB2	1.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:166:VAL:HG21	1:C:237:ALA:HB3	2.03	0.41
1:D:79:ILE:HG22	1:D:81:ASP:H	1.86	0.41
1:B:59:ARG:HG2	1:B:62:TRP:CZ3	2.55	0.40
1:D:26:ALA:HB2	1:D:73:ILE:HD11	2.03	0.40
1:D:343:ILE:HD13	1:D:343:ILE:HA	1.87	0.40
1:A:149:ASP:OD1	1:A:347:ASN:ND2	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/357 (90%)	304 (95%)	17 (5%)	0	100	100
1	B	324/357 (91%)	308 (95%)	16 (5%)	0	100	100
1	C	329/357 (92%)	313 (95%)	16 (5%)	0	100	100
1	D	329/357 (92%)	317 (96%)	12 (4%)	0	100	100
All	All	1303/1428 (91%)	1242 (95%)	61 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	264/327 (81%)	252 (96%)	12 (4%)	24	52
1	B	276/327 (84%)	267 (97%)	9 (3%)	33	63
1	C	280/327 (86%)	267 (95%)	13 (5%)	24	51
1	D	284/327 (87%)	274 (96%)	10 (4%)	32	61
All	All	1104/1308 (84%)	1060 (96%)	44 (4%)	28	56

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ASN
1	A	61	ARG
1	A	71	GLU
1	A	80	GLU
1	A	83	ILE
1	A	163	LYS
1	A	165	TYR
1	A	179	LYS
1	A	228	GLU
1	A	245	THR
1	A	300	THR
1	A	348	VAL
1	B	69	ASP
1	B	78	ILE
1	B	90	TRP
1	B	111	SER
1	B	120	TYR
1	B	129	HIS
1	B	141	ILE
1	B	177	SER
1	B	264	VAL
1	C	6	LEU
1	C	8	ILE
1	C	24	THR
1	C	70	ILE
1	C	136	ARG
1	C	159	SER
1	C	165	TYR
1	C	179	LYS
1	C	216	SER
1	C	245	THR
1	C	260	SER
1	C	328	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	345	HIS
1	D	10	LYS
1	D	80	GLU
1	D	83	ILE
1	D	111	SER
1	D	119	GLU
1	D	121	LYS
1	D	181	THR
1	D	240	ILE
1	D	298	SER
1	D	320	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	55	GLN
1	B	72	HIS
1	B	100	ASN
1	C	46	GLN
1	C	72	HIS
1	C	129	HIS
1	D	210	ASN
1	D	345	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/357 (91%)	-0.46	1 (0%) 90 89	25, 48, 75, 82	0
1	B	330/357 (92%)	-0.54	0 100 100	23, 47, 72, 91	0
1	C	333/357 (93%)	-0.61	1 (0%) 90 89	22, 43, 68, 86	0
1	D	333/357 (93%)	-0.63	0 100 100	19, 43, 68, 104	0
All	All	1323/1428 (92%)	-0.56	2 (0%) 91 90	19, 46, 71, 104	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	349	GLY	2.9
1	C	69	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	MG	A	401	1/1	0.90	0.06	40,40,40,40	0
2	MG	D	401	1/1	0.96	0.03	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.