

wwPDB X-ray Structure Validation Summary Report (i)

Nov 13, 2023 – 11:06 AM JST

PDB ID : 5XAB

Title: Complete structure factors and an atomic model of the calcium pump

(SERCA1A) and associated phospholipids in the E2(TG) crystals

Authors: Norimatsu, Y.; Hasegawa, K.; Shimizu, N.; Toyoshima, C.

Deposited on : 2017-03-11

Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}(\mathring{\rm A})) \end{array}$
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
			%	
1	A	995	90%	10%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

\mathbf{Mol}	\mathbf{Type}	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PCW	A	1003	-	-	-	X
4	PCW	A	1004	-	-	-	X





Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	PCW	A	1006	-	-	-	X
4	PCW	A	1007	-	-	-	X
4	PCW	A	1008	-	-	-	X
4	PCW	A	1009	-	-	-	X
4	PCW	A	1010	-	-	-	X
4	PCW	A	1012	-	-	-	X
4	PCW	A	1013	-	-	-	X
4	PCW	A	1014	-	-	-	X
4	PCW	A	1015	-	-	_	X
4	PCW	A	1016	-	-	-	X
4	PCW	A	1017	-	-	_	X
4	PCW	A	1019	-	-	-	X
4	PCW	A	1021	-	-	-	X
4	PCW	A	1022	-	-	_	X
4	PCW	A	1024	-	-	-	X
4	PCW	A	1025	-	-	-	X
4	PCW	A	1026	_	_	_	X
4	PCW	A	1027	-	-	-	X
4	PCW	A	1028	-	-	_	X
4	PCW	A	1029	-	-	-	X
4	PCW	A	1030	-	-	-	X
4	PCW	A	1031	-	-	-	X
4	PCW	A	1032	-	-	-	X



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8505 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Sarcoplasmic/endoplasmic reticulum calcium ATPase 1.

Mol	Chain	Residues		A	toms			ZeroOcc	AltConf	Trace
1	A	995	Total 7674	C 4878	N 1287	O 1452	S 57	0	0	0

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ACE	-	acetylation	UNP P04191

• Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Na 1 1	0	0


• Molecule 3 is OCTANOIC ACID [3S-[3ALPHA, 3ABETA, 4ALPHA, 6BETA, 6ABETA, 7BETA, 8ALPHA(Z), 9BALPHA]]-6-(ACETYLOXY)-2,3,-3A,4,5,6,6A,7,8,9B-DECAHYD RO-3,3A-DIHYDROXY-3,6,9-TRIMETHYL-8-[(2-METHYL-1-OXO-2-BUTENYL)OX Y]-2-OXO-4-(1-OXOBUTOXY)-AZULENO[4,5-B]FURAN-7-YL ESTER (three-letter code: TG1) (formula: $C_{34}H_{50}O_{12}$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 46	C 34	O 12	0	0

 \bullet Molecule 4 is 1,2-DIOLEOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (three-letter code: PCW) (formula: $\rm C_{44}H_{85}NO_8P).$



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
4	٨	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	U	0
4	Λ	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	U	0



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	9	Ato	ms			ZeroOcc	AltConf
4	Α.	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	0	0
4	٨	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	0	0
4	Λ	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	U	0
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	U
4	A	1	Total	\mathbf{C}	N	Ο	Р	0	0
	11	1	22	12	1	8	1	O	U
4	A	1	Total	С	N	Ο	Р	0	0
1	11	1	22	12	1	8	1	Ü	
4	A	1	Total	\mathbf{C}	N	Ο	Р	0	0
	11	1	22	12	1	8	1	Ü	Ŭ
4	A	1	Total	С	N	O	Р	0	0
		_	22	12	1	8	1	Ü	
4	A	1	Total	С	N	Ο	Р	0	0
		_	22	12	1	8	1	0	
4	A	1	Total	С	N	O	Р	0	0
			22	12	1	8	1		
4	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
4	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1		
4	A	1	Total	C	N	O	P	0	0
			22	12	1	8	1 D		
4	A	1	Total 22	C 12	N 1	O	P	0	0
				$\frac{12}{C}$	N	$\frac{8}{O}$	1 P		
4	A	1	Total 22	12	1	8	1	0	0
			Total	$\frac{12}{C}$	N	0	P		
4	A	1	22	12	1	8	1	0	0
			Total	$\frac{12}{C}$	N	0	P		
4	A	1	22	12	1	8	1	0	0
			Total	$\frac{12}{C}$	N	0	P		
4	A	1	22	12	1	8	1	0	0
-			Total	$\frac{12}{C}$	N	O	P		
4	A	1	22	12	1	8	1	0	0
			Total	C	N	$\frac{0}{0}$	P		
4	A	1	22	12	1	8	1	0	0
								ntinued on r	<u> </u>



Continued from previous page...

Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf
4	Λ	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	U	U
4	A	1	Total	С	N	О	Р	0	0
4	A	1	22	12	1	8	1	U	U
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	0
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	0
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	0
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	
4	A	1	Total	С	N	О	Р	0	0
4	Λ	1	22	12	1	8	1	U	

• Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	124	Total C 124 12	4	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sarcoplasmic/endoplasmic reticulum calcium ATPase 1





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants	71.36Å 71.36Å 586.79Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	73.35 - 3.20	Depositor
resolution (A)	146.70 - 3.20	EDS
% Data completeness	100.0 (73.35-3.20)	Depositor
(in resolution range)	100.0 (146.70-3.20)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	13.23 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
P.P.	0.223 , 0.244	Depositor
R, R_{free}	0.231 , 0.250	DCC
R_{free} test set	1309 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	45.0	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.29, 45.2	EDS
L-test for twinning ²	$ < L >=0.41, < L^2>=0.24$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	8505	wwPDB-VP
Average B, all atoms $(Å^2)$	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, PCW, TG1, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.21	0/7813	0.37	0/10594	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7674	0	7767	65	0
2	A	1	0	0	0	0
3	A	46	0	50	6	0
4	A	660	0	540	6	0
5	A	124	0	0	0	0
All	All	8505	0	8357	69	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 69 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)	
1:A:484:THR:HG22	1:A:496:VAL:HG12	1.12	1.08	
1:A:484:THR:HG22	1:A:496:VAL:CG1	2.04	0.85	
1:A:260:LEU:O	1:A:264:ILE:HG13	1.81	0.81	
1:A:828:LEU:HD12	3:A:1002:TG1:H302	1.75	0.67	
1:A:604:ARG:HB2	1:A:607:VAL:HG23	1.78	0.66	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles	
1	A	993/995 (100%)	949 (96%)	44 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ercentiles	
1	A	840/840 (100%)	840 (100%)	0	100	100	

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 32 ligands modelled in this entry, 1 is monoatomic - leaving 31 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	В	ond leng	gths	В	ond ang	gles
IVIOI	Type	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
4	PCW	A	1020	-	21,21,53	0.83	0	27,29,61	1.08	1 (3%)
4	PCW	A	1004	-	21,21,53	0.78	0	27,29,61	1.04	1 (3%)
4	PCW	A	1003	-	21,21,53	0.72	0	27,29,61	1.04	1 (3%)
4	PCW	A	1009	-	21,21,53	0.77	0	27,29,61	1.03	1 (3%)
4	PCW	A	1031	-	21,21,53	0.76	0	27,29,61	1.27	2 (7%)
4	PCW	A	1006	-	21,21,53	0.62	0	27,29,61	1.01	1 (3%)
4	PCW	A	1024	-	21,21,53	0.82	0	27,29,61	1.06	1 (3%)
4	PCW	A	1010	-	21,21,53	0.78	0	27,29,61	1.02	1 (3%)
4	PCW	A	1017	-	21,21,53	0.76	0	27,29,61	1.01	1 (3%)
4	PCW	A	1023	-	21,21,53	0.75	0	27,29,61	1.00	1 (3%)
4	PCW	A	1029	-	21,21,53	0.75	0	27,29,61	1.06	1 (3%)
4	PCW	A	1028	-	21,21,53	0.82	0	27,29,61	1.03	1 (3%)
4	PCW	A	1008	-	21,21,53	0.77	0	27,29,61	1.02	1 (3%)
4	PCW	A	1005	-	21,21,53	0.81	0	27,29,61	0.99	1 (3%)



Mol	Type	Chain	Res	Link	В	ond leng	gths	В	ond ang	gles
WIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
4	PCW	A	1019	-	21,21,53	0.77	0	27,29,61	1.03	1 (3%)
4	PCW	A	1026	-	21,21,53	0.77	0	27,29,61	1.04	1 (3%)
4	PCW	A	1016	-	21,21,53	0.67	0	27,29,61	0.99	1 (3%)
4	PCW	A	1018	-	21,21,53	0.67	0	27,29,61	1.04	1 (3%)
4	PCW	A	1021	-	21,21,53	0.85	0	27,29,61	1.04	1 (3%)
4	PCW	A	1032	-	21,21,53	0.62	0	27,29,61	1.22	2 (7%)
4	PCW	A	1027	-	21,21,53	0.66	0	27,29,61	1.08	1 (3%)
4	PCW	A	1022	-	21,21,53	0.82	0	27,29,61	1.02	1 (3%)
4	PCW	A	1030	-	21,21,53	0.75	0	27,29,61	1.02	1 (3%)
4	PCW	A	1014	-	21,21,53	0.87	0	27,29,61	1.07	1 (3%)
4	PCW	A	1015	-	21,21,53	0.62	0	27,29,61	1.04	1 (3%)
4	PCW	A	1012	-	21,21,53	0.66	0	27,29,61	1.03	1 (3%)
3	TG1	A	1002	-	43,48,48	4.98	12 (27%)	44,72,72	3.70	13 (29%)
4	PCW	A	1011	-	21,21,53	0.79	0	27,29,61	1.01	1 (3%)
4	PCW	A	1013	-	21,21,53	0.64	0	27,29,61	1.04	1 (3%)
4	PCW	A	1025	-	21,21,53	0.71	0	27,29,61	1.07	1 (3%)
4	PCW	A	1007	-	21,21,53	0.64	0	27,29,61	1.03	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PCW	A	1020	-	-	6/23/23/57	-
4	PCW	A	1004	-	-	12/23/23/57	-
4	PCW	A	1003	-	-	11/23/23/57	-
4	PCW	A	1009	-	-	8/23/23/57	-
4	PCW	A	1031	-	-	5/23/23/57	-
4	PCW	A	1006	-	-	6/23/23/57	-
4	PCW	A	1024	-	-	8/23/23/57	-
4	PCW	A	1010	-	-	6/23/23/57	-
4	PCW	A	1017	-	-	3/23/23/57	-
4	PCW	A	1023	-	-	5/23/23/57	-
4	PCW	A	1029	-	-	5/23/23/57	-
4	PCW	A	1028	-	-	8/23/23/57	-



 $Continued\ from\ previous\ page...$

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PCW	A	1008	-	-	8/23/23/57	-
4	PCW	A	1005	-	-	9/23/23/57	-
4	PCW	A	1019	-	-	10/23/23/57	-
4	PCW	A	1026	-	-	5/23/23/57	-
4	PCW	A	1016	-	-	8/23/23/57	-
4	PCW	A	1018	-	-	4/23/23/57	-
4	PCW	A	1021	-	-	12/23/23/57	-
4	PCW	A	1032	-	-	10/23/23/57	-
4	PCW	A	1027	-	-	6/23/23/57	-
4	PCW	A	1022	-	-	8/23/23/57	-
4	PCW	A	1030	-	-	8/23/23/57	-
4	PCW	A	1014	-	-	8/23/23/57	-
4	PCW	A	1015	-	-	10/23/23/57	-
4	PCW	A	1012	-	-	12/23/23/57	-
3	TG1	A	1002	-	-	13/33/99/99	0/3/3/3
4	PCW	A	1011	-	-	7/23/23/57	-
4	PCW	A	1013	-	-	5/23/23/57	-
4	PCW	A	1025	-	-	7/23/23/57	-
4	PCW	A	1007	-	-	6/23/23/57	-

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	Ideal(A)
3	A	1002	TG1	C4-C5	29.56	1.59	1.34
3	A	1002	TG1	O12-C12	7.34	1.37	1.20
3	A	1002	TG1	C11-C7	5.01	1.62	1.55
3	A	1002	TG1	O5-C12	4.46	1.42	1.35
3	A	1002	TG1	C24-C22	3.73	1.55	1.31

The worst 5 of 45 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}(^{o})$
3	A	1002	TG1	O12-C12-C11	-17.36	110.84	128.28
3	A	1002	TG1	O5-C12-O12	-10.51	107.68	121.62
3	A	1002	TG1	C10-O9-C32	6.77	137.60	121.53
3	A	1002	TG1	O9-C32-C33	-4.86	101.83	110.68
3	A	1002	TG1	C26-C4-C5	-4.58	118.38	129.82



There are no chirality outliers.

5 of 239 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1002	TG1	C2-C3-O3-C21
3	A	1002	TG1	O4-C21-O3-C3
3	A	1002	TG1	C22-C21-O3-C3
3	A	1002	TG1	C23-C22-C24-C25
4	A	1003	PCW	C32-C31-O2-C2


There are no ring outliers.


7 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1003	PCW	1	0
4	A	1009	PCW	1	0
4	A	1029	PCW	2	0
4	A	1019	PCW	1	0
4	A	1022	PCW	1	0
4	A	1012	PCW	1	0
3	A	1002	TG1	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























































































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

ľ	Mol	Chain	Analysed	<RSRZ $>$	# RSRZ > 2		$OWAB(A^2)$	Q<0.9
	1	A	994/995 (99%)	-0.13	11 (1%) 80	69	10, 33, 97, 176	0

The worst 5 of 11 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	82	GLU	7.9
1	A	504	SER	6.1
1	A	505	ARG	5.3
1	A	81	GLY	4.8
1	A	80	GLU	4.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$ m B ext{-}factors(\AA^2)$	Q<0.9
4	PCW	A	1030	22/54	0.01	0.94	197,197,210,210	0
4	PCW	A	1008	22/54	0.17	0.95	195,197,212,212	0





Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}({ ext{\AA}}^2)$	Q<0.9
4	PCW	A	1031	22/54	0.22	0.91	195,195,196,196	0
4	PCW	A	1025	22/54	0.24	0.90	179,179,197,197	0
4	PCW	A	1024	22/54	0.29	1.13	191,197,200,200	0
4	PCW	A	1006	22/54	0.31	0.58	196,197,207,207	0
4	PCW	A	1013	22/54	0.33	0.72	180,180,197,197	0
4	PCW	A	1028	22/54	0.33	0.88	158,158,197,197	0
4	PCW	A	1029	22/54	0.35	0.78	197,197,225,225	0
4	PCW	A	1032	22/54	0.39	0.44	129,169,169,179	0
4	PCW	A	1026	22/54	0.40	0.47	180,180,184,197	0
4	PCW	A	1004	22/54	0.42	0.67	148,158,158,174	0
4	PCW	A	1022	22/54	0.43	0.65	188,188,192,196	0
4	PCW	A	1027	22/54	0.45	0.86	184,191,196,196	0
4	PCW	A	1009	22/54	0.45	0.79	155,173,173,197	0
4	PCW	A	1021	22/54	0.46	0.66	184,184,195,197	0
4	PCW	A	1019	22/54	0.47	0.59	188,188,196,196	0
4	PCW	A	1007	22/54	0.49	0.78	162,162,170,186	0
4	PCW	A	1017	22/54	0.51	0.73	175,196,205,205	0
4	PCW	A	1016	22/54	0.53	0.62	153,153,154,179	0
4	PCW	A	1010	22/54	0.56	0.45	197,197,206,206	0
4	PCW	A	1015	22/54	0.59	0.62	175,175,195,197	0
4	PCW	A	1003	22/54	0.60	0.53	134,170,170,185	0
4	PCW	A	1014	22/54	0.63	0.59	137,145,149,149	0
4	PCW	A	1005	22/54	0.63	0.39	162,162,191,194	0
4	PCW	A	1012	22/54	0.69	0.42	145,158,176,176	0
4	PCW	A	1023	22/54	0.75	0.29	121,121,138,138	0
4	PCW	A	1020	22/54	0.75	0.37	148,159,197,197	0
4	PCW	A	1018	22/54	0.81	0.49	95,106,113,113	0
4	PCW	A	1011	22/54	0.83	0.29	147,147,167,197	0
3	TG1	A	1002	46/46	0.93	0.39	54,71,120,121	0
2	NA	A	1001	1/1	0.95	0.13	21,21,21,21	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.










Electron density around PCW A 1031: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1013:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1028:

 $2 \text{mF}_o\text{-DF}_c$ (at 0.7 rmsd) in gray $\text{mF}_o\text{-DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around PCW A 1029:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around PCW A 1032:












Electron density around PCW A 1026:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around PCW A 1004:












Electron density around PCW A 1022:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around PCW A 1027:












Electron density around PCW A 1009:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1021:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around PCW A 1019:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1007:

 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












Electron density around PCW A 1017:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1016:













Electron density around PCW A 1015: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around PCW A 1003:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around PCW A 1014:













Electron density around PCW A 1012: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)




Electron density around PCW A 1023:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









Electron density around PCW A 1020:













Electron density around PCW A 1018:












Electron density around PCW A 1011:


 $2 {
m mF}_o {
m -DF}_c$ (at 0.7 rmsd) in gray ${
m mF}_o {
m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)











6.5 Other polymers (i)

There are no such residues in this entry.

