



wwPDB EM Validation Summary Report ⓘ

Nov 14, 2022 – 03:57 PM EST

PDB ID : 6XDR
EMDB ID : EMD-22142
Title : Escherichia coli transcription-translation complex B (TTC-B) containing an
27 nt long mRNA spacer, NusG, and fMet-tRNAs at E-site and P-site
Authors : Molodtsov, V.; Wang, C.; Su, M.; Ebright, R.H.
Deposited on : 2020-06-11
Resolution : 4.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	103	
2	1	110	
3	2	100	
4	3	104	
5	4	94	
6	5	36	
7	6	36	
8	7	44	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	9	165	
10	A	76	
10	B	76	
11	AA	1342	
12	AB	181	
13	AC	329	
13	AD	329	
14	AE	1407	
15	AF	91	
16	C	75	
17	D	1542	
18	E	87	
19	F	71	
20	G	241	
21	H	557	
22	I	233	
23	J	206	
24	K	167	
25	L	135	
26	M	179	
27	N	130	
28	O	130	
29	P	103	
30	Q	129	
31	R	124	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
32	S	101	8% 95%
33	T	89	6% 85% 13%
34	U	82	13% 93% 7%
35	V	84	12% 93% 5%
36	W	92	14% 86% 10%
37	X	118	19% 88% 10%
38	Y	142	53% 68% 27%
39	Z	121	22% 12% 75%
40	a	2904	81% 18%
41	b	85	88% 11%
42	c	78	6% 94% 5%
43	d	120	86% 14%
44	e	63	19% 97%
45	f	59	95%
46	g	70	29% 86% 9% 6%
47	h	273	6% 93% 7%
48	i	57	7% 88% 11%
49	j	209	9% 97%
50	k	55	9% 89% 5% 5%
51	l	201	17% 93% 7%
52	m	46	93% 7%
53	n	179	10% 89% 10%
54	o	65	5% 91% 8%
55	p	177	12% 97%
56	q	38	5% 95% 5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	r	149	<p>32% 93% 7%</p>
58	s	142	<p>12% 96%</p>
59	t	123	<p>6% 95% 5%</p>
60	u	144	<p>11% 96%</p>
61	v	136	<p>96%</p>
62	w	127	<p>12% 87% 6% 6%</p>
63	x	117	<p>10% 94% 5%</p>
64	y	115	<p>16% 95%</p>
65	z	118	<p>7% 97%</p>

2 Entry composition [i](#)

There are 67 unique types of molecules in this entry. The entry contains 276512 atoms, of which 99300 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
1	0	103	1655	516	839	153	145	2	0	0

- Molecule 2 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
2	1	110	1779	532	922	166	156	3	0	0

- Molecule 3 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
3	2	94	1557	470	811	140	134	2	0	0

- Molecule 4 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	H	N	O		
4	3	103	1632	498	844	148	142	0	0

- Molecule 5 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
5	4	94	1533	479	780	137	134	3	0	0

- Molecule 6 is a DNA chain called NT DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
6	5	23	732	225	260	87	137	23	0	0

- Molecule 7 is a DNA chain called T DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
7	6	27	847	259	305	89	167	27	0	0

- Molecule 8 is a RNA chain called mRNA with 27 nt long spacer.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
8	7	34	804	316	97	98	259	34	0	0

- Molecule 9 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	9	148	1117	705	196	209	7	0	0

- Molecule 10 is a RNA chain called E-site and P-site tRNA (fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			P
10	A	76	2446	723	826	295	527	75	0	0
10	B	76	2433	723	813	295	527	75	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	U	deletion	GB 1845826323
B	?	-	U	deletion	GB 1845826323

- Molecule 11 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AA	1340	10567	6631	1841	2052	43	0	0

- Molecule 12 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AB	175	1392	881	249	255	7	0	0

- Molecule 13 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AC	221	Total	C	N	O	S	0	0
			1698	1060	299	333	6		
13	AD	218	Total	C	N	O	S	0	0
			1677	1048	297	326	6		

- Molecule 14 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AE	1337	Total	C	N	O	S	0	0
			10404	6535	1856	1963	50		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	1384	VAL	MET	variant	UNP A0A4S1NBU2

- Molecule 15 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AF	82	Total	C	N	O	S	0	0
			650	396	122	131	1		

- Molecule 16 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	S		
16	C	66	Total	C	H	N	O	S	0	0
			1103	344	559	102	97	1		

- Molecule 17 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
17	D	1524	Total	C	H	N	O	P	0	0
			49126	14585	16423	6003	10591	1524		

- Molecule 18 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
18	E	86	Total	C	H	N	O	S	0	0
			1388	414	719	138	114	3		

- Molecule 19 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
19	F	70	1218	366	629	125	97	1	0	0

- Molecule 20 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
20	G	225	3545	1113	1785	316	323	8	0	0

- Molecule 21 is a protein called 30S ribosomal protein S1.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
21	H	259	3184	1073	1454	305	349	3	0	0

- Molecule 22 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
22	I	208	3346	1036	1710	307	290	3	0	0

- Molecule 23 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
23	J	205	3350	1026	1707	315	298	4	0	0

- Molecule 24 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
24	K	156	2348	717	1196	217	212	6	0	0

- Molecule 25 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
25	L	104	1694	536	846	153	152	7	0	0

- Molecule 26 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
26	M	151	2416	735	1235	227	215	4	0	0

- Molecule 27 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
27	N	129	2010	616	1031	173	184	6	0	0

- Molecule 28 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
28	O	127	2092	634	1070	206	179	3	0	0

- Molecule 29 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
29	P	99	1621	495	831	151	143	1	0	0

- Molecule 30 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
30	Q	117	1764	540	887	174	160	3	0	0

- Molecule 31 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
31	R	121	1940	580	1001	194	161	4	0	0

- Molecule 32 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
32	S	100	1649	499	844	164	139	3	0	0

- Molecule 33 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
33	T	88	Total	C	H	N	O	S	0	0
			1448	439	734	144	130	1		

- Molecule 34 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
34	U	82	Total	C	H	N	O	S	0	0
			1315	406	666	128	114	1		

- Molecule 35 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
35	V	80	Total	C	H	N	O	S	0	0
			1339	411	691	121	113	3		

- Molecule 36 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
36	W	83	Total	C	H	N	O	S	0	0
			1351	424	688	126	111	2		

- Molecule 37 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
37	X	116	Total	C	H	N	O	S	0	0
			1864	558	964	181	158	3		

- Molecule 38 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	Y	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 39 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Z	30	Total	C	N	O	S	0	0
			227	144	33	47	3		

- Molecule 40 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
40	a	2880	92918	27587	31077	11398	19976	2880	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	887	A	U	variant	GB 937521852

- Molecule 41 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
41	b	76	1181	360	599	117	104	1	0	0

- Molecule 42 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
42	c	77	1277	388	652	129	106	2	0	0

- Molecule 43 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
			Total	C	H	N	O	P		
43	d	120	3870	1144	1301	468	837	120	0	0

- Molecule 44 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
44	e	62	1032	308	531	98	94	1	0	0

- Molecule 45 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
45	f	58	936	281	488	87	78	2	0	0

- Molecule 46 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
46	g	66	1042	323	520	99	94	6	0	0

- Molecule 47 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
47	h	271	4236	1288	2154	423	364	7	0	0

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
48	i	56	903	269	459	94	80	1	0	0

- Molecule 49 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
49	j	209	3182	979	1617	288	294	4	0	0

- Molecule 50 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
50	k	52	890	275	464	78	73		0	0

- Molecule 51 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
51	l	201	3171	974	1619	283	290	5	0	0

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace	
			Total	C	H	N	O			S
52	m	46	795	228	418	90	57	2	0	0

- Molecule 53 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace	
53	n	177	Total	C	H	N	O	S	0	0
			2853	899	1443	249	256	6		

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace	
54	o	64	Total	C	H	N	O	S	0	0
			1076	323	572	105	74	2		

- Molecule 55 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace	
55	p	175	Total	C	H	N	O	S	0	0
			2671	826	1358	241	244	2		

- Molecule 56 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace	
56	q	38	Total	C	H	N	O	S	0	0
			645	185	343	65	48	4		

- Molecule 57 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace	
57	r	149	Total	C	H	N	O	S	0	0
			2259	699	1148	197	214	1		

- Molecule 58 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace	
58	s	142	Total	C	H	N	O	S	0	0
			2291	714	1162	212	199	4		

- Molecule 59 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace	
59	t	123	Total	C	H	N	O	S	0	0
			1969	593	1023	181	166	6		

- Molecule 60 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace	
60	u	144	Total	C	H	N	O	S	0	0
			2182	654	1129	207	190	2		

- Molecule 61 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace	
61	v	136	Total	C	H	N	O	S	0	0
			2231	686	1157	205	177	6		

- Molecule 62 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace	
62	w	119	Total	C	H	N	O	S	0	0
			1945	588	994	195	163	5		

- Molecule 63 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace	
63	x	116	Total	C	H	N	O		0	0
			1815	552	923	178	162			

- Molecule 64 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace	
64	y	114	Total	C	H	N	O	S	0	0
			1879	574	962	179	163	1		

- Molecule 65 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace	
65	z	117	Total	C	H	N	O		0	0
			1967	604	1020	192	151			

- Molecule 66 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
66	AE	1	Total	Mg	0
			1	1	


- Molecule 67 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
67	AE	2	Total 2	Zn 2	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 50S ribosomal protein L21




- Molecule 2: 50S ribosomal protein L22




- Molecule 3: 50S ribosomal protein L23




- Molecule 4: 50S ribosomal protein L24




- Molecule 5: 50S ribosomal protein L25




• Molecule 6: NT DNA




• Molecule 7: T DNA




• Molecule 8: mRNA with 27 nt long spacer



• Molecule 9: 50S ribosomal protein L10




• Molecule 10: E-site and P-site tRNA (fMet)





• Molecule 10: E-site and P-site tRNA (fMet)







• Molecule 11: DNA-directed RNA polymerase subunit beta







• Molecule 12: Transcription termination/antitermination protein NusG




• Molecule 13: DNA-directed RNA polymerase subunit alpha








● Molecule 13: DNA-directed RNA polymerase subunit alpha





● Molecule 14: DNA-directed RNA polymerase subunit beta'





K190	S191	M192	D193	L194	E195	Q196	E197	C198	E199	Q200	L201	R202	E203	E204	L205	N206	E207	T208	N209	S210	E211	T212	K213	R214	K215	K216	L217	T218	K219	R220	I221	K222	L223	L224	E225	A226	F227	V228	Q229	S230	G231	N232	K233	P234	E235	A236	G237	W238	M239	W240	L241	L242	P243	V244	L249	R250	P251	L252	
V253	P254	L255	D256	G257	G258	R259	F260	S263	D264	D267	L268	Y269	R270	R271	N274	R275	N276	N277	K280	R281	L282	L283	D284	L285	L286	H430	A287	P288	D289	I290	I291	V292	R293	N294	E295	M298	L299	A302	V303	D304	A305	L306	G310	R311	R312	G313	R314	A315	S319	N320	K321	R322							
F323	L324	K325	S326	L327	A328	D329	M330	I331	K332	G333	K334	Q335	F338	R339	G344	S353	G358	P359	R362	L363	H364	P369	K370	K371	M372	A373	L374	E375	L376	F377	K378	P379	F380	I381	Y382	G383	K384	L385	E386	L387	R388	A389	G390	L390	A391	T392	T393	I394	K395	A396	A397	K398	K399	M400					
V401	E402	R403	E404	A405	A406	V407	V408	W409	D410	I411	L412	D413	E414	V415	I416	R417	E418	H419	P420	V421	R425	A426	P427	T428	L429	H430	R431	Q435	A436	V440	L441	I442	E443	G444	K445	A446	I447	Q448	L449	H450	P451	L452	V453	C454	A455	A456	A457	M458	A459	D460	H469	V470	P471	L474					
L478	A482	M484	M485	S486	T487	M488	M489	I490	L491	S492	E497	P498	I499	I500	V501	P502	S503	Q504	D505	L510	T514	D516	C517	V518	N519	A520	K521	G522	E523	G524	M525	V526	L527	T528	G529	L536	L541	A542	A546	R547	V548	K549	V550	R551	I552	T553	E554	Y555											
E556	K557	D558	A559	N560	E562	L563	V564	A565	K566	T567	S568	L569	K570	D571	A577	M580	V583	P584	K585	G586	L587	P588	Y589	N593	Q594	A595	K598	K599	A600	G602	I601	S602	K603	M604	L605	N606	T607	C608	R610	L611	L612	G613	V618	L619	Q623	Y626	T627	G628	F629										
A632	A633	L646	P647	E648	K649	K650	H651	E652	L653	L654	S655	E656	A657	E658	A659	E660	V661	E662	E663	L664	Q665	E666	Q667	F668	Q669	G671	L672	V673	T674	A675	G676	E677	D678	G679	L680	K681	V682	L683	D684	L685	M686	A687	A688	E689	N690	D691	R692	V693	S694	K695	A696	M697	M698	D699	N700	L701			
Q702	T703	E704	T705	V706	T707	M708	R709	D710	G711	Q712	E713	E714	K715	Q716	V717	N720	T723	G732	S733	A734	A735	Q736	L737	R738	R744	G745	L746	H747	K749	F750	D751	G752	S753	L754	I755	E756	F758	I759	T760	G766	F773	L774	S775	T776	H777	A779	K780	K781	G782	L783									
A784	D785	T786	L788	K789	T790	A791	M792	L796	T797	R798	D802	V808	W809	T810	E811	D812	C814	G815	T816	H817	E818	G819	I820	M821	M822	T823	P824	V825	I826	E827	G828	G829	D830	V831	K832	E833	P834	L835	R836	R838	V839	L840	E846	D847	V848	L849	K850	P851	G852	T853	A854	D855							
I856	L857	W858	P859	R860	N861	T862	L863	H865	E866	Q867	W868	C869	D870	L871	L872	E873	E874	M875	V877	D878	A879	V880	C888	D889	T890	D891	F892	H897	R901	D902	L903	A904	R905	Q906	H907	I908	I909	N910	K911	G912	E913	A914	I915	Q916	V917	L918	A919	I923	G924	E925	P926	G927	T928						
Q929	L930	T931	K932	R933	THR	PHE	HIS	ILE	GLY	GLY	ALA	ALA	ALA	ALA	ALA	ALA	GLU	S948	S949	I950	Q951	K953	N954	K955	Q956	S957	I958	K959	L960	S961	N962	Q963	K964	S965	V966	P967	N968	S969	S970	G971	K972	L973	V974	I975	T976	S977	R978	N979	T980	E981	L982	K983	L984	I985	D986	E987	F988		
G889	R890	T891	K892	E893	Y894	K895	K896	V897	P898	Y899	G1000	ARG	ALA	V1001	L1003	A1004	K1005	G1006	D1007	E1008	E1009	Q1010	V1011	A1012	G1014	E1015	T1016	V1017	A1018	M1019	V1020	P1022	H1023	T1024	M1025	P1026	V1027	I1028	T1029	E1030	V1031	S1032	G1033	F1034	V1035	R1036	F1037	T1038	D1039	M1040	I1041	L1042	G1043	Q1044	T1045	I1046	T1047	R1048	
Q1049	T1050	D1051	E1052	L1053	T1054	G1055	L1056	S1057	S1058	L1059	V1060	L1061	D1062	D1063	S1064	A1065	E1066	R1067	T1068	A1069	G1070	G1071	K1072	L1073	L1074	R1075	P1076	L1077	L1078	K1079	I1080	V1081	D1082	A1083	Q1084	G1085	M1086	D1087	V1088	I1089	L1090	P1091	G1092	T1093	D1094	M1095	P1096	A1097	Q1098	Y1099	F1100	L1101	P1102	G1103	K1104	A1105	I1106	V1107	Q1108





• Molecule 15: DNA-directed RNA polymerase subunit omega




• Molecule 16: 30S ribosomal protein S18




• Molecule 17: 16S rRNA







- Molecule 18: 30S ribosomal protein S20




- Molecule 19: 30S ribosomal protein S21



- Molecule 20: 30S ribosomal protein S2




- Molecule 21: 30S ribosomal protein S1







• Molecule 25: 30S ribosomal protein S6




• Molecule 26: 30S ribosomal protein S7





• Molecule 27: 30S ribosomal protein S8




• Molecule 28: 30S ribosomal protein S9




• Molecule 29: 30S ribosomal protein S10




• Molecule 30: 30S ribosomal protein S11









- Molecule 31: 30S ribosomal protein S12





- Molecule 32: 30S ribosomal protein S14




- Molecule 33: 30S ribosomal protein S15





- Molecule 34: 30S ribosomal protein S16




- Molecule 35: 30S ribosomal protein S17




- Molecule 36: 30S ribosomal protein S19




- Molecule 37: 30S ribosomal protein S13




• Molecule 41: 50S ribosomal protein L27








- Molecule 42: 50S ribosomal protein L28




- Molecule 43: 5S rRNA





- Molecule 44: 50S ribosomal protein L29





- Molecule 45: 50S ribosomal protein L30



- Molecule 46: 50S ribosomal protein L31





- Molecule 47: 50S ribosomal protein L2








• Molecule 48: 50S ribosomal protein L32






• Molecule 49: 50S ribosomal protein L3




• Molecule 50: 50S ribosomal protein L33




• Molecule 51: 50S ribosomal protein L4




• Molecule 52: 50S ribosomal protein L34





• Molecule 53: 50S ribosomal protein L5







- Molecule 54: 50S ribosomal protein L35





- Molecule 55: 50S ribosomal protein L6




- Molecule 56: 50S ribosomal protein L36





- Molecule 57: 50S ribosomal protein L9




- Molecule 58: 50S ribosomal protein L13




- Molecule 59: 50S ribosomal protein L14





- Molecule 60: 50S ribosomal protein L15




- Molecule 61: 50S ribosomal protein L16




- Molecule 62: 50S ribosomal protein L17



- Molecule 63: 50S ribosomal protein L18



- Molecule 64: 50S ribosomal protein L19



- Molecule 65: 50S ribosomal protein L20



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	6121	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.030	Depositor
Minimum map value	-0.046	Depositor
Average map value	-0.003	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.00561	Depositor
Map size (Å)	532.48, 532.48, 532.48	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.04, 1.04, 1.04	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	0	0.38	0/829	0.67	0/1107
2	1	0.49	0/864	0.82	0/1156
3	2	0.42	0/752	0.71	0/1005
4	3	0.35	0/796	0.66	2/1062 (0.2%)
5	4	0.40	0/766	0.68	0/1025
6	5	1.13	6/528 (1.1%)	0.97	1/810 (0.1%)
7	6	1.11	4/603 (0.7%)	0.97	0/926
8	7	0.57	2/783 (0.3%)	0.91	3/1212 (0.2%)
9	9	0.79	2/1131 (0.2%)	0.64	1/1524 (0.1%)
10	A	0.38	0/1810	0.75	1/2821 (0.0%)
10	B	0.47	1/1810 (0.1%)	0.86	7/2821 (0.2%)
11	AA	0.43	0/10736	0.60	1/14487 (0.0%)
12	AB	0.80	3/1421 (0.2%)	0.69	3/1914 (0.2%)
13	AC	0.41	0/1718	0.62	0/2328
13	AD	0.36	0/1696	0.62	0/2298
14	AE	0.41	0/10561	0.63	3/14258 (0.0%)
15	AF	0.33	0/652	0.57	0/879
16	C	0.48	0/553	0.83	0/743
17	D	0.34	10/36610 (0.0%)	0.73	30/57091 (0.1%)
18	E	0.57	0/675	0.85	0/895
19	F	0.56	0/597	0.87	0/792
20	G	0.48	0/1791	0.71	0/2413
21	H	0.55	1/1746 (0.1%)	1.03	13/2382 (0.5%)
22	I	0.43	0/1663	0.71	0/2241
23	J	0.47	0/1665	0.73	0/2227
24	K	0.45	0/1165	0.75	0/1568
25	L	0.43	0/867	0.75	1/1171 (0.1%)
26	M	0.50	0/1195	0.81	0/1602
27	N	0.41	0/989	0.69	0/1326
28	O	0.43	0/1034	0.75	0/1375
29	P	0.43	0/800	0.75	0/1082
30	Q	0.40	0/893	0.70	0/1205

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
31	R	0.35	0/952	0.74	0/1274
32	S	0.49	0/817	0.78	0/1088
33	T	0.53	0/722	0.86	0/964
34	U	0.44	0/659	0.78	0/884
35	V	0.34	0/657	0.61	0/881
36	W	0.38	0/680	0.62	0/915
37	X	0.49	0/909	0.87	0/1215
38	Y	0.66	0/1046	0.58	0/1410
39	Z	0.69	0/227	0.57	0/304
40	a	0.38	3/69247 (0.0%)	0.72	17/107985 (0.0%)
41	b	0.39	0/589	0.70	0/779
42	c	0.48	0/635	0.81	1/848 (0.1%)
43	d	0.29	0/2872	0.70	0/4478
44	e	0.53	0/502	0.82	0/667
45	f	0.45	0/452	0.78	0/605
46	g	0.43	0/531	0.68	0/709
47	h	0.39	0/2121	0.78	0/2852
48	i	0.40	0/450	0.79	0/599
49	j	0.44	0/1586	0.70	0/2134
50	k	0.35	0/433	0.65	0/576
51	l	0.46	0/1571	0.77	1/2113 (0.0%)
52	m	0.53	0/380	0.99	0/498
53	n	0.49	0/1434	0.88	3/1926 (0.2%)
54	o	0.45	0/513	0.83	0/676
55	p	0.39	0/1333	0.67	0/1805
56	q	0.37	0/303	0.77	0/397
57	r	0.43	0/1122	0.69	0/1515
58	s	0.50	0/1152	0.75	0/1551
59	t	0.41	0/955	0.78	0/1279
60	u	0.40	0/1062	0.76	0/1413
61	v	0.47	0/1093	0.81	0/1460
62	w	0.52	0/964	0.87	0/1289
63	x	0.46	0/902	0.81	0/1209
64	y	0.41	0/929	0.73	1/1242 (0.1%)
65	z	0.60	0/960	0.91	0/1278
All	All	0.42	32/190459 (0.0%)	0.73	89/280564 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	A	0	2
10	B	0	2
11	AA	0	1
12	AB	0	1
13	AC	0	1
13	AD	0	1
14	AE	0	4
21	H	0	3
37	X	0	1
All	All	0	16

The worst 5 of 32 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	9	130	PRO	N-CA	13.79	1.70	1.47
12	AB	45	PRO	N-CA	13.73	1.70	1.47
17	D	1516	G	O3'-P	-13.39	1.45	1.61
17	D	1339	A	O3'-P	10.56	1.73	1.61
6	5	109	DT	O3'-P	8.75	1.71	1.61

The worst 5 of 89 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	D	1516	G	P-O3'-C3'	-18.98	96.92	119.70
17	D	1516	G	O3'-P-O5'	13.76	130.14	104.00
40	a	2252	G	N9-C1'-C2'	-10.96	99.75	114.00
17	D	1401	G	N9-C1'-C2'	-10.68	100.12	114.00
53	n	73	SER	N-CA-CB	-10.60	94.60	110.50

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	A	19	G	Sidechain
10	A	7	G	Sidechain
11	AA	910	ALA	Peptide
12	AB	135	ARG	Sidechain
13	AC	192	VAL	Peptide

5.2 Too-close contacts

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	101/103 (98%)	97 (96%)	3 (3%)	1 (1%)	15	54
2	1	108/110 (98%)	104 (96%)	4 (4%)	0	100	100
3	2	92/100 (92%)	90 (98%)	2 (2%)	0	100	100
4	3	101/104 (97%)	96 (95%)	4 (4%)	1 (1%)	15	54
5	4	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
9	9	146/165 (88%)	95 (65%)	37 (25%)	14 (10%)	0	11
11	AA	1338/1342 (100%)	1220 (91%)	114 (8%)	4 (0%)	41	76
12	AB	173/181 (96%)	137 (79%)	27 (16%)	9 (5%)	2	22
13	AC	217/329 (66%)	203 (94%)	12 (6%)	2 (1%)	17	56
13	AD	214/329 (65%)	198 (92%)	16 (8%)	0	100	100
14	AE	1331/1407 (95%)	1219 (92%)	109 (8%)	3 (0%)	47	81
15	AF	80/91 (88%)	77 (96%)	3 (4%)	0	100	100
16	C	64/75 (85%)	63 (98%)	1 (2%)	0	100	100
18	E	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
19	F	68/71 (96%)	68 (100%)	0	0	100	100
20	G	223/241 (92%)	210 (94%)	13 (6%)	0	100	100
21	H	255/557 (46%)	188 (74%)	55 (22%)	12 (5%)	2	23
22	I	206/233 (88%)	197 (96%)	8 (4%)	1 (0%)	29	68
23	J	203/206 (98%)	198 (98%)	5 (2%)	0	100	100
24	K	154/167 (92%)	146 (95%)	7 (4%)	1 (1%)	25	65
25	L	102/135 (76%)	97 (95%)	4 (4%)	1 (1%)	15	54
26	M	149/179 (83%)	144 (97%)	4 (3%)	1 (1%)	22	62
27	N	127/130 (98%)	121 (95%)	5 (4%)	1 (1%)	19	60
28	O	125/130 (96%)	115 (92%)	9 (7%)	1 (1%)	19	60
29	P	97/103 (94%)	88 (91%)	8 (8%)	1 (1%)	15	54

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
30	Q	115/129 (89%)	104 (90%)	9 (8%)	2 (2%)	9	43
31	R	117/124 (94%)	116 (99%)	1 (1%)	0	100	100
32	S	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
33	T	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
34	U	80/82 (98%)	75 (94%)	4 (5%)	1 (1%)	12	48
35	V	78/84 (93%)	74 (95%)	4 (5%)	0	100	100
36	W	81/92 (88%)	78 (96%)	3 (4%)	0	100	100
37	X	114/118 (97%)	107 (94%)	5 (4%)	2 (2%)	8	41
38	Y	139/142 (98%)	102 (73%)	25 (18%)	12 (9%)	1	13
39	Z	28/121 (23%)	19 (68%)	7 (25%)	2 (7%)	1	16
41	b	74/85 (87%)	69 (93%)	5 (7%)	0	100	100
42	c	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
44	e	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
45	f	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
46	g	64/70 (91%)	63 (98%)	1 (2%)	0	100	100
47	h	269/273 (98%)	259 (96%)	9 (3%)	1 (0%)	34	72
48	i	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
49	j	207/209 (99%)	198 (96%)	9 (4%)	0	100	100
50	k	50/55 (91%)	50 (100%)	0	0	100	100
51	l	199/201 (99%)	190 (96%)	8 (4%)	1 (0%)	29	68
52	m	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
53	n	175/179 (98%)	162 (93%)	11 (6%)	2 (1%)	14	52
54	o	62/65 (95%)	59 (95%)	3 (5%)	0	100	100
55	p	173/177 (98%)	161 (93%)	12 (7%)	0	100	100
56	q	36/38 (95%)	35 (97%)	1 (3%)	0	100	100
57	r	147/149 (99%)	136 (92%)	11 (8%)	0	100	100
58	s	140/142 (99%)	135 (96%)	5 (4%)	0	100	100
59	t	121/123 (98%)	111 (92%)	10 (8%)	0	100	100
60	u	142/144 (99%)	135 (95%)	7 (5%)	0	100	100
61	v	134/136 (98%)	129 (96%)	5 (4%)	0	100	100
62	w	117/127 (92%)	107 (92%)	10 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
63	x	114/117 (97%)	108 (95%)	6 (5%)	0	100	100
64	y	112/115 (97%)	105 (94%)	7 (6%)	0	100	100
65	z	115/118 (98%)	110 (96%)	4 (4%)	1 (1%)	17	56
All	All	9526/10577 (90%)	8795 (92%)	654 (7%)	77 (1%)	24	60

5 of 77 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	9	88	HIS
11	AA	913	VAL
12	AB	44	VAL
12	AB	49	VAL
12	AB	122	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	84/84 (100%)	78 (93%)	6 (7%)	14	41
2	1	93/93 (100%)	84 (90%)	9 (10%)	8	29
3	2	81/84 (96%)	76 (94%)	5 (6%)	18	45
4	3	84/85 (99%)	78 (93%)	6 (7%)	14	41
5	4	78/78 (100%)	74 (95%)	4 (5%)	24	50
9	9	112/123 (91%)	65 (58%)	47 (42%)	0	0
11	AA	1155/1157 (100%)	1148 (99%)	7 (1%)	86	92
12	AB	150/158 (95%)	127 (85%)	23 (15%)	2	16
13	AC	186/286 (65%)	186 (100%)	0	100	100
13	AD	185/286 (65%)	185 (100%)	0	100	100
14	AE	1122/1168 (96%)	1106 (99%)	16 (1%)	67	81
15	AF	70/75 (93%)	70 (100%)	0	100	100
16	C	57/65 (88%)	55 (96%)	2 (4%)	36	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	E	65/66 (98%)	60 (92%)	5 (8%)	13	39
19	F	60/61 (98%)	57 (95%)	3 (5%)	24	51
20	G	187/199 (94%)	178 (95%)	9 (5%)	25	52
21	H	137/461 (30%)	128 (93%)	9 (7%)	16	43
22	I	171/190 (90%)	165 (96%)	6 (4%)	36	60
23	J	172/173 (99%)	165 (96%)	7 (4%)	30	56
24	K	119/126 (94%)	112 (94%)	7 (6%)	19	47
25	L	91/116 (78%)	85 (93%)	6 (7%)	16	43
26	M	124/147 (84%)	116 (94%)	8 (6%)	17	44
27	N	104/105 (99%)	102 (98%)	2 (2%)	57	75
28	O	105/107 (98%)	100 (95%)	5 (5%)	25	52
29	P	86/90 (96%)	78 (91%)	8 (9%)	9	30
30	Q	90/99 (91%)	87 (97%)	3 (3%)	38	61
31	R	101/104 (97%)	94 (93%)	7 (7%)	15	42
32	S	83/84 (99%)	79 (95%)	4 (5%)	25	52
33	T	76/77 (99%)	64 (84%)	12 (16%)	2	15
34	U	65/65 (100%)	60 (92%)	5 (8%)	13	39
35	V	74/78 (95%)	72 (97%)	2 (3%)	44	66
36	W	72/79 (91%)	68 (94%)	4 (6%)	21	48
37	X	94/96 (98%)	85 (90%)	9 (10%)	8	29
38	Y	109/110 (99%)	72 (66%)	37 (34%)	0	1
39	Z	26/85 (31%)	12 (46%)	14 (54%)	0	0
41	b	58/63 (92%)	57 (98%)	1 (2%)	60	78
42	c	67/68 (98%)	64 (96%)	3 (4%)	27	53
44	e	54/55 (98%)	53 (98%)	1 (2%)	57	75
45	f	48/49 (98%)	46 (96%)	2 (4%)	30	55
46	g	59/62 (95%)	53 (90%)	6 (10%)	7	27
47	h	216/218 (99%)	199 (92%)	17 (8%)	12	38
48	i	47/48 (98%)	41 (87%)	6 (13%)	4	21
49	j	164/164 (100%)	157 (96%)	7 (4%)	29	54
50	k	47/49 (96%)	44 (94%)	3 (6%)	17	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
51	l	165/165 (100%)	151 (92%)	14 (8%)	10	36
52	m	38/38 (100%)	35 (92%)	3 (8%)	12	38
53	n	148/150 (99%)	134 (90%)	14 (10%)	8	30
54	o	51/52 (98%)	46 (90%)	5 (10%)	8	28
55	p	136/138 (99%)	132 (97%)	4 (3%)	42	64
56	q	34/34 (100%)	32 (94%)	2 (6%)	19	47
57	r	114/114 (100%)	104 (91%)	10 (9%)	10	34
58	s	116/116 (100%)	110 (95%)	6 (5%)	23	50
59	t	104/104 (100%)	98 (94%)	6 (6%)	20	47
60	u	103/103 (100%)	97 (94%)	6 (6%)	20	47
61	v	109/109 (100%)	103 (94%)	6 (6%)	21	49
62	w	99/103 (96%)	91 (92%)	8 (8%)	11	37
63	x	86/87 (99%)	80 (93%)	6 (7%)	15	41
64	y	99/100 (99%)	95 (96%)	4 (4%)	31	56
65	z	89/90 (99%)	87 (98%)	2 (2%)	52	71
All	All	7919/8739 (91%)	7480 (94%)	439 (6%)	25	49

5 of 439 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	V	75	LEU
39	Z	6	GLN
65	z	51	ARG
58	s	57	LEU
37	X	16	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
13	AD	117	HIS
14	AE	450	HIS
15	AF	31	GLN
14	AE	157	GLN
14	AE	777	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
10	A	75/76 (98%)	29 (38%)	6 (8%)
10	B	75/76 (98%)	35 (46%)	6 (8%)
17	D	1515/1542 (98%)	289 (19%)	35 (2%)
40	a	2859/2904 (98%)	530 (18%)	0
43	d	119/120 (99%)	17 (14%)	0
8	7	33/44 (75%)	20 (60%)	5 (15%)
All	All	4676/4762 (98%)	920 (19%)	52 (1%)

5 of 920 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
8	7	-18	G
8	7	-17	U
8	7	-16	U
8	7	-14	U
8	7	-13	U

5 of 52 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
17	D	517	G
17	D	991	U
17	D	1491	G
17	D	531	U
17	D	641	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-22142. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256



Y Index: 256




Z Index: 256

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 0



Y Index: 0



Z Index: 0

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.00561. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 2463 nm^3 ; this corresponds to an approximate mass of 2225 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.213\AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-22142 and PDB model 6XDR. Per-residue inclusion information can be found in section [3](#) on page [17](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00561 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00561).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 69% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary



































































The table lists the average atom inclusion at the recommended contour level (0.00561) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7206	 0.1540
0	 0.7691	 0.0910
1	 0.7440	 0.1140
2	 0.7096	 0.0730
3	 0.7255	 0.0250
4	 0.7995	 0.1420
5	 0.2733	 0.0330
6	 0.4170	 0.0410
7	 0.4809	 0.0800
9	 0.5512	 0.0460
A	 0.8988	 0.1820
AA	 0.2721	 0.0290
AB	 0.1761	 0.0840
AC	 0.1274	 0.0270
AD	 0.0536	 0.0130
AE	 0.2269	 0.0200
AF	 0.0268	 0.0140
B	 0.7389	 0.1020
C	 0.7342	 0.1450
D	 0.9438	 0.2240
E	 0.7324	 0.0630
F	 0.6673	 0.1970
G	 0.7611	 0.1820
H	 0.1647	 0.0300
I	 0.7522	 0.2060
J	 0.7491	 0.1670
K	 0.8212	 0.2730
L	 0.7170	 0.0930
M	 0.7325	 0.1520
N	 0.7823	 0.2040
O	 0.7589	 0.1320
P	 0.6745	 0.1470
Q	 0.7749	 0.1690
R	 0.7801	 0.2250
S	 0.7636	 0.1470



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
T	 0.7841	 0.1350
U	 0.7560	 0.1110
V	 0.7310	 0.1340
W	 0.7280	 0.1080
X	 0.7189	 0.1360
Y	 0.4002	 0.0660
Z	 0.1101	 0.0450
a	 0.9364	 0.1930
b	 0.8092	 0.1760
c	 0.7621	 0.1390
d	 0.9404	 0.1840
e	 0.7362	 0.0270
f	 0.8073	 0.1290
g	 0.6223	 0.0970
h	 0.7946	 0.1530
i	 0.7640	 0.1250
j	 0.7718	 0.1150
k	 0.7656	 0.1610
l	 0.7257	 0.0800
m	 0.7915	 0.1480
n	 0.7465	 0.1250
o	 0.7597	 0.1570
p	 0.7568	 0.0760
q	 0.8116	 0.0860
r	 0.5739	 0.0740
s	 0.7773	 0.0930
t	 0.7503	 0.1970
u	 0.7578	 0.1250
v	 0.8196	 0.2130
w	 0.7623	 0.0770
x	 0.8088	 0.0860
y	 0.7252	 0.1230
z	 0.8007	 0.1070