

# Full wwPDB X-ray Structure Validation Report (i)

#### Nov 22, 2023 – 08:10 PM JST

Title : Crystal Structure of Dengue Virus serotype 2 (DENV2) Polymerase F	longation
Complex (CTP Form)	
Authors : Wu, J.; Wang, X.; Gong, P.	
Deposited on : 2022-03-26	
Resolution : $2.58 \text{ Å}(\text{reported})$	

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.36
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Percentile relative to X-ray structures of similar resolution

Motria	Whole archive	Similar resolution
Metric	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
$R_{free}$	130704	3676 (2.60-2.56)
Clashscore	141614	4049 (2.60-2.56)
Ramachandran outliers	138981	3979(2.60-2.56)
Sidechain outliers	138945	3979 (2.60-2.56)
RSRZ outliers	127900	3614(2.60-2.56)
RNA backbone	3102	1075 (2.90-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	647	<sup>2%</sup> 83%	13%	·
1	D	647	% 82%	13%	·
1	G	647	83%	13%	·
1	J	647	3% 79%	17%	•



Mol	Chain	Length	Quality of chain	
1	М	647	3% 80% 1	6% •
1	Р	647	13% 74% 19%	• 5%
2	В	30	<b>23% 13% •</b> 60%	
2	Е	30	3% 37% · · 57%	
2	Н	30	<b>30% 7%</b> • <b>60%</b>	
2	Κ	30	17% 40% 10% • 47%	
2	Ν	30	43% 20% 37%	
2	Q	30	7% 37% • 60%	
3	С	9	56% 44%	
3	F	9	100%	
3	Ι	9	89%	11%
3	L	9	100%	
3	0	9	89%	11%
3	R	9	89%	11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	H	1101	-	-	-	Х



# 2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 32878 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	Δ	621	Total	С	Ν	0	S	0	0	0
1	A	021	4913	3095	878	907	33	0	0	0
1	П	622	Total	С	Ν	0	S	0	0	0
1	D	622	4973	3131	886	922	34	0	0	0
1	C	622	Total	С	Ν	0	S	0	0	0
1	G	023	4913	3095	880	904	34	0	0	0
1	т	625	Total	С	Ν	0	S	0	0	0
1	J	025	4917	3100	872	911	34	0	0	0
1	м	624	Total	С	Ν	0	S	0	0	0
1	111	024	4929	3101	879	915	34	0	0	0
1	D	616	Total	С	Ν	0	S	0	0	0
	Г	010	4537	2851	818	834	34	0	0	

• Molecule 1 is a protein called NS5.

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	901	GLY	-	expression tag	UNP Q91H74
А	902	SER	-	expression tag	UNP Q91H74
А	903	SER	-	expression tag	UNP Q91H74
А	904	SER	-	expression tag	UNP $Q91H74$
А	905	HIS	-	expression tag	UNP $Q91H74$
А	906	HIS	-	expression tag	UNP Q91H74
А	907	HIS	-	expression tag	UNP Q91H74
А	908	HIS	-	expression tag	UNP $Q91H74$
А	909	HIS	-	expression tag	UNP Q91H74
А	910	HIS	-	expression tag	UNP Q91H74
D	901	GLY	-	expression tag	UNP Q91H74
D	902	SER	-	expression tag	UNP $Q91H74$
D	903	SER	-	expression tag	UNP $Q91H74$
D	904	SER	-	expression tag	UNP Q91H74
D	905	HIS	-	expression tag	UNP Q91H74
D	906	HIS	-	expression tag	UNP Q91H74
D	907	HIS	-	expression tag	UNP Q91H74



Chain	Residue	Modelled	Actual	Comment	Reference
D	908	HIS	-	expression tag	UNP Q91H74
D	909	HIS	-	expression tag	UNP Q91H74
D	910	HIS	-	expression tag	UNP Q91H74
G	901	GLY	-	expression tag	UNP Q91H74
G	902	SER	-	expression tag	UNP Q91H74
G	903	SER	-	expression tag	UNP Q91H74
G	904	SER	-	expression tag	UNP Q91H74
G	905	HIS	-	expression tag	UNP Q91H74
G	906	HIS	-	expression tag	UNP Q91H74
G	907	HIS	-	expression tag	UNP Q91H74
G	908	HIS	-	expression tag	UNP Q91H74
G	909	HIS	-	expression tag	UNP Q91H74
G	910	HIS	-	expression tag	UNP Q91H74
J	901	GLY	-	expression tag	UNP Q91H74
J	902	SER	-	expression tag	UNP Q91H74
J	903	SER	-	expression tag	UNP Q91H74
J	904	SER	-	expression tag	UNP Q91H74
J	905	HIS	-	expression tag	UNP Q91H74
J	906	HIS	-	expression tag	UNP Q91H74
J	907	HIS	-	expression tag	UNP Q91H74
J	908	HIS	-	expression tag	UNP Q91H74
J	909	HIS	-	expression tag	UNP Q91H74
J	910	HIS	-	expression tag	UNP Q91H74
М	901	GLY	-	expression tag	UNP Q91H74
М	902	SER	-	expression tag	UNP Q91H74
М	903	SER	-	expression tag	UNP Q91H74
М	904	SER	-	expression tag	UNP Q91H74
М	905	HIS	-	expression tag	UNP Q91H74
М	906	HIS	-	expression tag	UNP Q91H74
М	907	HIS	-	expression tag	UNP Q91H74
М	908	HIS	-	expression tag	UNP Q91H74
М	909	HIS	-	expression tag	UNP Q91H74
М	910	HIS	-	expression tag	UNP Q91H74
Р	901	GLY	-	expression tag	UNP Q91H74
Р	902	SER	-	expression tag	UNP Q91H74
Р	903	SER	-	expression tag	UNP Q91H74
Р	904	SER	-	expression tag	UNP Q91H74
Р	905	HIS	-	expression tag	UNP Q91H74
Р	906	HIS	-	expression tag	UNP Q91H74
P	907	HIS	-	expression tag	UNP Q91H74
Р	908	HIS	-	expression tag	UNP Q91H74
Р	909	HIS	-	expression tag	UNP Q91H74

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference	
Р	910	HIS	-	expression tag	UNP $Q91H74$	

• Molecule 2 is a RNA chain called RNA (30-mer).

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
2	В	19	Total	С	Ν	0	Р	0	0	0
	2 D 12	12	251	113	42	84	12	0	0	0
0	F	12	Total	С	Ν	Ο	Р	0	0	0
	Ľ	13	273	123	47	90	13	0	0	0
0	Ц	10	Total	С	Ν	0	Р	0	0	0
	H 12	12	251	113	42	84	12	0		
0	K	16	Total	С	Ν	Ο	Р	0	0	0
	Γ	10	336	152	60	109	15	0	0	0
9	N	10	Total	С	Ν	Ο	Р	0	0	0
	11	19	401	181	73	129	18	0	0	0
2	0	19	Total	С	Ν	0	Р	0	0	0
	V V	12	251	113	42	84	12	0	0	0

• Molecule 3 is a RNA chain called RNA (9-mer).

Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf	Trace
3	С	9	Total	C 87	N 36	0 63	P 0	0	0	0
2	F	0	Total	C	N	03	P P	0	0	0
0	Ľ	Г 9	195	87	36	63	9	0	0	0
3	I	9	Total	С	Ν	Ο	Р	0	0	0
	-		195	87	36	63	9	Ŭ		, 
3	L	9	Total	С	Ν	Ο	Р	0	0	0
	E	0	194	87	36	62	9	Ŭ		0
3	0	9	Total	С	Ν	Ο	Р	0	0	Ο
3 0	5	195	87	36	63	9	0	0	0	
3	В	0	Total	С	Ν	Ο	Р	0	0	0
່ <u>ວ</u>	n	9	195	87	36	63	9		U	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	2	Total Mg 2 2	0	0
4	D	2	Total Mg 2 2	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	2	Total Mg 2 2	0	0
4	J	2	Total Mg 2 2	0	0
4	М	2	Total Mg 2 2	0	0
4	Р	2	Total Mg 2 2	0	0

• Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	2	Total Zn 2 2	0	0
5	D	2	Total Zn 2 2	0	0
5	G	2	Total Zn 2 2	0	0
5	J	2	Total Zn 2 2	0	0
5	М	2	Total Zn 2 2	0	0
5	Р	2	Total Zn 2 2	0	0

• Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	D	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Ε	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Ε	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	Н	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	J	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	K	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	М	1	$\begin{array}{c cc} Total & C & O \\ 6 & 3 & 3 \end{array}$	0	0

• Molecule 7 is CYTIDINE-5'-TRIPHOSPHATE (three-letter code: CTP) (formula:  $C_9H_{16}N_3O_{14}P_3$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues		At	oms	5		ZeroOcc	AltConf
7	Δ	1	Total	С	Ν	Ο	Р	0	0
1	Л	T	29	9	3	14	3	0	0
7	л	1	Total	С	Ν	Ο	Р	0	0
1	D	T	29	9	3	14	3		0
7	C	1	Total	С	Ν	Ο	Р	0	0
1	I G	1	29	9	3	14	3		
7	T	1	Total	С	Ν	Ο	Р	0	0
1	0		29	9	3	14	3		0
7	М	1	Total	С	Ν	Ο	Р	0	0
1 11	1	29	9	3	14	3	0	0	
7	D	1	Total	С	Ν	Ο	Р	0	0
7	1		29	9	3	14	3		0

• Molecule 8 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	98	Total O 98 98	0	0
8	В	6	Total O 6 6	0	0
8	С	3	Total O 3 3	0	0
8	D	111	Total O 111 111	0	0
8	Е	8	Total O 8 8	0	0
8	F	5	Total O 5 5	0	0
8	G	74	Total O 74 74	0	0
8	Н	2	Total O 2 2	0	0
8	Ι	2	Total O 2 2	0	0
8	J	68	Total O 68 68	0	0
8	K	2	Total O 2 2	0	0
8	L	1	Total O 1 1	0	0
8	М	84	Total         O           84         84	0	0
8	Ν	7	Total O 7 7	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	О	4	Total O 4 4	0	0
8	Р	18	Total O 18 18	0	0
8	R	1	Total O 1 1	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: NS5



ASN ILE GLY

D808

H634 L635

Chain M:

ASN



V637 T620 1685 1686 1722



# 



• Molecule 1: NS5



• Molecule 2: RNA (30-mer)





0 0 0 4 0 4 D 0 4 4 4 D 0 1	C C C C C C C C C C C C C C C C C C C		
• Molecule 2: RNA	(30-mer)		
Chain K:	40%	10% •	47%
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	C C C C C C C C C C C C C C C C C C C		
• Molecule 2: RNA	(30-mer)		
Chain N:	43%	20%	37%
0381 0381 19882 0383 19883 1988 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	C395 C395 A997 A998 A998 C399 C3998 C3998 C3998 A1001 H1002 A1003 A1003 C1003		
• Molecule 2: RNA	(30-mer)		
Chain Q:	37% •	60%	
0 0 0 4 0 4 D 0 4 4 4 D 0 5	C C C C C C C C C C C C C C C C C C C		
• Molecule 3: RNA	(9-mer)		
Chain C:	56%		44%
C1093 C1094 A1097 U1098 U1101			
• Molecule 3: RNA	(9-mer)		
Chain F:		100%	
<ul><li>There are no outlier</li><li>Molecule 3: RNA</li></ul>	residues recorde (9-mer)	d for this chain.	
Chain I:		89%	11%
G1093 G1094 U1101			
• Molecule 3: RNA	(9-mer)		
Chain L:		100%	
		PROTEIN DATA BANK	

There are no outlier residues recorded for this chain.

• Molecule 3: RNA (9-mer)

Chain O:	89%	11%
01098 01101		
• Molecule 3: RNA (9-mer)		
Chain R:	89%	11%
<b>1098</b> <b>11098</b> <b>11101</b>		



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	139.43Å 154.58Å 172.35Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $94.68^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	48.84 - 2.58	Depositor
Resolution (A)	48.84 - 2.57	EDS
% Data completeness	99.6 (48.84-2.58)	Depositor
(in resolution range)	99.5(48.84 - 2.57)	EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.60 (at 2.58 \text{\AA})$	Xtriage
Refinement program	PHENIX 1.19	Depositor
P. P.	0.191 , 0.221	Depositor
$n, n_{free}$	0.192 , $0.221$	DCC
$R_{free}$ test set	11578 reflections $(5.02\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	58.3	Xtriage
Anisotropy	0.116	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , $52.2$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	32878	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.50% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CTP, GOL, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
MOI	Unain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.43	0/5031	0.65	0/6822	
1	D	0.44	0/5093	0.66	0/6898	
1	G	0.40	0/5033	0.62	0/6832	
1	J	0.43	1/5037~(0.0%)	0.62	0/6836	
1	М	0.44	0/5047	0.63	0/6846	
1	Р	0.35	0/4649	0.57	0/6345	
2	В	0.82	0/279	1.45	3/431~(0.7%)	
2	Е	0.75	0/304	1.25	2/470~(0.4%)	
2	Н	0.79	1/279~(0.4%)	1.04	0/431	
2	Κ	1.54	6/374~(1.6%)	1.52	8/578~(1.4%)	
2	Ν	0.59	0/447	1.03	0/692	
2	Q	0.58	0/279	1.03	0/431	
3	С	0.85	0/218	1.37	2/336~(0.6%)	
3	F	0.80	0/218	1.13	0/336	
3	Ι	0.85	0/218	1.16	1/336~(0.3%)	
3	L	0.73	0/217	1.12	0/334	
3	0	0.83	0/218	1.08	0/336	
3	R	0.85	0/218	1.31	0/336	
All	All	0.48	8/33159~(0.0%)	0.72	16/45626~(0.0%)	

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	Κ	996	С	C2-O2	14.76	1.37	1.24
2	Κ	996	С	C4-N4	13.36	1.46	1.33
2	Κ	996	С	N1-C6	11.00	1.43	1.37
2	Κ	996	С	C5-C6	8.89	1.41	1.34
2	Κ	996	С	N3-C4	8.61	1.40	1.33
2	Н	999	С	O3'-P	-6.59	1.53	1.61
1	J	450	CYS	CB-SG	5.53	1.91	1.82
2	К	996	С	C2-N3	5.46	1.40	1.35



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	$Ideal(^{o})$
2	Κ	996	С	C5-C6-N1	13.90	127.95	121.00
2	Κ	996	С	C4-C5-C6	-12.43	111.18	117.40
2	Κ	996	С	C6-N1-C2	-9.76	116.40	120.30
2	Е	1000	G	N3-C2-N2	7.39	125.08	119.90
2	Е	1000	G	N1-C6-O6	-7.25	115.55	119.90
2	В	1008	С	C6-N1-C2	-7.22	117.41	120.30
2	Κ	996	С	C5-C4-N4	-6.59	115.59	120.20
3	С	1094	G	C2-N3-C4	-6.10	108.85	111.90
2	В	1006	А	N1-C6-N6	-6.05	114.97	118.60
2	Κ	1003	U	N3-C4-O4	-5.41	115.61	119.40
2	В	1006	А	C5-N7-C8	5.27	106.53	103.90
3	Ι	1094	G	C2-N3-C4	-5.23	109.29	111.90
2	Κ	1003	U	O5'-P-OP2	5.18	116.92	110.70
2	K	996	С	N3-C2-O2	5.04	125.42	121.90
3	С	1101	U	N1-C2-O2	-5.03	119.28	122.80
2	К	996	С	N1-C2-O2	-5.02	115.89	118.90

All (16) bond angle outliers are listed below:

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4913	0	4699	46	0
1	D	4973	0	4775	57	0
1	G	4913	0	4657	51	0
1	J	4917	0	4659	69	0
1	М	4929	0	4688	67	0
1	Р	4537	0	3973	92	0
2	В	251	0	129	2	0
2	Е	273	0	140	2	0
2	Н	251	0	129	2	0
2	K	336	0	175	3	0
2	Ν	401	0	208	2	0
2	Q	251	0	129	1	0



7XI	)9
7XI	90

	Choin	Non H	$\frac{page}{\mathbf{H}(\mathbf{modol})}$	H(addad)	Clashes	Symm Clashog
	Cliain	101-11				Symm-Clashes
<u>う</u>		195	0	97	1	0
う 2	Г Т	195	0	97	0	0
<u> </u>	I T	195	0	97	0	0
<u>う</u>		194	0	97	1	0
<u> </u>	D	195	0	97	1	0
3	R A	195	0	97	1	0
4	A	2	0	0	0	0
4	D	2	0	0	0	0
4	G	2	0	0	0	0
4	J	2	0	0	0	0
4		2	0	0	0	0
4	Г	2	0	0	0	0
5	A	2	0	0	0	0
5	D	2	0	0	0	0
5	G	2	0	0	0	0
5	J	2	0	0	0	0
5		2	0	0	0	0
0	Г	10	0	16	0	0
0	A D	12	0	10	0	0
6	D F	24 19	0		1	0
6	 Ц	6	0	10	1	0
6	II	6	0	8	0	0
6	J K	6	0	8	0	0
6	M	6	0	8	0	0
		20	0	19	2	0
7	D A	29	0	12	1	0
7	C D	20	0	12	0	0
7	U I	20	0	12	1	0
7	M	20	0	12	0	0
7	P	29	0	12	0	0
8	A	98	0	0	1	0
8	R	6	0	0	0	0
8	C	3	0	0	0	0
8	D	111	0	0	2	0
8	E	8	0	0	0	0
8	F	5	0	0	0	0
8	G	74	0	0	1	0
8	H	2	0	0	0	0
8	J	2	0	0	0	0
8	J	68	0	0	1	0
8	K	2	0	0	0	0
	1		=	-	-	=

Contin d fr onic



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	L	1	0	0	0	0
8	М	84	0	0	1	0
8	Ν	7	0	0	0	0
8	0	4	0	0	0	0
8	Р	18	0	0	1	0
8	R	1	0	0	0	0
All	All	32878	0	29111	382	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (382) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:J:389:LYS:HE2	1:J:502:ASN:HD22	1.17	1.08
1:J:521:ASP:HA	1:J:524:LYS:HE2	1.59	0.84
1:M:344:THR:HG21	1:M:471:SER:HB2	1.59	0.83
1:P:309:TYR:HE1	1:P:592:ILE:HD11	1.46	0.81
1:P:475:TRP:HZ3	1:P:576:LYS:HD2	1.45	0.79
1:M:753:CYS:HB3	1:M:789:PRO:HG3	1.66	0.76
1:G:554:THR:HG21	1:G:566:GLU:HG3	1.67	0.75
1:D:727:PRO:HG3	1:D:765:MET:HE3	1.67	0.74
1:J:658:MET:HG2	1:J:667:VAL:HG13	1.69	0.74
1:P:778:ALA:HA	1:P:883:MET:HE1	1.70	0.72
1:D:410:GLY:HA3	1:D:478:TRP:HA	1.72	0.72
1:G:365:GLU:OE2	1:G:371:LYS:NZ	2.20	0.72
1:J:819:GLN:O	1:J:827:LYS:NZ	2.24	0.71
1:A:348:PRO:HB2	1:A:583:PRO:HD3	1.73	0.71
1:P:392:ARG:NH2	1:P:495:ASP:OD1	2.25	0.70
1:M:620:ILE:HA	1:M:623:MET:HE2	1.72	0.70
1:J:402:LYS:NZ	2:K:1003:U:OP2	2.25	0.68
1:M:720:ASP:OD2	1:M:722:ARG:NH2	2.26	0.68
1:J:389:LYS:HE2	1:J:502:ASN:ND2	2.01	0.67
1:M:717:ILE:HD13	1:M:723:VAL:HG22	1.75	0.67
1:J:557:MET:HE2	1:J:562:LYS:HA	1.77	0.67
1:G:455:MET:HE1	2:H:999:C:H4'	1.76	0.66
1:P:349:PHE:O	1:P:353:ARG:HG3	1.96	0.66
1:J:653:GLU:OE2	1:J:657:ARG:NH1	2.28	0.65
1:P:573:TYR:O	1:P:576:LYS:NZ	2.21	0.65
1:G:396:ARG:HG2	1:G:432:TRP:CZ3	2.32	0.65
1:G:382:TRP:CZ2	1:G:553:VAL:HG22	2.32	0.64



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:663:ASP:HB3	7:A:1007:CTP:H5'2	1.79	0.64
1:P:337:MET:HG2	8:P:1110:HOH:O	1.97	0.64
1:A:753:CYS:HB3	1:A:789:PRO:HG3	1.78	0.64
1:M:393:MET:HE1	1:M:439:ARG:HH21	1.63	0.64
1:A:526:GLU:O	1:A:657:ARG:NH2	2.21	0.64
1:J:824:MET:O	1:J:827:LYS:HE2	1.97	0.64
1:J:396:ARG:HG2	1:J:432:TRP:CZ3	2.32	0.64
1:P:377:THR:HG22	1:P:647:LEU:HD11	1.80	0.64
1:D:333:ASP:HB3	6:M:1005:GOL:H11	1.80	0.63
1:D:649:ARG:HG3	1:D:650:VAL:HG13	1.80	0.63
1:P:551:GLU:HA	1:P:569:PHE:CD2	2.33	0.63
1:A:763:SER:O	1:A:767:PHE:HB3	1.99	0.62
1:J:644:LYS:O	1:J:648:VAL:HG23	2.00	0.62
1:M:526:GLU:O	1:M:657:ARG:NH2	2.29	0.62
1:J:806:THR:HG21	1:J:885:SER:HB3	1.82	0.62
1:P:550:GLU:OE2	1:P:613:THR:OG1	2.18	0.61
1:P:785:SER:HB2	1:P:802:GLU:HG2	1.82	0.61
1:D:268:GLU:HA	1:D:362:ARG:HG2	1.82	0.61
1:D:557:MET:HE2	1:D:562:LYS:HA	1.82	0.61
1:P:400:THR:HG22	1:P:426:VAL:HG13	1.83	0.61
1:P:806:THR:HG21	1:P:885:SER:OG	2.02	0.60
1:J:367:LYS:HD3	1:J:633:GLN:HG3	1.83	0.60
1:J:550:GLU:OE1	1:J:599:ARG:NH2	2.35	0.60
1:P:669:PRO:HG3	1:P:674:PHE:HB2	1.82	0.60
1:J:372:LYS:O	1:J:376:ILE:HD12	2.02	0.59
1:D:873:LEU:HD22	1:M:873:LEU:HD22	1.83	0.59
1:P:770:ARG:HB2	1:P:851:ILE:HD11	1.84	0.59
1:G:447:CYS:SG	1:G:450:CYS:HB2	2.43	0.59
1:D:605:VAL:HB	1:D:609:LEU:HG	1.85	0.59
1:P:350:GLY:O	1:P:354:VAL:HG23	2.02	0.59
1:J:365:GLU:OE2	1:J:371:LYS:NZ	2.33	0.58
1:G:768:HIS:CD2	1:G:768:HIS:H	2.20	0.58
1:J:806:THR:HA	1:J:809:MET:HE2	1.85	0.58
1:D:599:ARG:HD2	1:D:606:THR:HA	1.85	0.58
1:G:554:THR:HG22	1:G:557:MET:HE3	1.84	0.58
1:P:344:THR:HG21	1:P:471:SER:HB3	1.86	0.58
1:P:410:GLY:HA3	1:P:478:TRP:HA	1.84	0.58
1:G:358:LYS:NZ	8:G:1102:HOH:O	2.36	0.58
1:J:554:THR:HG21	1:J:566:GLU:HG3	1.85	0.58
1:M:646:TRP:CZ2	1:M:654:ARG:HG3	2.39	0.58
1:J:396:ARG:NH2	1:J:436:ASP:OD1	2.35	0.58



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:J:541:ARG:HG3	1:J:541:ARG:HH11	1.68	0.58
1:G:521:ASP:HA	1:G:524:LYS:HD3	1.85	0.58
1:G:644:LYS:O	1:G:648:VAL:HG23	2.03	0.58
2:B:1007:U:H2'	2:B:1008:C:C6	2.39	0.57
1:D:621:ARG:HG2	1:D:674:PHE:CE2	2.39	0.57
1:P:611:THR:HG23	1:P:660:ILE:HG22	1.85	0.57
1:A:365:GLU:OE2	1:A:371:LYS:NZ	2.37	0.57
1:P:551:GLU:HA	1:P:569:PHE:CE2	2.40	0.57
1:A:636:THR:OG1	1:A:639:GLU:HG3	2.05	0.57
1:A:646:TRP:CZ2	1:A:654:ARG:HG3	2.40	0.57
1:A:353:ARG:HH12	1:A:470:GLY:H	1.51	0.57
1:P:355:PHE:HA	1:P:359:VAL:HB	1.86	0.57
1:P:658:MET:HG2	1:P:667:VAL:HG22	1.87	0.57
1:P:733:GLU:HB3	1:P:737:ARG:NH1	2.20	0.57
1:P:752:ALA:HB1	1:P:783:VAL:HG13	1.86	0.57
1:G:526:GLU:O	1:G:657:ARG:NH2	2.35	0.56
1:J:409:LEU:HD21	1:J:419:TRP:HB2	1.86	0.56
1:J:475:TRP:O	1:J:602:GLY:HA3	2.04	0.56
1:P:293:HIS:HE1	1:P:295:ASP:HB2	1.71	0.56
1:D:888:ARG:HD2	1:D:889:PHE:CZ	2.41	0.56
1:A:334:ILE:HG23	1:P:466:GLY:HA2	1.88	0.56
1:A:680:ALA:O	1:A:684:MET:HG3	2.06	0.55
1:A:695:GLU:HG2	1:D:693:GLN:NE2	2.22	0.55
1:M:280:ARG:HG3	8:M:1103:HOH:O	2.04	0.55
1:M:400:THR:HG23	1:M:426:VAL:HG11	1.87	0.55
1:D:605:VAL:HG21	1:D:609:LEU:HD12	1.89	0.55
1:P:746:TRP:CH2	1:P:748:LEU:HB2	2.41	0.55
1:A:472:ARG:NH2	7:A:1007:CTP:O3A	2.40	0.55
1:J:599:ARG:HD3	1:J:606:THR:HA	1.88	0.55
1:P:453:ASN:ND2	1:P:579:ARG:HD2	2.21	0.55
1:P:396:ARG:HH12	1:P:432:TRP:HB3	1.72	0.55
1:A:441:LEU:HD13	1:A:448:GLU:HG3	1.88	0.54
1:J:550:GLU:CD	1:J:599:ARG:HH22	2.09	0.54
1:M:624:GLU:HB2	1:M:629:PHE:CZ	2.42	0.54
1:P:770:ARG:HD2	1:P:851:ILE:HD13	1.89	0.54
1:P:396:ARG:NH1	1:P:432:TRP:HB3	2.22	0.54
1:P:489:LEU:O	1:P:492:LEU:HD12	2.08	0.54
1:P:483:PHE:HD2	1:P:484:LEU:HD23	1.73	0.54
1:P:516:GLY:C	1:P:725:VAL:HG11	2.28	0.54
1:P:551:GLU:HG3	1:P:569:PHE:HD2	1.73	0.54
1:A:718:MET:HA	1:A:837:PRO:HG3	1.90	0.54



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	$ ext{overlap} (\text{\AA})$
1:G:729:ARG:HD3	1:G:734:LEU:HD21	1.90	0.54
1:G:393:MET:HG2	1:G:561:HIS:CD2	2.43	0.54
1:J:781:SER:HB3	1:J:882:TYR:H	1.72	0.54
1:A:873:LEU:HD22	1:P:873:LEU:HD22	1.89	0.53
1:M:756:LYS:O	1:M:760:GLN:HG3	2.08	0.53
1:J:395:THR:HG22	1:J:397:GLU:H	1.73	0.53
1:J:623:MET:HG3	1:J:646:TRP:CZ3	2.43	0.53
1:M:605:VAL:HB	1:M:609:LEU:HG	1.90	0.53
1:P:851:ILE:HA	1:P:856:ARG:HD2	1.91	0.53
1:M:348:PRO:HB2	1:M:583:PRO:HG3	1.91	0.52
1:M:718:MET:HA	1:M:837:PRO:HG3	1.91	0.52
1:D:646:TRP:CZ2	1:D:654:ARG:HG2	2.44	0.52
1:J:599:ARG:HD2	1:J:610:ASN:OD1	2.09	0.52
1:M:546:ASP:OD2	1:M:686:LYS:NZ	2.43	0.52
1:D:285:LYS:O	1:D:289:GLU:HG2	2.08	0.52
1:D:763:SER:O	1:D:767:PHE:HB3	2.10	0.52
1:J:820:GLU:O	1:J:822:PRO:HD3	2.09	0.52
1:M:644:LYS:O	1:M:648:VAL:HG23	2.10	0.52
1:P:377:THR:HA	1:P:647:LEU:HD21	1.92	0.52
1:J:733:GLU:HB3	1:J:737:ARG:NH1	2.24	0.52
1:P:485:GLU:HA	1:P:568:ILE:HD13	1.92	0.52
1:J:786:HIS:CD2	1:J:802:GLU:HG2	2.45	0.52
1:A:621:ARG:HD3	1:A:674:PHE:CZ	2.45	0.52
1:G:412:ILE:HD12	1:G:579:ARG:HD3	1.92	0.52
1:P:492:LEU:HA	1:P:497:TRP:CD1	2.45	0.52
1:A:337:MET:HG2	8:A:1179:HOH:O	2.09	0.51
1:A:614:ASN:O	1:A:618:GLN:HG2	2.10	0.51
1:P:792:ARG:HH21	3:R:1098:U:P	2.33	0.51
1:G:621:ARG:HD3	1:G:674:PHE:CZ	2.45	0.51
1:G:746:TRP:CH2	1:G:748:LEU:HB2	2.46	0.51
1:M:727:PRO:HG3	1:M:765:MET:HE3	1.92	0.51
1:A:881:ASP:OD2	1:A:884:PRO:HD3	2.11	0.51
1:D:786:HIS:CD2	1:D:802:GLU:HG2	2.45	0.51
1:D:746:TRP:CH2	1:D:748:LEU:HB2	2.45	0.51
1:A:635:LEU:HD23	1:A:640:GLU:HG2	1.92	0.51
1:A:371:LYS:HA	1:A:374:MET:HE2	1.91	0.51
1:G:753:CYS:HB3	1:G:789:PRO:HG3	1.92	0.51
1:P:452:TYR:OH	1:P:603:GLN:NE2	2.33	0.51
1:G:733:GLU:HB3	1:G:737:ARG:NH1	2.26	0.50
1:D:354:VAL:HG11	1:D:472:ARG:HA	1.94	0.50
1:J:498:PHE:HA	1:J:503:SER:HB3	1.94	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:J:670:LEU:HD23	1:J:671:ASP:OD2	2.11	0.50
1:D:370:THR:O	1:D:374:MET:HG3	2.11	0.50
1:P:718:MET:HE2	1:P:813:TRP:HH2	1.76	0.50
1:A:277:ILE:HD12	1:A:281:ILE:HD11	1.94	0.50
1:A:692:GLN:HB2	1:A:695:GLU:HB2	1.94	0.50
1:M:541:ABG:HD2	1:M:685:GLY:O	2.11	0.50
1:P:619:LEU:HD22	1:P:655:LEU:HD13	1.93	0.50
1:D:333:ASP:HB3	6:M:1005:GOL:C1	2.41	0.49
1:M:521:ASP:HA	1:M:524:LYS:HD2	1.93	0.49
1:P:271:THR:O	1:P:271:THR:OG1	2.30	0.49
1.P.396.ARG.O	$1 \cdot P \cdot 400 \cdot THR \cdot HG23$	2.12	0.49
1·P·475·TBP·CZ3	1.P.576·LYS·HD2	2.36	0.49
1:G:475:TBP:O	1:G:602:GLY:HA3	2.13	0.49
1:D:393:MET:HE1	1:D:439:ABG:HH21	1.76	0.49
1:A:460·LYS·NZ	1:A:740.ILE:O	2 45	0.49
1·P·431·PHE·O	1·P·435:VAL·HG23	2.12	0.49
1:P:718:MET:HA	1.P.837.PRO.HG3	1.94	0.49
1.G.808.ASP.OD1	6·H·1101·GOL·H32	2.13	0.49
1:J:358:LYS:NZ	8:J:1103:HOH:O	2.10	0.49
1:G:763:SEB:O	1·G·767·PHE·HB3	2.13	0.49
1:A:781:SEB:O	1.A.871.ABG.NH1	2.10	0.48
1·M·393·MET·HE1	1·M·439·ARG·NH2	2.27	0.48
1·M·374·MET·HB3	$1 \cdot M \cdot 549 \cdot ASN \cdot ND2$	2.28	0.48
1:G:475:TRP:CD1	1:G:475:TRP:N	2.79	0.48
1:G:348:PRO:HB2	1:G:583:PRO:HD3	1.94	0.48
1:D:452:TYR:HB2	1:D:578:VAL:HG22	1.96	0.48
1:J:733:GLU:HB3	1:J:737:ARG:HH12	1.79	0.48
1.D.475:TRP.N	1.D.475.TRP.CD1	2.81	0.48
1:P:488:ALA:HB1	1:P:565:ALA:HA	1.96	0.48
1:G:628:VAL:HG21	1:G:646:TRP:CD1	2.49	0.47
1:M:888:ARG:HD3	1:M:889:PHE:CZ	2.49	0.47
1:P:595:ABG:NE	1:P:597:ASP:OD1	2.46	0.47
1:A:303:TRP:CE3	1:A:595:ARG:HB2	2.49	0.47
1:M:514:LYS:HD3	1:M:823:TRP:HZ3	1.79	0.47
1:G:597:ASP:O	1:G:598:GLN:HB2	2.15	0.47
1:A:584:THR:HG22	1:A:587:GLY:O	2.14	0.47
1:P:457:LYS:HB3	1:P:472:ARG:HG2	1.96	0.47
1:D:597:ASP:O	1:D:598:GLN:HB2	2.14	0.47
1:J:650:VAL:O	1:J:654:ARG:HG2	2.15	0.47
1:M:314:THR:HG22	1:M:581:GLN:OE1	2.15	0.47
1:M:512:LEU:HD21	1:M:711:HIS:CE1	2.50	0.47



	<b>h h</b>	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:P:770:ARG:HD2	1:P:851:ILE:CD1	2.44	0.47
1:D:285:LYS:HG3	1:D:292:TRP:CD2	2.49	0.47
1:A:464:GLU:HG3	1:A:465:PHE:CD2	2.49	0.47
1:D:285:LYS:HG3	1:D:292:TRP:CE2	2.50	0.47
1:D:692:GLN:HG3	1:D:695:GLU:HB2	1.96	0.47
1:A:396:ARG:HD3	1:A:432:TRP:CE3	2.49	0.47
1:A:770:ARG:HG3	1:A:770:ARG:HH11	1.80	0.47
1:G:521:ASP:O	1:G:524:LYS:HB2	2.14	0.47
1:M:372:LYS:O	1:M:376:ILE:HG13	2.15	0.47
1:J:746:TRP:CH2	1:J:748:LEU:HB2	2.50	0.46
1:P:491:PHE:O	1:P:495:ASP:HB2	2.15	0.46
1:P:888:ARG:HD2	1:P:889:PHE:CZ	2.50	0.46
2:B:1000:G:H2'	2:B:1001:A:C8	2.50	0.46
1:D:637:VAL:O	1:D:641:ILE:HG12	2.15	0.46
1:J:768:HIS:CD2	1:J:768:HIS:H	2.32	0.46
1:M:731:GLN:HG3	1:M:735:ILE:HD12	1.97	0.46
1:P:768:HIS:CD2	1:P:768:HIS:H	2.32	0.46
1:J:374:MET:HG2	1:J:616:GLU:OE2	2.15	0.46
1:P:597:ASP:O	1:P:598:GLN:HB2	2.16	0.46
1:D:504:LEU:HD11	1:D:652:ARG:NH2	2.30	0.46
1:J:457:LYS:HB3	1:J:472:ARG:HG3	1.97	0.46
1:A:579:ARG:HG2	1:A:590:MET:SD	2.56	0.46
1:A:631:SER:HB2	1:D:465:PHE:CZ	2.50	0.46
1:J:475:TRP:CD1	1:J:475:TRP:N	2.84	0.46
1:M:396:ARG:HD3	1:M:432:TRP:CE3	2.50	0.46
1:P:389:LYS:HE2	1:P:389:LYS:HB2	1.68	0.46
1:G:546:ASP:OD2	1:G:686:LYS:NZ	2.39	0.46
1:G:873:LEU:HD22	1:J:873:LEU:HD22	1.97	0.46
1:M:475:TRP:O	1:M:602:GLY:HA3	2.15	0.46
1:J:461:LYS:HD2	1:J:461:LYS:HA	1.90	0.46
1:J:505:SER:OG	1:J:658:MET:HB2	2.16	0.46
1:M:746:TRP:CH2	1:M:748:LEU:HB2	2.49	0.46
1:A:505:SER:HB2	1:A:615:MET:HE3	1.98	0.46
1:D:753:CYS:HB3	1:D:789:PRO:HG3	1.98	0.46
1:M:533:ASP:OD2	1:M:697:SER:OG	2.29	0.46
1:D:395:THR:OG1	1:D:398:GLU:HB2	2.15	0.45
1:P:399:PHE:O	1:P:403:VAL:HG22	2.16	0.45
1:P:718:MET:HE1	1:P:818:ILE:HD11	1.98	0.45
1:J:539:ASP:OD1	1:J:539:ASP:N	2.49	0.45
1:A:764:LEU:HD13	1:A:812:VAL:HG12	1.99	0.45
3:C:1097:A:H2'	3:C:1098:U:O4'	2.16	0.45



	A L O	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:M:419:TRP:HD1	1:M:424:GLU:HG2	1.81	0.45
1:M:539:ASP:OD1	1:M:539:ASP:N	2.46	0.45
1:M:612:PHE:HA	1:M:615:MET:HE2	1.98	0.45
1:P:733:GLU:HB3	1:P:737:ARG:HH12	1.82	0.45
1:J:503:SER:C	1:J:505:SER:H	2.20	0.45
1:M:556:HIS:N	1:M:556:HIS:CD2	2.84	0.45
1:P:881:ASP:OD2	1:P:884:PRO:HD3	2.17	0.45
1:D:300:TYR:OH	1:D:591:ASP:OD2	2.29	0.45
1:M:396:ARG:HH22	1:M:436:ASP:CG	2.19	0.45
2:K:1003:U:H2'	2:K:1004:A:C8	2.52	0.45
1:M:544:LEU:O	1:M:548:LYS:HG3	2.16	0.45
1:P:655:LEU:HD12	1:P:655:LEU:HA	1.79	0.45
1:J:688:ARG:HE	1:J:688:ARG:HB2	1.56	0.45
1:P:413:PHE:HB2	1:P:416:GLU:HG3	1.98	0.45
1:P:703:TRP:HA	1:P:706:VAL:HG23	1.98	0.45
1:M:523:SER:O	1:M:668:LYS:NZ	2.48	0.45
1:D:410:GLY:CA	1:D:478:TRP:HA	2.45	0.45
1:D:466:GLY:HA2	1:M:334:ILE:HG23	1.98	0.45
1:J:395:THR:HB	1:J:398:GLU:H	1.82	0.45
1:M:646:TRP:CH2	1:M:654:ARG:HG3	2.53	0.44
1:P:380:TRP:HB2	1:P:647:LEU:HD23	1.99	0.44
1:P:512:LEU:HA	1:P:515:LEU:HD22	1.99	0.44
1:D:557:MET:HB3	1:D:557:MET:HE3	1.85	0.44
1:G:572:THR:O	1:G:576:LYS:HG2	2.17	0.44
1:J:541:ARG:NH1	1:J:687:VAL:HG22	2.32	0.44
1:J:621:ARG:HD3	1:J:674:PHE:CZ	2.53	0.44
1:M:344:THR:O	1:M:458:ARG:NH1	2.50	0.44
1:M:763:SER:O	1:M:767:PHE:HB3	2.18	0.44
1:D:849:SER:OG	1:D:851:ILE:HG12	2.17	0.44
1:J:628:VAL:HG21	1:J:646:TRP:CD1	2.52	0.44
1:P:622:GLN:HE22	1:P:657:ARG:HG3	1.82	0.44
1:J:454:MET:HE3	1:J:578:VAL:HG11	1.98	0.44
1:M:374:MET:HE2	1:M:546:ASP:OD1	2.18	0.44
1:P:453:ASN:HB2	1:P:476:TYR:O	2.17	0.44
1:A:475:TRP:CD1	1:A:475:TRP:N	2.85	0.44
1:G:303:TRP:CE3	1:G:593:ILE:HD12	2.53	0.44
1:G:764:LEU:HG	1:G:765:MET:HE2	2.00	0.44
2:H:1007:U:H2'	2:H:1008:C:C6	2.52	0.44
1:A:786:HIS:CD2	1:A:802:GLU:HG2	2.53	0.44
1:G:550:GLU:O	1:G:553:VAL:HG23	2.17	0.44
1:J:621:ARG:HH22	1:J:697:SER:HG	1.60	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:J:718:MET:HA	1:J:837:PRO:HG3	1.99	0.44
1:D:602:GLY:HA2	2:E:1000:G:N3	2.33	0.43
1:G:646:TRP:CZ2	1:G:654:ARG:HG3	2.53	0.43
1:J:298:HIS:HD2	1:J:300:TYR:H	1.65	0.43
1:P:568:ILE:HA	1:P:572:THR:CG2	2.48	0.43
1:G:384:GLU:OE1	1:G:387:LYS:NZ	2.48	0.43
1:G:281:ILE:HD13	1:G:306:HIS:CD2	2.53	0.43
1:D:663:ASP:CB	7:D:1009:CTP:H5'1	2.48	0.43
1:M:768:HIS:CD2	1:M:768:HIS:H	2.34	0.43
1:D:729:ARG:HD3	1:D:734:LEU:HD21	2.01	0.43
1:J:844:ASP:OD1	1:J:849:SER:HB2	2.19	0.43
1:P:309:TYR:OH	1:P:579:ARG:NH2	2.51	0.43
1:D:549:ASN:HA	1:D:552:MET:HE2	2.00	0.43
1:J:623:MET:O	1:J:627:GLY:N	2.51	0.43
1:M:615:MET:HE2	1:M:615:MET:HB2	1.65	0.43
1:P:475:TRP:CD1	1:P:475:TRP:N	2.87	0.43
1:P:505:SER:HB2	1:P:615:MET:CE	2.49	0.43
1:P:678:LEU:HD13	1:P:688:ARG:NH2	2.34	0.43
1:M:312:LYS:O	1:M:581:GLN:NE2	2.50	0.43
1:P:763:SER:O	1:P:767:PHE:HB3	2.19	0.43
1:A:756:LYS:HD3	1:A:803:TRP:CE3	2.54	0.42
1:G:382:TRP:CH2	1:G:553:VAL:HG22	2.54	0.42
2:N:1000:G:H2'	2:N:1001:A:C8	2.54	0.42
1:P:703:TRP:HH2	1:P:725:VAL:HG22	1.84	0.42
1:D:348:PRO:HG3	1:D:581:GLN:OE1	2.19	0.42
1:D:635:LEU:HD12	1:D:635:LEU:HA	1.84	0.42
1:G:570:LYS:HA	1:G:574:GLN:HG2	2.01	0.42
1:M:337:MET:SD	1:M:337:MET:N	2.90	0.42
1:M:452:TYR:HB2	1:M:578:VAL:HG22	2.01	0.42
1:P:658:MET:HG2	1:P:667:VAL:HG13	2.01	0.42
1:A:820:GLU:O	1:A:822:PRO:HD3	2.20	0.42
1:D:308:SER:HA	1:D:590:MET:O	2.20	0.42
1:G:366:PRO:O	1:G:371:LYS:HE2	2.19	0.42
1:D:337:MET:HG2	8:D:1181:HOH:O	2.19	0.42
1:J:760:GLN:HE21	1:J:760:GLN:HB2	1.62	0.42
1:M:371:LYS:HG2	1:M:545:GLU:HG2	2.01	0.42
1:M:621:ARG:HG2	1:M:674:PHE:CE1	2.54	0.42
1:P:609:LEU:HA	1:P:609:LEU:HD23	1.62	0.42
1:P:702:ASP:OD1	1:P:703:TRP:N	2.53	0.42
1:A:605:VAL:HB	1:A:609:LEU:HG	2.00	0.42
1:A:806:THR:HA	1:A:809:MET:HE2	2.02	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:D:332:TRP:CE2	1:D:735:ILE:HD13	2.54	0.42
1:M:373:LEU:HD22	1:M:623:MET:CE	2.50	0.42
1:G:605:VAL:HB	1:G:609:LEU:HG	2.01	0.42
1:J:605:VAL:HB	1:J:609:LEU:HG	2.02	0.42
1:P:475:TRP:O	1:P:602:GLY:HA3	2.19	0.42
1:P:768:HIS:HB2	1:P:839:LEU:HG	2.02	0.42
1:D:475:TRP:O	1:D:602:GLY:HA3	2.20	0.42
1:G:505:SER:HB2	1:G:615:MET:HE3	2.01	0.42
1:G:809:MET:HB3	1:G:833:TRP:HZ2	1.85	0.42
1:G:438:GLU:HA	1:G:441:LEU:HD12	2.02	0.41
1:J:653:GLU:CD	1:J:657:ARG:NH1	2.74	0.41
1:M:475:TRP:CZ3	1:M:576:LYS:HD2	2.55	0.41
1:M:851:ILE:HA	1:M:856:ARG:HD2	2.02	0.41
1:P:505:SER:HB2	1:P:615:MET:HE2	2.01	0.41
1:A:280:ARG:O	1:A:284:ILE:HG13	2.20	0.41
1:D:806:THR:HG22	8:D:1187:HOH:O	2.19	0.41
1:G:658:MET:HG2	1:G:667:VAL:HG22	2.01	0.41
1:P:363:THR:HG21	1:P:543:THR:HG22	2.01	0.41
1:D:604:VAL:HA	2:E:1001:A:O2'	2.20	0.41
1:J:529:ALA:O	1:J:669:PRO:HD2	2.19	0.41
1:M:680:ALA:O	1:M:684:MET:HG3	2.20	0.41
1:P:416:GLU:HB3	1:P:478:TRP:CE3	2.55	0.41
1:A:770:ARG:HG3	1:A:844:ASP:OD2	2.21	0.41
1:M:784:PRO:HG2	1:M:787:TRP:CE2	2.56	0.41
1:M:792:ARG:HH21	3:O:1098:U:P	2.42	0.41
1:D:277:ILE:HD12	1:D:281:ILE:HD11	2.03	0.41
1:J:366:PRO:HB2	1:J:371:LYS:HG3	2.03	0.41
1:J:619:LEU:HD23	1:J:619:LEU:HA	1.89	0.41
1:J:653:GLU:OE1	1:J:657:ARG:NH1	2.53	0.41
1:P:377:THR:HG21	1:P:620:ILE:HG22	2.00	0.41
1:A:775:ALA:O	1:A:779:ILE:HG13	2.21	0.41
1:J:546:ASP:OD2	1:J:686:LYS:NZ	2.45	0.41
1:J:663:ASP:HB3	7:J:1006:CTP:C5'	2.51	0.41
1:J:764:LEU:HD11	1:J:816:VAL:CG2	2.51	0.41
2:K:1004:A:H2'	2:K:1005:U:C6	2.56	0.41
1:P:453:ASN:HD22	1:P:453:ASN:HA	1.57	0.41
1:G:382:TRP:CE2	1:G:553:VAL:HG22	2.55	0.41
1:M:609:LEU:HD23	1:M:609:LEU:HA	1.83	0.41
1:M:849:SER:OG	1:M:851:ILE:HG22	2.21	0.41
1:P:517:TYR:HB3	1:P:823:TRP:CE2	2.56	0.41
1:D:460:LYS:NZ	1:D:740:ILE:O	2.50	0.41



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:G:646:TRP:CH2	1:G:654:ARG:HG3	2.55	0.41
1:J:488:ALA:HB1	1:J:565:ALA:HB2	2.03	0.41
1:M:334:ILE:HD13	1:M:334:ILE:HG21	1.75	0.41
1:M:396:ARG:HD3	1:M:432:TRP:CZ3	2.56	0.41
1:D:285:LYS:HE3	1:D:292:TRP:CD1	2.56	0.41
1:D:488:ALA:HB1	1:D:565:ALA:HA	2.03	0.41
1:M:372:LYS:HE2	1:M:372:LYS:HB2	1.90	0.41
1:G:529:ALA:O	1:G:669:PRO:HD2	2.21	0.40
1:A:754:LEU:HD22	1:A:792:ARG:HG3	2.03	0.40
1:D:512:LEU:HB3	6:E:1102:GOL:H11	2.03	0.40
1:G:646:TRP:O	1:G:650:VAL:HG22	2.21	0.40
1:M:373:LEU:HD22	1:M:623:MET:HE1	2.02	0.40
2:N:1003:U:H2'	2:N:1004:A:C8	2.56	0.40
1:P:595:ARG:HG3	1:P:596:ARG:N	2.36	0.40
1:D:530:MET:CE	1:D:706:VAL:HG21	2.51	0.40
1:G:332:TRP:CE2	1:G:735:ILE:HD13	2.57	0.40
1:M:475:TRP:CD1	1:M:475:TRP:N	2.88	0.40
1:P:841:LYS:O	1:P:845:GLN:HG3	2.22	0.40
1:D:334:ILE:HG23	1:M:466:GLY:HA2	2.03	0.40
1:G:554:THR:HA	1:G:557:MET:CE	2.50	0.40
1:P:871:ARG:HG2	1:P:879:TYR:CD1	2.57	0.40
1:A:764:LEU:HG	1:A:765:MET:HE2	2.03	0.40
1:G:569:PHE:O	1:G:574:GLN:HG2	2.21	0.40
1:J:770:ARG:NH1	1:J:839:LEU:O	2.52	0.40
1:M:764:LEU:HD13	1:M:812:VAL:HG12	2.02	0.40
1:P:483:PHE:CD2	1:P:484:LEU:HD23	2.55	0.40
1:P:602:GLY:N	2:Q:1000:G:H21	2.20	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	619/647~(96%)	595~(96%)	23~(4%)	1 (0%)	47	69
1	D	620/647~(96%)	598~(96%)	22~(4%)	0	100	100
1	G	621/647~(96%)	603~(97%)	18 (3%)	0	100	100
1	J	623/647~(96%)	589~(94%)	34~(6%)	0	100	100
1	М	622/647~(96%)	600~(96%)	22~(4%)	0	100	100
1	Р	610/647~(94%)	565~(93%)	44 (7%)	1 (0%)	47	69
All	All	3715/3882~(96%)	3550 (96%)	163 (4%)	2(0%)	51	73

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	601	SER
1	Р	767	PHE

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	507/564~(90%)	500~(99%)	7 (1%)	67	84
1	D	520/564~(92%)	512 (98%)	8 (2%)	65	82
1	G	502/564~(89%)	492~(98%)	10 (2%)	55	76
1	J	504/564~(89%)	491 (97%)	13 (3%)	46	69
1	М	509/564~(90%)	497 (98%)	12 (2%)	49	72
1	Р	408/564 (72%)	388~(95%)	20 (5%)	25	46
All	All	2950/3384 (87%)	2880 (98%)	70 (2%)	49	72

All (70) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	358	LYS
1	А	367	LYS
1	А	475	TRP



Mol	Chain	Res	Type
1	А	478	TRP
1	А	534	ASP
1	А	664	ASP
1	А	715	GLU
1	D	356	LYS
1	D	472	ARG
1	D	475	TRP
1	D	599	ARG
1	D	664	ASP
1	D	698	ARG
1	D	741	SER
1	D	798	HIS
1	G	355	PHE
1	G	475	TRP
1	G	478	TRP
1	G	649	ARG
1	G	664	ASP
1	G	698	ARG
1	G	741	SER
1	G	792	ARG
1	G	869	GLN
1	G	885	SER
1	J	355	PHE
1	J	424	GLU
1	J	446	LYS
1	J	464	GLU
1	J	475	TRP
1	J	478	TRP
1	J	630	LYS
1	J	664	ASP
1	J	670	LEU
1	J	715	GLU
1	J	741	SER
1	J	781	SER
1	J	798	HIS
1	М	337	MET
1	М	364	GLN
1	М	455	MET
1	М	472	ARG
1	М	475	TRP
1	М	478	TRP
1	М	663	ASP



Mol	Chain	Res	Type
1	М	676	SER
1	М	731	GLN
1	М	737	ARG
1	М	798	HIS
1	М	869	GLN
1	Р	288	HIS
1	Р	316	SER
1	Р	355	PHE
1	Р	382	TRP
1	Р	393	MET
1	Р	409	LEU
1	Р	439	ARG
1	Р	447	CYS
1	Р	478	TRP
1	Р	572	THR
1	Р	579	ARG
1	Р	615	MET
1	Р	652	ARG
1	Р	664	ASP
1	Р	674	PHE
1	Р	676	SER
1	Р	741	SER
1	Р	806	THR
1	Р	826	ASP
1	Р	856	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	$\mathbf{Res}$	Type
1	А	273	ASN
1	А	286	GLN
1	А	298	HIS
1	А	417	ASN
1	А	633	GLN
1	D	273	ASN
1	D	417	ASN
1	D	634	HIS
1	D	645	ASN
1	D	742	GLN
1	D	777	ASN
1	D	786	HIS
1	G	306	HIS



Mol	Chain	Res	Type
1	G	352	GLN
1	G	555	ASN
1	G	633	GLN
1	G	645	ASN
1	G	798	HIS
1	J	293	HIS
1	J	298	HIS
1	J	502	ASN
1	J	760	GLN
1	J	801	HIS
1	М	313	GLN
1	М	556	HIS
1	Р	273	ASN
1	Р	351	GLN
1	Р	352	GLN
1	Р	440	ASN
1	Р	453	ASN
1	Р	549	ASN
1	Р	614	ASN
1	Р	622	GLN
1	Р	682	ASN
1	Р	845	GLN

## 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	В	11/30~(36%)	0	0
2	Е	12/30~(40%)	1 (8%)	0
2	Н	11/30~(36%)	0	0
2	Κ	14/30~(46%)	0	0
2	Ν	17/30~(56%)	2 (11%)	0
2	Q	11/30~(36%)	0	0
3	С	8/9~(88%)	0	0
3	F	8/9~(88%)	0	0
3	Ι	8/9~(88%)	1 (12%)	0
3	L	8/9~(88%)	0	0
3	0	8/9~(88%)	0	0
3	R	8/9~(88%)	0	0
All	All	124/234~(52%)	4 (3%)	0

All (4) RNA backbone outliers are listed below:



Mol	Chain	Res	Type
2	Ε	1000	G
3	Ι	1094	G
2	N	984	А
2	Ν	998	А

There are no RNA pucker outliers to report.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 42 ligands modelled in this entry, 24 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tinle	Bo	ond leng	gths Bond angles			les
	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	GOL	Е	1101	-	$5,\!5,\!5$	0.09	0	$5,\!5,\!5$	0.34	0
7	CTP	А	1007	4	$26,\!30,\!30$	1.11	1 (3%)	39,47,47	1.18	2 (5%)
6	GOL	Н	1101	-	$5,\!5,\!5$	1.06	0	$5,\!5,\!5$	1.08	0
6	GOL	D	1008	-	$5,\!5,\!5$	0.07	0	$5,\!5,\!5$	0.28	0
7	CTP	J	1006	4	26,30,30	0.55	0	39,47,47	0.59	0
7	CTP	М	1006	4	26,30,30	0.54	0	39,47,47	0.53	0
6	GOL	А	1005	-	$5,\!5,\!5$	1.01	0	$5,\!5,\!5$	1.00	0
6	GOL	J	1005	-	$5,\!5,\!5$	0.08	0	$5,\!5,\!5$	0.34	0
7	CTP	D	1009	4	26,30,30	0.53	0	39,47,47	0.53	0
7	CTP	Р	1005	4	$26,\!30,\!30$	0.55	0	$39,\!47,\!47$	0.52	0
6	GOL	М	1005	-	$5,\!5,\!5$	0.12	0	$5,\!5,\!5$	0.36	0
6	GOL	D	1007	-	$5,\!5,\!5$	0.09	0	$5,\!5,\!5$	0.32	0
7	CTP	G	1005	4	26,30,30	0.55	0	39,47,47	0.52	0



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm sths}$	В	ond ang	les
IVIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
6	GOL	D	1006	-	$5,\!5,\!5$	0.10	0	$5,\!5,\!5$	0.28	0
6	GOL	D	1005	-	$5,\!5,\!5$	0.08	0	$5,\!5,\!5$	0.33	0
6	GOL	А	1006	-	$5,\!5,\!5$	0.08	0	$5,\!5,\!5$	0.32	0
6	GOL	K	1101	-	$5,\!5,\!5$	0.09	0	$5,\!5,\!5$	0.30	0
6	GOL	Е	1102	-	$5,\!5,\!5$	0.13	0	$5,\!5,\!5$	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	$\mathbf{Res}$	Link	Chirals	Torsions	Rings
6	GOL	Е	1101	-	-	4/4/4/4	-
7	CTP	А	1007	4	-	4/22/38/38	0/2/2/2
6	GOL	Н	1101	-	-	1/4/4/4	-
6	GOL	D	1008	-	-	0/4/4/4	-
7	CTP	J	1006	4	-	6/22/38/38	0/2/2/2
7	CTP	М	1006	4	-	6/22/38/38	0/2/2/2
6	GOL	А	1005	-	-	1/4/4/4	-
6	GOL	J	1005	-	-	2/4/4/4	-
7	CTP	D	1009	4	-	4/22/38/38	0/2/2/2
7	CTP	Р	1005	4	-	4/22/38/38	0/2/2/2
6	GOL	М	1005	-	-	2/4/4/4	-
6	GOL	D	1007	-	-	4/4/4/4	-
7	CTP	G	1005	4	-	4/22/38/38	0/2/2/2
6	GOL	D	1006	-	-	3/4/4/4	-
6	GOL	D	1005	-	-	2/4/4/4	-
6	GOL	А	1006	-	-	2/4/4/4	-
6	GOL	К	1101	-	-	2/4/4/4	-
6	GOL	Е	1102	-	-	2/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	А	1007	CTP	C5-C4	-2.52	1.37	1.42

All (2) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
7	А	1007	CTP	C2'-C1'-N1	-3.26	103.97	113.22
7	А	1007	CTP	O2-C2-N3	-2.27	118.64	122.33

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	Atoms
6	А	1006	GOL	O1-C1-C2-C3
6	D	1005	GOL	C1-C2-C3-O3
6	D	1007	GOL	O1-C1-C2-O2
6	D	1007	GOL	O1-C1-C2-C3
6	D	1007	GOL	C1-C2-C3-O3
6	Е	1101	GOL	O1-C1-C2-C3
6	Е	1101	GOL	C1-C2-C3-O3
6	Е	1102	GOL	O1-C1-C2-C3
6	J	1005	GOL	O1-C1-C2-O2
6	J	1005	GOL	O1-C1-C2-C3
7	А	1007	CTP	PB-O3B-PG-O2G
7	D	1009	CTP	C5'-O5'-PA-O1A
7	G	1005	CTP	C5'-O5'-PA-O2A
7	J	1006	CTP	C5'-O5'-PA-O1A
7	J	1006	CTP	C5'-O5'-PA-O2A
7	J	1006	CTP	PB-O3A-PA-O5'
7	М	1006	CTP	C5'-O5'-PA-O1A
7	М	1006	CTP	PB-O3A-PA-O5'
7	Р	1005	CTP	C5'-O5'-PA-O2A
6	D	1006	GOL	O2-C2-C3-O3
6	М	1005	GOL	O2-C2-C3-O3
6	D	1006	GOL	C1-C2-C3-O3
6	М	1005	GOL	C1-C2-C3-O3
6	D	1005	GOL	O2-C2-C3-O3
6	Е	1101	GOL	O2-C2-C3-O3
6	А	1006	GOL	O1-C1-C2-O2
6	D	1007	GOL	O2-C2-C3-O3
6	Е	1101	GOL	O1-C1-C2-O2
6	Е	1102	GOL	O1-C1-C2-O2
7	D	1009	CTP	PB-O3A-PA-O5'
7	G	1005	CTP	PB-O3A-PA-O5'
7	Р	1005	CTP	PB-O3A-PA-O5'
7	J	1006	CTP	PB-O3B-PG-O3G
7	М	1006	CTP	PB-O3B-PG-O2G
6	K	1101	GOL	O2-C2-C3-O3
7	G	1005	CTP	C5'-O5'-PA-O3A



7XD9
------

Mol	Chain	Res	Type	Atoms
7	J	1006	CTP	C5'-O5'-PA-O3A
7	М	1006	CTP	C5'-O5'-PA-O3A
7	Р	1005	CTP	C5'-O5'-PA-O3A
7	D	1009	CTP	C5'-O5'-PA-O2A
7	G	1005	CTP	C5'-O5'-PA-O1A
7	М	1006	CTP	C5'-O5'-PA-O2A
7	Р	1005	CTP	C5'-O5'-PA-O1A
6	D	1006	GOL	O1-C1-C2-O2
7	А	1007	CTP	PA-O3A-PB-O2B
6	Κ	1101	GOL	C1-C2-C3-O3
7	А	1007	CTP	PB-O3B-PG-O3G
7	J	1006	CTP	PB-O3B-PG-O2G
7	М	1006	CTP	PB-O3B-PG-O3G
7	D	1009	CTP	C5'-O5'-PA-O3A
6	А	1005	GOL	O1-C1-C2-C3
6	Н	1101	GOL	C1-C2-C3-O3
7	А	1007	CTP	PB-O3B-PG-O1G

Continued from previous page...

There are no ring outliers.

6 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	А	1007	CTP	2	0
6	Н	1101	GOL	1	0
7	J	1006	CTP	1	0
7	D	1009	CTP	1	0
6	М	1005	GOL	2	0
6	Е	1102	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.













## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	621/647~(95%)	0.06	10 (1%) 72 69	40, 57, 75, 97	0
1	D	622/647~(96%)	0.08	4 (0%) 89 89	38, 54, 75, 92	0
1	G	623/647~(96%)	0.16	21 (3%) 45 41	44, 62, 81, 105	0
1	J	625/647~(96%)	0.23	19 (3%) 50 46	45, 63, 91, 108	0
1	М	624/647~(96%)	0.16	17 (2%) 54 51	42, 56, 73, 87	0
1	Р	616/647~(95%)	0.69	87 (14%) 2 2	51, 93, 121, 141	0
2	В	12/30~(40%)	-0.03	0 100 100	43, 48, 89, 107	0
2	Е	13/30~(43%)	0.28	1 (7%) 13 11	47, 50, 112, 118	0
2	Н	12/30~(40%)	-0.13	0 100 100	53, 56, 82, 97	2 (16%)
2	K	16/30~(53%)	1.04	5 (31%) 0 0	49, 61, 106, 107	6 (37%)
2	Ν	19/30~(63%)	1.38	6 (31%) 0 0	46, 53, 106, 108	9 (47%)
2	Q	12/30~(40%)	0.27	2 (16%) 1 1	67, 72, 107, 114	2 (16%)
3	С	9/9~(100%)	-0.24	0 100 100	46, 48, 50, 53	0
3	F	9/9~(100%)	0.04	0 100 100	47, 49, 58, 66	0
3	Ι	9/9~(100%)	0.01	0 100 100	52, 55, 58, 64	0
3	L	9/9~(100%)	0.21	0 100 100	51, 55, 63, 71	0
3	Ο	9/9~(100%)	-0.08	0 100 100	46, 49, 56, 64	0
3	R	9/9~(100%)	0.07	0 100 100	64, 71, 78, 78	0
All	All	3869/4116 (93%)	0.24	172 (4%) 34 30	38, 60, 104, 141	19 (0%)

All (172) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Κ	996	С	6.1
2	Ν	995	С	6.0
2	N	984	А	5.8



7XD9

Conti	nued fron	n previe	ous page.	
Mol	Chain	Res	Type	RSRZ
2	N	996	С	5.2
2	Е	997	А	4.9
1	Р	586	ARG	4.8
1	Р	650	VAL	4.4
1	Р	293	HIS	4.2
1	Р	889	PHE	4.2
1	А	886	MET	4.2
1	Р	627	GLY	4.1
1	Р	291	SER	4.0
1	Р	829	PRO	4.0
1	Р	417	ASN	4.0
1	М	670	LEU	4.0
1	Р	292	TRP	3.9
1	Р	828	THR	3.7
1	М	890	ARG	3.6
1	Р	648	VAL	3.6
1	J	700	TRP	3.6
1	Р	479	LEU	3.5
1	G	799	ALA	3.5
2	N	981	G	3.5
2	N	983	G	3.5
1	Р	309	TYR	3.5
1	Р	585	PRO	3.4
1	Р	368	GLU	3.4
1	Р	290	THR	3.4
1	Р	308	SER	3.3
1	Р	839	LEU	3.3
1	Р	798	HIS	3.3
1	А	798	HIS	3.3
1	Р	310	GLU	3.3
1	Р	643	VAL	3.2
1	Р	631	SER	3.2
1	Р	840	GLY	3.2
1	А	587	GLY	3.2
1	Р	642	ALA	3.1
1	J	632	ILE	3.1
1	J	717	ILE	3.1
1	Р	531	TYR	3.1
1	Р	587	GLY	3.1
1	Р	295	ASP	3.0
1	J	635	LEU	3.0
1	Р	628	VAL	3.0



Mol	Chain	Res	Type	RSRZ
1	Р	419	TRP	2.9
1	Р	305	TYR	2.9
1	А	885	SER	2.9
1	Р	817	TRP	2.9
1	Р	694	TRP	2.9
1	М	832	SER	2.8
1	Р	272	PRO	2.8
1	G	694	TRP	2.8
1	G	889	PHE	2.8
1	Р	373	LEU	2.8
1	Р	647	LEU	2.8
1	Р	843	GLU	2.8
1	Р	369	GLY	2.8
1	Р	374	MET	2.8
1	Р	830	VAL	2.8
1	G	634	HIS	2.8
1	G	797	ILE	2.8
1	Р	307	GLY	2.8
1	Р	527	GLY	2.8
1	Р	427	GLU	2.8
1	Р	835	GLU	2.8
1	J	876	ASN	2.8
1	А	799	ALA	2.8
1	Р	380	TRP	2.7
2	Q	999	С	2.7
1	Р	583	PRO	2.7
1	М	717	ILE	2.7
1	Р	288	HIS	2.7
1	Р	841	LYS	2.7
1	G	556	HIS	2.7
2	Q	998	A	2.6
1	G	650	VAL	2.6
1	А	443	LEU	2.6
1	А	787	TRP	2.6
2	K	981	G	2.6
1	Р	838	TYR	2.6
1	М	628	VAL	2.5
2	K	982	G	2.5
1	G	646	TRP	2.5
1	J	268	GLU	2.5
1	G	268	GLU	2.5
1	Р	888	ARG	2.5



Mol	Chain	Res	Type	RSRZ
1	М	719	LYS	2.5
1	Р	589	VAL	2.5
1	Р	296	GLN	2.5
1	G	786	HIS	2.5
1	М	834	GLU	2.5
1	Р	294	TYR	2.5
1	А	876	ASN	2.4
1	Р	409	LEU	2.4
1	J	641	ILE	2.4
1	Р	430	GLY	2.4
1	Р	425	ALA	2.4
1	G	885	SER	2.4
1	J	647	LEU	2.4
1	Р	885	SER	2.4
1	J	834	GLU	2.4
1	D	556	HIS	2.4
1	G	629	PHE	2.4
1	Р	399	PHE	2.4
1	J	798	HIS	2.3
1	Р	298	HIS	2.3
1	J	846	TRP	2.3
1	М	671	ASP	2.3
1	Р	475	TRP	2.3
1	J	693	GLN	2.3
1	М	641	ILE	2.3
1	М	638	THR	2.3
1	М	637	VAL	2.3
1	J	889	PHE	2.3
1	Р	716	LEU	2.3
2	Κ	997	A	2.3
1	Р	593	ILE	2.3
1	Р	836	ILE	2.3
1	Р	826	ASP	2.3
1	М	634	HIS	2.3
1	Р	884	PRO	2.2
1	D	589	VAL	2.2
1	Р	623	MET	2.2
1	Р	832	SER	2.2
1	D	431	PHE	2.2
1	Р	384	GLU	2.2
1	G	425	ALA	2.2
1	G	798	HIS	2.2



Mol	Chain	Res	Type	RSRZ
1	J	678	LEU	2.2
1	D	448	GLU	2.2
1	М	831	GLU	2.2
1	Р	645	ASN	2.2
1	Р	641	ILE	2.2
1	Р	663	ASP	2.2
1	Р	497	TRP	2.2
1	Р	311	THR	2.2
2	Κ	999	С	2.2
1	Р	582	ARG	2.1
1	Р	818	ILE	2.1
1	G	635	LEU	2.1
1	G	796	SER	2.1
1	А	788	VAL	2.1
1	G	880	THR	2.1
1	J	265	ILE	2.1
1	М	632	ILE	2.1
1	G	637	VAL	2.1
1	J	648	VAL	2.1
1	J	650	VAL	2.1
1	J	694	TRP	2.1
1	Р	803	TRP	2.1
1	J	803	TRP	2.1
1	G	430	GLY	2.1
1	G	641	ILE	2.1
1	Р	634	HIS	2.1
1	М	835	GLU	2.1
1	G	649	ARG	2.1
1	Р	669	PRO	2.1
1	Р	720	ASP	2.1
1	Р	443	LEU	2.1
1	Р	569	PHE	2.1
1	Р	411	ALA	2.0
1	Р	851	ILE	2.0
1	М	694	TRP	2.0
1	Р	426	VAL	2.0
1	А	292	TRP	2.0
1	Р	837	PRO	2.0
1	М	367	LYS	2.0
1	Р	556	HIS	2.0
1	Р	429	SER	2.0
1	Р	619	LEU	2.0



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	Ν	997	А	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
6	GOL	Н	1101	6/6	0.71	0.54	$77,\!78,\!80,\!82$	0
4	MG	J	1001	1/1	0.72	0.17	76,76,76,76	1
6	GOL	А	1006	6/6	0.78	0.26	72,74,80,80	0
4	MG	D	1001	1/1	0.81	0.17	69,69,69,69	1
4	MG	G	1002	1/1	0.82	0.09	74, 74, 74, 74	0
6	GOL	D	1005	6/6	0.83	0.24	$61,\!64,\!66,\!71$	0
4	MG	А	1001	1/1	0.83	0.15	72,72,72,72	0
6	GOL	J	1005	6/6	0.83	0.33	69,71,75,79	0
4	MG	G	1001	1/1	0.84	0.27	78,78,78,78	0
6	GOL	Е	1101	6/6	0.84	0.28	58,63,67,69	0
6	GOL	М	1005	6/6	0.84	0.28	47,49,53,53	6
7	CTP	D	1009	29/29	0.84	0.27	55,62,70,74	29
6	GOL	А	1005	6/6	0.85	0.31	$63,\!69,\!70,\!80$	0
6	GOL	K	1101	6/6	0.86	0.29	70,71,76,76	0
6	GOL	D	1006	6/6	0.87	0.33	57,65,69,70	0
6	GOL	D	1007	6/6	0.87	0.19	51,59,68,74	0
4	MG	Р	1001	1/1	0.88	0.19	91,91,91,91	1
4	MG	D	1002	1/1	0.90	0.24	71,71,71,71	0
4	MG	А	1002	1/1	0.90	0.06	70,70,70,70	0
7	CTP	М	1006	29/29	0.90	0.23	52,61,73,77	29
4	MG	М	1001	1/1	0.91	0.16	69,69,69,69	1
6	GOL	Е	1102	6/6	0.91	0.28	$55,\!59,\!67,\!67$	0



		Chain	Res	 Atoms	BSCC	RSP	<b>B</b> -factors $(Å^2)$	$\Omega < 0.0$
IVIOI	Type	Chan	nes	Atoms	noce	non	D-lactors(A)	Q<0.9
7	CTP	A	1007	29/29	0.91	0.20	43,56,69,71	29
4	MG	М	1002	1/1	0.91	0.12	$69,\!69,\!69,\!69$	0
6	GOL	D	1008	6/6	0.91	0.29	66,67,71,74	0
4	MG	Р	1002	1/1	0.92	0.12	86,86,86,86	0
7	CTP	Р	1005	29/29	0.93	0.22	74,84,91,93	29
7	CTP	J	1006	29/29	0.94	0.17	49,63,72,74	29
5	ZN	Р	1004	1/1	0.94	0.09	113,113,113,113	0
7	CTP	G	1005	29/29	0.94	0.18	53,60,70,75	29
4	MG	J	1002	1/1	0.95	0.07	72,72,72,72	0
5	ZN	Р	1003	1/1	0.96	0.08	82,82,82,82	0
5	ZN	G	1004	1/1	0.98	0.13	72,72,72,72	0
5	ZN	D	1004	1/1	0.99	0.12	68,68,68,68	0
5	ZN	G	1003	1/1	0.99	0.16	52,52,52,52	0
5	ZN	А	1003	1/1	0.99	0.14	59,59,59,59	0
5	ZN	J	1003	1/1	0.99	0.09	58,58,58,58	0
5	ZN	J	1004	1/1	0.99	0.21	71,71,71,71	0
5	ZN	М	1003	1/1	0.99	0.09	59,59,59,59	0
5	ZN	М	1004	1/1	0.99	0.20	68,68,68,68	0
5	ZN	А	1004	1/1	0.99	0.17	63,63,63,63	0
5	ZN	D	1003	1/1	0.99	0.16	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





































































## 6.5 Other polymers (i)

There are no such residues in this entry.

