



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2024 – 04:01 PM EST

PDB ID : 5XIM
Title : PROTEIN ENGINEERING OF XYLOSE (GLUCOSE) ISOMERASE FROM ACTINOPLANES MISSOURIENSIS. 1. CRYSTALLOGRAPHY AND SITE-DIRECTED MUTAGENESIS OF METAL BINDING SITES
Authors : Janin, J.
Deposited on : 1992-03-30
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	393	
1	B	393	
1	C	393	
1	D	393	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 13132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-XYLOSE ISOMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	392	Total 3053	C 1939	N 532	O 578	S 4	0	0	0
1	B	392	Total 3053	C 1939	N 532	O 578	S 4	0	0	0
1	C	392	Total 3053	C 1939	N 532	O 578	S 4	0	0	0
1	D	392	Total 3053	C 1939	N 532	O 578	S 4	0	0	0

- Molecule 2 is sorbitol (three-letter code: SOR) (formula: C₆H₁₄O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 12	C 6	O 6	0	0
2	B	1	Total 12	C 6	O 6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	C	1	Total C O 12 6 6	0	0
2	D	1	Total C O 12 6 6	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	218	Total O 218 218	0	0
4	B	206	Total O 206 206	0	0
4	C	234	Total O 234 234	0	0
4	D	210	Total O 210 210	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: D-XYLOSE ISOMERASE

Chain A:  79% 16% 5%





- Molecule 1: D-XYLOSE ISOMERASE

Chain B:  75% 21%



- Molecule 1: D-XYLOSE ISOMERASE



Chain C:  80% 17%





- Molecule 1: D-XYLOSE ISOMERASE

Chain D: 79% 18%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.45Å 143.45Å 231.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	(Not available) – 2.60	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.144 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	13132	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SOR, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	0/3125	1.86	69/4233 (1.6%)
1	B	0.85	0/3125	1.86	69/4233 (1.6%)
1	C	0.84	0/3125	1.76	55/4233 (1.3%)
1	D	0.86	0/3125	1.75	63/4233 (1.5%)
All	All	0.85	0/12500	1.81	256/16932 (1.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

There are no bond length outliers.

All (256) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	172	ARG	NE-CZ-NH1	22.05	131.33	120.30
1	C	172	ARG	NE-CZ-NH1	19.50	130.05	120.30
1	B	117	ARG	NE-CZ-NH1	18.17	129.38	120.30
1	C	172	ARG	NE-CZ-NH2	-18.02	111.29	120.30
1	B	394	ARG	NE-CZ-NH2	-17.99	111.31	120.30
1	A	321	ARG	NE-CZ-NH1	17.93	129.27	120.30
1	B	177	ARG	NE-CZ-NH2	-17.68	111.46	120.30
1	B	172	ARG	NE-CZ-NH2	-17.58	111.51	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	321	ARG	NE-CZ-NH2	-17.00	111.80	120.30
1	A	172	ARG	NE-CZ-NH1	16.23	128.42	120.30
1	C	117	ARG	NE-CZ-NH1	15.28	127.94	120.30
1	D	313	ARG	NE-CZ-NH2	14.65	127.62	120.30
1	C	361	ARG	NE-CZ-NH2	14.60	127.60	120.30
1	A	394	ARG	NE-CZ-NH1	-14.56	113.02	120.30
1	C	121	ARG	NE-CZ-NH1	14.43	127.51	120.30
1	D	117	ARG	NE-CZ-NH2	-14.35	113.13	120.30
1	B	117	ARG	NE-CZ-NH2	-14.28	113.16	120.30
1	A	328	ASP	CB-CG-OD2	13.95	130.86	118.30
1	A	326	ARG	NE-CZ-NH1	13.84	127.22	120.30
1	B	31	ARG	NE-CZ-NH2	13.74	127.17	120.30
1	A	321	ARG	NE-CZ-NH2	-13.31	113.64	120.30
1	A	394	ARG	NE-CZ-NH2	-13.30	113.65	120.30
1	C	23	ARG	NE-CZ-NH1	12.88	126.74	120.30
1	A	159	ARG	NE-CZ-NH1	12.79	126.70	120.30
1	A	394	ARG	NH1-CZ-NH2	12.66	133.33	119.40
1	D	121	ARG	NE-CZ-NH2	-12.65	113.97	120.30
1	B	177	ARG	NE-CZ-NH1	12.51	126.56	120.30
1	B	158	TYR	CB-CG-CD2	12.12	128.27	121.00
1	A	158	TYR	CB-CG-CD2	11.99	128.19	121.00
1	A	361	ARG	NE-CZ-NH1	11.84	126.22	120.30
1	D	255	ASP	CB-CG-OD1	11.64	128.78	118.30
1	B	113	ARG	NE-CZ-NH1	11.62	126.11	120.30
1	C	177	ARG	NE-CZ-NH1	11.50	126.05	120.30
1	A	80	ASP	CB-CG-OD1	-11.40	108.04	118.30
1	D	121	ARG	NE-CZ-NH1	11.12	125.86	120.30
1	C	394	ARG	NE-CZ-NH1	-11.03	114.78	120.30
1	D	117	ARG	NE-CZ-NH1	10.91	125.76	120.30
1	D	321	ARG	NE-CZ-NH2	10.74	125.67	120.30
1	B	330	GLU	OE1-CD-OE2	10.70	136.13	123.30
1	A	121	ARG	NE-CZ-NH1	10.69	125.65	120.30
1	D	172	ARG	CD-NE-CZ	10.65	138.51	123.60
1	C	159	ARG	NE-CZ-NH1	-10.64	114.98	120.30
1	A	146	ASP	CB-CG-OD1	10.61	127.85	118.30
1	D	140	ARG	NE-CZ-NH1	-10.43	115.08	120.30
1	C	23	ARG	NE-CZ-NH2	-10.42	115.09	120.30
1	A	205	GLU	OE1-CD-OE2	-10.39	110.83	123.30
1	B	326	ARG	NE-CZ-NH1	10.31	125.46	120.30
1	B	68	ARG	NE-CZ-NH1	-10.13	115.23	120.30
1	C	208	ARG	NE-CZ-NH1	-10.08	115.26	120.30
1	D	35	ASP	CB-CG-OD1	9.85	127.17	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	286	ASP	CB-CG-OD1	9.85	127.17	118.30
1	B	140	ARG	CD-NE-CZ	9.68	137.15	123.60
1	A	313	ARG	NE-CZ-NH1	9.66	125.13	120.30
1	A	292	ASP	CB-CG-OD2	9.48	126.84	118.30
1	A	158	TYR	CB-CG-CD1	-9.37	115.38	121.00
1	A	171	ASP	CB-CG-OD1	9.36	126.72	118.30
1	B	158	TYR	CB-CG-CD1	-9.31	115.42	121.00
1	A	113	ARG	NE-CZ-NH2	-9.23	115.69	120.30
1	C	255	ASP	CB-CG-OD1	8.87	126.29	118.30
1	A	150	ASP	CB-CG-OD1	8.86	126.27	118.30
1	C	245	ASP	CB-CG-OD1	8.81	126.23	118.30
1	C	145	TYR	CB-CG-CD2	8.77	126.26	121.00
1	A	326	ARG	NE-CZ-NH2	-8.71	115.94	120.30
1	A	57	ASP	CB-CG-OD1	-8.69	110.47	118.30
1	A	146	ASP	CB-CG-OD2	-8.68	110.49	118.30
1	B	367	TYR	CB-CG-CD2	8.67	126.20	121.00
1	A	113	ARG	NE-CZ-NH1	8.59	124.60	120.30
1	B	292	ASP	CB-CG-OD2	8.54	125.98	118.30
1	B	367	TYR	CB-CG-CD1	-8.27	116.04	121.00
1	B	361	ARG	NE-CZ-NH1	8.25	124.43	120.30
1	C	113	ARG	NE-CZ-NH2	8.25	124.42	120.30
1	D	361	ARG	NE-CZ-NH2	8.18	124.39	120.30
1	D	172	ARG	NE-CZ-NH1	8.00	124.30	120.30
1	D	394	ARG	NE-CZ-NH2	-8.00	116.30	120.30
1	D	150	ASP	CB-CG-OD2	-7.96	111.14	118.30
1	A	121	ARG	NE-CZ-NH2	-7.91	116.34	120.30
1	B	394	ARG	N-CA-CB	7.83	124.70	110.60
1	B	112	ARG	NE-CZ-NH1	-7.80	116.40	120.30
1	A	80	ASP	CA-CB-CG	-7.67	96.52	113.40
1	D	150	ASP	CB-CG-OD1	7.66	125.19	118.30
1	A	361	ARG	NE-CZ-NH2	-7.60	116.50	120.30
1	C	117	ARG	NE-CZ-NH2	-7.55	116.53	120.30
1	C	286	ASP	CB-CG-OD1	7.55	125.09	118.30
1	D	370	ASP	CB-CG-OD2	7.52	125.07	118.30
1	B	23	ARG	NE-CZ-NH1	7.48	124.04	120.30
1	B	31	ARG	NE-CZ-NH1	-7.45	116.57	120.30
1	A	205	GLU	CG-CD-OE2	7.44	133.17	118.30
1	D	207	GLU	CA-CB-CG	7.43	129.75	113.40
1	A	55	ASP	CB-CG-OD1	7.40	124.96	118.30
1	A	289	ARG	NE-CZ-NH1	-7.38	116.61	120.30
1	A	394	ARG	CA-CB-CG	7.34	129.54	113.40
1	C	145	TYR	CB-CG-CD1	-7.34	116.60	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	342	GLU	CG-CD-OE2	7.34	132.97	118.30
1	D	112	ARG	NE-CZ-NH1	7.32	123.96	120.30
1	A	394	ARG	CD-NE-CZ	-7.31	113.37	123.60
1	A	208	ARG	NE-CZ-NH1	7.29	123.95	120.30
1	C	207	GLU	CG-CD-OE2	-7.25	103.80	118.30
1	D	205	GLU	CG-CD-OE2	7.23	132.75	118.30
1	B	23	ARG	CD-NE-CZ	7.22	133.71	123.60
1	D	388	GLU	CG-CD-OE1	-7.20	103.90	118.30
1	A	299	GLU	OE1-CD-OE2	7.17	131.90	123.30
1	D	80	ASP	CB-CG-OD1	-7.16	111.86	118.30
1	A	313	ARG	NE-CZ-NH2	-7.15	116.72	120.30
1	C	7	ARG	NE-CZ-NH1	7.15	123.87	120.30
1	A	368	ASP	CB-CG-OD2	-7.13	111.89	118.30
1	C	208	ARG	CD-NE-CZ	-7.07	113.70	123.60
1	B	292	ASP	CB-CG-OD1	-6.99	112.01	118.30
1	C	140	ARG	NE-CZ-NH2	-6.96	116.82	120.30
1	C	297	ARG	NE-CZ-NH1	-6.90	116.85	120.30
1	B	56	ASP	CB-CG-OD2	6.88	124.50	118.30
1	D	342	GLU	OE1-CD-OE2	-6.88	115.04	123.30
1	A	68	ARG	NE-CZ-NH2	6.83	123.72	120.30
1	A	328	ASP	CB-CG-OD1	-6.83	112.15	118.30
1	B	302	ASP	CB-CG-OD1	6.81	124.43	118.30
1	C	276	GLU	OE1-CD-OE2	-6.78	115.16	123.30
1	A	109	ARG	NE-CZ-NH2	-6.77	116.92	120.30
1	D	313	ARG	NE-CZ-NH1	-6.76	116.92	120.30
1	C	156	ASP	CB-CG-OD1	6.76	124.39	118.30
1	D	205	GLU	OE1-CD-OE2	-6.76	115.19	123.30
1	D	64	ASP	CB-CG-OD1	-6.73	112.24	118.30
1	A	306	GLU	OE1-CD-OE2	6.72	131.37	123.30
1	D	56	ASP	CB-CG-OD2	6.68	124.31	118.30
1	A	368	ASP	CB-CG-OD1	6.67	124.31	118.30
1	C	313	ARG	NE-CZ-NH1	6.66	123.63	120.30
1	B	388	GLU	CG-CD-OE1	-6.59	105.11	118.30
1	A	23	ARG	NE-CZ-NH1	6.54	123.57	120.30
1	B	394	ARG	NH1-CZ-NH2	6.54	126.59	119.40
1	C	55	ASP	CB-CG-OD1	6.53	124.18	118.30
1	A	172	ARG	CD-NE-CZ	6.51	132.72	123.60
1	D	101	ASP	CB-CG-OD2	6.50	124.15	118.30
1	D	321	ARG	NE-CZ-NH1	-6.49	117.06	120.30
1	C	158	TYR	CA-CB-CG	6.46	125.67	113.40
1	B	80	ASP	CB-CG-OD1	-6.46	112.49	118.30
1	D	204	GLN	OE1-CD-NE2	-6.45	107.06	121.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	108	ASP	CB-CG-OD2	6.45	124.10	118.30
1	A	140	ARG	CD-NE-CZ	6.44	132.62	123.60
1	D	109	ARG	NE-CZ-NH1	6.41	123.50	120.30
1	D	208	ARG	NE-CZ-NH1	6.39	123.50	120.30
1	B	321	ARG	NH1-CZ-NH2	6.36	126.39	119.40
1	C	255	ASP	N-CA-CB	-6.34	99.19	110.60
1	B	113	ARG	NE-CZ-NH2	-6.32	117.14	120.30
1	A	157	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	D	177	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	B	328	ASP	CB-CG-OD2	6.21	123.89	118.30
1	A	80	ASP	OD1-CG-OD2	6.20	135.08	123.30
1	B	207	GLU	CG-CD-OE1	6.18	130.66	118.30
1	C	394	ARG	CD-NE-CZ	-6.15	114.99	123.60
1	A	155	LEU	CB-CA-C	6.13	121.85	110.20
1	D	113	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	C	112	ARG	NE-CZ-NH2	6.11	123.35	120.30
1	A	7	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	D	204	GLN	CG-CD-OE1	6.08	133.75	121.60
1	B	361	ARG	NE-CZ-NH2	-6.05	117.28	120.30
1	A	292	ASP	CB-CG-OD1	-6.04	112.87	118.30
1	B	112	ARG	NE-CZ-NH2	6.04	123.32	120.30
1	B	207	GLU	CG-CD-OE2	-6.04	106.23	118.30
1	A	394	ARG	N-CA-CB	6.03	121.46	110.60
1	B	68	ARG	NE-CZ-NH2	6.02	123.31	120.30
1	B	255	ASP	N-CA-CB	-5.96	99.87	110.60
1	A	177	ARG	NE-CZ-NH2	-5.94	117.33	120.30
1	D	388	GLU	CG-CD-OE2	5.94	130.18	118.30
1	D	360	ASP	CB-CG-OD1	-5.94	112.96	118.30
1	B	121	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	C	282	ALA	CB-CA-C	-5.84	101.34	110.10
1	D	171	ASP	CB-CG-OD2	-5.82	113.06	118.30
1	B	54	HIS	N-CA-CB	5.82	121.07	110.60
1	D	146	ASP	CB-CG-OD1	5.80	123.52	118.30
1	B	28	ASP	CB-CG-OD2	-5.79	113.09	118.30
1	A	273	ASP	CB-CG-OD1	5.77	123.49	118.30
1	C	207	GLU	CG-CD-OE1	5.72	129.74	118.30
1	B	276	GLU	CG-CD-OE1	-5.72	106.86	118.30
1	B	276	GLU	CG-CD-OE2	5.70	129.71	118.30
1	B	305	TRP	CA-CB-CG	-5.70	102.88	113.70
1	C	177	ARG	N-CA-CB	5.69	120.84	110.60
1	A	143	ALA	N-CA-CB	-5.68	102.14	110.10
1	D	320	GLU	CA-CB-CG	5.68	125.90	113.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	172	ARG	CB-CG-CD	-5.68	96.84	111.60
1	D	221	GLU	CG-CD-OE1	5.67	129.65	118.30
1	C	6	THR	N-CA-CB	5.67	121.08	110.30
1	A	204	GLN	CB-CG-CD	5.66	126.33	111.60
1	D	28	ASP	CB-CG-OD1	-5.66	113.20	118.30
1	B	366	ASP	CB-CG-OD1	-5.64	113.22	118.30
1	C	276	GLU	CG-CD-OE2	5.63	129.56	118.30
1	B	26	PHE	CB-CG-CD2	5.62	124.74	120.80
1	C	158	TYR	CB-CG-CD2	5.62	124.37	121.00
1	B	109	ARG	NE-CZ-NH1	5.59	123.10	120.30
1	D	207	GLU	CG-CD-OE1	5.56	129.42	118.30
1	D	313	ARG	CA-CB-CG	5.55	125.62	113.40
1	C	155	LEU	CB-CA-C	5.55	120.74	110.20
1	D	35	ASP	CB-CG-OD2	-5.54	113.31	118.30
1	B	156	ASP	CB-CG-OD2	-5.54	113.31	118.30
1	C	340	VAL	CB-CA-C	5.53	121.91	111.40
1	D	257	ASP	CB-CG-OD1	5.53	123.28	118.30
1	B	177	ARG	CB-CG-CD	-5.52	97.26	111.60
1	D	26	PHE	CB-CG-CD2	-5.51	116.94	120.80
1	D	297	ARG	NE-CZ-NH1	-5.50	117.55	120.30
1	C	112	ARG	CG-CD-NE	5.49	123.32	111.80
1	D	285	TYR	CB-CG-CD2	5.49	124.29	121.00
1	C	205	GLU	CG-CD-OE2	5.48	129.26	118.30
1	D	330	GLU	OE1-CD-OE2	5.47	129.87	123.30
1	B	188	ARG	NE-CZ-NH2	-5.45	117.58	120.30
1	B	354	TYR	CB-CG-CD1	-5.45	117.73	121.00
1	A	286	ASP	CA-CB-CG	-5.44	101.44	113.40
1	B	289	ARG	NE-CZ-NH1	-5.42	117.59	120.30
1	B	388	GLU	CG-CD-OE2	5.40	129.09	118.30
1	B	121	ARG	NE-CZ-NH1	5.39	123.00	120.30
1	B	339	LYS	O-C-N	5.39	131.32	122.70
1	C	308	ALA	CB-CA-C	5.39	118.18	110.10
1	B	64	ASP	CB-CG-OD1	-5.38	113.46	118.30
1	D	289	ARG	N-CA-C	-5.36	96.52	111.00
1	D	316	LEU	CB-CA-C	5.36	120.37	110.20
1	B	68	ARG	CD-NE-CZ	-5.34	116.12	123.60
1	B	306	GLU	OE1-CD-OE2	5.34	129.70	123.30
1	C	177	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	A	172	ARG	NH1-CZ-NH2	-5.32	113.55	119.40
1	D	203	VAL	CA-CB-CG1	5.32	118.88	110.90
1	C	150	ASP	CB-CG-OD2	-5.30	113.53	118.30
1	C	146	ASP	CB-CG-OD1	5.30	123.07	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	289	ARG	N-CA-C	-5.29	96.72	111.00
1	D	68	ARG	CD-NE-CZ	-5.27	116.22	123.60
1	C	245	ASP	CB-CG-OD2	-5.27	113.56	118.30
1	D	264	ASP	CB-CA-C	5.26	120.93	110.40
1	D	159	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	B	257	ASP	CB-CG-OD1	5.22	123.00	118.30
1	D	249	GLN	CA-CB-CG	5.22	124.88	113.40
1	B	26	PHE	CB-CG-CD1	-5.21	117.16	120.80
1	A	9	ASP	CB-CG-OD2	5.17	122.96	118.30
1	D	54	HIS	N-CA-CB	5.17	119.90	110.60
1	A	172	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	D	301	TYR	CB-CA-C	5.15	120.70	110.40
1	B	366	ASP	CB-CG-OD2	5.15	122.93	118.30
1	C	281	GLY	N-CA-C	-5.14	100.25	113.10
1	B	143	ALA	N-CA-CB	-5.14	102.91	110.10
1	B	96	HIS	CA-CB-CG	-5.13	104.88	113.60
1	A	3	VAL	CA-CB-CG2	5.12	118.58	110.90
1	A	177	ARG	N-CA-CB	5.12	119.81	110.60
1	C	281	GLY	CA-C-N	-5.12	105.94	117.20
1	A	289	ARG	N-CA-C	-5.10	97.24	111.00
1	C	394	ARG	NH1-CZ-NH2	5.10	125.01	119.40
1	A	124	ASP	CB-CG-OD1	5.09	122.89	118.30
1	B	210	GLU	CA-CB-CG	5.09	124.61	113.40
1	D	68	ARG	NE-CZ-NH1	-5.09	117.75	120.30
1	C	177	ARG	CB-CG-CD	-5.09	98.36	111.60
1	D	207	GLU	CG-CD-OE2	-5.09	108.12	118.30
1	A	245	ASP	CB-CG-OD1	5.09	122.88	118.30
1	A	42	LYS	CB-CG-CD	-5.08	98.39	111.60
1	C	369	ALA	N-CA-CB	-5.08	102.99	110.10
1	A	171	ASP	CB-CG-OD2	-5.07	113.73	118.30
1	C	188	ARG	CA-CB-CG	5.06	124.53	113.40
1	C	190	ASP	CB-CG-OD1	-5.04	113.76	118.30
1	A	297	ARG	NE-CZ-NH1	-5.04	117.78	120.30
1	B	204	GLN	OE1-CD-NE2	-5.03	110.32	121.90
1	A	394	ARG	CG-CD-NE	-5.03	101.24	111.80
1	D	203	VAL	CB-CA-C	5.02	120.93	111.40
1	C	172	ARG	CD-NE-CZ	-5.01	116.58	123.60
1	D	88	MET	CA-CB-CG	5.01	121.81	113.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	23	ARG	Sidechain
1	B	172	ARG	Sidechain
1	C	172	ARG	Sidechain
1	D	208	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3053	0	2954	34	0
1	B	3053	0	2954	42	0
1	C	3053	0	2954	30	0
1	D	3053	0	2954	37	0
2	A	12	0	12	0	0
2	B	12	0	12	1	0
2	C	12	0	12	0	0
2	D	12	0	13	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	218	0	0	1	0
4	B	206	0	0	3	0
4	C	234	0	0	1	0
4	D	210	0	0	8	0
All	All	13132	0	11865	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:208:ARG:HG2	1:D:208:ARG:HH11	1.07	1.13
1:A:204:GLN:OE1	1:C:204:GLN:OE1	1.64	1.12
1:B:204:GLN:OE1	1:D:204:GLN:OE1	1.75	1.00
1:B:164:LEU:HD12	1:D:348:LEU:HD11	1.49	0.94

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:208:ARG:HG2	1:D:208:ARG:NH1	1.82	0.91
1:D:234:GLN:HE21	1:D:238:HIS:HE1	1.20	0.90
1:C:234:GLN:HE21	1:C:238:HIS:HE1	1.20	0.89
1:A:234:GLN:HE21	1:A:238:HIS:HE1	1.29	0.80
1:B:234:GLN:HE21	1:B:238:HIS:HE1	1.27	0.80
1:A:204:GLN:HG2	4:A:548:HOH:O	1.85	0.76
1:C:59:VAL:HG11	1:C:68:ARG:HG3	1.68	0.75
1:A:238:HIS:HD2	1:C:205:GLU:OE2	1.72	0.71
1:C:22:ALA:HB1	1:C:297:ARG:HG3	1.74	0.68
1:C:228:PHE:CZ	1:C:232:ILE:HD11	2.31	0.66
1:B:294:LYS:HE2	4:B:556:HOH:O	1.96	0.65
1:A:238:HIS:O	1:A:239:LYS:HB2	1.97	0.64
1:D:3:VAL:HB	4:D:591:HOH:O	1.97	0.63
1:B:3:VAL:HG12	1:B:4:GLN:H	1.64	0.61
1:B:238:HIS:HD2	1:D:205:GLU:OE2	1.83	0.61
1:A:205:GLU:OE2	1:C:238:HIS:HD2	1.82	0.61
1:B:306:GLU:HG2	1:C:381:LYS:HB2	1.83	0.60
1:C:41:HIS:HE1	4:C:522:HOH:O	1.85	0.59
1:B:205:GLU:OE2	1:D:238:HIS:HD2	1.86	0.58
1:B:317:LEU:O	1:B:321:ARG:HD2	2.05	0.57
1:C:183:LYS:HG3	1:C:220:HIS:CG	2.40	0.57
1:B:68:ARG:HH11	1:B:68:ARG:HG2	1.68	0.57
1:D:186:GLU:OE1	1:D:255:ASP:HB2	2.05	0.56
1:C:228:PHE:CE1	1:C:232:ILE:HD11	2.40	0.55
1:C:43:LEU:HD12	1:C:51:ILE:HD12	1.87	0.55
1:D:394:ARG:HD2	4:D:599:HOH:O	2.07	0.55
1:A:299:GLU:HB3	1:A:303:GLY:HA3	1.88	0.54
1:A:9:ASP:HB3	1:A:11:PHE:CE2	2.42	0.54
1:A:36:PRO:O	1:A:40:VAL:HG23	2.07	0.54
1:D:234:GLN:HE21	1:D:238:HIS:CE1	2.12	0.54
1:D:394:ARG:NH1	4:D:599:HOH:O	1.92	0.53
1:D:72:ILE:O	1:D:76:LYS:HG3	2.07	0.53
1:A:306:GLU:HG2	1:D:381:LYS:HB2	1.91	0.53
1:D:3:VAL:HG23	4:D:591:HOH:O	2.09	0.52
1:B:354:TYR:HB3	1:D:164:LEU:HD21	1.92	0.52
1:A:208:ARG:NH1	1:A:210:GLU:OE2	2.44	0.51
1:B:43:LEU:HD12	1:B:51:ILE:HD12	1.93	0.50
1:D:5:ALA:HB2	1:D:312:ILE:HG21	1.92	0.50
1:D:356:GLU:O	1:D:359:ALA:HB3	2.11	0.50
1:B:77:LYS:O	1:B:80:ASP:HB2	2.11	0.50
1:C:72:ILE:O	1:C:76:LYS:HG3	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:PHE:CE2	1:D:312:ILE:HG23	2.46	0.50
1:D:3:VAL:CB	4:D:591:HOH:O	2.59	0.49
1:A:65:ALA:O	1:A:69:ASP:HB2	2.13	0.48
1:B:287:GLY:O	1:B:289:ARG:NH1	2.39	0.48
1:D:361:ARG:HA	1:D:365:GLU:OE1	2.13	0.48
1:D:208:ARG:HH11	1:D:208:ARG:CG	1.98	0.48
1:C:183:LYS:NZ	1:C:255:ASP:OD2	2.39	0.48
1:A:164:LEU:HD12	1:C:348:LEU:HD11	1.96	0.47
1:B:68:ARG:HH11	1:B:68:ARG:CG	2.24	0.47
1:B:219:GLY:O	1:B:223:MET:HG3	2.14	0.47
1:D:352:GLU:HG3	1:D:356:GLU:HB2	1.95	0.47
1:A:22:ALA:HB1	1:A:297:ARG:HG3	1.95	0.47
1:A:388:GLU:OE2	1:D:313:ARG:HD3	2.14	0.47
1:B:72:ILE:O	1:B:76:LYS:HG3	2.14	0.47
1:A:96:HIS:ND1	1:A:98:VAL:HG12	2.30	0.47
1:B:22:ALA:HB1	1:B:297:ARG:HG3	1.97	0.47
1:A:60:PRO:O	1:A:61:PHE:C	2.53	0.46
1:C:394:ARG:HH11	1:C:394:ARG:HD3	1.42	0.46
1:B:37:VAL:HG13	1:B:78:ALA:HB2	1.98	0.46
1:B:167:GLN:OE1	1:B:208:ARG:NH2	2.49	0.46
1:B:222:GLN:HE21	1:B:249:GLN:HB3	1.81	0.46
1:D:338:SER:HB3	1:D:379:PHE:CE1	2.51	0.46
1:D:50:GLY:HA2	1:D:85:ILE:O	2.15	0.46
1:B:36:PRO:O	1:B:40:VAL:HG23	2.15	0.46
1:C:20:TRP:CZ2	1:C:22:ALA:HA	2.51	0.46
1:B:352:GLU:HG2	1:B:356:GLU:HB2	1.98	0.45
1:A:186:GLU:HA	1:A:187:PRO:HA	1.78	0.45
1:C:238:HIS:O	1:C:239:LYS:HB2	2.16	0.45
1:D:116:ILE:HD13	1:D:116:ILE:HG21	1.78	0.45
1:A:42:LYS:HA	1:A:42:LYS:HD3	1.70	0.45
1:A:54:HIS:CD2	1:A:90:THR:HG23	2.51	0.45
1:B:361:ARG:HA	1:B:365:GLU:OE1	2.16	0.45
1:B:42:LYS:HD3	1:B:42:LYS:HA	1.71	0.45
1:D:238:HIS:O	1:D:239:LYS:HB2	2.16	0.45
1:A:164:LEU:HD21	1:C:354:TYR:HB3	2.00	0.44
1:A:178:PHE:HB2	1:A:212:PHE:CD2	2.52	0.44
1:A:305:TRP:O	1:A:309:LYS:HG3	2.17	0.44
1:A:348:LEU:HD11	1:C:164:LEU:HD12	1.98	0.44
1:A:361:ARG:HA	1:A:365:GLU:OE1	2.17	0.44
1:C:86:VAL:O	1:C:131:ALA:HA	2.18	0.44
1:D:3:VAL:CG2	4:D:591:HOH:O	2.65	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:PHE:HA	1:A:140:ARG:HG3	1.99	0.44
1:B:7:ARG:HG2	1:B:49:TYR:HB2	2.00	0.44
1:B:68:ARG:HG2	1:B:68:ARG:NH1	2.32	0.43
1:B:42:LYS:O	1:B:46:ILE:HG23	2.17	0.43
1:B:7:ARG:HD3	4:B:492:HOH:O	2.19	0.43
1:C:35:ASP:HA	1:C:36:PRO:HD3	1.82	0.43
1:D:184:PRO:HD3	4:D:459:HOH:O	2.18	0.43
1:B:121:ARG:HD3	4:B:440:HOH:O	2.17	0.43
1:D:96:HIS:HA	1:D:97:PRO:HD3	1.96	0.43
1:A:6:THR:O	1:A:9:ASP:HB2	2.19	0.42
1:A:348:LEU:HD11	1:C:164:LEU:CD1	2.48	0.42
1:C:96:HIS:HA	1:C:97:PRO:HD3	1.88	0.42
1:D:279:PRO:O	4:D:526:HOH:O	2.22	0.42
1:D:102:GLY:HA2	1:D:140:ARG:HB2	2.02	0.42
1:B:68:ARG:CG	1:B:68:ARG:NH1	2.81	0.42
1:B:142:GLY:HA3	1:B:190:ASP:O	2.18	0.42
1:A:96:HIS:HA	1:A:97:PRO:HD3	1.88	0.42
1:A:23:ARG:CG	1:B:23:ARG:NH1	2.83	0.41
1:C:23:ARG:CZ	1:D:23:ARG:HD2	2.50	0.41
1:B:193:LEU:N	1:B:194:PRO:HD3	2.34	0.41
1:C:181:GLU:HA	1:C:182:PRO:HD3	1.90	0.41
1:B:46:ILE:CD1	1:B:308:ALA:HB1	2.50	0.41
1:A:328:ASP:HA	1:A:329:PRO:HD2	1.82	0.41
1:D:277:ASN:OD1	1:D:323:LYS:HD2	2.21	0.41
1:B:34:LEU:HD21	1:B:39:ALA:HB2	2.03	0.41
1:B:35:ASP:HA	1:B:36:PRO:HD3	1.93	0.41
1:B:90:THR:HG21	2:B:397:SOR:H61	2.02	0.41
1:C:6:THR:OG1	1:C:8:GLU:HB3	2.21	0.41
1:C:15:LEU:HD12	1:C:15:LEU:HA	1.81	0.41
1:D:178:PHE:HB2	1:D:212:PHE:CD1	2.56	0.41
1:D:186:GLU:HA	1:D:187:PRO:HA	1.82	0.41
1:A:164:LEU:HD23	1:A:164:LEU:C	2.41	0.41
1:B:232:ILE:HD13	1:B:232:ILE:HA	1.89	0.40
1:A:236:LEU:HD23	1:A:236:LEU:HA	1.92	0.40
1:B:278:GLY:CA	1:B:282:ALA:O	2.69	0.40
1:C:319:LYS:O	1:C:323:LYS:HG2	2.22	0.40
1:A:298:THR:HA	1:B:100:LYS:HD2	2.02	0.40
1:B:216:PRO:HG2	1:B:232:ILE:HD11	2.04	0.40
1:C:208:ARG:HH11	1:C:208:ARG:HD3	1.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/393 (99%)	377 (97%)	11 (3%)	2 (0%)	29	52
1	B	390/393 (99%)	376 (96%)	12 (3%)	2 (0%)	29	52
1	C	390/393 (99%)	374 (96%)	12 (3%)	4 (1%)	15	32
1	D	390/393 (99%)	374 (96%)	15 (4%)	1 (0%)	41	64
All	All	1560/1572 (99%)	1501 (96%)	50 (3%)	9 (1%)	25	47

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	280	ASP
1	C	279	PRO
1	A	186	GLU
1	B	186	GLU
1	C	186	GLU
1	D	186	GLU
1	A	364	PHE
1	B	364	PHE
1	C	364	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	306/310 (99%)	293 (96%)	13 (4%)	30	55
1	B	306/310 (99%)	301 (98%)	5 (2%)	62	82

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	306/310 (99%)	297 (97%)	9 (3%)	42	68
1	D	306/310 (99%)	300 (98%)	6 (2%)	55	78
All	All	1224/1240 (99%)	1191 (97%)	33 (3%)	44	71

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	VAL
1	A	23	ARG
1	A	46	ILE
1	A	49	TYR
1	A	80	ASP
1	A	158	TYR
1	A	177	ARG
1	A	185	ASN
1	A	187	PRO
1	A	203	VAL
1	A	208	ARG
1	A	286	ASP
1	A	394	ARG
1	B	49	TYR
1	B	81	GLU
1	B	136	LEU
1	B	158	TYR
1	B	394	ARG
1	C	3	VAL
1	C	38	GLU
1	C	49	TYR
1	C	80	ASP
1	C	158	TYR
1	C	185	ASN
1	C	203	VAL
1	C	279	PRO
1	C	313	ARG
1	D	49	TYR
1	D	80	ASP
1	D	158	TYR
1	D	185	ASN
1	D	203	VAL
1	D	208	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	ASN
1	A	204	GLN
1	A	238	HIS
1	B	204	GLN
1	B	222	GLN
1	B	238	HIS
1	C	41	HIS
1	C	238	HIS
1	D	167	GLN
1	D	185	ASN
1	D	238	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SOR	A	397	3	11,11,11	1.01	0	14,14,14	1.69	4 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SOR	D	397	3	11,11,11	1.09	0	14,14,14	1.34	3 (21%)
2	SOR	B	397	3	11,11,11	0.95	0	14,14,14	1.63	4 (28%)
2	SOR	C	397	3	11,11,11	0.88	0	14,14,14	1.71	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SOR	A	397	3	-	1/16/16/16	-
2	SOR	D	397	3	-	2/16/16/16	-
2	SOR	B	397	3	-	3/16/16/16	-
2	SOR	C	397	3	-	2/16/16/16	-

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	397	SOR	O6-C6-C5	-3.25	103.99	111.07
2	B	397	SOR	C2-C3-C4	-2.77	108.13	112.47
2	B	397	SOR	O4-C4-C3	2.75	115.87	109.47
2	A	397	SOR	C2-C3-C4	-2.75	108.17	112.47
2	A	397	SOR	O4-C4-C5	2.66	115.23	108.81
2	D	397	SOR	O6-C6-C5	-2.62	105.36	111.07
2	C	397	SOR	O5-C5-C6	2.59	115.21	109.14
2	C	397	SOR	C2-C3-C4	-2.57	108.44	112.47
2	A	397	SOR	C5-C4-C3	2.46	116.31	112.47
2	B	397	SOR	O6-C6-C5	-2.43	105.78	111.07
2	C	397	SOR	C6-C5-C4	-2.31	107.40	112.41
2	B	397	SOR	O4-C4-C5	2.24	114.23	108.81
2	D	397	SOR	O4-C4-C5	2.22	114.17	108.81
2	D	397	SOR	C2-C3-C4	-2.16	109.08	112.47
2	A	397	SOR	C6-C5-C4	2.10	116.97	112.41

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	397	SOR	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	397	SOR	O5-C5-C6-O6
2	B	397	SOR	O4-C4-C5-C6
2	D	397	SOR	C4-C5-C6-O6
2	A	397	SOR	O5-C5-C6-O6
2	B	397	SOR	O3-C3-C4-C5
2	B	397	SOR	O4-C4-C5-O5
2	C	397	SOR	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	397	SOR	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.