



Full wwPDB EM Validation Report ⓘ

Sep 15, 2026 – 10:41 PM JST

PDB ID : 9XJ5 / pdb_00009xj5
EMDB ID : EMD-66928
Title : Structure of the CX3CL1.44-US28-GqiN18-scFv16 in the C-state, full chemokine domain modeled
Authors : Jude, K.M.; Garcia, K.C.; Tsutsumi, N.
Deposited on : 2025-11-04
Resolution : 2.81 Å(reported)
Based on initial models : 7XIX, 4XT1

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev133
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.50



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.81 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	11740 (2.31 - 3.31)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	352	
2	B	345	
3	C	67	
4	D	256	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	L	91	41%55%19%25%
6	R	362	6%71%9%19%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9554 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Guanine nucleotide-binding protein G(i) subunit alpha-1, Guanine nucleotide-binding protein G(q) subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	226	Total	C	N	O	S	0	0
			1868	1191	320	347	10		

- Molecule 2 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(T) subunit beta-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	338	Total	C	N	O	S	0	0
			2595	1601	464	509	21		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-4	GLY	-	expression tag	UNP P62873
B	-3	PRO	-	expression tag	UNP P62873
B	-2	GLY	-	expression tag	UNP P62873
B	-1	SER	-	expression tag	UNP P62873
B	0	SER	-	expression tag	UNP P62873
B	1	GLY	-	expression tag	UNP P62873

- Molecule 3 is a protein called Guanine nucleotide-binding protein G(I)/G(S)/G(O) subunit gamma-2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	57	Total	C	N	O	S	0	0
			423	266	76	78	3		

- Molecule 4 is a protein called antibody fragment scFv16.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	232	Total	C	N	O	S	0	0
			1761	1121	295	335	10		

- Molecule 5 is a protein called Processed fractalkine.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	68	Total	C	N	O	S	0	0
			532	330	100	96	6		

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	1	VAL	GLN	engineered mutation	UNP P78423
L	2	ARG	HIS	engineered mutation	UNP P78423
L	3	PRO	HIS	engineered mutation	UNP P78423
L	4	HIS	GLY	engineered mutation	UNP P78423
L	5	ILE	VAL	engineered mutation	UNP P78423
L	6	ASN	THR	engineered mutation	UNP P78423
L	7	ASN	LYS	engineered mutation	UNP P78423
L	78	SER	-	expression tag	UNP P78423
L	79	GLY	-	expression tag	UNP P78423
L	80	SER	-	expression tag	UNP P78423
L	81	GLY	-	expression tag	UNP P78423
L	82	SER	-	expression tag	UNP P78423
L	83	ALA	-	expression tag	UNP P78423
L	84	ALA	-	expression tag	UNP P78423
L	85	ALA	-	expression tag	UNP P78423
L	86	LEU	-	expression tag	UNP P78423
L	87	GLU	-	expression tag	UNP P78423
L	88	VAL	-	expression tag	UNP P78423
L	89	LEU	-	expression tag	UNP P78423
L	90	PHE	-	expression tag	UNP P78423
L	91	GLN	-	expression tag	UNP P78423

- Molecule 6 is a protein called G-protein coupled receptor homolog US28.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	R	292	Total	C	N	O	S	0	0
			2375	1588	376	391	20		

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
R	-7	ASP	-	expression tag	UNP P69332
R	-6	TYR	-	expression tag	UNP P69332
R	-5	LYS	-	expression tag	UNP P69332
R	-4	ASP	-	expression tag	UNP P69332

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	-3	ASP	-	expression tag	UNP P69332
R	-2	ASP	-	expression tag	UNP P69332
R	-1	ASP	-	expression tag	UNP P69332
R	0	ALA	-	expression tag	UNP P69332

K232	D1
L235	V12
LYS	K36
GLY	A40
SER	K43
LEU	A61
GLU	D62
VAL	T63
LEU	V64
PHE	I70
GLN	L86
	T91
	R98
	S99
	P107
	F108
	D109
	F110
	T116
	L117
	T118
	S121
	GLY
	GLY
	GLY
	SER
	GLY
	GLY
	GLY
	SER
	GLY
	GLY
	SER
	D125
	A131
	T132
	V143
	Q171
	K206

- Chain L:  41% 55% 19% 25%

Residue	Position	Category
ALA	V1	Green
ALA	I5	Green
LEU	N6	Red
THR	N7	Red
ARG	C8	Red
ASN	N9	Red
GLY	I10	Red
SER	I11	Red
GLY	T11	Red
SER	C12	Red
GLY	S13	Red
SER	S17	Green
ALA	K18	Green
ALA	I19	Green
LEU	P20	Yellow
GLU	V21	Green
VAL	A22	Green
LEU	L23	Green
PHE	L24	Red
GLN	L25	Green
GLN	H26	Orange
GLY	Y27	Yellow
GLY	Q28	Green
GLY	Q29	Green
GLY	N30	Green
GLY	Q31	Green
GLY	A32	Yellow
GLY	S33	Green
GLY	C34	Green
GLY	G35	Green
GLY	K36	Green
GLY	R37	Red
GLY	A38	Green
ALA	I39	Green
ALA	I40	Green
ALA	L41	Green
ALA	E42	Red
ALA	T43	Red
ALA	R44	Green
ALA	Q45	Green
ALA	H46	Green
ALA	R47	Green
ALA	L48	Yellow
ALA	F49	Red
ALA	C50	Green
ALA	A51	Green
ALA	D52	Green
ALA	P53	Green
ALA	K54	Green
ALA	E55	Yellow
ALA	Q56	Green
ALA	W57	Green
ALA	V58	Yellow
ALA	K59	Yellow
ALA	M62	Yellow
ALA	G63	Green
ALA	G64	Green

- Chain R: 

GLN	ARG	LEU	PHE	SER	ARG	ASP	VAL	SER	THR	TYR	HIS	SER	MET	SER	PHE	SER	ARG	ARG	SER	SER	SER	PRO	ARG	ARG	GLU	THR	SER	SER	ASP	THR	LEU	VAL	CYS	ARG	VAL	SER	GLN	ILE	ILE	PRO											
A109		M136		I153		V156	I157	I158		F163	M164		D170	N171		D176	Y177	ASP	THR	L180		S183		I187		L192		F197		I204	S205	I226	L235	I239	H245	L253	K254		S260	S261	E266	K270	L274	C284	R299	A307	R310				
ASP	TYR	LYS	ASP	ASP	ASP	ALA	MET	THR	PRO	THR	THR	THR	ALA	GLU	LEU	THR	THR	GLU	PHE	ASP	TYR		D17	E18	D19	A20	T21		N30	L45	I49	F52	F56	W60	R61	C84		W89		H96	N97	S98	L99	A100	S101	V102	P103	G104	L105	T106	L107

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	89862	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CryoSPARC patch CTF estimation and global/local CTF refinements	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	57624	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.995	Depositor
Minimum map value	-0.664	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.020	Depositor
Recommended contour level	0.0759	Depositor
Map size ($\text{\AA}$)	305.4, 305.4, 305.4	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.018, 1.018, 1.018	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.13	0/1900	0.28	0/2551
2	B	0.15	0/2642	0.30	0/3582
3	C	0.10	0/429	0.22	0/581
4	D	0.14	0/1805	0.30	0/2450
5	L	0.13	0/542	0.36	0/735
6	R	0.15	0/2440	0.34	0/3325
All	All	0.14	0/9758	0.31	0/13224

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1868	0	1873	27	0
2	B	2595	0	2494	16	0
3	C	423	0	426	3	0
4	D	1761	0	1694	8	0
5	L	532	0	515	11	0
6	R	2375	0	2426	21	0
All	All	9554	0	9428	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:L:40:ILE:HD11	5:L:48:LEU:HB3	1.69	0.75
2:B:271:CYS:HB2	2:B:290:ASP:HB2	1.74	0.69
1:A:346:ASP:O	1:A:350:GLN:HG2	1.98	0.62
5:L:28:GLN:HB3	5:L:40:ILE:HG23	1.82	0.62
6:R:274:ILE:HD12	6:R:274:ILE:H	1.66	0.59
5:L:59:LYS:HA	5:L:62:MET:HG2	1.85	0.59
1:A:284:MET:HA	1:A:284:MET:HE3	1.83	0.59
1:A:299:GLN:HG3	1:A:300:ARG:HG3	1.86	0.58
6:R:164:MET:HE3	6:R:164:MET:HA	1.85	0.58
2:B:249:THR:HG22	2:B:265:SER:HB3	1.85	0.58
4:D:91:THR:HG23	4:D:118:THR:HA	1.85	0.57
4:D:40:ALA:HB3	4:D:43:LYS:HB2	1.87	0.57
4:D:12:VAL:HG11	4:D:86:LEU:HD12	1.87	0.57
1:A:203:MET:SD	1:A:227:MET:HE1	2.46	0.56
4:D:98:ARG:HG2	4:D:110:PHE:HB3	1.87	0.56
5:L:29:GLN:NE2	5:L:29:GLN:H	2.03	0.55
1:A:52:LYS:O	1:A:56:ILE:HD12	2.08	0.54
2:B:290:ASP:HA	2:B:314:ARG:HG3	1.90	0.54
1:A:237:GLN:HB2	1:A:247:ARG:HD3	1.91	0.53
5:L:55:GLU:HB3	5:L:58:VAL:HG12	1.91	0.53
2:B:79:LEU:HB2	2:B:93:ILE:HB	1.92	0.52
1:A:308:PHE:O	1:A:312:MET:HG2	2.10	0.52
1:A:256:ARG:HD2	1:A:316:LEU:HB3	1.92	0.51
1:A:234:GLU:HA	1:A:237:GLN:HG3	1.93	0.51
2:B:318:LEU:HD23	2:B:329:THR:HG22	1.92	0.51
4:D:99:SER:HB2	4:D:107:PRO:HB3	1.93	0.51
6:R:254:LYS:NZ	6:R:266:GLU:HG2	2.25	0.50
5:L:26:HIS:CE1	5:L:27:TYR:O	2.66	0.49
1:A:345:LYS:HE3	6:R:136:MET:HE1	1.94	0.49
5:L:30:ASN:HB2	5:L:40:ILE:HG22	1.94	0.48
1:A:194:PHE:CD2	1:A:203:MET:HE3	2.49	0.48
6:R:89:TRP:CZ2	6:R:107:LEU:HB3	2.49	0.48
2:B:87:THR:O	2:B:87:THR:HG22	2.14	0.47
4:D:61:ALA:HB3	4:D:64:VAL:HG22	1.97	0.47
1:A:252:LYS:HD2	1:A:312:MET:HE2	1.97	0.46
2:B:67:SER:HB3	2:B:321:THR:HB	1.97	0.46
6:R:102:VAL:HB	6:R:103:PRO:HD3	1.96	0.46
1:A:235:TYR:HA	1:A:248:MET:HG3	1.96	0.46
6:R:270:LYS:O	6:R:274:ILE:HD12	2.14	0.46
1:A:60:ARG:HA	1:A:194:PHE:HE1	1.80	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:R:45:LEU:O	6:R:49:ILE:HG12	2.16	0.45
2:B:161:SER:HB3	2:B:163:ASP:OD1	2.17	0.45
1:A:358:LEU:O	6:R:226:ILE:HG12	2.17	0.45
6:R:153:ILE:O	6:R:156:VAL:HG12	2.17	0.44
6:R:235:LEU:O	6:R:239:ILE:HG23	2.17	0.44
1:A:215:LYS:HD2	2:B:204:CYS:SG	2.58	0.44
6:R:254:LYS:HZ2	6:R:266:GLU:HG2	1.82	0.44
6:R:299:ARG:HA	6:R:299:ARG:HD3	1.72	0.44
2:B:9:GLN:O	2:B:13:GLN:HG3	2.18	0.44
2:B:34:THR:HG22	3:C:38:MET:SD	2.57	0.44
2:B:262:MET:SD	2:B:302:ALA:HB2	2.58	0.43
1:A:270:ILE:HG23	1:A:339:PHE:HE2	1.83	0.43
1:A:323:ILE:HD12	1:A:323:ILE:N	2.34	0.43
4:D:99:SER:HB3	4:D:108:PHE:H	1.84	0.43
1:A:56:ILE:HD12	1:A:56:ILE:H	1.84	0.42
3:C:46:LYS:HD3	3:C:46:LYS:HA	1.68	0.42
3:C:59:ASN:O	3:C:62:ARG:HG2	2.18	0.42
6:R:192:LEU:HD12	6:R:192:LEU:HA	1.82	0.42
4:D:36:TRP:HD1	4:D:70:ILE:HD12	1.84	0.42
6:R:100:ALA:C	6:R:103:PRO:HD2	2.43	0.42
6:R:183:SER:O	6:R:187:ILE:HG12	2.19	0.42
6:R:197:PHE:HB2	6:R:245:HIS:CE1	2.54	0.42
2:B:152:LEU:HD12	2:B:156:GLN:HB3	2.02	0.42
5:L:32:ALA:HB1	5:L:37:ARG:HA	2.02	0.42
6:R:204:ILE:HG13	6:R:205:SER:N	2.35	0.42
5:L:20:PRO:HB2	5:L:23:LEU:HB2	2.02	0.42
6:R:60:TRP:CE2	6:R:61:ARG:HD3	2.55	0.42
1:A:276:LYS:HB3	1:A:330:CYS:HA	2.02	0.41
5:L:5:ILE:HD11	6:R:89:TRP:CH2	2.55	0.41
2:B:48:ARG:HG3	2:B:340:ASN:HB2	2.02	0.41
5:L:24:LEU:HD11	5:L:27:TYR:HB3	2.02	0.41
1:A:8:ASP:O	1:A:12:VAL:HG23	2.21	0.41
1:A:33:LYS:HB2	2:B:55:LEU:HD22	2.02	0.41
1:A:42:LEU:HD22	1:A:225:SER:HB3	2.01	0.41
6:R:109:ALA:HA	6:R:163:PHE:CE1	2.55	0.41
1:A:269:VAL:HB	1:A:324:ILE:HG12	2.01	0.41
1:A:282:LYS:O	1:A:286:SER:HB3	2.21	0.41
1:A:41:LYS:HA	1:A:202:ARG:HB2	2.03	0.40
2:B:160:SER:HB3	2:B:190:LEU:HD23	2.02	0.40
1:A:193:PRO:HG3	1:A:202:ARG:NH2	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/352 (62%)	215 (98%)	5 (2%)	0	100	100
2	B	336/345 (97%)	329 (98%)	7 (2%)	0	100	100
3	C	55/67 (82%)	54 (98%)	1 (2%)	0	100	100
4	D	228/256 (89%)	221 (97%)	7 (3%)	0	100	100
5	L	66/91 (72%)	64 (97%)	2 (3%)	0	100	100
6	R	288/362 (80%)	278 (96%)	10 (4%)	0	100	100
All	All	1193/1473 (81%)	1161 (97%)	32 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/319 (65%)	201 (97%)	6 (3%)	37	71
2	B	280/285 (98%)	269 (96%)	11 (4%)	28	62
3	C	42/55 (76%)	41 (98%)	1 (2%)	43	75
4	D	190/208 (91%)	182 (96%)	8 (4%)	26	59
5	L	58/75 (77%)	56 (97%)	2 (3%)	32	66
6	R	264/334 (79%)	256 (97%)	8 (3%)	36	69
All	All	1041/1276 (82%)	1005 (96%)	36 (4%)	32	65

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	197	GLN
1	A	201	PHE
1	A	203	MET
1	A	211	SER
1	A	290	ASP
1	A	294	GLU
2	B	118	ASP
2	B	146	LEU
2	B	217	MET
2	B	228	ASP
2	B	234	PHE
2	B	243	THR
2	B	261	LEU
2	B	267	ASP
2	B	268	ASN
2	B	317	CYS
2	B	340	ASN
3	C	42	GLU
4	D	12	VAL
4	D	63	THR
4	D	116	THR
4	D	125	ASP
4	D	132	THR
4	D	143	VAL
4	D	171	GLN
4	D	232	LYS
5	L	1	VAL
5	L	26	HIS
6	R	52	PHE
6	R	84	CYS
6	R	105	THR
6	R	158	ILE
6	R	163	PHE
6	R	235	LEU
6	R	253	LEU
6	R	284	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	303	GLN
2	B	35	ASN
2	B	220	GLN
2	B	225	HIS
2	B	340	ASN
4	D	13	GLN
5	L	29	GLN
6	R	51	ASN
6	R	172	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-66928. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 146




Y Index: 155




Z Index: 174


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 174


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0759. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 80 nm³; this corresponds to an approximate mass of 72 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.356 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.356 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.81	-	-
Author-provided FSC curve	2.81	3.10	2.83
Unmasked-calculated*	3.83	8.12	3.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.83 differs from the reported value 2.81 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-66928 and PDB model 9XJ5. Per-residue inclusion information can be found in section [3](#) on page [7](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0759 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0759).

9.4 Atom inclusion [i](#)



At the recommended contour level, 88% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0759) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8470	0.5590
A	0.7950	0.5370
B	0.9620	0.6280
C	0.8940	0.5610
D	0.9470	0.6080
L	0.3780	0.2990
R	0.7870	0.5240

1.0

0.0

<0.0