



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2023 – 02:06 AM EDT

PDB ID : 6XMH  
Title : Human aldolase A wild type  
Authors : Meneely, K.M.; Lamb, A.L.  
Deposited on : 2020-06-30  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	 77% 21% .
1	B	364	 81% 15% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PO4	A	402	-	-	X	-
3	GOL	B	402	-	-	-	X

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 11157 atoms, of which 5489 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fructose-bisphosphate aldolase A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	356	Total 5445	C 1709	H 2734	N 477	O 514	S 11	0	0	0
1	B	351	Total 5370	C 1680	H 2702	N 470	O 507	S 11	0	0	0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	P		
2	A	1	Total 5	O 4	P 1	0	0
2	A	1	Total 5	O 4	P 1	0	0
2	A	1	Total 5	O 4	P 1	0	0
2	B	1	Total 5	O 4	P 1	0	0

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	A	1	Total	C	H	O	0	0
			13	3	7	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	A	1	Total	C	H	O	0	0
			14	3	8	3		
3	B	1	Total	C	H	O	0	0
			12	3	6	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	108	Total	O	0	0
			108	108		
4	B	119	Total	O	0	0
			119	119		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Fructose-bisphosphate aldolase A



- Molecule 1: Fructose-bisphosphate aldolase A



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 64 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	161.88Å 161.88Å 168.13Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	40.85 – 1.95 40.85 – 1.95	Depositor EDS
% Data completeness (in resolution range)	60.2 (40.85-1.95) 60.2 (40.85-1.95)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.36 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 1.16_3549, PHENIX 1.16_3549	Depositor
R, $R_{free}$	0.239 , 0.286 0.250 , 0.293	Depositor DCC
$R_{free}$ test set	2803 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.9	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 38.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	11157	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.78 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4523e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.81	6/2762 (0.2%)	0.86	3/3742 (0.1%)
1	B	0.77	1/2716 (0.0%)	0.84	3/3678 (0.1%)
All	All	0.79	7/5478 (0.1%)	0.85	6/7420 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	231	PRO	N-CD	-18.24	1.22	1.47
1	A	188	GLU	CD-OE1	-9.03	1.15	1.25
1	A	190	GLU	CD-OE1	-7.89	1.17	1.25
1	A	188	GLU	CD-OE2	-7.84	1.17	1.25
1	A	187	VAL	C-O	-6.70	1.10	1.23
1	A	189	PRO	C-O	-5.68	1.11	1.23
1	A	156	GLU	CB-CG	5.26	1.62	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	134	ARG	NE-CZ-NH1	8.72	124.66	120.30
1	B	116	LEU	CB-CG-CD2	-8.67	96.27	111.00
1	A	62	LEU	CB-CG-CD1	-7.12	98.89	111.00
1	A	293	LEU	CB-CG-CD1	-6.69	99.62	111.00
1	A	199	LEU	CB-CG-CD2	-6.66	99.68	111.00
1	B	134	ARG	NE-CZ-NH2	-6.45	117.08	120.30

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2711	2734	2734	52	0
1	B	2668	2702	2702	38	0
2	A	15	0	0	2	0
2	B	5	0	0	0	0
3	A	36	47	48	8	0
3	B	6	6	8	0	0
4	A	108	0	0	4	0
4	B	119	0	0	4	0
All	All	5668	5489	5492	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:290:CYS:SG	4:A:606:HOH:O	2.25	0.94
1:A:200:LYS:NZ	2:A:402:PO4:O3	2.01	0.94
1:A:116:LEU:HD21	1:A:124:THR:OG1	1.76	0.85
1:A:122:GLU:HA	3:A:406:GOL:H12	1.57	0.85
1:B:35:GLU:OE2	4:B:501:HOH:O	1.97	0.81
1:A:41:ALA:HB2	1:A:51:ASN:ND2	2.00	0.77
1:A:41:ALA:HB2	1:A:51:ASN:HD22	1.53	0.73
1:A:124:THR:HG22	1:A:125:THR:H	1.54	0.73
1:A:295:PRO:HB3	1:B:293:LEU:HD21	1.69	0.73
1:A:295:PRO:CB	1:B:293:LEU:CD2	2.67	0.72
1:B:215:LYS:NZ	1:B:219:ASP:OD2	2.24	0.70
1:A:126:GLN:OE1	3:A:407:GOL:H11	1.95	0.66
1:A:295:PRO:HB3	1:B:293:LEU:CD2	2.28	0.64
1:A:58:PHE:CZ	1:A:321:LEU:HD12	2.33	0.64
1:A:290:CYS:O	1:A:294:LYS:NZ	2.30	0.63
1:B:135:CYS:HB3	1:B:183:ILE:HD12	1.82	0.61
1:A:238:HIS:ND1	3:A:405:GOL:H31	2.15	0.61
1:A:221:HIS:CE1	3:A:409:GOL:H11	2.36	0.60
1:A:203:GLN:HB2	1:A:234:VAL:HG11	1.85	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:VAL:HG13	1:B:329:VAL:HG22	1.84	0.59
1:B:109:VAL:O	1:B:134:ARG:NH2	2.35	0.59
1:A:124:THR:HG22	1:A:125:THR:N	2.18	0.57
1:A:108:LYS:HE3	1:A:364:TYR:O	2.05	0.56
1:B:304:ARG:HB3	1:B:357:LEU:HD13	1.87	0.56
1:B:290:CYS:O	1:B:294:LYS:NZ	2.31	0.56
1:B:148:TRP:O	1:B:188:GLU:HB3	2.06	0.56
1:B:169:ASN:ND2	4:B:502:HOH:O	2.21	0.56
1:A:295:PRO:CB	1:B:293:LEU:HD21	2.31	0.56
1:A:82:GLU:O	4:A:501:HOH:O	2.18	0.56
1:B:135:CYS:HB3	1:B:183:ILE:CD1	2.36	0.56
1:A:31:LEU:HD23	1:A:306:LEU:HD13	1.88	0.54
1:A:230:LYS:HG3	1:A:269:THR:O	2.07	0.54
1:B:9:THR:HG23	1:B:12:GLN:OE1	2.08	0.54
1:A:201:ARG:NH2	4:A:507:HOH:O	2.42	0.53
2:A:402:PO4:O1	1:B:13:LYS:NZ	2.42	0.53
1:B:326:GLU:O	1:B:326:GLU:HG3	2.09	0.52
1:A:326:GLU:O	1:A:330:LYS:HG3	2.10	0.52
1:A:269:THR:HG22	1:A:299:THR:CG2	2.40	0.51
1:A:295:PRO:HB2	1:B:293:LEU:CD2	2.41	0.51
1:A:269:THR:HG22	1:A:299:THR:HG23	1.93	0.50
1:A:70:VAL:CG1	1:A:329:VAL:HG22	2.41	0.50
1:A:64:LEU:HD12	1:A:94:PHE:CD1	2.47	0.50
1:B:122:GLU:HG2	4:B:552:HOH:O	2.12	0.49
1:B:235:THR:HB	1:B:236:PRO:HD2	1.95	0.49
1:A:43:ARG:O	1:A:46:SER:OG	2.15	0.49
1:A:221:HIS:ND1	3:A:409:GOL:H11	2.28	0.49
1:B:255:THR:O	1:B:259:ARG:HG3	2.13	0.48
1:B:70:VAL:CG1	1:B:329:VAL:HG22	2.44	0.48
1:B:94:PHE:N	1:B:95:PRO:HD2	2.29	0.48
1:B:187:VAL:HG12	1:B:189:PRO:HD3	1.96	0.47
1:A:218:SER:O	3:A:409:GOL:H32	2.14	0.47
1:B:198:ASP:OD2	1:B:200:LYS:HE3	2.16	0.46
1:A:13:LYS:HB3	1:A:223:TYR:CE2	2.51	0.46
1:A:43:ARG:HH11	1:A:43:ARG:HG2	1.80	0.46
1:A:7:ALA:O	1:A:8:LEU:HD23	2.15	0.46
1:B:300:PHE:CD1	1:B:335:ASN:HB3	2.51	0.45
1:B:58:PHE:CZ	1:B:321:LEU:HD13	2.51	0.45
1:B:290:CYS:HB3	1:B:294:LYS:HE2	1.99	0.45
1:A:31:LEU:HD23	1:A:306:LEU:CD1	2.47	0.44
1:A:70:VAL:O	1:A:73:CYS:HB2	2.17	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:SER:O	1:B:164:ILE:HG13	2.17	0.44
1:B:326:GLU:O	1:B:330:LYS:HG3	2.18	0.43
1:A:58:PHE:HZ	1:A:321:LEU:HD12	1.79	0.43
1:B:224:LEU:HD13	4:B:607:HOH:O	2.18	0.43
1:A:238:HIS:ND1	3:A:405:GOL:C3	2.82	0.43
1:B:184:VAL:O	1:B:184:VAL:HG12	2.19	0.43
1:B:80:PHE:O	1:B:81:HIS:C	2.57	0.43
1:A:67:ASP:OD1	1:A:69:ARG:HB2	2.19	0.42
1:A:43:ARG:HG2	1:A:43:ARG:NH1	2.35	0.42
1:B:272:SER:O	1:B:275:GLN:HG3	2.20	0.42
1:A:304:ARG:NH2	1:A:362:HIS:ND1	2.67	0.42
1:A:190:GLU:OE1	4:A:502:HOH:O	2.22	0.42
1:A:162:LEU:HD12	1:A:162:LEU:O	2.19	0.41
1:B:59:TYR:O	1:B:62:LEU:HB3	2.19	0.41
1:A:79:LEU:HD12	1:A:84:LEU:HD12	2.00	0.41
1:A:9:THR:HG23	1:A:12:GLN:OE1	2.21	0.41
1:A:122:GLU:OE1	1:A:159:PRO:HA	2.21	0.41
1:A:207:GLU:OE1	3:A:404:GOL:H11	2.20	0.41
1:A:234:VAL:O	1:A:249:ILE:HG23	2.21	0.41
1:A:225:GLU:O	1:A:266:THR:OG1	2.36	0.41
1:A:30:ILE:HB	1:A:301:SER:HA	2.02	0.41
1:B:322:LYS:O	1:B:322:LYS:HG3	2.21	0.41
1:A:29:GLY:HA3	1:A:300:PHE:CZ	2.56	0.40
1:B:42:LYS:N	1:B:42:LYS:HD2	2.35	0.40
1:B:147:LYS:HE2	1:B:147:LYS:HB3	1.88	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	352/364 (97%)	337 (96%)	15 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	347/364 (95%)	330 (95%)	17 (5%)	0	100	100
All	All	699/728 (96%)	667 (95%)	32 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	286/292 (98%)	276 (96%)	10 (4%)	36	24
1	B	283/292 (97%)	277 (98%)	6 (2%)	53	46
All	All	569/584 (97%)	553 (97%)	16 (3%)	43	33

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	SER
1	A	60	ARG
1	A	90	ASP
1	A	100	SER
1	A	174	TYR
1	A	176	SER
1	A	194	ASP
1	A	296	TRP
1	A	317	LYS
1	A	339	CYS
1	B	36	SER
1	B	60	ARG
1	B	174	TYR
1	B	200	LYS
1	B	294	LYS
1	B	296	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	GOL	B	402	-	5,5,5	1.50	1 (20%)	5,5,5	1.04	0
2	PO4	A	402	-	4,4,4	0.60	0	6,6,6	1.40	1 (16%)
3	GOL	A	406	-	5,5,5	1.87	2 (40%)	5,5,5	1.17	1 (20%)
3	GOL	A	405	-	5,5,5	1.71	1 (20%)	5,5,5	1.94	1 (20%)
2	PO4	B	401	-	4,4,4	0.65	0	6,6,6	0.77	0
2	PO4	A	408	-	4,4,4	0.57	0	6,6,6	0.81	0
2	PO4	A	401	-	4,4,4	0.82	0	6,6,6	1.22	0
3	GOL	A	403	-	5,5,5	1.12	1 (20%)	5,5,5	1.36	0
3	GOL	A	409	-	5,5,5	2.33	3 (60%)	5,5,5	0.87	0
3	GOL	A	404	-	5,5,5	1.01	0	5,5,5	0.87	0
3	GOL	A	407	-	5,5,5	1.07	0	5,5,5	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	B	402	-	-	0/4/4/4	-
3	GOL	A	406	-	-	2/4/4/4	-
3	GOL	A	405	-	-	2/4/4/4	-
3	GOL	A	409	-	-	2/4/4/4	-
3	GOL	A	403	-	-	3/4/4/4	-
3	GOL	A	404	-	-	2/4/4/4	-
3	GOL	A	407	-	-	0/4/4/4	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	409	GOL	C1-C2	3.62	1.66	1.51
3	A	405	GOL	C1-C2	3.16	1.64	1.51
3	A	406	GOL	C1-C2	3.07	1.64	1.51
3	A	409	GOL	C3-C2	2.76	1.63	1.51
3	B	402	GOL	C3-C2	2.66	1.62	1.51
3	A	406	GOL	C3-C2	2.52	1.62	1.51
3	A	409	GOL	O1-C1	2.40	1.52	1.42
3	A	403	GOL	C1-C2	2.14	1.60	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	405	GOL	C3-C2-C1	-3.66	97.49	111.70
2	A	402	PO4	O3-P-O2	2.50	115.99	107.97
3	A	406	GOL	C3-C2-C1	-2.04	103.77	111.70

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	GOL	O1-C1-C2-C3
3	A	403	GOL	C1-C2-C3-O3
3	A	405	GOL	C1-C2-C3-O3
3	A	405	GOL	O2-C2-C3-O3
3	A	406	GOL	O1-C1-C2-C3
3	A	409	GOL	O1-C1-C2-C3
3	A	409	GOL	O1-C1-C2-O2
3	A	403	GOL	O2-C2-C3-O3
3	A	406	GOL	O1-C1-C2-O2
3	A	404	GOL	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	A	404	GOL	O1-C1-C2-O2

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	402	PO4	2	0
3	A	406	GOL	1	0
3	A	405	GOL	2	0
3	A	409	GOL	3	0
3	A	404	GOL	1	0
3	A	407	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	356/364 (97%)	0.08	4 (1%) 80 85	24, 39, 55, 70	0
1	B	351/364 (96%)	-0.03	2 (0%) 89 93	24, 38, 55, 66	0
All	All	707/728 (97%)	0.02	6 (0%) 86 90	24, 39, 55, 70	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	5	TYR	3.4
1	A	156	GLU	3.1
1	B	241	THR	3.0
1	B	156	GLU	2.9
1	A	91	GLY	2.7
1	A	241	THR	2.5

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	GOL	A	405	6/6	0.69	0.32	54,66,81,83	0
3	GOL	B	402	6/6	0.76	0.41	49,69,82,84	0
3	GOL	A	403	6/6	0.85	0.15	49,61,77,87	0
3	GOL	A	409	6/6	0.86	0.18	36,45,63,63	0
3	GOL	A	407	6/6	0.87	0.29	49,62,76,89	0
3	GOL	A	404	6/6	0.89	0.12	53,65,74,74	0
3	GOL	A	406	6/6	0.92	0.13	38,47,59,59	0
2	PO4	B	401	5/5	0.95	0.09	45,46,53,64	0
2	PO4	A	401	5/5	0.96	0.13	41,53,55,59	0
2	PO4	A	402	5/5	0.97	0.07	54,55,60,66	0
2	PO4	A	408	5/5	0.98	0.07	40,52,62,65	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.