

wwPDB X-ray Structure Validation Summary Report (i)

Nov 22, 2023 – 11:03 PM JST

PDB ID : 7XXR

Title : Orf1 R342A-glycylthricin complex

Authors: Wang, Y.L.; Li, T.L.

Deposited on : 2022-05-30

Resolution : 2.40 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.40 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \textbf{Whole archive} \\ (\#\textbf{Entries}) \end{array}$	Similar resolution $(\#\text{Entries, resolution range}(\mathring{A}))$		
R_{free}	130704	3907 (2.40-2.40)		
Clashscore	141614	4398 (2.40-2.40)		
Ramachandran outliers	138981	4318 (2.40-2.40)		
Sidechain outliers	138945	4319 (2.40-2.40)		
RSRZ outliers	127900	3811 (2.40-2.40)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	512	86%	8% • 6%
1	В	512	87%	7% 6%
1	С	512	85%	8% • 6%
1	D	512	14%	9% • 6%
1	Е	512	87%	6% • 6%
1	F	512	87%	6% • 6%





Continued from previous page...

	\mathbf{Mol}	\mathbf{Chain}	Length	Quality of chain		
ŀ						
				<u>4%</u>		
	1	α	F10			
	1	G	512	83%	10%	• 6%
ŀ				120/		
				13%		
	1	TT	519			
	1	П	512	84%	9%	• 6%
- 1						



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 30395 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called N-formimidoyl fortimicin A synthase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	482	Total	С	N	О	S	0	0	0
1	A	402	3648	2290	657	689	12	0	0	
1	В	482	Total	С	N	О	S	0	0	0
1	Б	402	3648	2290	657	689	12	0	0	
1	С	482	Total	С	N	О	S	0	1	0
1		402	3656	2295	658	690	13	U	1	
1	D	480	Total	С	N	О	S	0	1	0
1	D	400	3640	2286	655	686	13			
1	Е	482	Total	С	N	О	S	0	0	0
1	l L	402	3648	2290	657	689	12	0	0	
1	F	482	Total	С	N	О	S	0	0	0
1	Г	402	3648	2290	657	689	12	0	0	
1	G	482	Total	С	N	О	S	0	0	0
1	I G	G 482	3648	2290	657	689	12	0		
1	Н	480	Total	С	N	О	S	0	1	0
1	11	400	3640	2286	655	686	13		1	

There are 176 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP A0A125SZC1
A	-19	GLY	-	expression tag	UNP A0A125SZC1
A	-18	SER	-	expression tag	UNP A0A125SZC1
A	-17	SER	-	expression tag	UNP A0A125SZC1
A	-16	HIS	-	expression tag	UNP A0A125SZC1
A	-15	HIS	-	expression tag	UNP A0A125SZC1
A	-14	HIS	-	expression tag	UNP A0A125SZC1
A	-13	HIS	-	expression tag	UNP A0A125SZC1
A	-12	HIS	-	expression tag	UNP A0A125SZC1
A	-11	HIS	-	expression tag	UNP A0A125SZC1
A	-10	SER	-	expression tag	UNP A0A125SZC1
A	-9	SER	-	expression tag	UNP A0A125SZC1
A	-8	GLY	-	expression tag	UNP A0A125SZC1



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	LEU	-	expression tag	UNP A0A125SZC1
A	-6	VAL	-	expression tag	UNP A0A125SZC1
A	-5	PRO	-	expression tag	UNP A0A125SZC1
A	-4	ARG	-	expression tag	UNP A0A125SZC1
A	-3	GLY	-	expression tag	UNP A0A125SZC1
A	-2	SER	-	expression tag	UNP A0A125SZC1
A	-1	HIS	-	expression tag	UNP A0A125SZC1
A	0	MET	-	expression tag	UNP A0A125SZC1
A	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
В	-20	MET	-	initiating methionine	UNP A0A125SZC1
В	-19	GLY	-	expression tag	UNP A0A125SZC1
В	-18	SER	-	expression tag	UNP A0A125SZC1
В	-17	SER	-	expression tag	UNP A0A125SZC1
В	-16	HIS	-	expression tag	UNP A0A125SZC1
В	-15	HIS	-	expression tag	UNP A0A125SZC1
В	-14	HIS	-	expression tag	UNP A0A125SZC1
В	-13	HIS	-	expression tag	UNP A0A125SZC1
В	-12	HIS	-	expression tag	UNP A0A125SZC1
В	-11	HIS	-	expression tag	UNP A0A125SZC1
В	-10	SER	-	expression tag	UNP A0A125SZC1
В	-9	SER	-	expression tag	UNP A0A125SZC1
В	-8	GLY	-	expression tag	UNP A0A125SZC1
В	-7	LEU	-	expression tag	UNP A0A125SZC1
В	-6	VAL	-	expression tag	UNP A0A125SZC1
В	-5	PRO	-	expression tag	UNP A0A125SZC1
В	-4	ARG	-	expression tag	UNP A0A125SZC1
В	-3	GLY	-	expression tag	UNP A0A125SZC1
В	-2	SER	-	expression tag	UNP A0A125SZC1
В	-1	HIS	-	expression tag	UNP A0A125SZC1
В	0	MET	-	expression tag	UNP A0A125SZC1
В	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
С	-20	MET	ı	initiating methionine	UNP A0A125SZC1
С	-19	GLY	-	expression tag	UNP A0A125SZC1
С	-18	SER	-	expression tag	UNP A0A125SZC1
С	-17	SER	-	expression tag	UNP A0A125SZC1
С	-16	HIS	-	expression tag	UNP A0A125SZC1
С	-15	HIS	-	expression tag	UNP A0A125SZC1
С	-14	HIS	-	expression tag	UNP A0A125SZC1
С	-13	HIS	_	expression tag	UNP A0A125SZC1
С	-12	HIS	-	expression tag	UNP A0A125SZC1
С	-11	HIS	-	expression tag	UNP A0A125SZC1
С	-10	SER	-	expression tag	UNP A0A125SZC1



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	-9	SER	-	expression tag	UNP A0A125SZC1
С	-8	GLY	-	expression tag	UNP A0A125SZC1
С	-7	LEU	-	expression tag	UNP A0A125SZC1
С	-6	VAL	-	expression tag	UNP A0A125SZC1
С	-5	PRO	-	expression tag	UNP A0A125SZC1
С	-4	ARG	-	expression tag	UNP A0A125SZC1
С	-3	GLY	-	expression tag	UNP A0A125SZC1
С	-2	SER	-	expression tag	UNP A0A125SZC1
С	-1	HIS	-	expression tag	UNP A0A125SZC1
С	0	MET	-	expression tag	UNP A0A125SZC1
С	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
D	-20	MET	-	initiating methionine	UNP A0A125SZC1
D	-19	GLY	-	expression tag	UNP A0A125SZC1
D	-18	SER	-	expression tag	UNP A0A125SZC1
D	-17	SER	-	expression tag	UNP A0A125SZC1
D	-16	HIS	-	expression tag	UNP A0A125SZC1
D	-15	HIS	-	expression tag	UNP A0A125SZC1
D	-14	HIS	-	expression tag	UNP A0A125SZC1
D	-13	HIS	-	expression tag	UNP A0A125SZC1
D	-12	HIS	-	expression tag	UNP A0A125SZC1
D	-11	HIS	-	expression tag	UNP A0A125SZC1
D	-10	SER	-	expression tag	UNP A0A125SZC1
D	-9	SER	-	expression tag	UNP A0A125SZC1
D	-8	GLY	-	expression tag	UNP A0A125SZC1
D	-7	LEU	-	expression tag	UNP A0A125SZC1
D	-6	VAL	ı	expression tag	UNP A0A125SZC1
D	-5	PRO	-	expression tag	UNP A0A125SZC1
D	-4	ARG	-	expression tag	UNP A0A125SZC1
D	-3	GLY	I	expression tag	UNP A0A125SZC1
D	-2	SER	-	expression tag	UNP A0A125SZC1
D	-1	HIS	-	expression tag	UNP A0A125SZC1
D	0	MET	ı	expression tag	UNP A0A125SZC1
D	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
Е	-20	MET	I	initiating methionine	UNP A0A125SZC1
Е	-19	GLY	-	expression tag	UNP A0A125SZC1
Е	-18	SER	-	expression tag	UNP A0A125SZC1
Е	-17	SER	-	expression tag	UNP A0A125SZC1
Е	-16	HIS	-	expression tag	UNP A0A125SZC1
Е	-15	HIS	_	expression tag	UNP A0A125SZC1
Е	-14	HIS	-	expression tag	UNP A0A125SZC1
Е	-13	HIS	-	expression tag	UNP A0A125SZC1
Е	-12	HIS	-	expression tag	UNP A0A125SZC1



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
Е	-11	HIS	-	expression tag	UNP A0A125SZC1
Е	-10	SER	-	expression tag	UNP A0A125SZC1
Е	-9	SER	-	expression tag	UNP A0A125SZC1
Е	-8	GLY	-	expression tag	UNP A0A125SZC1
Е	-7	LEU	-	expression tag	UNP A0A125SZC1
Е	-6	VAL	-	expression tag	UNP A0A125SZC1
Е	-5	PRO	-	expression tag	UNP A0A125SZC1
Е	-4	ARG	-	expression tag	UNP A0A125SZC1
Е	-3	GLY	-	expression tag	UNP A0A125SZC1
Е	-2	SER	-	expression tag	UNP A0A125SZC1
Е	-1	HIS	-	expression tag	UNP A0A125SZC1
Е	0	MET	-	expression tag	UNP A0A125SZC1
Е	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
F	-20	MET	-	initiating methionine	UNP A0A125SZC1
F	-19	GLY	-	expression tag	UNP A0A125SZC1
F	-18	SER	-	expression tag	UNP A0A125SZC1
F	-17	SER	-	expression tag	UNP A0A125SZC1
F	-16	HIS	-	expression tag	UNP A0A125SZC1
F	-15	HIS	-	expression tag	UNP A0A125SZC1
F	-14	HIS	-	expression tag	UNP A0A125SZC1
F	-13	HIS	-	expression tag	UNP A0A125SZC1
F	-12	HIS	-	expression tag	UNP A0A125SZC1
F	-11	HIS	-	expression tag	UNP A0A125SZC1
F	-10	SER	-	expression tag	UNP A0A125SZC1
F	-9	SER	-	expression tag	UNP A0A125SZC1
F	-8	GLY	-	expression tag	UNP A0A125SZC1
F	-7	LEU	-	expression tag	UNP A0A125SZC1
F	-6	VAL	-	expression tag	UNP A0A125SZC1
F	-5	PRO	-	expression tag	UNP A0A125SZC1
F	-4	ARG	-	expression tag	UNP A0A125SZC1
F	-3	GLY	ı	expression tag	UNP A0A125SZC1
F	-2	SER	ı	expression tag	UNP A0A125SZC1
F	-1	HIS	-	expression tag	UNP A0A125SZC1
F	0	MET	-	expression tag	UNP A0A125SZC1
F	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
G	-20	MET	-	initiating methionine	UNP A0A125SZC1
G	-19	GLY	-	expression tag	UNP A0A125SZC1
G	-18	SER	-	expression tag	UNP A0A125SZC1
G	-17	SER	-	expression tag	UNP A0A125SZC1
G	-16	HIS	-	expression tag	UNP A0A125SZC1
G	-15	HIS	-	expression tag	UNP A0A125SZC1
G	-14	HIS	-	expression tag	UNP A0A125SZC1




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	-13	HIS	-	expression tag	UNP A0A125SZC1
G	-12	HIS	-	expression tag	UNP A0A125SZC1
G	-11	HIS	-	expression tag	UNP A0A125SZC1
G	-10	SER	-	expression tag	UNP A0A125SZC1
G	-9	SER	-	expression tag	UNP A0A125SZC1
G	-8	GLY	-	expression tag	UNP A0A125SZC1
G	-7	LEU	-	expression tag	UNP A0A125SZC1
G	-6	VAL	-	expression tag	UNP A0A125SZC1
G	-5	PRO	-	expression tag	UNP A0A125SZC1
G	-4	ARG	-	expression tag	UNP A0A125SZC1
G	-3	GLY	-	expression tag	UNP A0A125SZC1
G	-2	SER	-	expression tag	UNP A0A125SZC1
G	-1	HIS	-	expression tag	UNP A0A125SZC1
G	0	MET	-	expression tag	UNP A0A125SZC1
G	342	ALA	ARG	engineered mutation	UNP A0A125SZC1
Н	-20	MET	-	initiating methionine	UNP A0A125SZC1
Н	-19	GLY	-	expression tag	UNP A0A125SZC1
Н	-18	SER	-	expression tag	UNP A0A125SZC1
Н	-17	SER	-	expression tag	UNP A0A125SZC1
Н	-16	HIS	-	expression tag	UNP A0A125SZC1
Н	-15	HIS	-	expression tag	UNP A0A125SZC1
Н	-14	HIS	-	expression tag	UNP A0A125SZC1
Н	-13	HIS	-	expression tag	UNP A0A125SZC1
Н	-12	HIS	-	expression tag	UNP A0A125SZC1
Н	-11	HIS	-	expression tag	UNP A0A125SZC1
Н	-10	SER	-	expression tag	UNP A0A125SZC1
Н	-9	SER	-	expression tag	UNP A0A125SZC1
Н	-8	GLY	-	expression tag	UNP A0A125SZC1
Н	-7	LEU	-	expression tag	UNP A0A125SZC1
Н	-6	VAL	-	expression tag	UNP A0A125SZC1
Н	-5	PRO	-	expression tag	UNP A0A125SZC1
Н	-4	ARG	-	expression tag	UNP A0A125SZC1
Н	-3	GLY	-	expression tag	UNP A0A125SZC1
Н	-2	SER	-	expression tag	UNP A0A125SZC1
Н	-1	HIS	-	expression tag	UNP A0A125SZC1
Н	0	MET	_	expression tag	UNP A0A125SZC1
Н	342	ALA	ARG	engineered mutation	UNP A0A125SZC1

 \bullet Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2)$ (labeled as "Ligand of Interest" by depositor).






Mol	Chain	Residues		Ato	oms			ZeroOcc	AltConf										
2	A	1	Total	С	N	О	Р	0	0										
2	A	1	53	27	9	15	2	U	0										
2	В	1	Total	С	N	О	Р	0	0										
2	Б	1	53	27	9	15	2	U	0										
2	С	1	Total	С	N	О	Р	0	0										
		1	53	27	9	15	2		U										
2	D	D	D	D	D	D	D	D	D	D	D	1	Total	С	N	О	Р	0	0
2	ע	1	53	27	9	15	2	U	0										
2	E	E 1	Total	С	N	О	Р	0	0										
	ינו	1	53	27	9	15	2	U	U										
2	F	1	Total	С	N	О	Р	0	0										
	I.	1	53	27	9	15	2	U	U										
2	G	1	Total	С	N	Ο	Р	0	0										
	G	G I	53	27	9	15	2	U	0										
2	Н	1	Total	С	N	О	Р	0	0										
		1	53	27	9	15	2	U	U										

• Molecule 3 is [(2 {R},3 {R},4 {S},5 {R},6 {R})-6-[({E})-[(3 {a} {S},7 {R},7 {a} {S})-7-oxidanyl-4-oxidanylidene-3,3 {a},5,6,7,7 {a}-hexahydro-1 {H}-imidazo[4,5-c]pyridin-2-ylidene]amino]-5-(2-azanylethanoylamino)-2-(hydroxymethyl)-4-oxidanyl-oxan-3-yl] carbamate (three-letter code: I55) (formula: $C_{15}H_{25}N_7O_8$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf					
3	A	1	Total	С	N	О	0	0					
3	3 A	1	30	15	7	8	0	0					
3	В	В	1	Total	С	N	О	0	0				
3				30	15	7	8	0	U				
3	С	1	Total	С	N	О	0	0					
3	C		C	C	C	1	30	15	7	8	0	0	
3	D	1	Total	С	N	О	0	0					
9	9 D	1	30	15	7	8		0					
3	Е	E 1	Total	С	N	О	0	0					
3	<u> </u>	1	30	15	7	8		U					
3	F	1	Total	С	N	О	0	0					
3	I'	1	30	15	7	8	U						
3	G	1	Total	С	N	О	0	0					
	G	1	30	15	7	8	U	U					
3	Ц	Н	П	H 1	Total	С	N	О	0	0			
3	11	1	30	15	7	8	U						

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	85	Total O 85 85	0	0
4	В	85	Total O 85 85	0	0
4	С	80	Total O 80 80	0	0
4	D	34	Total O 34 34	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	Е	83	Total O 83 83	0	0
4	F	85	Total O 85 85	0	0
4	G	74	Total O 74 74	0	0
4	Н	29	Total O 29 29	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: N-formimidoyl fortimicin A synthase



• Molecule 1: N-formimidoyl fortimicin A synthase










• Molecule 1: N-formimidoyl fortimicin A synthase





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	103.42Å 107.93Å 133.42Å	D: t
a, b, c, α , β , γ	90.08° 90.01° 96.30°	Depositor
Resolution (Å)	28.62 - 2.40	Depositor
Resolution (A)	28.60 - 2.40	EDS
% Data completeness	94.8 (28.62-2.40)	Depositor
(in resolution range)	94.8 (28.60-2.40)	EDS
R_{merge}	0.06	Depositor
R_{sum}	(Not available)	Depositor
$< I/\sigma(I) > 1$	3.20 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
D D	0.200 , 0.220	Depositor
R, R_{free}	0.204 , 0.204	DCC
R_{free} test set	10662 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.106	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.34 , 14.0	EDS
L-test for twinning ²	$< L > = 0.50, < L^2> = 0.34$	Xtriage
	0.460 for -h,-k,l	
Estimated twinning fraction	0.008 for k,h,-l	Xtriage
	0.007 for -k,-h,-l	
F_o, F_c correlation	0.94	EDS
Total number of atoms	30395	wwPDB-VP
Average B, all atoms (\mathring{A}^2)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 4.35% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: FAD, I55

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	Bond lengths		ond angles
WIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.68	0/3731	0.82	1/5085~(0.0%)
1	В	0.68	0/3731	0.83	1/5085 (0.0%)
1	С	0.71	0/3739	0.83	0/5095
1	D	0.66	0/3723	0.80	0/5073
1	Е	0.68	0/3731	0.82	0/5085
1	F	0.68	0/3731	0.82	1/5085~(0.0%)
1	G	0.70	0/3731	0.83	0/5085
1	Н	0.66	0/3723	0.80	0/5073
All	All	0.68	0/29840	0.82	3/40666 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$Ideal(^{o})$
1	F	430	ARG	NE-CZ-NH2	-5.39	117.60	120.30
1	В	431	LEU	CB-CA-C	-5.27	100.19	110.20
1	A	368	ARG	NE-CZ-NH2	-5.05	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3648	0	3576	22	0
1	В	3648	0	3576	19	0
1	С	3656	0	3584	38	0
1	D	3640	0	3569	39	0
1	Е	3648	0	3576	18	0
1	F	3648	0	3576	22	0
1	G	3648	0	3576	36	0
1	Н	3640	0	3569	38	0
2	A	53	0	31	0	0
2	В	53	0	31	0	0
2	С	53	0	31	0	0
2	D	53	0	31	0	0
2	Е	53	0	31	1	0
2	F	53	0	31	0	0
2	G	53	0	31	0	0
2	Н	53	0	31	0	0
3	A	30	0	0	0	0
3	В	30	0	0	0	0
3	С	30	0	0	0	0
3	D	30	0	0	0	0
3	Е	30	0	0	0	0
3	F	30	0	0	0	0
3	G	30	0	0	0	0
3	Н	30	0	0	0	0
4	A	85	0	0	0	0
4	В	85	0	0	2	0
4	С	80	0	0	1	0
4	D	34	0	0	1	0
4	Е	83	0	0	1	0
4	F	85	0	0	3	0
4	G	74	0	0	2	0
4	Н	29	0	0	1	0
All	All	30395	0	28850	222	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 222 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	Clash overlap (Å)
1:D:436:PRO:HA	1:D:439[A]:MET:HE2	1.25	1.15
1:C:436:PRO:HA	1:C:439[B]:MET:HE2	1.28	1.11



 $Continued\ from\ previous\ page...$

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$
1:C:20:VAL:HG23	1:C:51:THR:CG2	1.89	1.02
1:G:20:VAL:HG23	1:G:51:THR:HG21	1.42	1.01
1:G:20:VAL:HG23	1:G:51:THR:CG2	1.89	1.00

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	480/512 (94%)	467 (97%)	12 (2%)	1 (0%)	47	62
1	В	480/512 (94%)	467 (97%)	12 (2%)	1 (0%)	47	62
1	С	481/512 (94%)	467 (97%)	13 (3%)	1 (0%)	47	62
1	D	479/512 (94%)	466 (97%)	12 (2%)	1 (0%)	47	62
1	E	480/512 (94%)	467 (97%)	12 (2%)	1 (0%)	47	62
1	F	480/512 (94%)	467 (97%)	12 (2%)	1 (0%)	47	62
1	G	480/512 (94%)	465 (97%)	14 (3%)	1 (0%)	47	62
1	Н	479/512 (94%)	465 (97%)	13 (3%)	1 (0%)	47	62
All	All	3839/4096 (94%)	3731 (97%)	100 (3%)	8 (0%)	47	62

5 of 8 Ramachandran outliers are listed below:

\mathbf{Mol}	Chain	Res	Type
1	С	153	TRP
1	G	153	TRP
1	Н	153	TRP
1	A	153	TRP
1	D	153	TRP



5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	375/399 (94%)	363 (97%)	12 (3%)	39 59
1	В	375/399 (94%)	364 (97%)	11 (3%)	42 62
1	C	376/399 (94%)	361 (96%)	15 (4%)	31 49
1	D	374/399 (94%)	359 (96%)	15 (4%)	31 49
1	E	375/399 (94%)	359 (96%)	16 (4%)	29 46
1	F	375/399 (94%)	365 (97%)	10 (3%)	44 65
1	G	375/399 (94%)	353 (94%)	22 (6%)	19 32
1	Н	374/399 (94%)	361 (96%)	13 (4%)	36 55
All	All	2999/3192 (94%)	2885 (96%)	114 (4%)	33 51

5 of 114 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	Ε	189	GLN
1	Н	429	TRP
1	F	152	ASP
1	Н	398	ARG
1	G	457	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	Е	234	GLN
1	G	234	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.



5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Mol Type		Res	Link	Во	Bond lengths			Bond angles		
WIOI	туре	Chain	rtes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	I55	В	702	-	28,32,32	1.34	1 (3%)	31,46,46	1.38	3 (9%)	
2	FAD	E	701	-	53,58,58	0.64	0	68,89,89	0.87	2 (2%)	
3	I55	F	702	-	28,32,32	1.61	2 (7%)	31,46,46	1.24	3 (9%)	
3	I55	G	702	-	28,32,32	0.67	0	31,46,46	1.16	3 (9%)	
2	FAD	D	701	-	53,58,58	0.57	0	68,89,89	0.74	1 (1%)	
2	FAD	Н	701	-	53,58,58	0.57	0	68,89,89	0.76	2 (2%)	
2	FAD	В	701	-	53,58,58	0.63	0	68,89,89	0.95	5 (7%)	
3	I55	Е	702	-	28,32,32	1.50	1 (3%)	31,46,46	1.15	2 (6%)	
3	I55	D	702	-	28,32,32	0.73	1 (3%)	31,46,46	1.30	3 (9%)	
3	I55	С	702	-	28,32,32	0.72	1 (3%)	31,46,46	1.26	5 (16%)	
3	I55	Н	702	-	28,32,32	0.74	1 (3%)	31,46,46	1.13	1 (3%)	
2	FAD	С	701	-	53,58,58	0.64	0	68,89,89	0.89	3 (4%)	
2	FAD	F	701	-	53,58,58	0.67	1 (1%)	68,89,89	0.93	4 (5%)	
2	FAD	G	701	-	53,58,58	0.65	0	68,89,89	0.92	3 (4%)	
3	I55	A	702	-	28,32,32	1.61	2 (7%)	31,46,46	0.94	1 (3%)	
2	FAD	A	701	-	53,58,58	0.67	0	68,89,89	0.80	2 (2%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the



Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	I55	В	702	-	-	1/14/61/61	0/3/3/3
2	FAD	E	701	_	-	1/30/50/50	0/6/6/6
3	I55	F	702	_	-	1/14/61/61	0/3/3/3
3	I55	G	702	-	-	1/14/61/61	0/3/3/3
2	FAD	D	701	_	-	1/30/50/50	0/6/6/6
2	FAD	Н	701	_	-	1/30/50/50	0/6/6/6
2	FAD	В	701	-	-	3/30/50/50	0/6/6/6
3	I55	Е	702	-	-	2/14/61/61	0/3/3/3
3	I55	D	702	_	-	1/14/61/61	0/3/3/3
3	I55	С	702	-	-	1/14/61/61	0/3/3/3
3	I55	Н	702	_	-	1/14/61/61	0/3/3/3
2	FAD	С	701	-	-	9/30/50/50	0/6/6/6
2	FAD	F	701	-	-	3/30/50/50	0/6/6/6
2	FAD	G	701	_	-	8/30/50/50	0/6/6/6
3	I55	A	702	-	-	2/14/61/61	0/3/3/3
2	FAD	A	701	-	-	1/30/50/50	0/6/6/6

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(A)
3	F	702	I55	C4-C3	-7.70	1.48	1.53
3	A	702	I55	C4-C3	-7.69	1.48	1.53
3	Е	702	I55	C4-C3	-7.08	1.48	1.53
3	В	702	I55	C4-C3	-6.36	1.49	1.53
3	D	702	I55	C4-C3	-2.97	1.51	1.53

The worst 5 of 43 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$
3	D	702	I55	C10-N6-C5	-5.29	107.49	112.56
3	В	702	I55	C10-N6-C5	-5.14	107.63	112.56
3	Н	702	I55	C10-N6-C5	-4.74	108.01	112.56
3	Е	702	I55	C10-N6-C5	-4.26	108.48	112.56
3	С	702	I55	C10-N6-C5	-4.17	108.56	112.56

There are no chirality outliers.

5 of 37 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	С	701	FAD	C5B-O5B-PA-O1A
2	С	701	FAD	C5B-O5B-PA-O2A
2	С	701	FAD	O4B-C4B-C5B-O5B
2	С	701	FAD	O4'-C4'-C5'-O5'
2	F	701	FAD	C5B-O5B-PA-O2A


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	701	FAD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	A	482/512 (94%)	0.24	5 (1%) 82 80	18, 36, 65, 87	0
1	В	482/512 (94%)	0.27	11 (2%) 60 58	18, 35, 67, 88	0
1	С	482/512 (94%)	0.42	14 (2%) 51 50	18, 38, 81, 139	0
1	D	480/512 (93%)	0.87	74 (15%) 2 1	24, 58, 113, 149	0
1	E	482/512 (94%)	0.24	4 (0%) 86 84	19, 36, 67, 88	0
1	F	482/512 (94%)	0.30	8 (1%) 70 68	17, 35, 66, 85	0
1	G	482/512 (94%)	0.46	21 (4%) 34 33	18, 38, 81, 132	0
1	Н	480/512 (93%)	0.83	66 (13%) 2 2	24, 57, 112, 145	0
All	All	3852/4096 (94%)	0.46	203 (5%) 26 25	17, 40, 90, 149	0

The worst 5 of 203 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Н	243	LEU	10.7
1	С	48	TYR	8.7
1	Н	209	VAL	7.6
1	D	240	LEU	6.0
1	Н	208	ARG	5.6

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.




6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	FAD	С	701	53/53	0.63	0.37	67,103,123,127	0
2	FAD	G	701	53/53	0.74	0.27	62,104,121,125	0
3	I55	A	702	30/30	0.87	0.18	25,35,49,50	0
3	I55	Н	702	30/30	0.87	0.22	36,41,69,71	0
2	FAD	Н	701	53/53	0.88	0.20	50,66,86,88	0
3	I55	С	702	30/30	0.90	0.18	31,40,64,66	0
2	FAD	D	701	53/53	0.90	0.15	51,68,80,83	0
3	I55	F	702	30/30	0.91	0.21	32,39,60,63	0
3	I55	В	702	30/30	0.92	0.16	30,39,58,59	0
3	I55	D	702	30/30	0.93	0.15	34,40,70,73	0
3	I55	Е	702	30/30	0.93	0.18	25,33,49,50	0
2	FAD	F	701	53/53	0.94	0.14	23,27,32,34	0
2	FAD	В	701	53/53	0.94	0.16	23,28,34,35	0
2	FAD	A	701	53/53	0.95	0.14	25,28,32,35	0
3	I55	G	702	30/30	0.95	0.16	29,38,62,65	0
2	FAD	Е	701	53/53	0.95	0.15	24,28,31,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






















































Electron density around FAD F 701:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around FAD B 701:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)





















6.5 Other polymers (i)

There are no such residues in this entry.

