



## wwPDB EM Validation Summary Report ⓘ

Dec 12, 2022 – 07:47 am GMT

PDB ID : 6YAL  
EMDB ID : EMD-10760  
Title : Mammalian 48S late-stage initiation complex with beta-globin mRNA  
Authors : Bochler, A.; Simonetti, A.; Guca, E.; Hashem, Y.  
Deposited on : 2020-03-12  
Resolution : 3.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.3

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|--------------------------|--------------------------|
| Ramachandran outliers | 154571                   | 4023                     |
| Sidechain outliers    | 154315                   | 3826                     |
| RNA backbone          | 4643                     | 859                      |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain   |
|-----|-------|--------|--------------------|
| 1   | 1     | 75     | 79%<br>. 77% 16% . |
| 2   | 1     | 25     | 28% 96% .          |
| 3   | C     | 209    | 12% 94% 5%         |
| 4   | D     | 264    | 11% 78% 19%        |
| 5   | E     | 226    | 9% 97% .           |
| 6   | F     | 243    | 23% 88% 5% 7%      |
| 7   | G     | 263    | 9% 98% .           |
| 8   | H     | 191    | 15% 97% .          |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain             |
|-----|-------|--------|------------------------------|
| 9   | I     | 237    | 33%<br>96%                   |
| 10  | J     | 192    | 55%<br>93%<br>6%             |
| 11  | K     | 206    | 24%<br>95%                   |
| 12  | L     | 182    | 13%<br>97%                   |
| 13  | M     | 98     | 33%<br>89%<br>9%             |
| 14  | N     | 158    | 22%<br>94%<br>5%             |
| 15  | O     | 132    | 88%<br>88%<br>6%<br>6%       |
| 16  | P     | 150    | 11%<br>93%<br>6%             |
| 17  | Q     | 151    | 9%<br>86%<br>10%             |
| 18  | S     | 141    | 6%<br>96%                    |
| 19  | T     | 135    | 34%<br>90%<br>7%             |
| 20  | V     | 141    | 11%<br>98%                   |
| 21  | W     | 119    | 29%<br>87%<br>13%            |
| 22  | X     | 82     | 5%<br>95%                    |
| 23  | Y     | 130    | 96%                          |
| 24  | Z     | 143    | 95%                          |
| 25  | a     | 133    | 14%<br>83%<br>8%<br>5%<br>5% |
| 26  | b     | 115    | 6%<br>83%<br>14%             |
| 27  | c     | 84     | 30%<br>93%<br>7%             |
| 28  | d     | 69     | 19%<br>91%<br>7%             |
| 29  | e     | 56     | 30%<br>77%<br>18%<br>5%      |
| 30  | f     | 71     | 92%<br>86%<br>14%            |
| 31  | g     | 313    | 32%<br>98%                   |
| 32  | n     | 124    | 19%<br>58%<br>40%            |
| 33  | i     | 133    | 20%<br>41%<br>56%            |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 34  | 2     | 1863   |                  |
| 35  | A     | 284    |                  |
| 36  | B     | 422    |                  |
| 37  | j     | 111    |                  |
| 38  | k     | 595    |                  |
| 39  | U     | 152    |                  |
| 40  | R     | 145    |                  |
| 41  | 3     | 42     |                  |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res  | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 34  | C4J  | 2     | 1244 | X         | -        | -       | -                |

## 2 Entry composition [i](#)

There are 44 unique types of molecules in this entry. The entry contains 90085 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called initiator methionylated tRNA.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
|     |       |          | Total | C   | N   | O   | P  |         |       |
| 1   | 1     | 75       | 1614  | 722 | 299 | 519 | 74 | 0       | 0     |

- Molecule 2 is a protein called 60s ribosomal protein ul41.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
|     |       |          | Total | C   | N  | O  | S |         |       |
| 2   | 1     | 25       | 240   | 145 | 64 | 28 | 3 | 0       | 0     |

- Molecule 3 is a protein called 40S ribosomal protein uS2.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 3   | C     | 208      | 1643  | 1045 | 289 | 301 | 8 | 0       | 0     |

- Molecule 4 is a protein called 40S ribosomal protein eS1.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
|     |       |          | Total | C    | N   | O   | S  |         |       |
| 4   | D     | 215      | 1741  | 1107 | 309 | 310 | 15 | 0       | 0     |

- Molecule 5 is a protein called 40S ribosomal protein uS5.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 5   | E     | 226      | 1743  | 1127 | 300 | 307 | 9 | 0       | 0     |

- Molecule 6 is a protein called 40S Ribosomal protein uS3.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 6   | F     | 227      | 1764  | 1124 | 317 | 315 | 8 | 0       | 0     |

- Molecule 7 is a protein called 40S ribosomal protein eS4.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
|     |       |          | Total | C    | N   | O   | S  |         |       |
| 7   | G     | 263      | 2083  | 1329 | 385 | 359 | 10 | 0       | 0     |

- Molecule 8 is a protein called 40S Ribosomal protein uS7.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 8   | H     | 191      | 1509  | 943 | 286 | 273 | 7 | 0       | 0     |

- Molecule 9 is a protein called 40S ribosomal protein eS6.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 9   | I     | 237      | 1924  | 1200 | 387 | 330 | 7 | 0       | 0     |

- Molecule 10 is a protein called 40S ribosomal protein eS7.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 10  | J     | 190      | 1530  | 975 | 281 | 273 | 1 | 0       | 0     |

- Molecule 11 is a protein called 40S ribosomal protein eS8.

| Mol | Chain | Residues | Atoms |      |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
|     |       |          | Total | C    | N   | O   | S |         |       |
| 11  | K     | 206      | 1680  | 1054 | 329 | 292 | 5 | 0       | 0     |

- Molecule 12 is a protein called 40S ribosomal protein uS4.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 12  | L     | 182      | 1499  | 952 | 300 | 245 | 2 | 0       | 0     |

- Molecule 13 is a protein called 40S ribosomal protein eS10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 13  | M     | 98       | 828   | 539 | 148 | 135 | 6 | 0       | 0     |

- Molecule 14 is a protein called 40S ribosomal protein uS17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14  | N     | 158      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1296  | 827 | 241 | 221 | 7 |         |       |

- Molecule 15 is a protein called 40S ribosomal protein eS12.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15  | O     | 124      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 958   | 600 | 170 | 179 | 9 |         |       |

- Molecule 16 is a protein called 40S ribosomal protein uS15.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16  | P     | 150      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1208  | 773 | 229 | 205 | 1 |         |       |

- Molecule 17 is a protein called 40S ribosomal protein uS11.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17  | Q     | 136      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1016  | 621 | 199 | 190 | 6 |         |       |

- Molecule 18 is a protein called 40S ribosomal protein uS9.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 18  | S     | 141      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1124  | 715 | 212 | 194 | 3 |         |       |

- Molecule 19 is a protein called 40S ribosomal protein eS17.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19  | T     | 126      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1019  | 639 | 188 | 187 | 5 |         |       |

- Molecule 20 is a protein called 40S ribosomal protein eS19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20  | V     | 141      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1113  | 701 | 213 | 196 | 3 |         |       |

- Molecule 21 is a protein called 40S ribosomal protein uS10.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 21  | W     | 104      | 822   | 514 | 156 | 148 | 4 | 0       | 0     |

- Molecule 22 is a protein called 40S ribosomal protein eS21.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 22  | X     | 82       | 620   | 378 | 117 | 120 | 5 | 0       | 0     |

- Molecule 23 is a protein called 40S ribosomal protein uS8.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 23  | Y     | 129      | 1034  | 659 | 193 | 176 | 6 | 0       | 0     |

- Molecule 24 is a protein called 40S ribosomal protein uS12.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 24  | Z     | 142      | 1106  | 698 | 220 | 184 | 4 | 0       | 0     |

- Molecule 25 is a protein called 40S ribosomal protein eS24.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 25  | a     | 126      | 1021  | 645 | 198 | 173 | 5 | 0       | 0     |

- Molecule 26 is a protein called 40S ribosomal protein eS26.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 26  | b     | 99       | 789   | 491 | 162 | 130 | 6 | 0       | 0     |

- Molecule 27 is a protein called 40S ribosomal protein eS27.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
|     |       |          | Total | C   | N   | O   | S |         |       |
| 27  | c     | 84       | 659   | 413 | 122 | 116 | 8 | 0       | 0     |

- Molecule 28 is a protein called 40S ribosomal protein eS28.



| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 28  | d     | 64       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 506   | 308 | 102 | 94 | 2 |         |       |

- Molecule 29 is a protein called 40S ribosomal protein uS14.

| Mol | Chain | Residues | Atoms |     |    |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 29  | e     | 53       | Total | C   | N  | O  | S | 0       | 0     |
|     |       |          | 445   | 278 | 90 | 72 | 5 |         |       |

- Molecule 30 is a protein called 40S ribosomal protein eS31.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 30  | f     | 71       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 582   | 367 | 109 | 99 | 7 |         |       |

- Molecule 31 is a protein called ribosomal protein RACK1.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 31  | g     | 313      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2437  | 1535 | 424 | 466 | 12 |         |       |

- Molecule 32 is a protein called 40S ribosomal protein eS25.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 32  | n     | 75       | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 598   | 382 | 111 | 104 | 1 |         |       |

- Molecule 33 is a protein called 40S ribosomal protein eS30.

| Mol | Chain | Residues | Atoms |     |     |    |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 33  | i     | 59       | Total | C   | N   | O  | S | 0       | 0     |
|     |       |          | 473   | 293 | 104 | 75 | 1 |         |       |

- Molecule 34 is a RNA chain called 18S ribosomal RNA.

| Mol | Chain | Residues | Atoms |       |      |       |      | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 34  | 2     | 1744     | Total | C     | N    | O     | P    | 0       | 0     |
|     |       |          | 37204 | 16614 | 6663 | 12187 | 1740 |         |       |

- Molecule 35 is a protein called Eukaryotic translation initiation factor 2 subunit alpha.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 35  | A     | 266      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2146  | 1354 | 376 | 405 | 11 |         |       |

- Molecule 36 is a protein called Eukaryotic translation initiation factor 2 subunit gamma.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 36  | B     | 422      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 3214  | 2044 | 561 | 592 | 17 |         |       |

- Molecule 37 is a protein called eukaryotic translation initiation factor 1A.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37  | j     | 109      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 883   | 549 | 168 | 162 | 4 |         |       |

- Molecule 38 is a protein called ATP-binding cassette sub-family E member 1 (ABCE1).

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 38  | k     | 595      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 4693  | 2995 | 802 | 865 | 31 |         |       |

- Molecule 39 is a protein called 40S ribosomal protein uS13.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39  | U     | 145      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1194  | 747 | 243 | 203 | 1 |         |       |


- Molecule 40 is a protein called 40S ribosomal protein uS19.

| Mol | Chain | Residues | Atoms |     |     |     |   | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 40  | R     | 140      | Total | C   | N   | O   | S | 0       | 0     |
|     |       |          | 1154  | 733 | 219 | 195 | 7 |         |       |

- Molecule 41 is a RNA chain called beta-globin mRNA.

| Mol | Chain | Residues | Atoms |     |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 41  | 3     | 42       | Total | C   | N   | O   | P  | 0       | 0     |
|     |       |          | 892   | 401 | 166 | 284 | 41 |         |       |

- Molecule 42 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).



| Mol | Chain | Residues | Atoms |    |   | AltConf |
|-----|-------|----------|-------|----|---|---------|
| 42  | k     | 1        | Total | Fe | S | 0       |
|     |       |          | 16    | 8  | 8 |         |
| 42  | k     | 1        | Total | Fe | S | 0       |
|     |       |          | 16    | 8  | 8 |         |

- Molecule 43 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms |    | AltConf |
|-----|-------|----------|-------|----|---------|
| 43  | k     | 1        | Total | Mg | 0       |
|     |       |          | 1     | 1  |         |

- Molecule 44 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>13</sub>P<sub>3</sub>).




| Mol | Chain | Residues | Atoms |    |    |    | AltConf |   |
|-----|-------|----------|-------|----|----|----|---------|---|
|     |       |          | Total | C  | N  | O  |         | P |
| 44  | k     | 1        | 64    | 20 | 12 | 26 | 6       | 0 |
| 44  | k     | 1        | 64    | 20 | 12 | 26 | 6       | 0 |


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: initiator methionylated tRNA




- Molecule 2: 60s ribosomal protein ul41




- Molecule 3: 40S ribosomal protein uS2




- Molecule 4: 40S ribosomal protein eS1




- Molecule 5: 40S ribosomal protein uS5




- Molecule 6: 40S Ribosomal protein uS3




- Molecule 7: 40S ribosomal protein eS4




- Molecule 8: 40S Ribosomal protein uS7




- Molecule 9: 40S ribosomal protein eS6




- Molecule 10: 40S ribosomal protein eS7








• Molecule 11: 40S ribosomal protein eS8





• Molecule 12: 40S ribosomal protein uS4




• Molecule 13: 40S ribosomal protein eS10




• Molecule 14: 40S ribosomal protein uS17




• Molecule 15: 40S ribosomal protein eS12









• Molecule 16: 40S ribosomal protein uS15






• Molecule 17: 40S ribosomal protein uS11



• Molecule 18: 40S ribosomal protein uS9




• Molecule 19: 40S ribosomal protein eS17






• Molecule 20: 40S ribosomal protein eS19








- Molecule 21: 40S ribosomal protein uS10



- Molecule 22: 40S ribosomal protein eS21





- Molecule 23: 40S ribosomal protein uS8




- Molecule 24: 40S ribosomal protein uS12




- Molecule 25: 40S ribosomal protein eS24





- Molecule 26: 40S ribosomal protein eS26









- Molecule 27: 40S ribosomal protein eS27





- Molecule 28: 40S ribosomal protein eS28




- Molecule 29: 40S ribosomal protein uS14




- Molecule 30: 40S ribosomal protein eS31




- Molecule 31: ribosomal protein RACK1








• Molecule 32: 40S ribosomal protein eS25




• Molecule 33: 40S ribosomal protein eS30




• Molecule 34: 18S ribosomal RNA










• Molecule 35: Eukaryotic translation initiation factor 2 subunit alpha







● Molecule 36: Eukaryotic translation initiation factor 2 subunit gamma





● Molecule 37: eukaryotic translation initiation factor 1A







● Molecule 38: ATP-binding cassette sub-family E member 1 (ABCE1)






● Molecule 39: 40S ribosomal protein uS13







• Molecule 40: 40S ribosomal protein uS19



• Molecule 41: beta-globin mRNA





## 4 Experimental information

| Property                             | Value                           | Source    |
|--------------------------------------|---------------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE                 | Depositor |
| Imposed symmetry                     | POINT, Not provided             |           |
| Number of particles used             | 252000                          | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF               | Depositor |
| CTF correction method                | NONE                            | Depositor |
| Microscope                           | FEI TITAN KRIOS                 | Depositor |
| Voltage (kV)                         | 300                             | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 26                              | Depositor |
| Minimum defocus (nm)                 | Not provided                    |           |
| Maximum defocus (nm)                 | Not provided                    |           |
| Magnification                        | Not provided                    |           |
| Image detector                       | GATAN K2 SUMMIT (4k x 4k)       | Depositor |
| Maximum map value                    | 0.147                           | Depositor |
| Minimum map value                    | -0.078                          | Depositor |
| Average map value                    | 0.000                           | Depositor |
| Map value standard deviation         | 0.006                           | Depositor |
| Recommended contour level            | 0.02                            | Depositor |
| Map size ( $\text{\AA}$ )            | 422.40002, 422.40002, 422.40002 | wwPDB     |
| Map dimensions                       | 384, 384, 384                   | wwPDB     |
| Map angles ( $^\circ$ )              | 90.0, 90.0, 90.0                | wwPDB     |
| Pixel spacing ( $\text{\AA}$ )       | 1.1, 1.1, 1.1                   | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: C4J, MG, GNP, T6A, SF4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |                | Bond angles |                 |
|-----|-------|--------------|----------------|-------------|-----------------|
|     |       | RMSZ         | # Z  >5        | RMSZ        | # Z  >5         |
| 1   | 1     | 1.99         | 11/1770 (0.6%) | 2.43        | 176/2759 (6.4%) |
| 2   | l     | 1.37         | 0/241          | 0.93        | 0/305           |
| 3   | C     | 0.97         | 0/1680         | 0.97        | 1/2283 (0.0%)   |
| 4   | D     | 0.90         | 0/1769         | 0.98        | 2/2367 (0.1%)   |
| 5   | E     | 0.91         | 0/1779         | 0.94        | 1/2399 (0.0%)   |
| 6   | F     | 0.97         | 0/1792         | 0.98        | 0/2412          |
| 7   | G     | 0.97         | 0/2125         | 0.97        | 0/2856          |
| 8   | H     | 0.99         | 0/1531         | 0.93        | 0/2059          |
| 9   | I     | 1.01         | 0/1947         | 0.98        | 4/2590 (0.2%)   |
| 10  | J     | 0.96         | 0/1553         | 1.00        | 2/2079 (0.1%)   |
| 11  | K     | 1.03         | 0/1709         | 1.00        | 3/2278 (0.1%)   |
| 12  | L     | 1.07         | 0/1523         | 0.91        | 2/2031 (0.1%)   |
| 13  | M     | 0.96         | 0/852          | 1.03        | 4/1147 (0.3%)   |
| 14  | N     | 0.97         | 0/1319         | 0.95        | 0/1761          |
| 15  | O     | 0.90         | 0/968          | 0.95        | 0/1296          |
| 16  | P     | 0.94         | 0/1232         | 0.84        | 0/1656          |
| 17  | Q     | 1.03         | 0/1029         | 0.98        | 0/1380          |
| 18  | S     | 1.03         | 0/1142         | 0.98        | 0/1528          |
| 19  | T     | 0.99         | 0/1031         | 0.93        | 0/1383          |
| 20  | V     | 0.99         | 0/1133         | 0.91        | 0/1517          |
| 21  | W     | 0.97         | 0/832          | 1.00        | 0/1117          |
| 22  | X     | 1.05         | 1/627 (0.2%)   | 1.02        | 3/839 (0.4%)    |
| 23  | Y     | 1.00         | 0/1051         | 0.96        | 0/1406          |
| 24  | Z     | 0.98         | 0/1124         | 0.95        | 2/1500 (0.1%)   |
| 25  | a     | 1.04         | 1/1038 (0.1%)  | 1.06        | 3/1380 (0.2%)   |
| 26  | b     | 1.06         | 0/802          | 0.96        | 0/1076          |
| 27  | c     | 0.93         | 0/673          | 0.97        | 1/902 (0.1%)    |
| 28  | d     | 1.12         | 0/508          | 0.95        | 0/680           |
| 29  | e     | 1.11         | 0/455          | 1.08        | 0/603           |
| 30  | f     | 0.98         | 0/594          | 1.06        | 2/786 (0.3%)    |
| 31  | g     | 0.91         | 0/2494         | 1.04        | 2/3394 (0.1%)   |
| 32  | n     | 0.98         | 0/604          | 1.01        | 2/810 (0.2%)    |

| Mol | Chain | Bond lengths |                  | Bond angles |                    |
|-----|-------|--------------|------------------|-------------|--------------------|
|     |       | RMSZ         | # Z  >5          | RMSZ        | # Z  >5            |
| 33  | i     | 1.09         | 0/478            | 0.99        | 0/628              |
| 34  | 2     | 1.59         | 70/41567 (0.2%)  | 2.40        | 4350/64783 (6.7%)  |
| 35  | A     | 0.79         | 1/2177 (0.0%)    | 1.15        | 11/2935 (0.4%)     |
| 36  | B     | 0.91         | 2/3267 (0.1%)    | 1.00        | 4/4415 (0.1%)      |
| 37  | j     | 0.72         | 1/893 (0.1%)     | 1.16        | 7/1186 (0.6%)      |
| 38  | k     | 1.53         | 16/4772 (0.3%)   | 1.71        | 58/6428 (0.9%)     |
| 39  | U     | 1.04         | 0/1211           | 0.95        | 0/1618             |
| 40  | R     | 0.99         | 0/1177           | 1.00        | 3/1571 (0.2%)      |
| 41  | 3     | 0.91         | 1/998 (0.1%)     | 1.29        | 29/1553 (1.9%)     |
| All | All   | 1.32         | 104/95467 (0.1%) | 1.85        | 4672/137696 (3.4%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | 1     | 3                   | 2                   |
| 3   | C     | 0                   | 1                   |
| 4   | D     | 0                   | 1                   |
| 9   | I     | 0                   | 3                   |
| 10  | J     | 0                   | 2                   |
| 11  | K     | 0                   | 2                   |
| 12  | L     | 0                   | 2                   |
| 13  | M     | 0                   | 5                   |
| 17  | Q     | 0                   | 2                   |
| 18  | S     | 0                   | 2                   |
| 22  | X     | 0                   | 1                   |
| 25  | a     | 0                   | 1                   |
| 26  | b     | 0                   | 1                   |
| 27  | c     | 0                   | 1                   |
| 29  | e     | 0                   | 4                   |
| 30  | f     | 0                   | 1                   |
| 33  | i     | 0                   | 3                   |
| 34  | 2     | 1                   | 47                  |
| 35  | A     | 0                   | 7                   |
| 36  | B     | 0                   | 8                   |
| 37  | j     | 0                   | 12                  |
| 38  | k     | 0                   | 33                  |
| 39  | U     | 0                   | 3                   |
| All | All   | 4                   | 144                 |

The worst 5 of 104 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z      | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 38  | k     | 455 | ILE  | C-N   | -38.75 | 0.45        | 1.34     |
| 38  | k     | 562 | LEU  | C-N   | -35.48 | 0.52        | 1.34     |
| 38  | k     | 378 | LEU  | C-N   | 34.32  | 1.94        | 1.33     |
| 1   | 1     | 17  | C    | O3'-P | 32.13  | 1.99        | 1.61     |
| 38  | k     | 408 | ASN  | C-N   | -28.69 | 0.68        | 1.34     |

The worst 5 of 4672 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z      | Observed(°) | Ideal(°) |
|-----|-------|-----|------|--------|--------|-------------|----------|
| 38  | k     | 160 | LEU  | O-C-N  | 35.02  | 178.73      | 122.70   |
| 38  | k     | 531 | ARG  | C-N-CA | -34.37 | 35.77       | 121.70   |
| 38  | k     | 531 | ARG  | CA-C-N | -33.52 | 43.46       | 117.20   |
| 38  | k     | 378 | LEU  | CA-C-N | -27.38 | 61.45       | 116.20   |
| 38  | k     | 408 | ASN  | O-C-N  | -25.78 | 81.45       | 122.70   |

All (4) chirality outliers are listed below:

| Mol | Chain | Res  | Type | Atom    |
|-----|-------|------|------|---------|
| 1   | 1     | 17   | C    | C3',C2' |
| 1   | 1     | 18   | G    | C3'     |
| 34  | 2     | 1244 | C4J  | C4'     |

5 of 144 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 1   | 1     | 18  | G    | Sidechain |
| 1   | 1     | 26  | G    | Sidechain |
| 3   | C     | 193 | HIS  | Peptide   |
| 4   | D     | 208 | HIS  | Peptide   |
| 9   | I     | 68  | LEU  | Peptide   |

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Favoured  | Allowed  | Outliers | Percentiles |     |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 2   | I     | 23/25 (92%)   | 23 (100%) | 0        | 0        | 100         | 100 |
| 3   | C     | 206/209 (99%) | 177 (86%) | 21 (10%) | 8 (4%)   | 3           | 17  |
| 4   | D     | 213/264 (81%) | 191 (90%) | 16 (8%)  | 6 (3%)   | 5           | 25  |
| 5   | E     | 224/226 (99%) | 208 (93%) | 14 (6%)  | 2 (1%)   | 17          | 55  |
| 6   | F     | 225/243 (93%) | 202 (90%) | 14 (6%)  | 9 (4%)   | 3           | 17  |
| 7   | G     | 261/263 (99%) | 233 (89%) | 24 (9%)  | 4 (2%)   | 10          | 42  |
| 8   | H     | 189/191 (99%) | 169 (89%) | 17 (9%)  | 3 (2%)   | 9           | 40  |
| 9   | I     | 235/237 (99%) | 209 (89%) | 22 (9%)  | 4 (2%)   | 9           | 39  |
| 10  | J     | 188/192 (98%) | 161 (86%) | 18 (10%) | 9 (5%)   | 2           | 13  |
| 11  | K     | 204/206 (99%) | 178 (87%) | 20 (10%) | 6 (3%)   | 4           | 24  |
| 12  | L     | 180/182 (99%) | 167 (93%) | 11 (6%)  | 2 (1%)   | 14          | 50  |
| 13  | M     | 96/98 (98%)   | 74 (77%)  | 16 (17%) | 6 (6%)   | 1           | 7   |
| 14  | N     | 156/158 (99%) | 130 (83%) | 22 (14%) | 4 (3%)   | 5           | 27  |
| 15  | O     | 122/132 (92%) | 105 (86%) | 13 (11%) | 4 (3%)   | 4           | 21  |
| 16  | P     | 148/150 (99%) | 130 (88%) | 11 (7%)  | 7 (5%)   | 2           | 14  |
| 17  | Q     | 134/151 (89%) | 118 (88%) | 13 (10%) | 3 (2%)   | 6           | 31  |
| 18  | S     | 139/141 (99%) | 126 (91%) | 11 (8%)  | 2 (1%)   | 11          | 43  |
| 19  | T     | 124/135 (92%) | 112 (90%) | 8 (6%)   | 4 (3%)   | 4           | 22  |
| 20  | V     | 139/141 (99%) | 128 (92%) | 8 (6%)   | 3 (2%)   | 6           | 31  |
| 21  | W     | 102/119 (86%) | 93 (91%)  | 9 (9%)   | 0        | 100         | 100 |
| 22  | X     | 80/82 (98%)   | 71 (89%)  | 7 (9%)   | 2 (2%)   | 5           | 28  |
| 23  | Y     | 127/130 (98%) | 117 (92%) | 6 (5%)   | 4 (3%)   | 4           | 23  |
| 24  | Z     | 140/143 (98%) | 128 (91%) | 8 (6%)   | 4 (3%)   | 4           | 24  |
| 25  | a     | 124/133 (93%) | 104 (84%) | 10 (8%)  | 10 (8%)  | 1           | 4   |
| 26  | b     | 97/115 (84%)  | 90 (93%)  | 5 (5%)   | 2 (2%)   | 7           | 33  |
| 27  | c     | 82/84 (98%)   | 69 (84%)  | 9 (11%)  | 4 (5%)   | 2           | 13  |
| 28  | d     | 62/69 (90%)   | 57 (92%)  | 4 (6%)   | 1 (2%)   | 9           | 40  |
| 29  | e     | 51/56 (91%)   | 40 (78%)  | 7 (14%)  | 4 (8%)   | 1           | 4   |
| 30  | f     | 69/71 (97%)   | 51 (74%)  | 12 (17%) | 6 (9%)   | 1           | 3   |
| 31  | g     | 311/313 (99%) | 273 (88%) | 33 (11%) | 5 (2%)   | 9           | 40  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed        | Favoured   | Allowed   | Outliers | Percentiles |    |
|-----|-------|-----------------|------------|-----------|----------|-------------|----|
| 32  | n     | 73/124 (59%)    | 69 (94%)   | 3 (4%)    | 1 (1%)   | 11          | 43 |
| 33  | i     | 57/133 (43%)    | 49 (86%)   | 7 (12%)   | 1 (2%)   | 8           | 37 |
| 35  | A     | 264/284 (93%)   | 233 (88%)  | 25 (10%)  | 6 (2%)   | 6           | 30 |
| 36  | B     | 420/422 (100%)  | 352 (84%)  | 48 (11%)  | 20 (5%)  | 2           | 13 |
| 37  | j     | 107/111 (96%)   | 64 (60%)   | 27 (25%)  | 16 (15%) | 0           | 1  |
| 38  | k     | 577/595 (97%)   | 431 (75%)  | 95 (16%)  | 51 (9%)  | 1           | 3  |
| 39  | U     | 141/152 (93%)   | 123 (87%)  | 12 (8%)   | 6 (4%)   | 2           | 15 |
| 40  | R     | 138/145 (95%)   | 107 (78%)  | 18 (13%)  | 13 (9%)  | 0           | 3  |
| All | All   | 6228/6625 (94%) | 5362 (86%) | 624 (10%) | 242 (4%) | 5           | 17 |

5 of 242 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3   | C     | 191 | ARG  |
| 4   | D     | 209 | ASP  |
| 6   | F     | 3   | VAL  |
| 6   | F     | 193 | ASP  |
| 6   | F     | 219 | PRO  |

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed       | Rotameric  | Outliers | Percentiles |     |
|-----|-------|----------------|------------|----------|-------------|-----|
| 2   | l     | 24/24 (100%)   | 23 (96%)   | 1 (4%)   | 30          | 66  |
| 3   | C     | 174/175 (99%)  | 173 (99%)  | 1 (1%)   | 86          | 95  |
| 4   | D     | 196/231 (85%)  | 196 (100%) | 0        | 100         | 100 |
| 5   | E     | 187/187 (100%) | 184 (98%)  | 3 (2%)   | 62          | 86  |
| 6   | F     | 190/202 (94%)  | 187 (98%)  | 3 (2%)   | 62          | 86  |
| 7   | G     | 225/225 (100%) | 225 (100%) | 0        | 100         | 100 |
| 8   | H     | 161/161 (100%) | 159 (99%)  | 2 (1%)   | 71          | 90  |
| 9   | I     | 207/207 (100%) | 206 (100%) | 1 (0%)   | 88          | 96  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed        | Rotameric  | Outliers | Percentiles |     |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 10  | J     | 170/172 (99%)   | 170 (100%) | 0        | 100         | 100 |
| 11  | K     | 177/177 (100%)  | 176 (99%)  | 1 (1%)   | 86          | 95  |
| 12  | L     | 157/157 (100%)  | 155 (99%)  | 2 (1%)   | 69          | 89  |
| 13  | M     | 89/89 (100%)    | 89 (100%)  | 0        | 100         | 100 |
| 14  | N     | 142/142 (100%)  | 136 (96%)  | 6 (4%)   | 30          | 66  |
| 15  | O     | 104/108 (96%)   | 100 (96%)  | 4 (4%)   | 33          | 69  |
| 16  | P     | 130/130 (100%)  | 126 (97%)  | 4 (3%)   | 40          | 75  |
| 17  | Q     | 106/119 (89%)   | 105 (99%)  | 1 (1%)   | 78          | 92  |
| 18  | S     | 117/117 (100%)  | 115 (98%)  | 2 (2%)   | 60          | 85  |
| 19  | T     | 114/121 (94%)   | 114 (100%) | 0        | 100         | 100 |
| 20  | V     | 113/113 (100%)  | 113 (100%) | 0        | 100         | 100 |
| 21  | W     | 94/107 (88%)    | 93 (99%)   | 1 (1%)   | 73          | 90  |
| 22  | X     | 67/67 (100%)    | 67 (100%)  | 0        | 100         | 100 |
| 23  | Y     | 112/113 (99%)   | 112 (100%) | 0        | 100         | 100 |
| 24  | Z     | 114/115 (99%)   | 113 (99%)  | 1 (1%)   | 78          | 92  |
| 25  | a     | 108/115 (94%)   | 101 (94%)  | 7 (6%)   | 17          | 50  |
| 26  | b     | 87/99 (88%)     | 87 (100%)  | 0        | 100         | 100 |
| 27  | c     | 76/76 (100%)    | 76 (100%)  | 0        | 100         | 100 |
| 28  | d     | 57/62 (92%)     | 57 (100%)  | 0        | 100         | 100 |
| 29  | e     | 47/49 (96%)     | 45 (96%)   | 2 (4%)   | 29          | 66  |
| 30  | f     | 64/64 (100%)    | 63 (98%)   | 1 (2%)   | 62          | 86  |
| 31  | g     | 272/272 (100%)  | 271 (100%) | 1 (0%)   | 91          | 97  |
| 32  | n     | 66/102 (65%)    | 65 (98%)   | 1 (2%)   | 65          | 87  |
| 33  | i     | 49/106 (46%)    | 47 (96%)   | 2 (4%)   | 30          | 67  |
| 35  | A     | 238/255 (93%)   | 231 (97%)  | 7 (3%)   | 42          | 76  |
| 36  | B     | 354/354 (100%)  | 328 (93%)  | 26 (7%)  | 14          | 44  |
| 37  | j     | 92/93 (99%)     | 68 (74%)   | 24 (26%) | 0           | 2   |
| 38  | k     | 523/523 (100%)  | 466 (89%)  | 57 (11%) | 6           | 25  |
| 39  | U     | 125/132 (95%)   | 120 (96%)  | 5 (4%)   | 31          | 68  |
| 40  | R     | 126/130 (97%)   | 119 (94%)  | 7 (6%)   | 21          | 56  |
| All | All   | 5454/5691 (96%) | 5281 (97%) | 173 (3%) | 42          | 74  |

5 of 173 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 38  | k     | 117 | SER  |
| 38  | k     | 332 | LYS  |
| 38  | k     | 150 | SER  |
| 38  | k     | 268 | TYR  |
| 38  | k     | 433 | ARG  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 38  | k     | 450 | GLN  |
| 38  | k     | 578 | ASN  |
| 38  | k     | 593 | ASN  |
| 38  | k     | 549 | GLN  |
| 37  | j     | 17  | ASN  |

### 5.3.3 RNA [i](#)

| Mol | Chain | Analysed        | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1   | 1     | 74/75 (98%)     | 13 (17%)          | 3 (4%)          |
| 34  | 2     | 1736/1863 (93%) | 242 (13%)         | 7 (0%)          |
| 41  | 3     | 41/42 (97%)     | 26 (63%)          | 1 (2%)          |
| All | All   | 1851/1980 (93%) | 281 (15%)         | 11 (0%)         |

5 of 281 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | 1     | 9   | U    |
| 1   | 1     | 11  | G    |
| 1   | 1     | 15  | A    |
| 1   | 1     | 16  | G    |
| 1   | 1     | 17  | C    |

5 of 11 RNA pucker outliers are listed below:

| Mol | Chain | Res  | Type |
|-----|-------|------|------|
| 34  | 2     | 1270 | G    |
| 34  | 2     | 1716 | U    |
| 41  | 3     | 39   | U    |
| 34  | 2     | 1857 | A    |

*Continued on next page...*



Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 34  | 2     | 739 | U    |

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res  | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
|     |      |       |      |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 34  | C4J  | 2     | 1244 | 34   | 24,29,30     | 0.79 | 1 (4%)   | 29,42,45    | 1.03 | 1 (3%)   |
| 1   | T6A  | 1     | 37   | 1    | 27,34,35     | 1.05 | 2 (7%)   | 29,49,52    | 2.65 | 9 (31%)  |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res  | Link | Chirals | Torsions   | Rings   |
|-----|------|-------|------|------|---------|------------|---------|
| 34  | C4J  | 2     | 1244 | 34   | 1/1/7/7 | 9/16/34/35 | 0/2/2/2 |
| 1   | T6A  | 1     | 37   | 1    | -       | 6/19/41/42 | 0/3/3/3 |

All (3) bond length outliers are listed below:

| Mol | Chain | Res  | Type | Atoms   | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 1   | 1     | 37   | T6A  | C5-C4   | 2.52  | 1.47        | 1.40     |
| 1   | 1     | 37   | T6A  | O4'-C1' | 2.28  | 1.44        | 1.41     |
| 34  | 2     | 1244 | C4J  | C1'-C5  | -2.11 | 1.45        | 1.50     |

The worst 5 of 10 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms       | Z    | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|------|-------------|----------|
| 1   | 1     | 37  | T6A  | C12-N11-C10 | 8.51 | 136.12      | 121.94   |
| 1   | 1     | 37  | T6A  | C2-N1-C6    | 7.08 | 122.66      | 116.59   |
| 1   | 1     | 37  | T6A  | C14-C12-C13 | 3.70 | 116.49      | 110.19   |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res  | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 1   | 1     | 37   | T6A  | N3-C2-N1 | -3.61 | 123.03      | 128.68   |
| 34  | 2     | 1244 | C4J  | C4-N3-C2 | -3.41 | 121.15      | 125.46   |

All (1) chirality outliers are listed below:

| Mol | Chain | Res  | Type | Atom |
|-----|-------|------|------|------|
| 34  | 2     | 1244 | C4J  | C4'  |

5 of 15 torsion outliers are listed below:

| Mol | Chain | Res  | Type | Atoms           |
|-----|-------|------|------|-----------------|
| 1   | 1     | 37   | T6A  | C14-C12-N11-C10 |
| 34  | 2     | 1244 | C4J  | C31-C3-N3-C2    |
| 34  | 2     | 1244 | C4J  | C31-C3-N3-C4    |
| 34  | 2     | 1244 | C4J  | N3-C3-C31-C32   |
| 34  | 2     | 1244 | C4J  | C3-C31-C32-C34  |

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 42  | SF4  | k     | 701 | 38   | 0,12,12      | -    | -        | -           |      |          |
| 44  | GNP  | k     | 704 | 43   | 29,34,34     | 1.76 | 6 (20%)  | 33,54,54    | 2.15 | 6 (18%)  |
| 42  | SF4  | k     | 702 | 38   | 0,12,12      | -    | -        | -           |      |          |

| Mol | Type | Chain | Res | Link | Bond lengths |      |          | Bond angles |      |          |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
|     |      |       |     |      | Counts       | RMSZ | # Z  > 2 | Counts      | RMSZ | # Z  > 2 |
| 44  | GNP  | k     | 705 | -    | 29,34,34     | 1.77 | 6 (20%)  | 33,54,54    | 2.17 | 6 (18%)  |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions   | Rings   |
|-----|------|-------|-----|------|---------|------------|---------|
| 42  | SF4  | k     | 702 | 38   | -       | -          | 0/6/5/5 |
| 42  | SF4  | k     | 701 | 38   | -       | -          | 0/6/5/5 |
| 44  | GNP  | k     | 704 | 43   | -       | 6/14/38/38 | 0/3/3/3 |
| 44  | GNP  | k     | 705 | -    | -       | 5/14/38/38 | 0/3/3/3 |

The worst 5 of 12 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z     | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|--------|-------|-------------|----------|
| 44  | k     | 705 | GNP  | PG-O2G | -4.54 | 1.44        | 1.56     |
| 44  | k     | 704 | GNP  | PG-O2G | -4.53 | 1.44        | 1.56     |
| 44  | k     | 704 | GNP  | C6-N1  | 4.07  | 1.40        | 1.33     |
| 44  | k     | 705 | GNP  | PB-O2B | -4.02 | 1.45        | 1.56     |
| 44  | k     | 705 | GNP  | C6-N1  | 3.86  | 1.39        | 1.33     |

The worst 5 of 12 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms    | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 44  | k     | 704 | GNP  | C5-C6-N1 | -7.90 | 112.63      | 123.43   |
| 44  | k     | 705 | GNP  | C5-C6-N1 | -7.88 | 112.65      | 123.43   |
| 44  | k     | 705 | GNP  | C2-N1-C6 | 6.08  | 125.59      | 115.93   |
| 44  | k     | 704 | GNP  | C2-N1-C6 | 6.01  | 125.47      | 115.93   |
| 44  | k     | 705 | GNP  | N3-C2-N1 | -3.76 | 122.21      | 127.22   |

There are no chirality outliers.


5 of 11 torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms         |
|-----|-------|-----|------|---------------|
| 44  | k     | 704 | GNP  | PG-N3B-PB-O1B |
| 44  | k     | 704 | GNP  | PG-N3B-PB-O3A |
| 44  | k     | 704 | GNP  | PA-O3A-PB-O1B |
| 44  | k     | 704 | GNP  | PA-O3A-PB-O2B |
| 44  | k     | 705 | GNP  | PG-N3B-PB-O1B |

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 38  | k     | 23               |
| 34  | 2     | 4                |
| 1   | 1     | 2                |
| 39  | U     | 1                |
| 25  | a     | 1                |
| 41  | 3     | 1                |
| 37  | j     | 1                |

The worst 5 of 33 chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1     | 2     | 730:C     | O3'    | 731:C     | P      | 8.58         |
| 1     | k     | 521:ASP   | C      | 522:PHE   | N      | 2.98         |
| 1     | U     | 142:ARG   | C      | 143:GLY   | N      | 2.92         |
| 1     | k     | 451:ILE   | C      | 452:GLU   | N      | 2.79         |
| 1     | k     | 373:GLU   | C      | 374:ILE   | N      | 2.70         |


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-10760. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 192



Y Index: 192




Z Index: 192


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 205



Y Index: 161



Z Index: 199


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)

### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.




## 6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [\(i\)](#)



The volume at the recommended contour level is 449 nm<sup>3</sup>; this corresponds to an approximate mass of 406 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum [\(i\)](#)



\*Reported resolution corresponds to spatial frequency of 0.333 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-10760 and PDB model 6YAL. Per-residue inclusion information can be found in section 3 on page 13.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).

## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 62% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary















The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| All   |  0.5859   |  0.3790   |
| 1     |  0.2280   |  0.1570   |
| 2     |  0.7705   |  0.4650   |
| 3     |  0.1334   |  0.1270   |
| A     |  0.0445   |  0.0980   |
| B     |  0.0016   |  0.0100   |
| C     |  0.6798   |  0.4320   |
| D     |  0.6478   |  0.4170   |
| E     |  0.7122   |  0.4660   |
| F     |  0.5433   |  0.3560   |
| G     |  0.6898   |  0.4550   |
| H     |  0.6308   |  0.4090   |
| I     |  0.5000   |  0.3310   |
| J     |  0.3731   |  0.2690   |
| K     |  0.5909  |  0.3850  |
| L     |  0.6780 |  0.4330 |
| M     |  0.5199 |  0.3330 |
| N     |  0.6273 |  0.4100 |
| O     |  0.1324 |  0.1360 |
| P     |  0.6792 |  0.4410 |
| Q     |  0.6596 |  0.4160 |
| R     |  0.4991 |  0.3280 |
| S     |  0.6847 |  0.4480 |
| T     |  0.5247 |  0.3300 |
| U     |  0.5770 |  0.3850 |
| V     |  0.6738 |  0.4310 |
| W     |  0.5443 |  0.3660 |
| X     |  0.6584 |  0.4160 |
| Y     |  0.7663 |  0.4940 |
| Z     |  0.7488 |  0.4730 |
| a     |  0.6385 |  0.4020 |
| b     |  0.7118 |  0.4570 |
| c     |  0.5580 |  0.3600 |
| d     |  0.5453 |  0.3650 |
| e     |  0.5480 |  0.2680 |



*Continued on next page...*

*Continued from previous page...*

| Chain | Atom inclusion   | Q-score  |
|-------|--|--|
| f     |  0.1481 |  0.1270 |
| g     |  0.4908 |  0.3590 |
| i     |  0.4627 |  0.3140 |
| j     |  0.2016 |  0.2240 |
| k     |  0.0403 |  0.1780 |
| l     |  0.5753 |  0.3940 |
| n     |  0.4597 |  0.3510 |