



wwPDB EM Validation Summary Report ⓘ

Oct 12, 2026 – 05:05 PM EDT

PDB ID : 9YLQ / pdb_00009ylq
EMDB ID : EMD-73091
Title : Pseudomonas aeruginosa 50S ribosome (L1 stalk in 'mid' conformation)
Authors : Findlay, J.L.; Kanik, M.; Gauvin, C.C.; Franklin, M.J.; Lawrence, C.M.
Deposited on : 2025-10-09
Resolution : 2.25 Å (reported)
Based on initial model : 7UNW

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev133
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.2
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.51

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	3458 (1.75 - 2.75)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	2892	
2	B	121	
3	C	231	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	273	
5	E	211	
6	F	200	
7	G	179	
8	H	177	
9	I	148	
10	L	142	
11	M	122	
12	N	144	
13	O	137	
14	P	129	
15	Q	116	
16	R	116	
17	S	118	
18	T	103	
19	U	110	
20	V	99	
21	W	104	
22	X	204	
23	Y	85	
24	Z	78	
25	1	63	
26	2	58	
27	4	60	
28	5	51	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	6	44	 84%16%
30	7	64	 81%17%
31	8	38	 89%11%
32	v	76	 8%38%50%7%5%
33	J	166	 13%51%16%33%
34	K	143	 24%83%17%

2 Entry composition

There are 37 unique types of molecules in this entry. The entry contains 98343 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	2837	Total	C	N	O	P	0	0
			60895	27173	11178	19708	2836		

- Molecule 2 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	119	Total	C	N	O	P	0	0
			2535	1132	452	832	119		

- Molecule 3 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	130	Total	C	N	O	S	0	0
			996	631	179	185	1		

- Molecule 4 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	272	Total	C	N	O	S	0	0
			2072	1276	426	364	6		

- Molecule 5 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	208	Total	C	N	O	S	0	0
			1564	968	298	293	5		

- Molecule 6 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	200	Total	C	N	O	S	0	0
			1521	955	283	280	3		

- Molecule 7 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	179	Total	C	N	O	S	0	0
			1435	914	256	260	5		

- Molecule 8 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	174	Total	C	N	O	S	0	0
			1314	828	242	242	2		

- Molecule 9 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	115	Total	C	N	O	S	0	0
			858	539	152	166	1		

- Molecule 10 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	L	142	Total	C	N	O	S	0	0
			1130	718	206	202	4		

- Molecule 11 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	M	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 12 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	N	144	Total	C	N	O	S	0	0
			1066	654	215	194	3		

- Molecule 13 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	O	137	Total	C	N	O	S	0	0
			1085	689	211	181	4		

- Molecule 14 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	P	119	Total	C	N	O	S	0	0
			952	595	191	161	5		

- Molecule 15 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	Q	115	Total	C	N	O	S	0	0
			881	544	174	161	2		

- Molecule 16 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	R	114	Total	C	N	O	S	0	0
			901	567	171	162	1		

- Molecule 17 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	S	117	Total	C	N	O	S	0	0
			936	592	196	148			

- Molecule 18 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	T	103	Total	C	N	O	S	0	0
			822	521	156	143	2		

- Molecule 19 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	U	110	Total	C	N	O	S	0	0
			833	515	161	153	4		

- Molecule 20 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	V	94	Total	C	N	O	S	0	0
			739	472	134	132	1		

- Molecule 21 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	W	95	Total	C	N	O	S	0	0
			738	466	142	129	1		

- Molecule 22 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	X	190	Total	C	N	O	S	0	0
			1445	915	262	265	3		

- Molecule 23 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	Y	77	Total	C	N	O	S	0	0
			581	367	112	102			

- Molecule 24 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Z	77	Total	C	N	O	S	0	0
			630	391	134	103	2		

- Molecule 25 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	1	61	Total	C	N	O	S	0	0
			490	301	96	91	2		

- Molecule 26 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	2	56	Total	C	N	O	S	0	0
			440	275	86	77	2		

- Molecule 27 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	4	54	Total	C	N	O	S	0	0
			431	258	91	81	1		

- Molecule 28 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	5	51	Total	C	N	O	S	0	0
			426	272	78	75	1		

- Molecule 29 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	6	44	Total	C	N	O	S	0	0
			365	222	87	54	2		

- Molecule 30 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	7	63	Total	C	N	O	S	0	0
			506	314	108	81	3		

- Molecule 31 is a protein called Large ribosomal subunit protein bL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	8	38	Total	C	N	O	S	0	0
			307	186	69	48	4		

- Molecule 32 is a RNA chain called tRNA-Ala.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	v	72	Total	C	N	O	P	0	0
			1540	686	277	505	72		

- Molecule 33 is a protein called Large ribosomal subunit protein uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	J	111	Total	C	N	O	S	0	0
			840	533	151	155	1		

- Molecule 34 is a protein called Large ribosomal subunit protein uL10.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	K	143	Total	C	N	O	S	0	0
			1046	655	186	201	4		

- Molecule 35 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
35	A	196	Total 196	Mg 196	0
35	B	3	Total 3	Mg 3	0
35	D	1	Total 1	Mg 1	0
35	E	1	Total 1	Mg 1	0
35	4	1	Total 1	Mg 1	0

- Molecule 36 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
36	8	1	Total 1	Zn 1	0

- Molecule 37 is water.

Mol	Chain	Residues	Atoms		AltConf
37	A	4032	Total 4032	O 4032	0
37	B	76	Total 76	O 76	0
37	D	89	Total 89	O 89	0
37	E	78	Total 78	O 78	0
37	F	47	Total 47	O 47	0
37	G	12	Total 12	O 12	0
37	H	3	Total 3	O 3	0
37	I	1	Total 1	O 1	0
37	L	34	Total 34	O 34	0
37	M	18	Total 18	O 18	0
37	N	64	Total 64	O 64	0
37	O	37	Total 37	O 37	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
37	P	36	Total 36	O 36	0
37	Q	6	Total 6	O 6	0
37	R	25	Total 25	O 25	0
37	S	44	Total 44	O 44	0
37	T	32	Total 32	O 32	0
37	U	40	Total 40	O 40	0
37	V	26	Total 26	O 26	0
37	W	11	Total 11	O 11	0
37	X	22	Total 22	O 22	0
37	Y	24	Total 24	O 24	0
37	Z	20	Total 20	O 20	0
37	1	3	Total 3	O 3	0
37	2	16	Total 16	O 16	0
37	4	32	Total 32	O 32	0
37	5	1	Total 1	O 1	0
37	6	23	Total 23	O 23	0
37	7	22	Total 22	O 22	0
37	8	8	Total 8	O 8	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 23S rRNA




A2534	G2338	U2259	C2164	A2088	G1997	G1894	C1780	G1656	U	U1407	U1300	G1162	G1053
U2535	A2341	A2260	C2165	G2089	G1998	C	A1781	G1657	U	G1408	C1301	U	C1054
U2539	A2346	A2261	U2167	C2090	G1999	C	C1782	A1658	A	G1413	C1302	A	
G2544	C2347	G2266	G2168	G2092	A2000	U	U1783		G	G1414	U1303	A	
C2545	C2348	G2269	G2169	G2093	A2001	A	C1784	G1664	U	C1415	G1304	U1167	G1058
C2551	C2351	U2270	A2171	U2095	A2002	A	G1786	U1670	G1530	G1416	C1307	G1168	A1060
A2552	C2352	A2271	U2172	U2096	A2006	C	C1787	G1671	A1531	G1417	A1308	G1169	G1061
A2553	A2353	C2272	G2173	G2097	A2007	U	A1788	G1672	G1532	A1418	A1309	U1167	G1062
G2554	G2354	G2273	C2174	U2098	A2008	A	U1789	G1673	G1533	G1419	A1310	G1180	A1063
A2555	A2356	U2175	U2176	G2099	U2009	U	A1790	A1674	A1534	A1420	C1310	U1185	G1064
		G2177	G2177	G2102	G2011	A	A1795	A1680	G1535	G1421	U1316	U1186	C1065
		U2182	U2182	G2103	G2011	C	A1796	C1681	G1536	G1422	U1316	U1186	C1066
		C2183	A2104	A2104	U2013	G	A1797	C1687	U1553	G1423	G1320	C1187	A1067
		U2184	G2110	G2110	U2013	U	C1803	A1688	C1554	U1424	G1321	G1193	C1068
		A2185	G2111	G2111	A2017	C	A1808	A1689	U1555	U1425	G1325	G1193	C1069
		A2186	G2112	G2112	A2018	U	G1813	G1692	A1556	U1434	U1328	A1211	U1071
		G2191	A2113	G2114	A2019	U	U1814	U1708	A1560	U1435	U1339	G1212	U1072
		C2195	G2114	G2114	A2020	U	G1815	G1709	A1561	U1436	A1340	A1214	A1074
		A2198	U2117	U2117	A2024	A	A1816	A1710	U1568	G1437	A1341	G1223	G1077
		A2199	G2120	G2120	G2025	A	C1817	U1717	C1572	U1447	C1344	G1235	A1078
		C2200	A2121	A2121	U2030	U	U1821	C1722	U1573	U1456	G1345	U1236	U1084
		C2201	A2122	A2122	U2038	C	A1822	G1723	C1575	G1450	U1348	G1237	A1085
		A2209	G2128	G2128	C2042	U	G1833	U1724	C1575	A1451	C1349	G1238	U1087
		A2212	A2129	A2129	G2043	U	A1834	G1732	A1587	G1452	G1350	G1239	
		C2213	G2131	G2131	C2043	C	A1835	G1732	A1588	U1453	A1352	U1242	G1087
		C2214	U2137	U2137	A2047	U	U1838	G1736	C1594	U1461	A1353	G1243	U1098
		A2215	G2138	G2138	A2049	C	A1839	G1740	C1597	U1466	C1357	U1250	G1100
		C2216	G2139	G2139	C2050	U	A1841	A1741	A1598	U1467	G1358	G1251	G1102
		U2220	C2140	C2140	C2051	U	U1842	U1742	A1599	U1469	U1359	A1252	
		G2221	G2141	G2141	C2052	G	U1843	G1743	A1600	U1469	A1365	G1253	G1115
		G2225	G2142	G2142	C2053	C	A1844	C1747	A1608	U1480	U1366	A1256	A1116
		C2226	G2143	G2143	G2056	U	A1845	G1751	G1616	U1483	A1372	A1257	U1120
		C2227	A2145	A2145	A2057	C	G1850	U1756	G1621	U1484	C1373	G1258	G1121
		A2228	C2146	C2146	A2058	U	U1851	G1757	A1622	A1485	A1374	A1259	U1122
		G2229	G2147	G2147	C2059	U	G1860	U1766	G1635	U1492	U1379	A1273	A1123
		U2230	C2148	C2148	U2060	C	U1861	G1766	C1636	U1493	A1380	G1276	G1124
		U2231	A2149	A2149	U2061	U	A1862	A1760	A1624	U1499	U1382	A1277	C1126
		G2232	G2152	G2152	U2062	U	U1867	G1761	A1627	U1499	A1382	U1281	U1131
		C2233	U2153	U2153	U2066	C	C1868	U1766	G1635	C1494	U1383	C1132	C1133
		A2234	U2154	U2154	G2067	U	A1872	U1766	C1636	U1496	U1392	G1284	A1140
		G2237	A2156	A2156	U2073	C	U1876	A1770	C1637	U1496	U1393	G1285	A1141
		C2238	G2157	G2157	U2074	U	A1877	A1771	U1637	A1515	C1394	G1286	C1141
		U2245	A2158	A2158	G2075	C	C1877	A1772	U1638	U1519	U1395	A1287	A1288
		C2246	U2159	U2159	U2079	U	U1889	A1773	A1644	U	G1403	A1289	C1144
		A2255	A2160	A2160	G2080	C	C1888	C1777	G1649	C	C1404	G1298	U1158
		G2258	C2161	C2161	U2087	U	U1892	A1778	G1649	U	A1406	U1299	
			G2258	A2163	G2087	U	G1893	G1779					





- Molecule 2: 5S rRNA



- Molecule 3: Large ribosomal subunit protein uL1



- Molecule 4: Large ribosomal subunit protein uL2



- Molecule 5: Large ribosomal subunit protein uL3

Chain E:  87% 11%




- Molecule 6: Large ribosomal subunit protein uL4

Chain F:  85% 14%



- Molecule 7: Large ribosomal subunit protein uL5

Chain G:  75% 25%




- Molecule 8: Large ribosomal subunit protein uL6

Chain H:  83% 15%




- Molecule 9: Large ribosomal subunit protein bL9

Chain I:  26% 73% 5% 22%



- Molecule 10: Large ribosomal subunit protein uL13

Chain L:  88% 12%




- Molecule 11: Large ribosomal subunit protein uL14

Chain M:  86% 14%




- Molecule 12: Large ribosomal subunit protein uL15

Chain N:  88% 12%



- Molecule 13: Large ribosomal subunit protein uL16

Chain O:  74% 26%




- Molecule 14: Large ribosomal subunit protein bL17

Chain P:  80% 12% 8%




- Molecule 15: Large ribosomal subunit protein uL18

Chain Q:  87% 12%




- Molecule 16: Large ribosomal subunit protein bL19

Chain R:  6% 84% 14%



- Molecule 17: Large ribosomal subunit protein bL20

Chain S:  86% 14%



- Molecule 18: Large ribosomal subunit protein bL21

Chain T: 89% 11%



- Molecule 19: Large ribosomal subunit protein uL22

Chain U: 87% 13%




- Molecule 20: Large ribosomal subunit protein uL23

Chain V: 68% 27% 5%




- Molecule 21: Large ribosomal subunit protein uL24

Chain W: 86% 6% 9%



- Molecule 22: Large ribosomal subunit protein bL25

Chain X: 80% 13% 7%



- Molecule 23: Large ribosomal subunit protein bL27

Chain Y: 82% 8% 9%



- Molecule 24: Large ribosomal subunit protein bL28

Chain Z:  85% 14%




- Molecule 25: Large ribosomal subunit protein uL29

Chain 1:  86% 11%



- Molecule 26: Large ribosomal subunit protein uL30

Chain 2:  93%




- Molecule 27: Large ribosomal subunit protein bL32

Chain 4:  75% 15% 10%



- Molecule 28: Large ribosomal subunit protein bL33

Chain 5:  78% 22%




- Molecule 29: Large ribosomal subunit protein bL34

Chain 6:  84% 16%



- Molecule 30: Large ribosomal subunit protein bL35

Chain 7:  81% 17%




- Molecule 31: Large ribosomal subunit protein bL36A

Chain 8:  89% 11%




- Molecule 32: tRNA-Ala

Chain v:  8% 38% 50% 7% 5%




- Molecule 33: Large ribosomal subunit protein uL10

Chain J:  13% 51% 16% 33%



- Molecule 34: Large ribosomal subunit protein uL10

Chain K:  24% 83% 17%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	642285	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54.3	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	36000	Depositor
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	81.289	Depositor
Minimum map value	-47.287	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.057	Depositor
Recommended contour level	3	Depositor
Map size (Å)	468.408, 468.408, 468.408	wwPDB
Map dimensions	696, 696, 696	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.673, 0.673, 0.673	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 6MZ, 5MU, OMG, 2MG, OMU, 2MA, MG, PSU, 7MG, 1MG, 5MC, ZN, OMC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/67882	0.74	17/105870 (0.0%)
2	B	0.31	0/2833	0.67	1/4413 (0.0%)
3	C	0.14	0/1006	0.32	0/1351
4	D	0.15	0/2108	0.27	0/2831
5	E	0.20	0/1587	0.34	0/2138
6	F	0.17	0/1541	0.28	0/2075
7	G	0.25	0/1456	0.37	0/1953
8	H	0.09	0/1332	0.22	0/1794
9	I	0.11	0/861	0.24	0/1159
10	L	0.24	0/1156	0.38	0/1559
11	M	0.11	0/947	0.27	0/1268
12	N	0.11	0/1078	0.28	0/1436
13	O	0.12	0/1105	0.26	0/1476
14	P	0.19	0/968	0.31	0/1294
15	Q	0.18	0/888	0.29	0/1183
16	R	0.16	0/910	0.34	0/1218
17	S	0.14	0/946	0.30	0/1257
18	T	0.09	0/835	0.23	0/1117
19	U	0.09	0/837	0.23	0/1114
20	V	0.08	0/749	0.22	0/1002
21	W	0.09	0/743	0.24	0/988
22	X	0.09	0/1468	0.21	0/1987
23	Y	0.09	0/589	0.24	0/782
24	Z	0.16	0/641	0.23	0/854
25	1	0.17	0/491	0.31	0/654
26	2	0.08	0/444	0.23	0/597
27	4	0.31	0/437	0.55	0/583
28	5	0.09	0/433	0.24	0/576
29	6	0.16	0/368	0.36	0/482
30	7	0.16	0/511	0.27	0/668
31	8	0.08	0/308	0.22	0/404
32	v	0.22	0/1674	0.63	0/2605

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	J	0.48	0/850	0.63	0/1142
34	K	0.33	0/1061	0.42	0/1435
All	All	0.26	0/101043	0.65	18/151265 (0.0%)

There are no bond length outliers.

The worst 5 of 18 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1911	C	C2-N1-C1'	-7.12	110.97	118.80
1	A	1097	G	N3-C4-N9	-6.80	121.92	126.00
1	A	9	G	O4'-C1'-N9	6.40	113.32	108.20
1	A	503	G	O4'-C1'-N9	6.11	113.09	108.20
1	A	1071	U	N3-C2-O2	-6.06	117.96	122.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	60895	0	30644	601	0
2	B	2535	0	1283	30	0
3	C	996	0	1065	34	0
4	D	2072	0	2152	38	0
5	E	1564	0	1575	19	0
6	F	1521	0	1581	26	0
7	G	1435	0	1504	30	0
8	H	1314	0	1373	17	0
9	I	858	0	890	4	0
10	L	1130	0	1160	15	0
11	M	938	0	1012	12	0
12	N	1066	0	1112	14	0
13	O	1085	0	1157	25	0
14	P	952	0	996	12	0
15	Q	881	0	920	15	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	R	901	0	958	10	0
17	S	936	0	1025	16	0
18	T	822	0	858	7	0
19	U	833	0	897	10	0
20	V	739	0	788	18	0
21	W	738	0	806	5	0
22	X	1445	0	1486	18	0
23	Y	581	0	603	6	0
24	Z	630	0	653	8	0
25	1	490	0	520	5	0
26	2	440	0	469	2	0
27	4	431	0	424	7	0
28	5	426	0	457	8	0
29	6	365	0	409	6	0
30	7	506	0	569	10	0
31	8	307	0	342	3	0
32	v	1540	0	783	29	0
33	J	840	0	867	21	0
34	K	1046	0	1089	23	0
35	4	1	0	0	0	0
35	A	196	0	0	0	0
35	B	3	0	0	0	0
35	D	1	0	0	0	0
35	E	1	0	0	0	0
36	8	1	0	0	0	0
37	1	3	0	0	0	0
37	2	16	0	0	0	0
37	4	32	0	0	1	0
37	5	1	0	0	0	0
37	6	23	0	0	1	0
37	7	22	0	0	0	0
37	8	8	0	0	0	0
37	A	4032	0	0	29	0
37	B	76	0	0	2	0
37	D	89	0	0	1	0
37	E	78	0	0	0	0
37	F	47	0	0	3	0
37	G	12	0	0	0	0
37	H	3	0	0	0	0
37	I	1	0	0	0	0
37	L	34	0	0	0	0
37	M	18	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
37	N	64	0	0	0	0
37	O	37	0	0	2	0
37	P	36	0	0	0	0
37	Q	6	0	0	1	0
37	R	25	0	0	0	0
37	S	44	0	0	1	0
37	T	32	0	0	0	0
37	U	40	0	0	1	0
37	V	26	0	0	0	0
37	W	11	0	0	0	0
37	X	22	0	0	2	0
37	Y	24	0	0	0	0
37	Z	20	0	0	0	0
All	All	98343	0	62427	932	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 932 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
33:J:43:LYS:HG2	33:J:47:GLU:OE1	1.80	0.82
3:C:47:ASN:HD22	3:C:211:ARG:HB3	1.46	0.80
7:G:119:ALA:HB3	7:G:179:ASN:HB2	1.64	0.80
1:A:558:U:H1'	1:A:2017:6MZ:H9C1	1.68	0.76
32:v:40:C:H2'	32:v:41:A:H8	1.52	0.75

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	126/231 (54%)	121 (96%)	5 (4%)	0	100	100
4	D	270/273 (99%)	266 (98%)	4 (2%)	0	100	100
5	E	206/211 (98%)	201 (98%)	5 (2%)	0	100	100
6	F	198/200 (99%)	198 (100%)	0	0	100	100
7	G	177/179 (99%)	174 (98%)	3 (2%)	0	100	100
8	H	172/177 (97%)	172 (100%)	0	0	100	100
9	I	107/148 (72%)	103 (96%)	4 (4%)	0	100	100
10	L	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
11	M	120/122 (98%)	119 (99%)	1 (1%)	0	100	100
12	N	142/144 (99%)	138 (97%)	4 (3%)	0	100	100
13	O	135/137 (98%)	134 (99%)	1 (1%)	0	100	100
14	P	117/129 (91%)	115 (98%)	2 (2%)	0	100	100
15	Q	113/116 (97%)	111 (98%)	2 (2%)	0	100	100
16	R	112/116 (97%)	108 (96%)	4 (4%)	0	100	100
17	S	115/118 (98%)	115 (100%)	0	0	100	100
18	T	101/103 (98%)	101 (100%)	0	0	100	100
19	U	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
20	V	92/99 (93%)	91 (99%)	1 (1%)	0	100	100
21	W	89/104 (86%)	87 (98%)	2 (2%)	0	100	100
22	X	188/204 (92%)	185 (98%)	3 (2%)	0	100	100
23	Y	75/85 (88%)	74 (99%)	1 (1%)	0	100	100
24	Z	75/78 (96%)	74 (99%)	1 (1%)	0	100	100
25	1	59/63 (94%)	59 (100%)	0	0	100	100
26	2	54/58 (93%)	53 (98%)	1 (2%)	0	100	100
27	4	52/60 (87%)	51 (98%)	1 (2%)	0	100	100
28	5	49/51 (96%)	49 (100%)	0	0	100	100
29	6	42/44 (96%)	42 (100%)	0	0	100	100
30	7	61/64 (95%)	60 (98%)	1 (2%)	0	100	100
31	8	36/38 (95%)	36 (100%)	0	0	100	100
33	J	109/166 (66%)	105 (96%)	4 (4%)	0	100	100
34	K	141/143 (99%)	135 (96%)	6 (4%)	0	100	100
All	All	3581/3913 (92%)	3521 (98%)	60 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	C	110/180 (61%)	110 (100%)	0	100	100
4	D	212/213 (100%)	212 (100%)	0	100	100
5	E	160/162 (99%)	160 (100%)	0	100	100
6	F	157/158 (99%)	156 (99%)	1 (1%)	78	84
7	G	153/153 (100%)	151 (99%)	2 (1%)	61	72
8	H	137/141 (97%)	137 (100%)	0	100	100
9	I	85/107 (79%)	84 (99%)	1 (1%)	63	74
10	L	119/119 (100%)	119 (100%)	0	100	100
11	M	102/102 (100%)	102 (100%)	0	100	100
12	N	106/106 (100%)	105 (99%)	1 (1%)	70	79
13	O	110/110 (100%)	110 (100%)	0	100	100
14	P	98/104 (94%)	98 (100%)	0	100	100
15	Q	86/87 (99%)	86 (100%)	0	100	100
16	R	96/98 (98%)	95 (99%)	1 (1%)	68	77
17	S	87/88 (99%)	86 (99%)	1 (1%)	65	75
18	T	86/86 (100%)	86 (100%)	0	100	100
19	U	87/87 (100%)	87 (100%)	0	100	100
20	V	79/82 (96%)	79 (100%)	0	100	100
21	W	81/88 (92%)	81 (100%)	0	100	100
22	X	154/164 (94%)	154 (100%)	0	100	100
23	Y	57/61 (93%)	57 (100%)	0	100	100
24	Z	66/67 (98%)	66 (100%)	0	100	100
25	1	54/55 (98%)	53 (98%)	1 (2%)	50	61
26	2	48/49 (98%)	48 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	4	47/52 (90%)	46 (98%)	1 (2%)	47	58
28	5	47/47 (100%)	47 (100%)	0	100	100
29	6	37/37 (100%)	37 (100%)	0	100	100
30	7	54/55 (98%)	54 (100%)	0	100	100
31	8	34/34 (100%)	34 (100%)	0	100	100
33	J	82/122 (67%)	81 (99%)	1 (1%)	63	74
34	K	110/110 (100%)	110 (100%)	0	100	100
All	All	2941/3124 (94%)	2931 (100%)	10 (0%)	84	90

5 of 10 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
25	1	7	ARG
27	4	51	ARG
33	J	60	LEU
9	I	75	LEU
12	N	92	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 45 such sidechains are listed below:

Mol	Chain	Res	Type
16	R	53	ASN
20	V	61	ASN
17	S	44	GLN
18	T	69	HIS
20	V	90	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	2827/2892 (97%)	313 (11%)	6 (0%)
2	B	118/121 (97%)	17 (14%)	0
32	v	70/76 (92%)	15 (21%)	0
All	All	3015/3089 (97%)	345 (11%)	6 (0%)

5 of 345 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	9	G
1	A	34	U
1	A	45	G
1	A	51	G
1	A	63	A

5 of 6 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	1046	G
1	A	1307	C
1	A	2743	U
1	A	635	U
1	A	221	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

14 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	2MG	A	2432	1	23,26,27	0.49	0	33,38,41	0.49	0
1	5MC	A	1949	1	19,22,23	0.54	0	26,32,35	0.63	0
1	5MU	A	1926	1	19,22,23	0.42	0	27,32,35	0.58	0
1	OMG	A	2238	1	23,26,27	0.44	0	32,38,41	0.45	0
1	OMU	A	2539	1	19,22,23	3.10	8 (42%)	25,31,34	1.82	4 (16%)
1	7MG	A	2056	1	23,26,27	1.13	1 (4%)	27,39,42	0.86	1 (3%)
1	2MA	A	2490	1,35	22,25,26	1.70	5 (22%)	32,37,40	3.65	12 (37%)
32	PSU	v	55	32	18,21,22	1.11	1 (5%)	21,30,33	1.93	4 (19%)
1	OMC	A	2485	1,35	19,22,23	0.48	0	25,31,34	0.64	0
1	1MG	A	735	1	23,26,27	3.16	8 (34%)	33,39,42	1.84	9 (27%)
1	6MZ	A	1608	1	22,25,26	2.39	4 (18%)	29,36,39	2.33	9 (31%)
1	6MZ	A	2017	1	22,25,26	2.34	5 (22%)	29,36,39	2.50	11 (37%)
1	2MG	A	1822	1	23,26,27	0.43	0	33,38,41	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
32	5MU	v	54	32	19,22,23	0.35	0	27,32,35	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	2MG	A	2432	1	-	2/9/27/28	0/3/3/3
1	5MC	A	1949	1	-	0/7/25/26	0/2/2/2
1	5MU	A	1926	1	-	0/7/25/26	0/2/2/2
1	OMG	A	2238	1	-	1/9/27/28	0/3/3/3
1	OMU	A	2539	1	-	0/9/27/28	0/2/2/2
1	7MG	A	2056	1	-	1/7/37/38	0/3/3/3
1	2MA	A	2490	1,35	-	1/7/25/26	0/3/3/3
32	PSU	v	55	32	-	0/7/25/26	0/2/2/2
1	OMC	A	2485	1,35	-	0/9/27/28	0/2/2/2
1	1MG	A	735	1	-	0/7/25/26	0/3/3/3
1	6MZ	A	1608	1	-	0/9/27/28	0/3/3/3
1	6MZ	A	2017	1	-	2/9/27/28	0/3/3/3
1	2MG	A	1822	1	-	2/9/27/28	0/3/3/3
32	5MU	v	54	32	-	0/7/25/26	0/2/2/2

The worst 5 of 32 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1608	6MZ	C6-N6	9.73	1.45	1.34
1	A	735	1MG	C2-N3	9.65	1.48	1.33
1	A	2017	6MZ	C6-N6	9.35	1.44	1.34
1	A	2539	OMU	C2-N1	8.09	1.51	1.38
1	A	735	1MG	C4-N3	6.95	1.50	1.34

The worst 5 of 50 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	2490	2MA	N6-C6-N1	-9.23	104.58	117.03
1	A	2490	2MA	CM2-C2-N3	9.13	130.79	117.13
1	A	2490	2MA	C5-C4-N3	-8.59	118.13	127.18
1	A	2017	6MZ	C9-N6-C6	-6.95	116.40	122.85
1	A	2490	2MA	N3-C4-N9	6.36	135.06	126.99

There are no chirality outliers.

5 of 9 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	2238	OMG	C1'-C2'-O2'-CM2
1	A	1822	2MG	C3'-C4'-C5'-O5'
1	A	2432	2MG	C3'-C4'-C5'-O5'
1	A	1822	2MG	O4'-C4'-C5'-O5'
1	A	2017	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	2432	2MG	1	0
1	A	2238	OMG	1	0
1	A	2017	6MZ	2	0
1	A	1822	2MG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 203 ligands modelled in this entry, 203 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-73091. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 348




Y Index: 348




Z Index: 348


6.2.2 Raw map



X Index: 348



Y Index: 348




Z Index: 348


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 353




Y Index: 319




Z Index: 380


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 3.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_73091_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 712 nm^3 ; this corresponds to an approximate mass of 643 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.444 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of $0.444 \text{ \AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.25	-	-
Author-provided FSC curve	2.25	2.51	2.27
Unmasked-calculated*	2.89	3.27	2.94

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 2.89 differs from the reported value 2.25 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-73091 and PDB model 9YLQ. Per-residue inclusion information can be found in section 3 on page 12.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 3.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3).

9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (3) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9460	 0.6080
1	 0.9170	 0.6020
2	 0.9530	 0.6460
4	 0.9330	 0.6200
5	 0.8390	 0.5760
6	 0.9450	 0.6690
7	 0.9610	 0.6660
8	 0.9490	 0.6450
A	 0.9780	 0.6330
B	 0.9780	 0.6050
C	 0.5880	 0.2460
D	 0.9570	 0.6600
E	 0.9500	 0.6510
F	 0.9480	 0.6400
G	 0.8940	 0.5280
H	 0.8950	 0.5500
I	 0.5440	 0.3930
J	 0.5870	 0.2350
K	 0.5980	 0.1920
L	 0.9450	 0.6470
M	 0.9070	 0.6140
N	 0.9470	 0.6500
O	 0.9250	 0.6430
P	 0.9670	 0.6580
Q	 0.9400	 0.6040
R	 0.8900	 0.6040
S	 0.9660	 0.6630
T	 0.9320	 0.6240
U	 0.9150	 0.6390
V	 0.9090	 0.6040
W	 0.9090	 0.5780
X	 0.8860	 0.5720
Y	 0.9290	 0.6490
Z	 0.9340	 0.6430
v	 0.8240	 0.2600

