Full wwPDB X-ray Structure Validation Report (i)

Nov 2, 2026 – 08:11 AM EST

PDB ID	:	9Z3L / pdb_00009z3l
Title	:	Complex of phosphorylated p38-alpha and MK2 with a molecular glue
Authors	:	Bell, J.A.
Deposited on	:	2025-11-07
Resolution	:	2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.2
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.2
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.015 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.51

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	89% 7%
1	B	363	3% 89% 7%
1	C	363	5% 89% 7%
1	D	363	90% 6%
2	E	363	7% 85% 6% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	363	
2	G	363	
2	H	363	

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 44691 atoms, of which 22410 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mitogen-activated protein kinase 14.

Mol	Chain	Residues	Atoms							ZeroOcc	AltConf	Trace
1	A	351	Total	C	H	N	O	P	S	0	0	0
			5669	1813	2824	483	533	3	13			
1	B	352	Total	C	H	N	O	P	S	0	0	0
			5687	1818	2833	485	535	3	13			
1	C	351	Total	C	H	N	O	P	S	0	0	0
			5668	1813	2823	483	533	3	13			
1	D	350	Total	C	H	N	O	P	S	0	0	0
			5650	1809	2816	482	528	2	13			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q16539
A	-1	GLY	-	expression tag	UNP Q16539
A	0	GLY	-	expression tag	UNP Q16539
B	-2	GLY	-	expression tag	UNP Q16539
B	-1	GLY	-	expression tag	UNP Q16539
B	0	GLY	-	expression tag	UNP Q16539
C	-2	GLY	-	expression tag	UNP Q16539
C	-1	GLY	-	expression tag	UNP Q16539
C	0	GLY	-	expression tag	UNP Q16539
D	-2	GLY	-	expression tag	UNP Q16539
D	-1	GLY	-	expression tag	UNP Q16539
D	0	GLY	-	expression tag	UNP Q16539

- Molecule 2 is a protein called MAP kinase-activated protein kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	E	330	Total	C	H	N	O	S	0	0	0
			5407	1708	2723	462	496	18			
2	F	329	Total	C	H	N	O	S	0	0	0
			5394	1701	2719	462	493	19			

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	G	328	Total	C	H	N	O	S	0	0	0
			5367	1697	2706	455	490	19			
2	H	323	Total	C	H	N	O	S	0	0	0
			5297	1671	2672	452	484	18			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	38	GLY	-	expression tag	UNP P49137
E	39	GLY	-	expression tag	UNP P49137
E	40	GLY	-	expression tag	UNP P49137
F	38	GLY	-	expression tag	UNP P49137
F	39	GLY	-	expression tag	UNP P49137
F	40	GLY	-	expression tag	UNP P49137
G	38	GLY	-	expression tag	UNP P49137
G	39	GLY	-	expression tag	UNP P49137
G	40	GLY	-	expression tag	UNP P49137
H	38	GLY	-	expression tag	UNP P49137
H	39	GLY	-	expression tag	UNP P49137
H	40	GLY	-	expression tag	UNP P49137

- Molecule 3 is (1P,4'P)-3-chloro-4-[(3,5-difluoropyridin-2-yl)methoxy]-2'-[2-(2-hydroxypropan-2-yl)pyrimidin-4-yl]-5',6-dimethyl-2H-[1,4'-bipyridin]-2-one (CCD ID: A1CZ8) (formula: $C_{25}H_{22}ClF_2N_5O_3$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms							ZeroOcc	AltConf
3	A	1	Total	C	Cl	F	H	N	O	0	0
			58	25	1	2	22	5	3		
3	B	1	Total	C	Cl	F	H	N	O	0	0
			58	25	1	2	22	5	3		
3	C	1	Total	C	Cl	F	H	N	O	0	0
			58	25	1	2	22	5	3		
3	D	1	Total	C	Cl	F	H	N	O	0	0
			58	25	1	2	22	5	3		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	H	O	0	0
			10	2	6	2		
4	B	1	Total	C	H	O	0	0
			10	2	6	2		
4	C	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 5 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	E	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 6 is MALONATE ION (CCD ID: MLI) (formula: $C_3H_2O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	E	1	Total	C	H	O	0	0
			9	3	2	4		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	21	Total H O 63 42 21	0	0
7	B	8	Total H O 24 16 8	0	0
7	C	11	Total H O 33 22 11	0	0
7	D	11	Total H O 33 22 11	0	0
7	E	8	Total H O 24 16 8	0	0
7	F	12	Total H O 36 24 12	0	0
7	G	12	Total H O 36 24 12	0	0
7	H	6	Total H O 18 12 6	0	0

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Mitogen-activated protein kinase 14

Chain A:




• Molecule 1: Mitogen-activated protein kinase 14

Chain B:




• Molecule 1: Mitogen-activated protein kinase 14


Chain C:



• Molecule 1: Mitogen-activated protein kinase 14

Chain D:






• Molecule 2: MAP kinase-activated protein kinase 2

Chain E:






• Molecule 2: MAP kinase-activated protein kinase 2

Chain F:






• Molecule 2: MAP kinase-activated protein kinase 2

Chain G:






• Molecule 2: MAP kinase-activated protein kinase 2

Chain H:





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α, β, γ	63.24Å 229.53Å 126.32Å 90.00° 103.77° 90.00°	Depositor
Resolution (Å)	49.17 – 2.70 49.17 – 2.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.17-2.70) 100.0 (49.17-2.70)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	2.17 (at 2.69Å)	Xtriage
Refinement program	PRIME-X	Depositor
R, R_{free}	0.224 , 0.264 0.221 , 0.257	Depositor DCC
R_{free} test set	4695 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å^2)	52.5	Xtriage
Anisotropy	0.414	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.38 , 54.5	EDS
L-test for twinning[2]	$< \|L\| > = 0.50$, $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	0.021 for h,-k,-h-l	Xtriage
F_o,F_c correlation	0.93	EDS
Total number of atoms	44691	wwPDB-VP
Average B, all atoms (Å^2)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.54% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTR, GOL, MLI, EDO, A1CZ8, TPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#$\|Z\|$ >5	RMSZ	#$\|Z\|$ >5
1	A	0.65	2/2869 (0.1%)	1.11	13/3890 (0.3%)
1	B	0.65	4/2878 (0.1%)	1.13	13/3902 (0.3%)
1	C	0.64	2/2869 (0.1%)	1.11	13/3890 (0.3%)
1	D	0.65	2/2869 (0.1%)	1.11	14/3890 (0.4%)
2	E	0.62	2/2740 (0.1%)	1.13	12/3699 (0.3%)
2	F	0.59	0/2729	1.12	8/3681 (0.2%)
2	G	0.58	0/2714	1.09	10/3661 (0.3%)
2	H	0.61	0/2678	1.13	9/3614 (0.2%)
All	All	0.62	12/22346 (0.1%)	1.12	92/30227 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand.A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	F	0	1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	64	HIS	CG-CD2	5.54	1.42	1.35
2	E	267	HIS	CG-CD2	5.48	1.41	1.35
1	A	64	HIS	CG-CD2	5.34	1.41	1.35
2	E	108	HIS	CG-CD2	5.32	1.41	1.35
1	B	77	HIS	CG-CD2	5.29	1.41	1.35
1	B	199	HIS	CG-CD2	5.28	1.41	1.35
1	A	199	HIS	CG-CD2	5.18	1.41	1.35
1	D	199	HIS	CG-CD2	5.16	1.41	1.35
1	C	199	HIS	CG-CD2	5.13	1.41	1.35
1	D	64	HIS	CG-CD2	5.12	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	174	HIS	CG-CD2	5.08	1.41	1.35
1	C	174	HIS	CG-CD2	5.02	1.41	1.35

All (92) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	114	ASN	CA-CB-CG	7.56	120.16	112.60
2	F	126	ASN	CA-CB-CG	7.27	119.87	112.60
2	E	126	ASN	CA-CB-CG	7.04	119.64	112.60
2	G	126	ASN	CA-CB-CG	6.67	119.27	112.60
2	H	126	ASN	CA-CB-CG	6.59	119.19	112.60
1	C	114	ASN	CA-CB-CG	6.01	118.61	112.60
1	D	107	HIS	ND1-CE1-NE2	5.96	114.36	108.40
2	G	108	HIS	ND1-CE1-NE2	5.92	114.33	108.40
1	D	142	HIS	ND1-CE1-NE2	5.91	114.31	108.40
1	B	142	HIS	ND1-CE1-NE2	5.90	114.30	108.40
2	E	322	HIS	ND1-CE1-NE2	5.89	114.29	108.40
2	E	217	HIS	ND1-CE1-NE2	5.88	114.28	108.40
1	D	148	HIS	ND1-CE1-NE2	5.86	114.26	108.40
1	A	126	HIS	ND1-CE1-NE2	5.85	114.25	108.40
2	G	322	HIS	ND1-CE1-NE2	5.85	114.25	108.40
1	C	142	HIS	ND1-CE1-NE2	5.85	114.25	108.40
2	F	322	HIS	ND1-CE1-NE2	5.85	114.25	108.40
2	H	184	HIS	ND1-CE1-NE2	5.85	114.25	108.40
1	A	142	HIS	ND1-CE1-NE2	5.84	114.24	108.40
1	A	77	HIS	ND1-CE1-NE2	5.84	114.24	108.40
2	F	337	HIS	ND1-CE1-NE2	5.84	114.24	108.40
2	E	184	HIS	ND1-CE1-NE2	5.84	114.24	108.40
1	C	305	HIS	ND1-CE1-NE2	5.83	114.23	108.40
2	H	217	HIS	ND1-CE1-NE2	5.83	114.23	108.40
2	F	178	HIS	ND1-CE1-NE2	5.82	114.22	108.40
1	B	148	HIS	ND1-CE1-NE2	5.82	114.22	108.40
2	H	322	HIS	ND1-CE1-NE2	5.82	114.22	108.40
2	G	178	HIS	ND1-CE1-NE2	5.82	114.22	108.40
1	C	228	HIS	ND1-CE1-NE2	5.82	114.22	108.40
2	F	184	HIS	ND1-CE1-NE2	5.82	114.22	108.40
2	H	178	HIS	ND1-CE1-NE2	5.82	114.22	108.40
2	H	337	HIS	ND1-CE1-NE2	5.82	114.22	108.40
1	B	305	HIS	ND1-CE1-NE2	5.81	114.21	108.40
1	D	77	HIS	ND1-CE1-NE2	5.81	114.21	108.40
1	B	126	HIS	ND1-CE1-NE2	5.81	114.21	108.40
2	E	178	HIS	ND1-CE1-NE2	5.81	114.21	108.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	D	174	HIS	ND1-CE1-NE2	5.80	114.20	108.40
2	G	337	HIS	ND1-CE1-NE2	5.80	114.20	108.40
2	G	184	HIS	ND1-CE1-NE2	5.80	114.20	108.40
1	C	312	HIS	ND1-CE1-NE2	5.80	114.20	108.40
2	F	108	HIS	ND1-CE1-NE2	5.80	114.20	108.40
1	D	305	HIS	ND1-CE1-NE2	5.79	114.19	108.40
1	C	77	HIS	ND1-CE1-NE2	5.79	114.19	108.40
2	H	346	LYS	N-CA-C	5.79	118.34	111.33
1	C	148	HIS	ND1-CE1-NE2	5.78	114.18	108.40
1	B	228	HIS	ND1-CE1-NE2	5.78	114.17	108.40
1	A	312	HIS	ND1-CE1-NE2	5.77	114.17	108.40
1	B	312	HIS	ND1-CE1-NE2	5.76	114.16	108.40
2	F	217	HIS	ND1-CE1-NE2	5.76	114.16	108.40
1	B	107	HIS	ND1-CE1-NE2	5.76	114.16	108.40
1	A	148	HIS	ND1-CE1-NE2	5.76	114.16	108.40
1	C	80	HIS	ND1-CE1-NE2	5.76	114.16	108.40
2	E	337	HIS	ND1-CE1-NE2	5.76	114.16	108.40
2	H	108	HIS	ND1-CE1-NE2	5.75	114.15	108.40
1	D	80	HIS	ND1-CE1-NE2	5.75	114.15	108.40
2	G	116	HIS	ND1-CE1-NE2	5.75	114.15	108.40
1	A	305	HIS	ND1-CE1-NE2	5.75	114.15	108.40
1	D	228	HIS	ND1-CE1-NE2	5.75	114.15	108.40
1	D	312	HIS	ND1-CE1-NE2	5.74	114.14	108.40
1	D	126	HIS	ND1-CE1-NE2	5.73	114.13	108.40
1	B	80	HIS	ND1-CE1-NE2	5.72	114.12	108.40
1	A	107	HIS	ND1-CE1-NE2	5.71	114.11	108.40
1	A	80	HIS	ND1-CE1-NE2	5.69	114.09	108.40
1	C	64	HIS	ND1-CE1-NE2	5.69	114.09	108.40
1	C	107	HIS	ND1-CE1-NE2	5.68	114.08	108.40
1	C	126	HIS	ND1-CE1-NE2	5.68	114.08	108.40
2	E	288	ASN	N-CA-C	5.60	122.19	109.81
2	E	321	ASN	CA-CB-CG	5.50	118.10	112.60
1	C	270	PHE	CA-CB-CG	5.47	119.27	113.80
2	G	288	ASN	N-CA-C	5.46	121.87	109.81
1	D	312	HIS	CA-CB-CG	5.37	119.17	113.80
2	E	234	VAL	CB-CA-C	5.37	117.67	110.42
1	B	270	PHE	CA-CB-CG	5.34	119.14	113.80
1	D	270	PHE	CA-CB-CG	5.32	119.12	113.80
2	G	263	PHE	CA-CB-CG	5.30	119.10	113.80
2	H	392	ALA	N-CA-C	5.27	117.71	111.33
1	A	270	PHE	CA-CB-CG	5.23	119.03	113.80
1	A	145	ASP	CA-CB-CG	5.21	117.81	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	B	223	PHE	CA-CB-CG	5.20	119.00	113.80
2	E	337	HIS	CA-C-N	5.19	127.55	120.54
2	E	337	HIS	C-N-CA	5.19	127.55	120.54
1	D	223	PHE	CA-CB-CG	5.16	118.96	113.80
1	A	335	ASP	CA-CB-CG	5.13	117.73	112.60
2	G	158	PHE	CA-CB-CG	5.12	118.92	113.80
1	B	64	HIS	ND1-CE1-NE2	5.10	113.50	108.40
1	B	202	GLN	N-CA-C	5.08	118.25	111.75
1	A	64	HIS	ND1-CE1-NE2	5.07	113.47	108.40
1	C	312	HIS	CA-CB-CG	5.07	118.87	113.80
1	A	199	HIS	ND1-CE1-NE2	5.04	113.44	108.40
2	E	267	HIS	ND1-CE1-NE2	5.04	113.44	108.40
2	F	328	SER	N-CA-C	5.03	117.41	111.33
1	D	199	HIS	ND1-CE1-NE2	5.00	113.40	108.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	F	156	GLN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2845	2824	2817	3	0
1	B	2854	2833	2825	1	0
1	C	2845	2823	2817	1	0
1	D	2834	2816	2810	1	0
2	E	2684	2723	2715	2	0
2	F	2675	2719	2716	1	0
2	G	2661	2706	2703	2	0
2	H	2625	2672	2669	2	0
3	A	36	22	0	0	0
3	B	36	22	0	0	0
3	C	36	22	0	0	0
3	D	36	22	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	4	6	6	0	0
4	B	4	6	6	0	0
4	C	4	6	6	0	0
5	E	6	8	8	0	0
6	E	7	2	2	0	0
7	A	21	42	0	0	0
7	B	8	16	0	0	0
7	C	11	22	0	0	0
7	D	11	22	0	0	0
7	E	8	16	0	0	0
7	F	12	24	0	0	0
7	G	12	24	0	0	0
7	H	6	12	0	0	0
All	All	22281	22410	22100	13	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (13) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:253:MET:HE1	2:G:301:LEU:HD23	1.85	0.58
1:A:69:TYR:CZ	1:A:73:ARG:HD2	2.44	0.53
2:G:253:MET:HE3	2:G:324:TRP:CZ3	2.45	0.52
1:A:70:ARG:HE	1:A:328:GLU:HG3	1.79	0.48
2:H:253:MET:HE1	2:H:301:LEU:HD23	1.96	0.48
1:D:69:TYR:CZ	1:D:73:ARG:HD2	2.50	0.46
2:F:253:MET:HE1	2:F:301:LEU:HD23	1.97	0.45
1:A:245:GLU:CD	1:A:245:GLU:H	2.26	0.44
2:H:65:VAL:HA	2:H:81:ILE:HG22	1.99	0.43
1:B:69:TYR:CZ	1:B:73:ARG:HD2	2.54	0.42
2:E:92:LEU:HD11	2:E:135:LEU:HB3	2.01	0.42
2:E:253:MET:HE1	2:E:301:LEU:HD23	2.03	0.41
1:C:156:LEU:HD11	1:C:212:ILE:HD13	2.02	0.41

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	346/363 (95%)	323 (93%)	22 (6%)	1 (0%)	36	60
1	B	347/363 (96%)	327 (94%)	19 (6%)	1 (0%)	36	60
1	C	346/363 (95%)	327 (94%)	17 (5%)	2 (1%)	21	44
1	D	344/363 (95%)	324 (94%)	19 (6%)	1 (0%)	36	60
2	E	326/363 (90%)	306 (94%)	18 (6%)	2 (1%)	21	44
2	F	325/363 (90%)	308 (95%)	16 (5%)	1 (0%)	36	60
2	G	322/363 (89%)	303 (94%)	18 (6%)	1 (0%)	36	60
2	H	319/363 (88%)	302 (95%)	15 (5%)	2 (1%)	21	44
All	All	2675/2904 (92%)	2520 (94%)	144 (5%)	11 (0%)	30	54

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	37	SER
2	F	281	MET
2	E	221	THR
2	H	221	THR
1	B	168	ASP
1	C	37	SER
2	H	156	GLN
1	A	326	SER
1	C	168	ASP
2	G	207	ASP
2	E	236	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	308/317 (97%)	300 (97%)	8 (3%)	40	70
1	B	309/317 (98%)	301 (97%)	8 (3%)	40	70
1	C	308/317 (97%)	300 (97%)	8 (3%)	40	70
1	D	308/317 (97%)	304 (99%)	4 (1%)	61	83
2	E	299/322 (93%)	293 (98%)	6 (2%)	48	76
2	F	298/322 (92%)	292 (98%)	6 (2%)	48	76
2	G	294/322 (91%)	292 (99%)	2 (1%)	76	90
2	H	293/322 (91%)	287 (98%)	6 (2%)	48	76
All	All	2417/2556 (95%)	2369 (98%)	48 (2%)	48	76

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	12	GLU
1	A	30	VAL
1	A	89	VAL
1	A	121	LYS
1	A	173	ARG
1	A	245	GLU
1	A	328	GLU
1	B	86	LEU
1	B	89	VAL
1	B	114	ASN
1	B	121	LYS
1	B	149	ARG
1	B	173	ARG
1	B	232	LEU
1	B	262	LEU
1	C	27	LEU
1	C	30	VAL
1	C	86	LEU
1	C	89	VAL
1	C	114	ASN
1	C	121	LYS
1	C	262	LEU
1	C	321	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	30	VAL
1	D	89	VAL
1	D	101	ASP
1	D	138	LEU
2	E	77	LYS
2	E	156	GLN
2	E	169	SER
2	E	220	LEU
2	E	233	GLU
2	E	285	GLU
2	F	139	GLU
2	F	308	THR
2	F	327	GLN
2	F	333	GLN
2	F	345	ASP
2	F	376	GLU
2	G	156	GLN
2	G	233	GLU
2	H	77	LYS
2	H	128	TYR
2	H	220	LEU
2	H	224	CYS
2	H	234	VAL
2	H	345	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	325	GLN
1	B	3	GLN
1	B	196	ASN
1	B	272	ASN
1	C	26	ASN
1	C	107	HIS
1	C	114	ASN
1	C	196	ASN
1	C	260	GLN
1	D	196	ASN
1	D	264	GLN
2	E	113	GLN
2	E	151	GLN
2	E	156	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	175	GLN
2	E	218	ASN
2	E	304	ASN
2	F	151	GLN
2	F	156	GLN
2	G	75	ASN
2	G	304	ASN
2	G	321	ASN
2	H	151	GLN
2	H	304	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
1	TPO	A	180	1	8,10,11	0.91	0	10,14,16	0.95	0
1	TPO	B	180	1	8,10,11	1.06	0	10,14,16	0.93	0
1	PTR	C	182	1	15,16,17	2.15	2 (13%)	17,22,24	0.82	1 (5%)
1	TPO	D	180	1	8,10,11	1.00	0	10,14,16	0.90	0
1	TPO	A	263	1	8,10,11	0.99	0	10,14,16	1.02	1 (10%)
1	PTR	A	182	1	15,16,17	2.01	2 (13%)	17,22,24	0.92	1 (5%)
1	PTR	D	182	1	15,16,17	2.04	2 (13%)	17,22,24	0.85	1 (5%)
1	TPO	C	180	1	8,10,11	1.02	0	10,14,16	0.99	0
1	PTR	B	182	1	15,16,17	2.22	2 (13%)	17,22,24	0.80	0
1	TPO	C	263	1	8,10,11	2.75	2 (25%)	10,14,16	1.08	1 (10%)
1	TPO	B	263	1	8,10,11	2.76	2 (25%)	10,14,16	1.04	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	180	1	-	1/9/11/13	-
1	TPO	B	180	1	-	1/9/11/13	-
1	PTR	C	182	1	-	2/10/11/13	0/1/1/1
1	TPO	D	180	1	-	1/9/11/13	-
1	TPO	A	263	1	-	1/9/11/13	-
1	PTR	A	182	1	-	1/10/11/13	0/1/1/1
1	PTR	D	182	1	-	1/10/11/13	0/1/1/1
1	TPO	C	180	1	-	1/9/11/13	-
1	PTR	B	182	1	-	2/10/11/13	0/1/1/1
1	TPO	C	263	1	-	0/9/11/13	-
1	TPO	B	263	1	-	0/9/11/13	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	263	TPO	P-OG1	6.28	1.70	1.59
1	C	263	TPO	P-OG1	6.27	1.70	1.59
1	B	182	PTR	P-OH	6.19	1.71	1.59
1	C	182	PTR	P-OH	5.75	1.70	1.59
1	D	182	PTR	P-OH	5.34	1.69	1.59
1	A	182	PTR	P-OH	5.11	1.69	1.59
1	B	263	TPO	P-O2P	3.94	1.69	1.54
1	C	263	TPO	P-O2P	3.89	1.69	1.54
1	B	182	PTR	P-O3P	3.86	1.69	1.54
1	A	182	PTR	P-O3P	3.83	1.69	1.54
1	C	182	PTR	P-O2P	3.82	1.69	1.54
1	D	182	PTR	P-O2P	3.76	1.68	1.54

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
1	A	182	PTR	O2P-P-O1P	2.41	120.21	110.83
1	C	263	TPO	O3P-P-O1P	2.35	119.97	110.83
1	B	263	TPO	O3P-P-O1P	2.32	119.89	110.83
1	D	182	PTR	O3P-P-O1P	2.30	119.79	110.83
1	C	182	PTR	O3P-P-O1P	2.14	119.19	110.83
1	A	263	TPO	P-OG1-CB	-2.05	117.74	123.33

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	180	TPO	O-C-CA-CB
1	A	182	PTR	O-C-CA-CB
1	B	180	TPO	O-C-CA-CB
1	B	182	PTR	O-C-CA-CB
1	C	180	TPO	O-C-CA-CB
1	C	182	PTR	O-C-CA-CB
1	C	182	PTR	CZ-OH-P-O1P
1	D	180	TPO	O-C-CA-CB
1	D	182	PTR	O-C-CA-CB
1	A	263	TPO	CB-OG1-P-O3P
1	B	182	PTR	CZ-OH-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\| > 2$	Counts	RMSZ	$\#\|Z\| > 2$
3	A1CZ8	D	401	-	38,39,39	1.29	5 (13%)	48,58,58	1.59	6 (12%)
6	MLI	E	502	-	6,6,6	1.71	2 (33%)	7,7,7	1.06	0
3	A1CZ8	B	401	-	38,39,39	1.24	4 (10%)	48,58,58	1.58	6 (12%)
3	A1CZ8	A	401	-	38,39,39	1.25	5 (13%)	48,58,58	1.59	7 (14%)
4	EDO	A	402	-	3,3,3	0.44	0	2,2,2	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\#\|Z\|>2$	Counts	RMSZ	$\#\|Z\|>2$
4	EDO	C	402	-	3,3,3	0.41	0	2,2,2	0.75	0
5	GOL	E	501	-	5,5,5	0.59	0	5,5,5	0.62	0
4	EDO	B	402	-	3,3,3	0.43	0	2,2,2	0.34	0
3	A1CZ8	C	401	-	38,39,39	1.25	5 (13%)	48,58,58	1.56	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A1CZ8	D	401	-	-	0/19/19/19	0/4/4/4
6	MLI	E	502	-	-	0/4/4/4	-
3	A1CZ8	B	401	-	-	0/19/19/19	0/4/4/4
3	A1CZ8	A	401	-	-	0/19/19/19	0/4/4/4
4	EDO	A	402	-	-	0/1/1/1	-
4	EDO	C	402	-	-	0/1/1/1	-
5	GOL	E	501	-	-	0/4/4/4	-
4	EDO	B	402	-	-	0/1/1/1	-
3	A1CZ8	C	401	-	-	0/19/19/19	0/4/4/4

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	401	A1CZ8	C11-C10	3.14	1.50	1.44
3	D	401	A1CZ8	C11-C10	3.08	1.50	1.44
3	A	401	A1CZ8	C11-C10	2.90	1.49	1.44
3	B	401	A1CZ8	C11-C10	2.89	1.49	1.44
3	D	401	A1CZ8	O3-C22	-2.65	1.40	1.44
3	B	401	A1CZ8	O3-C22	-2.49	1.41	1.44
6	E	502	MLI	C1-C3	2.48	1.54	1.51
3	B	401	A1CZ8	C8-C9	-2.48	1.32	1.38
3	C	401	A1CZ8	C8-C9	-2.41	1.32	1.38
3	A	401	A1CZ8	C8-C9	-2.39	1.32	1.38
3	A	401	A1CZ8	O3-C22	-2.35	1.41	1.44
3	C	401	A1CZ8	O3-C22	-2.32	1.41	1.44
3	D	401	A1CZ8	C8-C9	-2.29	1.32	1.38
3	C	401	A1CZ8	C25-C9	2.15	1.53	1.49
3	A	401	A1CZ8	C25-C9	2.13	1.53	1.49
3	C	401	A1CZ8	C15-C16	2.11	1.41	1.38
3	A	401	A1CZ8	C15-C16	2.10	1.41	1.38
3	D	401	A1CZ8	C12-C16	2.08	1.52	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	401	A1CZ8	C15-C16	2.06	1.41	1.38
3	D	401	A1CZ8	C15-C16	2.04	1.41	1.38
6	E	502	MLI	C1-C2	2.03	1.54	1.51

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(^{o})	Ideal(^{o})
3	B	401	A1CZ8	C15-C16-N3	6.42	123.47	118.14
3	A	401	A1CZ8	C15-C16-N3	6.38	123.44	118.14
3	D	401	A1CZ8	C15-C16-N3	6.33	123.40	118.14
3	C	401	A1CZ8	C15-C16-N3	6.33	123.40	118.14
3	D	401	A1CZ8	C1-C2-C3	-2.82	118.60	121.79
3	D	401	A1CZ8	C23-C22-C24	2.80	113.94	110.53
3	A	401	A1CZ8	C1-C2-C3	-2.69	118.75	121.79
3	B	401	A1CZ8	C23-C22-C24	2.62	113.73	110.53
3	C	401	A1CZ8	C1-C2-C3	-2.62	118.84	121.79
3	A	401	A1CZ8	C23-C22-C24	2.57	113.67	110.53
3	B	401	A1CZ8	C1-C2-C3	-2.56	118.90	121.79
3	C	401	A1CZ8	C23-C22-C24	2.51	113.60	110.53
3	C	401	A1CZ8	C14-C15-C16	-2.42	118.77	121.84
3	B	401	A1CZ8	C14-C15-C16	-2.40	118.79	121.84
3	D	401	A1CZ8	C14-C13-C17	-2.40	118.92	121.93
3	B	401	A1CZ8	C14-C13-C17	-2.37	118.94	121.93
3	C	401	A1CZ8	C14-C13-C17	-2.37	118.95	121.93
3	D	401	A1CZ8	C14-C15-C16	-2.36	118.84	121.84
3	A	401	A1CZ8	C14-C15-C16	-2.36	118.85	121.84
3	A	401	A1CZ8	C14-C13-C17	-2.32	119.01	121.93
3	A	401	A1CZ8	C12-O1-C7	2.19	119.93	116.36
3	A	401	A1CZ8	C2-N2-C10	2.13	120.12	116.90
3	D	401	A1CZ8	C12-O1-C7	2.08	119.74	116.36
3	C	401	A1CZ8	C2-N2-C10	2.04	120.00	116.90
3	B	401	A1CZ8	C13-C17-N3	2.00	123.46	121.13

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1CZ8 D 401




Bond lengths



Bond angles




Torsions




Rings


Ligand A1CZ8 B 401




Bond lengths



Bond angles




Torsions




Rings


Ligand A1CZ8 A 401




Bond lengths



Bond angles




Torsions




Rings


Ligand A1CZ8 C 401




Bond lengths



Bond angles



Torsions



Rings

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	348/363 (95%)	-0.15	4 (1%) 78 76	18, 39, 72, 105	0
1	B	349/363 (96%)	0.28	12 (3%) 48 44	27, 51, 99, 146	0
1	C	348/363 (95%)	0.36	19 (5%) 30 27	27, 56, 96, 129	0
1	D	348/363 (95%)	0.03	5 (1%) 73 72	25, 50, 86, 121	0
2	E	330/363 (90%)	0.32	25 (7%) 20 17	24, 49, 97, 131	1 (0%)
2	F	329/363 (90%)	0.39	24 (7%) 21 18	33, 56, 104, 124	1 (0%)
2	G	328/363 (90%)	0.54	36 (10%) 10 9	29, 62, 107, 138	1 (0%)
2	H	323/363 (88%)	0.77	37 (11%) 9 8	32, 70, 117, 145	1 (0%)
All	All	2703/2904 (93%)	0.31	162 (5%) 27 24	18, 53, 103, 146	4 (0%)

All (162) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	327	PHE	5.6
2	E	395	ALA	5.5
2	E	154	GLY	5.3
1	B	326	SER	5.1
2	G	264	TYR	4.7
2	H	128	TYR	4.3
2	F	232	PRO	4.2
2	H	157	ALA	4.2
2	F	284	TYR	4.1
2	E	219	SER	4.1
2	H	232	PRO	4.0
2	H	393	LEU	3.9
2	G	230	VAL	3.9
2	G	75	ASN	3.9
2	H	222	THR	3.9
2	F	75	ASN	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	328	SER	3.8
1	C	184	ALA	3.8
1	B	323	TYR	3.8
2	E	220	LEU	3.8
2	G	223	PRO	3.8
2	E	157	ALA	3.7
2	E	50	SER	3.7
1	A	194	MET	3.7
2	G	326	MET	3.6
2	G	284	TYR	3.6
2	H	51	GLY	3.5
2	G	228	TYR	3.5
1	B	194	MET	3.5
1	C	183	VAL	3.5
2	G	94	MET	3.5
1	C	194	MET	3.4
1	B	324	ASP	3.4
2	H	75	ASN	3.4
2	E	267	HIS	3.4
2	H	220	LEU	3.3
1	C	185	THR	3.3
2	G	216	SER	3.3
1	A	354	ASP	3.3
2	G	229	TYR	3.2
2	F	233	GLU	3.2
2	E	284	TYR	3.2
2	H	336	LEU	3.1
2	E	217	HIS	3.1
2	G	398	LEU	3.1
2	H	345	ASP	3.1
2	E	53	GLN	3.1
2	H	392	ALA	3.1
2	H	217	HIS	3.0
2	G	225	TYR	3.0
1	C	324	ASP	3.0
2	E	155	ASP	3.0
2	H	223	PRO	3.0
1	C	354	ASP	2.9
2	G	396	ALA	2.9
2	E	326	MET	2.9
2	H	158	PHE	2.9
2	F	283	GLN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	G	293	GLU	2.8
2	G	51	GLY	2.8
2	E	221	THR	2.8
2	F	231	ALA	2.8
2	G	235	LEU	2.8
1	C	323	TYR	2.8
1	C	189	ARG	2.7
1	B	353	LEU	2.7
2	E	218	ASN	2.7
1	C	186	ARG	2.7
2	E	392	ALA	2.7
2	F	157	ALA	2.7
1	D	12	GLU	2.7
2	G	231	ALA	2.7
2	H	349	TRP	2.7
2	F	280	ARG	2.6
2	G	397	ALA	2.6
2	H	163	ALA	2.6
1	C	228	HIS	2.6
2	G	232	PRO	2.6
2	E	77	LYS	2.6
2	G	157	ALA	2.6
1	C	325	GLN	2.6
2	E	156	GLN	2.6
1	C	179	MET	2.6
2	E	264	TYR	2.6
2	H	263	PHE	2.6
2	F	151	GLN	2.6
2	H	156	GLN	2.6
1	A	4	GLU	2.5
2	G	263	PHE	2.5
2	E	222	THR	2.5
2	H	394	GLU	2.5
2	G	393	LEU	2.4
1	C	353	LEU	2.4
1	A	329	SER	2.4
1	B	354	ASP	2.4
2	G	281	MET	2.4
1	B	325	GLN	2.4
2	H	129	ALA	2.4
2	G	227	PRO	2.4
2	G	224	CYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	154	GLY	2.4
2	F	281	MET	2.3
2	H	113	GLN	2.3
2	H	150	ILE	2.3
2	H	296	GLU	2.3
2	E	216	SER	2.3
2	F	263	PHE	2.3
2	E	75	ASN	2.3
1	D	324	ASP	2.3
2	F	234	VAL	2.3
2	G	294	VAL	2.3
2	F	155	ASP	2.3
2	H	127	LEU	2.3
2	G	392	ALA	2.2
2	H	231	ALA	2.2
2	G	330	LYS	2.2
2	G	215	THR	2.2
1	C	328	GLU	2.2
2	H	332	PRO	2.2
1	D	326	SER	2.2
2	H	155	ASP	2.2
1	C	327	PHE	2.2
2	H	53	GLN	2.2
2	F	152	ASP	2.2
2	G	221	THR	2.2
2	H	233	GLU	2.2
2	F	50	SER	2.2
2	G	233	GLU	2.2
2	H	221	THR	2.2
2	G	76	GLY	2.2
2	F	336	LEU	2.1
1	D	147	ILE	2.1
2	H	234	VAL	2.1
1	B	253	GLU	2.1
2	H	285	GLU	2.1
2	F	334	THR	2.1
2	H	346	LYS	2.1
1	C	27	LEU	2.1
1	C	232	LEU	2.1
2	H	126	ASN	2.1
2	G	74	ILE	2.1
2	H	120	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	H	215	THR	2.1
2	F	346	LYS	2.1
1	D	325	GLN	2.1
2	H	218	ASN	2.1
2	F	150	ILE	2.1
2	F	156	GLN	2.1
1	B	332	LEU	2.1
2	F	308	THR	2.0
2	G	327	GLN	2.0
1	C	67	ARG	2.0
2	E	263	PHE	2.0
2	G	103	ARG	2.0
2	F	394	GLU	2.0
2	E	389	LYS	2.0
2	F	328	SER	2.0
1	B	352	PRO	2.0
2	E	52	LEU	2.0
1	C	199	HIS	2.0
1	B	63	ILE	2.0
2	G	128	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
1	PTR	C	182	16/17	0.38	0.21	96,103,119,123	0
1	TPO	C	180	11/12	0.76	0.15	97,102,106,107	0
1	TPO	C	263	11/12	0.78	0.13	75,84,120,122	0
1	TPO	B	263	11/12	0.85	0.14	41,65,93,94	0
1	TPO	A	263	11/12	0.87	0.16	50,61,97,98	0
1	PTR	B	182	16/17	0.87	0.12	60,69,77,84	0
1	TPO	B	180	11/12	0.90	0.11	42,54,75,78	0
1	PTR	A	182	16/17	0.91	0.10	41,49,67,69	0
1	PTR	D	182	16/17	0.92	0.11	48,55,67,78	0
1	TPO	D	180	11/12	0.97	0.05	41,44,58,66	0
1	TPO	A	180	11/12	0.98	0.05	24,28,48,48	0

6.3 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
4	EDO	C	402	4/4	0.66	0.32	77,82,84,85	0
4	EDO	A	402	4/4	0.72	0.28	70,73,76,76	0
5	GOL	E	501	6/6	0.77	0.19	57,61,66,66	0
4	EDO	B	402	4/4	0.82	0.24	62,64,68,70	0
6	MLI	E	502	7/7	0.85	0.16	73,84,87,89	0
3	A1CZ8	C	401	36/36	0.90	0.16	36,45,76,88	0
3	A1CZ8	D	401	36/36	0.92	0.16	37,57,85,90	0
3	A1CZ8	B	401	36/36	0.92	0.12	30,42,73,76	0
3	A1CZ8	A	401	36/36	0.92	0.12	23,36,62,71	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1CZ8 C 401:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around A1CZ8 D 401:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around A1CZ8 B 401:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)










Electron density around A1CZ8 A 401:

$2mF_o$-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)







6.5 Other polymers (i)

There are no such residues in this entry.