



# Full wwPDB X-ray Structure Validation Report ⓘ

May 22, 2020 – 11:27 am BST

PDB ID : 3ZJV  
Title : Ternary complex of E .coli leucyl-tRNA synthetase, tRNA(Leu) and the benzoxaborole AN3213 in the editing conformation  
Authors : Cusack, S.; Palencia, A.; Crepin, T.; Hernandez, V.; Akama, T.; Baker, S.J.; Bu, W.; Feng, L.; Freund, Y.R.; Liu, L.; Meewan, M.; Mohan, M.; Mao, W.; Rock, F.L.; Sexton, H.; Sheoran, A.; Zhang, Y.; Zhang, Y.; Zhou, Y.; Nieman, J.A.; Anugula, M.R.; Keramane, E.M.; Savariraj, K.; Reddy, D.S.; Sharma, R.; Subedi, R.; Singh, R.; OLeary, A.; Simon, N.L.; DeMarsh, P.L.; Mushtaq, S.; Warner, M.; Livermore, D.M.; Alley, M.R.K.; Plattner, J.J.  
Deposited on : 2013-01-18  
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RNA backbone	3102	1031 (2.70-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	880	
2	B	87	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8707 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LEUCINE-TRNA LIGASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	813	6469	4118	1094	1218	39	0	1	0

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	expression tag	UNP P07813
A	-18	GLY	-	expression tag	UNP P07813
A	-17	SER	-	expression tag	UNP P07813
A	-16	SER	-	expression tag	UNP P07813
A	-15	HIS	-	expression tag	UNP P07813
A	-14	HIS	-	expression tag	UNP P07813
A	-13	HIS	-	expression tag	UNP P07813
A	-12	HIS	-	expression tag	UNP P07813
A	-11	HIS	-	expression tag	UNP P07813
A	-10	HIS	-	expression tag	UNP P07813
A	-9	SER	-	expression tag	UNP P07813
A	-8	SER	-	expression tag	UNP P07813
A	-7	GLY	-	expression tag	UNP P07813
A	-6	LEU	-	expression tag	UNP P07813
A	-5	VAL	-	expression tag	UNP P07813
A	-4	PRO	-	expression tag	UNP P07813
A	-3	ARG	-	expression tag	UNP P07813
A	-2	GLY	-	expression tag	UNP P07813
A	-1	SER	-	expression tag	UNP P07813
A	0	HIS	-	expression tag	UNP P07813

- Molecule 2 is a RNA chain called TRNALEU5 UAA ISOACCEPTOR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	B	C	N	O				P
2	B	85	1833	1	820	327	600	85	0	0	0

- Molecule 3 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
3	A	374	Total 374	O 374	0	0
3	B	31	Total 31	O 31	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	89.37Å 76.94Å 90.71Å 90.00° 102.37° 90.00°	Depositor
Resolution (Å)	88.74 – 2.31 45.51 – 2.31	Depositor EDS
% Data completeness (in resolution range)	99.9 (88.74-2.31) 99.9 (45.51-2.31)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.36 (at 2.32Å)	Xtrriage
Refinement program	REFMAC 5.6.0111	Depositor
R, $R_{free}$	0.200 , 0.247 0.278 , 0.310	Depositor DCC
$R_{free}$ test set	2693 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.9	Xtrriage
Anisotropy	0.177	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 63.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.018 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	8707	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 365

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.60	0/6626	0.68	1/8992 (0.0%)
2	B	0.91	4/2004 (0.2%)	1.47	23/3119 (0.7%)
All	All	0.68	4/8630 (0.0%)	0.95	24/12111 (0.2%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	31	A	C6-N6	-11.93	1.24	1.33
2	B	1	G	OP3-P	-10.46	1.48	1.61
2	B	14	A	O5'-C5'	-6.85	1.31	1.42
2	B	31	A	C6-N1	6.68	1.40	1.35

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	31	A	C5-C6-N1	-11.19	112.11	117.70
2	B	31	A	N1-C2-N3	-10.69	123.96	129.30
2	B	31	A	C6-N1-C2	9.71	124.43	118.60
2	B	14	A	C5'-C4'-C3'	-8.70	102.08	116.00
2	B	47(H)	C	O4'-C1'-N1	7.67	114.34	108.20
2	B	9	G	O4'-C1'-N9	7.04	113.83	108.20
2	B	40	C	O4'-C1'-N1	6.78	113.63	108.20
2	B	47(G)	G	O4'-C1'-N9	6.41	113.33	108.20
2	B	72	U	O4'-C1'-N1	6.41	113.33	108.20
2	B	10	G	C4'-C3'-C2'	-6.29	96.31	102.60
2	B	16	U	P-O3'-C3'	6.20	127.14	119.70
2	B	17	C	N1-C1'-C2'	6.06	121.88	114.00
2	B	24	A	O5'-P-OP2	-5.79	100.49	105.70
2	B	47(J)	G	O4'-C1'-N9	5.77	112.82	108.20
2	B	14	A	P-O5'-C5'	-5.68	111.81	120.90

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	23	C	C6-N1-C2	-5.58	118.07	120.30
2	B	23	C	O5'-P-OP2	-5.58	100.68	105.70
2	B	31	A	C5-C6-N6	5.41	128.03	123.70
2	B	47(I)	U	O4'-C1'-N1	5.22	112.38	108.20
2	B	13	G	O3'-P-O5'	-5.18	94.15	104.00
1	A	416	ARG	NE-CZ-NH1	5.15	122.88	120.30
2	B	59	G	O4'-C1'-N9	5.11	112.29	108.20
2	B	13	G	O4'-C1'-N9	5.04	112.23	108.20
2	B	47(F)	C	O4'-C1'-N1	5.02	112.22	108.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6469	0	6320	105	0
2	B	1833	0	931	10	0
3	A	374	0	0	15	0
3	B	31	0	0	1	0
All	All	8707	0	7251	113	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (113) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:854:LEU:HD23	1:A:854:LEU:C	1.51	1.22
1:A:854:LEU:HD23	1:A:854:LEU:O	1.61	0.98
1:A:571:ALA:N	1:A:617:MET:HE1	1.78	0.98
1:A:468:LYS:HZ3	1:A:487:THR:HG23	1.28	0.98
1:A:854:LEU:CD2	1:A:854:LEU:C	2.30	0.96
1:A:570:LEU:C	1:A:617:MET:HE1	1.88	0.94
1:A:468:LYS:NZ	1:A:487:THR:HG23	1.83	0.90

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:816:VAL:HG12	1:A:817:PRO:HD2	1.55	0.88
2:B:33:U:O3'	3:B:2020:HOH:O	1.90	0.88
1:A:468:LYS:NZ	1:A:487:THR:CG2	2.39	0.85
1:A:468:LYS:HZ3	1:A:487:THR:CG2	1.90	0.84
1:A:854:LEU:HD23	1:A:855:LEU:N	1.94	0.81
1:A:439:ASP:H	1:A:481:MET:HE1	1.46	0.80
1:A:305:THR:HG23	1:A:307:PHE:H	1.49	0.77
1:A:355:ASN:HB2	3:A:2187:HOH:O	1.84	0.76
1:A:439:ASP:H	1:A:481:MET:CE	2.00	0.74
1:A:236:VAL:HB	1:A:239:TYR:HB3	1.71	0.73
1:A:305:THR:HG22	1:A:320:VAL:O	1.88	0.73
1:A:1:MET:HE1	1:A:775:GLU:HB3	1.73	0.70
1:A:571:ALA:N	1:A:617:MET:CE	2.52	0.70
1:A:50:MET:HE3	1:A:50:MET:HA	1.74	0.69
1:A:571:ALA:CA	1:A:617:MET:HE1	2.22	0.69
1:A:215:THR:O	1:A:219:MET:HE3	1.92	0.69
1:A:571:ALA:C	1:A:617:MET:HE3	2.13	0.69
1:A:1:MET:CE	1:A:775:GLU:HB3	2.23	0.67
1:A:479:ASN:ND2	3:A:2235:HOH:O	2.28	0.66
1:A:816:VAL:HG12	1:A:817:PRO:CD	2.25	0.66
1:A:360:ILE:HD13	1:A:381:LEU:HD22	1.79	0.65
1:A:438:GLU:CG	1:A:481:MET:HE2	2.28	0.63
1:A:360:ILE:CD1	1:A:381:LEU:HD22	2.30	0.61
2:B:16:U:H2'	2:B:17:C:C5	2.35	0.61
1:A:438:GLU:HG3	1:A:481:MET:HE2	1.81	0.61
1:A:1:MET:HE1	1:A:775:GLU:CB	2.30	0.60
1:A:508:TYR:CZ	1:A:510:GLU:HB2	2.36	0.60
1:A:617:MET:HE3	1:A:617:MET:HA	1.83	0.60
1:A:438:GLU:HG3	1:A:481:MET:CE	2.32	0.59
1:A:82:PHE:CE2	1:A:128:CYS:HA	2.38	0.58
1:A:468:LYS:HG2	1:A:487:THR:CG2	2.33	0.58
1:A:571:ALA:CA	1:A:617:MET:CE	2.82	0.57
1:A:695:THR:HG22	1:A:697:ASN:H	1.71	0.56
1:A:344:ARG:HB3	3:A:2183:HOH:O	2.06	0.56
1:A:110:ASN:ND2	3:A:2088:HOH:O	2.22	0.55
1:A:695:THR:HG22	1:A:697:ASN:N	2.20	0.55
1:A:534:ALA:HA	1:A:538:LEU:HD12	1.87	0.55
1:A:575:TYR:CE2	1:A:613:VAL:HG22	2.41	0.55
1:A:854:LEU:O	1:A:854:LEU:CD2	2.44	0.55
1:A:695:THR:HG21	3:A:2332:HOH:O	2.07	0.54
1:A:806:VAL:CG1	1:A:859:VAL:HG22	2.37	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:LYS:HZ2	1:A:487:THR:CG2	2.16	0.54
1:A:27:THR:HG22	3:A:2031:HOH:O	2.07	0.54
1:A:570:LEU:CB	1:A:617:MET:HE2	2.39	0.53
1:A:729:ILE:HD13	1:A:761:LEU:HD13	1.90	0.52
2:B:47(C):U:H4'	2:B:47(D):C:OP2	2.08	0.52
2:B:17:C:H5''	2:B:18:G:OP2	2.09	0.52
1:A:271:ALA:HB2	1:A:307:PHE:CE2	2.45	0.51
1:A:47:ARG:NH2	1:A:107:TYR:OH	2.44	0.51
1:A:216:VAL:HA	1:A:219:MET:HE3	1.92	0.51
1:A:570:LEU:HB3	1:A:617:MET:HE2	1.93	0.51
1:A:854:LEU:HD23	1:A:855:LEU:CA	2.41	0.51
1:A:300:LYS:HE2	2:B:74:C:N3	2.26	0.51
2:B:47(E):G:H2'	2:B:47(F):C:O4'	2.11	0.51
1:A:658:TRP:CZ2	1:A:663:VAL:HG21	2.46	0.51
1:A:439:ASP:HB3	1:A:441:THR:HG23	1.92	0.50
1:A:806:VAL:HG12	1:A:859:VAL:CG2	2.40	0.50
1:A:792:GLU:OE2	1:A:795:MET:HE3	2.11	0.50
1:A:42:PRO:HD2	1:A:78:GLY:O	2.13	0.49
1:A:136:GLU:OE2	1:A:495:GLU:OE2	2.31	0.48
1:A:298:MET:N	3:A:2170:HOH:O	2.46	0.48
1:A:272:ALA:N	1:A:278:LEU:HD23	2.29	0.48
1:A:695:THR:HG21	3:A:2333:HOH:O	2.14	0.48
1:A:854:LEU:CD2	1:A:855:LEU:N	2.69	0.47
1:A:468:LYS:HG2	1:A:487:THR:HG23	1.96	0.47
1:A:792:GLU:CD	1:A:795:MET:HE3	2.34	0.47
1:A:611:GLU:HG2	3:A:2295:HOH:O	2.13	0.47
1:A:438:GLU:HG2	1:A:481:MET:HE2	1.96	0.47
1:A:799:SER:HA	1:A:817:PRO:HA	1.97	0.47
1:A:529:GLY:O	1:A:565:CYS:HA	2.15	0.46
1:A:571:ALA:C	1:A:617:MET:CE	2.82	0.46
1:A:485:ARG:HB2	3:A:2215:HOH:O	2.15	0.46
1:A:617:MET:HB3	1:A:617:MET:HE2	1.64	0.46
1:A:95:THR:HG23	1:A:96:ALA:N	2.30	0.46
2:B:16:U:H2'	2:B:17:C:H5	1.81	0.46
1:A:43:TYR:CD1	1:A:44:PRO:HD2	2.51	0.46
1:A:773:TRP:HB2	1:A:782:ILE:HD12	1.98	0.46
1:A:695:THR:CG2	1:A:696:GLU:N	2.79	0.45
1:A:816:VAL:CG1	1:A:817:PRO:CD	2.95	0.44
1:A:790:ALA:HB1	1:A:795:MET:HE2	1.99	0.44
1:A:519:ASN:OD1	1:A:555:ASN:HB2	2.16	0.44
1:A:592:ILE:N	1:A:592:ILE:HD12	2.31	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HE3	1:A:681:THR:OG1	2.18	0.43
1:A:601:ILE:HD12	3:A:2297:HOH:O	2.17	0.43
1:A:481:MET:CG	1:A:482:PRO:HD2	2.48	0.43
1:A:721:THR:HA	3:A:2343:HOH:O	2.19	0.43
1:A:215:THR:C	1:A:219:MET:HE3	2.38	0.43
1:A:468:LYS:CE	1:A:487:THR:HG23	2.48	0.42
1:A:617:MET:CE	1:A:617:MET:HA	2.49	0.42
1:A:146:LYS:NZ	3:A:2109:HOH:O	2.42	0.42
1:A:305:THR:CG2	1:A:320:VAL:O	2.63	0.42
1:A:749:LEU:C	1:A:749:LEU:HD23	2.39	0.42
2:B:75:C:OP1	2:B:76:365:H22A	2.20	0.42
1:A:238:ASP:N	3:A:2153:HOH:O	1.93	0.42
1:A:325:PHE:CE2	3:A:2183:HOH:O	2.70	0.42
1:A:1:MET:HE2	1:A:775:GLU:HB3	2.00	0.42
1:A:668:ARG:HD3	2:B:39:U:OP1	2.19	0.42
1:A:237:ASN:ND2	1:A:317:GLU:OE2	2.53	0.41
1:A:572:ASP:O	1:A:588:PRO:HG3	2.21	0.41
1:A:478:VAL:N	1:A:481:MET:O	2.44	0.41
1:A:617:MET:CA	1:A:617:MET:CE	2.97	0.41
1:A:673:VAL:HG22	1:A:733:MET:HE2	2.01	0.41
1:A:468:LYS:NZ	1:A:487:THR:HG22	2.31	0.41
2:B:71:G:C6	2:B:72:U:C5	3.09	0.41
1:A:847:VAL:C	1:A:848:ILE:HD13	2.41	0.41
1:A:44:PRO:HA	1:A:108:MET:SD	2.61	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	806/880 (92%)	790 (98%)	16 (2%)	0	<b>100</b> <b>100</b>

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	682/741 (92%)	648 (95%)	34 (5%)	24 34

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LYS
1	A	36	TYR
1	A	50	MET
1	A	84	LEU
1	A	92	LYS
1	A	143	LEU
1	A	156	VAL
1	A	261	VAL
1	A	305	THR
1	A	329	GLU
1	A	336	MET
1	A	376	THR
1	A	381	LEU
1	A	435	VAL
1	A	477	THR
1	A	487	THR
1	A	510	GLU
1	A	516	GLU
1	A	535	ILE
1	A	536	MET
1	A	541	PHE
1	A	544	PHE
1	A	597	GLU
1	A	603	LYS
1	A	613	VAL
1	A	617	MET
1	A	618	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	625	ASN
1	A	646	MET
1	A	695	THR
1	A	761	LEU
1	A	819	ASP
1	A	828	ARG
1	A	854	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	479	ASN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	82/87 (94%)	22 (26%)	3 (3%)

All (22) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	5	G
2	B	6	G
2	B	9	G
2	B	16	U
2	B	17	C
2	B	18	G
2	B	29	G
2	B	32	U
2	B	33	U
2	B	41	C
2	B	42	C
2	B	43	U
2	B	45	G
2	B	47(D)	C
2	B	47(E)	G
2	B	47(F)	C
2	B	47(G)	G
2	B	51	G
2	B	52	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	56	C
2	B	62	C
2	B	74	C

All (3) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	5	G
2	B	16	U
2	B	47(C)	U

#### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

#### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

#### 5.7 Other polymers [i](#)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.