



## Full wwPDB EM Validation Report ⓘ

Mar 13, 2024 – 09:48 am GMT

PDB ID : 7ZK5  
EMDB ID : EMD-14755  
Title : ABCB1 L335C mutant (mABCB1) in the outward facing state bound to AAC  
Authors : Parey, K.; Janulienė, D.; Gewering, T.; Moeller, A.  
Deposited on : 2022-04-12  
Resolution : 2.60 Å (reported)  
Based on initial model : 6C0V

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev70  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1328	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9435 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent translocase ABCB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	1177	9132	5874	1550	1676	32	0	0

There are 65 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	83	GLN	ASN	engineered mutation	UNP P21447
A	87	GLN	ASN	engineered mutation	UNP P21447
A	90	GLN	ASN	engineered mutation	UNP P21447
A	133	ALA	CYS	engineered mutation	UNP P21447
A	335	CYS	LEU	engineered mutation	UNP P21447
A	427	GLY	CYS	engineered mutation	UNP P21447
A	638	GLY	CYS	engineered mutation	UNP P21447
A	669	THR	CYS	engineered mutation	UNP P21447
A	713	ALA	CYS	engineered mutation	UNP P21447
A	952	ALA	CYS	engineered mutation	UNP P21447
A	1070	GLY	CYS	engineered mutation	UNP P21447
A	1121	ARG	CYS	engineered mutation	UNP P21447
A	1223	VAL	CYS	engineered mutation	UNP P21447
A	1277	LEU	-	expression tag	UNP P21447
A	1278	GLU	-	expression tag	UNP P21447
A	1279	GLU	-	expression tag	UNP P21447
A	1280	ASN	-	expression tag	UNP P21447
A	1281	LEU	-	expression tag	UNP P21447
A	1282	TYR	-	expression tag	UNP P21447
A	1283	PHE	-	expression tag	UNP P21447
A	1284	GLN	-	expression tag	UNP P21447
A	1285	GLY	-	expression tag	UNP P21447
A	1286	GLY	-	expression tag	UNP P21447
A	1287	GLY	-	expression tag	UNP P21447
A	1288	ALA	-	expression tag	UNP P21447
A	1289	SER	-	expression tag	UNP P21447
A	1290	GLY	-	expression tag	UNP P21447
A	1291	GLY	-	expression tag	UNP P21447

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	1292	SER	-	expression tag	UNP P21447
A	1293	TRP	-	expression tag	UNP P21447
A	1294	SER	-	expression tag	UNP P21447
A	1295	HIS	-	expression tag	UNP P21447
A	1296	PRO	-	expression tag	UNP P21447
A	1297	GLN	-	expression tag	UNP P21447
A	1298	PHE	-	expression tag	UNP P21447
A	1299	GLU	-	expression tag	UNP P21447
A	1300	LYS	-	expression tag	UNP P21447
A	1301	ALA	-	expression tag	UNP P21447
A	1302	ALA	-	expression tag	UNP P21447
A	1303	ALA	-	expression tag	UNP P21447
A	1304	GLY	-	expression tag	UNP P21447
A	1305	GLY	-	expression tag	UNP P21447
A	1306	GLY	-	expression tag	UNP P21447
A	1307	SER	-	expression tag	UNP P21447
A	1308	GLY	-	expression tag	UNP P21447
A	1309	GLY	-	expression tag	UNP P21447
A	1310	GLY	-	expression tag	UNP P21447
A	1311	SER	-	expression tag	UNP P21447
A	1312	TRP	-	expression tag	UNP P21447
A	1313	SER	-	expression tag	UNP P21447
A	1314	HIS	-	expression tag	UNP P21447
A	1315	PRO	-	expression tag	UNP P21447
A	1316	GLN	-	expression tag	UNP P21447
A	1317	PHE	-	expression tag	UNP P21447
A	1318	GLU	-	expression tag	UNP P21447
A	1319	LYS	-	expression tag	UNP P21447
A	1320	GLY	-	expression tag	UNP P21447
A	1321	SER	-	expression tag	UNP P21447
A	1322	GLY	-	expression tag	UNP P21447
A	1323	HIS	-	expression tag	UNP P21447
A	1324	HIS	-	expression tag	UNP P21447
A	1325	HIS	-	expression tag	UNP P21447
A	1326	HIS	-	expression tag	UNP P21447
A	1327	HIS	-	expression tag	UNP P21447
A	1328	HIS	-	expression tag	UNP P21447

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			31	10	5	13	3	
2	A	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
3	A	2	Total	Mg	0
			2	2	

- Molecule 4 is CHOLESTEROL HEMISUCCINATE (three-letter code: Y01) (formula: C<sub>31</sub>H<sub>50</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			AltConf
4	A	1	Total	C	O	0
			35	31	4	
4	A	1	Total	C	O	0
			35	31	4	
4	A	1	Total	C	O	0
			35	31	4	
4	A	1	Total	C	O	0
			35	31	4	

- Molecule 5 is (4 {S},11 {S},18 {S})-4,11-dimethyl-18-(sulfanylmethyl)-6,13,20-trithia-3,10,17,22,23,24-hexazatetracyclo[17.2.1.1<sup>^</sup>{5,8}.1<sup>^</sup>{12,15}]tetracos-1(21),5(24),7,12(23),14,19(22)-hexaene-2,9,16-trione (three-letter code: JIZ) (formula: C<sub>18</sub>H<sub>18</sub>N<sub>6</sub>O<sub>3</sub>S<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
5	A	1	Total	C	N	O	S	0
			31	18	6	3	4	


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		AltConf
6	A	33	Total	O	0
			33	33	

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ATP-dependent translocase ABCB1



I1046	I1229	SER
P1047	L1230	TRP
V1048	L1234	SER
L1049	N1235	HIS
Q1050	A1236	PRO
G1051	L1237	GLN
L1052	D1238	PHE
S1053	L1239	GLU
L1054	I1242	LYS
L1058	Q1243	ALA
K1061	N1244	ALA
L1062	G1245	GLY
A1063	K1246	GLY
L1079	V1247	GLY
M1086	K1248	GLY
R1106	E1249	SER
I1111	H1250	TRP
P1116	G1251	SER
A1124	Q1254	HIS
G1130	Q1255	HIS
Y1161	L1256	PRO
V1165	L1257	GLN
G1169	A1258	PHE
T1170	Q1259	GLU
Q1171	K1260	LYS
L1172	G1261	GLY
K1177	I1262	GLY
R1188	Y1263	GLY
I1192	F1264	HIS
L1193	S1265	HIS
L1194	M1266	HIS
L1195	V1267	HIS
S1200	S1268	HIS
E1205	V1269	HIS
V1209	Q1270	
V1215	A1271	GLY
H1218	ALA	ALA
V1225	LYS	LYS
	ARG	ARG
	SER	SER
	LEU	LEU
	GLU	GLU
	GLU	GLU
	ASN	ASN
	LEU	LEU
	TYR	TYR
	PHE	PHE
	GLN	GLN
	GLY	GLY
	GLY	GLY
	ALA	ALA
	SER	SER
	GLY	GLY
	GLY	GLY



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1184253	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	75	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.869	Depositor
Minimum map value	-1.030	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.043	Depositor
Recommended contour level	0.2	Depositor
Map size (Å)	234.36, 234.36, 234.36	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.837, 0.837, 0.837	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: JIZ, MG, ATP, Y01

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.39	0/9300	0.58	0/12571

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9132	0	9312	165	0
2	A	62	0	24	1	0
3	A	2	0	0	0	0
4	A	175	0	245	7	0
5	A	31	0	0	0	0
6	A	33	0	0	1	0
All	All	9435	0	9581	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1043:ARG:HB3	1:A:1046:ILE:HD13	1.64	0.78
1:A:421:LEU:HB2	1:A:581:ILE:HG12	1.64	0.77
1:A:1124:ALA:HB2	1:A:1161:TYR:HB3	1.69	0.74
1:A:857:LEU:HD21	1:A:977:ILE:HA	1.67	0.74
1:A:695:ARG:HH12	1:A:1005:ILE:HG21	1.55	0.71
1:A:166:GLU:HB3	1:A:244:ALA:HB1	1.74	0.69
1:A:92:SER:HB2	1:A:95:ASP:H	1.58	0.68
1:A:88:SER:HA	1:A:91:MET:HG2	1.77	0.67
1:A:481:ALA:HB2	1:A:516:PHE:HB3	1.77	0.66
1:A:460:ARG:O	1:A:464:GLU:HG3	1.96	0.65
1:A:700:ASN:HB2	1:A:780:LEU:HD13	1.78	0.65
1:A:1050:GLN:NE2	1:A:1244:ASN:O	2.30	0.64
1:A:201:ILE:O	1:A:205:THR:HG23	1.97	0.63
1:A:149:HIS:ND1	1:A:149:HIS:O	2.33	0.62
1:A:608:HIS:NE2	1:A:612:MET:SD	2.73	0.62
1:A:433:VAL:HG13	1:A:549:LEU:HD13	1.82	0.61
1:A:429:LYS:HB3	1:A:581:ILE:HD13	1.82	0.61
1:A:1033:PHE:O	1:A:1053:SER:HA	2.00	0.61
1:A:1111:ILE:HG22	1:A:1194:LEU:HB2	1.81	0.61
1:A:1165:VAL:HG13	1:A:1172:LEU:HG	1.83	0.61
1:A:416:GLY:H	1:A:577:THR:HG22	1.67	0.60
1:A:328:LEU:HD11	1:A:732:VAL:HG22	1.84	0.59
1:A:310:PHE:HZ	1:A:728:PHE:CE1	2.21	0.58
1:A:437:GLN:HG3	1:A:439:LEU:HG	1.86	0.58
1:A:160:ASP:OD2	1:A:440:TYR:OH	2.21	0.56
1:A:292:ASN:ND2	1:A:770:GLY:HA3	2.19	0.56
1:A:861:VAL:HG22	1:A:984:VAL:HG21	1.86	0.56
1:A:707:PHE:O	1:A:711:ILE:HG12	2.04	0.56
1:A:703:GLU:HB3	1:A:706:TYR:HD1	1.70	0.56
1:A:882:ASP:OD2	1:A:926:ASN:ND2	2.28	0.56
1:A:512:LEU:HD11	1:A:518:THR:HG21	1.88	0.56
1:A:318:ILE:HD11	1:A:745:ARG:HB3	1.87	0.55
1:A:947:PHE:HB3	4:A:2008:Y01:HAP1	1.88	0.55
1:A:265:GLY:O	1:A:269:GLU:HG2	2.07	0.55
1:A:946:TYR:HA	1:A:949:TYR:CD1	2.42	0.55
1:A:57:ALA:HB2	1:A:128:GLN:HG3	1.89	0.55
1:A:479:THR:HA	1:A:519:LEU:HA	1.88	0.54
1:A:1033:PHE:HB2	1:A:1054:LEU:HG	1.89	0.54
1:A:573:ARG:NH2	1:A:592:ASP:OD2	2.40	0.54
1:A:1061:THR:H	1:A:1237:ASP:HB2	1.72	0.54
1:A:1049:LEU:HA	1:A:1245:GLY:HA3	1.89	0.54
1:A:695:ARG:NH1	1:A:1005:ILE:HG21	2.20	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:832:ILE:O	1:A:836:ILE:HG12	2.07	0.54
1:A:857:LEU:HA	1:A:860:ILE:HG12	1.89	0.54
1:A:466:ILE:HG12	1:A:547:ILE:HB	1.88	0.53
1:A:949:TYR:HE2	1:A:978:VAL:HA	1.74	0.53
1:A:756:LEU:O	1:A:760:ILE:HG12	2.09	0.52
1:A:390:PHE:O	1:A:410:ASN:HA	2.10	0.52
1:A:235:PHE:HB3	1:A:287:LYS:HG3	1.91	0.52
1:A:1116:PRO:HG2	1:A:1177:LYS:HZ3	1.73	0.51
1:A:217:ILE:HG21	1:A:305:SER:HB3	1.93	0.51
1:A:720:LEU:HD11	1:A:758:LEU:HD22	1.92	0.51
1:A:79:ALA:HA	1:A:332:PHE:CE2	2.46	0.51
1:A:217:ILE:HD13	1:A:305:SER:HB3	1.93	0.51
1:A:257:ILE:HG12	1:A:800:PHE:CZ	2.46	0.51
1:A:932:HIS:CE1	4:A:2007:Y01:HBG	2.46	0.51
1:A:107:MET:HG2	1:A:953:PHE:HD1	1.75	0.50
1:A:866:ILE:HA	1:A:869:VAL:HG22	1.93	0.50
1:A:922:ILE:HG12	1:A:925:ARG:HH21	1.77	0.50
1:A:816:ASN:O	1:A:820:GLN:HG2	2.11	0.50
1:A:71:PHE:HB3	1:A:110:TYR:OH	2.12	0.50
1:A:196:PHE:HA	1:A:337:GLY:HA3	1.93	0.50
1:A:705:PRO:HA	1:A:708:VAL:HG22	1.94	0.50
1:A:36:LEU:HD13	4:A:2005:Y01:HAT1	1.92	0.49
1:A:60:HIS:HD2	1:A:121:VAL:HG22	1.77	0.49
1:A:903:VAL:HG12	1:A:909:GLU:HG3	1.93	0.49
1:A:40:ARG:HD2	1:A:41:TYR:CE1	2.46	0.49
1:A:62:VAL:HG13	1:A:194:ALA:HB1	1.94	0.49
1:A:75:THR:HA	1:A:78:PHE:HD2	1.77	0.49
1:A:223:LEU:O	1:A:227:ILE:HG13	2.12	0.49
1:A:486:TYR:O	1:A:908:ARG:NH1	2.39	0.49
1:A:144:ARG:HG3	1:A:175:VAL:HG11	1.93	0.49
1:A:464:GLU:HA	1:A:543:ARG:HH21	1.77	0.49
1:A:967:PHE:HA	1:A:970:VAL:HG22	1.95	0.49
1:A:744:GLN:HA	1:A:747:ASN:HB2	1.94	0.48
1:A:35:VAL:HG13	1:A:355:ARG:HG3	1.96	0.48
1:A:704:TRP:N	1:A:705:PRO:HD2	2.27	0.48
1:A:1200:SER:HA	1:A:1229:ARG:HH12	1.78	0.48
1:A:393:ILE:HB	1:A:409:LEU:HB3	1.95	0.48
1:A:74:MET:HG3	1:A:77:SER:HB2	1.96	0.47
1:A:159:PHE:CD2	1:A:164:VAL:HG11	2.49	0.47
1:A:1205:GLU:O	1:A:1209:VAL:HG23	2.14	0.47
4:A:2005:Y01:HAP1	4:A:2005:Y01:HAO2	1.64	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:974:PHE:O	1:A:978:VAL:HG23	2.13	0.47
1:A:318:ILE:HD12	1:A:742:GLU:HA	1.96	0.47
1:A:1006:ARG:HA	1:A:1009:GLU:HG2	1.96	0.47
1:A:554:THR:O	1:A:584:ARG:NH1	2.48	0.47
1:A:310:PHE:HZ	1:A:728:PHE:HE1	1.62	0.46
1:A:476:PHE:HB3	1:A:895:GLU:OE2	2.16	0.46
1:A:1195:LEU:HD12	1:A:1225:VAL:HG12	1.98	0.46
1:A:206:ARG:NH1	1:A:329:THR:HG21	2.30	0.46
1:A:857:LEU:HD23	1:A:860:ILE:HD11	1.98	0.46
1:A:92:SER:O	1:A:93:GLU:HB2	2.16	0.46
1:A:1130:GLY:O	1:A:1188:ARG:HB2	2.15	0.46
1:A:419:VAL:HG23	1:A:593:VAL:HG13	1.96	0.46
1:A:474:VAL:HG11	1:A:899:ASN:OD1	2.15	0.45
1:A:257:ILE:HD12	1:A:257:ILE:HA	1.84	0.45
1:A:570:ASP:HA	1:A:573:ARG:HG3	1.98	0.45
1:A:122:LEU:HG	1:A:939:SER:OG	2.17	0.45
1:A:1106:ARG:O	1:A:1188:ARG:NH1	2.49	0.45
1:A:554:THR:HG22	1:A:557:LEU:HD22	1.97	0.45
1:A:505:ALA:O	1:A:509:ILE:HG13	2.17	0.45
1:A:883:LYS:HZ2	1:A:1003:HIS:HD2	1.64	0.45
1:A:835:ASN:ND2	1:A:986:GLN:HB2	2.32	0.45
1:A:1116:PRO:HG2	1:A:1177:LYS:NZ	2.32	0.45
1:A:429:LYS:HG2	1:A:597:PHE:CD2	2.52	0.44
1:A:773:PHE:CG	1:A:830:ALA:HB2	2.51	0.44
1:A:1165:VAL:HG12	1:A:1169:GLY:HA2	1.98	0.44
1:A:1047:PRO:HB2	1:A:1050:GLN:OE1	2.18	0.44
1:A:386:GLY:HA3	1:A:577:THR:HG21	1.99	0.44
1:A:1063:ALA:HB3	1:A:1239:ILE:HG23	1.99	0.44
1:A:104:GLU:HG3	1:A:957:ALA:HB1	2.00	0.44
1:A:1171:GLN:HA	2:A:2001:ATP:C6	2.53	0.44
1:A:980:GLY:O	1:A:984:VAL:HG23	2.18	0.44
1:A:884:LYS:HE2	1:A:884:LYS:HB3	1.81	0.43
1:A:93:GLU:HA	1:A:96:LYS:HB3	1.99	0.43
1:A:941:THR:O	1:A:945:MET:HG3	2.18	0.43
1:A:185:LYS:HG2	6:A:2116:HOH:O	2.18	0.43
1:A:607:ASN:HB3	1:A:610:GLU:OE1	2.18	0.43
1:A:791:SER:OG	1:A:1007:ILE:O	2.36	0.43
1:A:197:PHE:O	1:A:201:ILE:HG13	2.18	0.43
1:A:404:GLN:HB2	1:A:407:LYS:HE3	1.99	0.43
1:A:1039:ASN:HB2	1:A:1086:MET:HE3	1.99	0.43
1:A:757:ILE:O	1:A:761:ILE:HG12	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:LEU:O	1:A:170:ARG:HB2	2.19	0.43
1:A:717:ASN:ND2	1:A:769:GLN:OE1	2.49	0.43
1:A:857:LEU:O	1:A:861:VAL:HG23	2.19	0.43
1:A:453:ASP:OD2	1:A:455:ARG:HB2	2.18	0.43
1:A:153:ASN:O	1:A:369:PRO:HG3	2.19	0.43
1:A:949:TYR:CE2	1:A:978:VAL:HA	2.54	0.43
1:A:741:PRO:HG2	1:A:742:GLU:OE1	2.19	0.42
1:A:60:HIS:CD2	1:A:121:VAL:HG13	2.54	0.42
1:A:389:GLU:HB3	1:A:448:SER:OG	2.18	0.42
1:A:1242:ILE:HA	1:A:1246:LYS:O	2.18	0.42
4:A:2006:Y01:HAP1	4:A:2006:Y01:HAO1	1.76	0.42
1:A:312:TYR:O	1:A:315:SER:HB3	2.19	0.42
1:A:324:ILE:O	1:A:328:LEU:HD23	2.19	0.42
1:A:177:LYS:HD2	1:A:240:LEU:HD21	2.01	0.42
1:A:1028:GLU:O	1:A:1058:LYS:HB2	2.20	0.42
1:A:98:ALA:O	1:A:101:ALA:N	2.53	0.42
1:A:222:GLY:HA3	4:A:2006:Y01:HAK2	2.02	0.41
1:A:1079:LEU:HD23	1:A:1194:LEU:HD11	2.01	0.41
1:A:1049:LEU:HD22	1:A:1052:LEU:HD22	2.01	0.41
1:A:208:TRP:CE2	1:A:209:LYS:HG3	2.55	0.41
1:A:295:MET:HE1	1:A:346:PRO:HD3	2.03	0.41
1:A:1242:ILE:HG22	1:A:1247:VAL:HG12	2.03	0.41
1:A:184:ASP:OD1	1:A:185:LYS:N	2.54	0.41
1:A:744:GLN:N	1:A:744:GLN:OE1	2.53	0.41
1:A:873:LYS:O	1:A:874:MET:C	2.57	0.41
4:A:2009:Y01:HAD2	4:A:2009:Y01:HAS2	1.90	0.41
1:A:458:ASN:HB3	1:A:461:TYR:HB3	2.03	0.41
1:A:835:ASN:ND2	1:A:983:ALA:HA	2.36	0.41
1:A:374:PHE:HA	1:A:460:ARG:NH2	2.36	0.41
1:A:598:ASP:HB3	1:A:603:VAL:HG11	2.03	0.41
1:A:742:GLU:HG2	1:A:743:THR:N	2.35	0.41
1:A:480:ILE:O	1:A:484:ILE:HG12	2.21	0.41
1:A:784:LEU:HD22	1:A:1004:ILE:HG21	2.03	0.41
1:A:1027:LEU:HD21	1:A:1192:ILE:HD11	2.03	0.41
1:A:1027:LEU:HD23	1:A:1029:GLY:H	1.86	0.41
1:A:156:ILE:HD12	1:A:901:ARG:HG2	2.02	0.40
1:A:200:PHE:HD1	1:A:211:THR:HG23	1.85	0.40
1:A:822:LYS:HA	1:A:825:THR:HG22	2.03	0.40
1:A:596:GLY:O	1:A:602:ILE:HA	2.21	0.40
1:A:883:LYS:HZ1	1:A:1000:SER:HA	1.86	0.40
1:A:532:LYS:HE2	1:A:532:LYS:HB3	1.91	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:938:PHE:O	1:A:942:GLN:HG2	2.21	0.40
1:A:871:GLU:HG3	1:A:933:VAL:HG12	2.04	0.40
1:A:949:TYR:CE2	1:A:978:VAL:HG22	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1173/1328 (88%)	1147 (98%)	25 (2%)	1 (0%)	51 75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	207	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	966/1086 (89%)	965 (100%)	1 (0%)	93 98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	993	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	168	ASN
1	A	835	ASN
1	A	878	GLN
1	A	969	ASN
1	A	1003	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	Y01	A	2007	-	38,38,38	0.45	0	57,57,57	0.53	0
4	Y01	A	2006	-	38,38,38	0.44	0	57,57,57	0.47	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	JIZ	A	2010	1	25,34,34	4.88	15 (60%)	24,49,49	1.54	4 (16%)
2	ATP	A	2003	3	26,33,33	0.61	0	31,52,52	0.74	2 (6%)
4	Y01	A	2005	-	38,38,38	0.46	0	57,57,57	0.64	0
4	Y01	A	2009	-	38,38,38	0.46	0	57,57,57	0.91	1 (1%)
2	ATP	A	2001	3	26,33,33	0.61	0	31,52,52	0.74	2 (6%)
4	Y01	A	2008	-	38,38,38	0.43	0	57,57,57	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	Y01	A	2007	-	-	4/19/77/77	0/4/4/4
4	Y01	A	2006	-	-	8/19/77/77	0/4/4/4
5	JIZ	A	2010	1	-	3/14/38/38	0/3/4/4
2	ATP	A	2003	3	-	2/18/38/38	0/3/3/3
4	Y01	A	2005	-	-	6/19/77/77	0/4/4/4
4	Y01	A	2009	-	-	7/19/77/77	0/4/4/4
2	ATP	A	2001	3	-	2/18/38/38	0/3/3/3
4	Y01	A	2008	-	-	3/19/77/77	0/4/4/4

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	2010	JIZ	C09-S02	-8.70	1.56	1.70
5	A	2010	JIZ	C14-S03	-8.69	1.56	1.70
5	A	2010	JIZ	C03-N02	8.62	1.64	1.37
5	A	2010	JIZ	C08-N04	7.91	1.62	1.37
5	A	2010	JIZ	C13-N06	7.90	1.62	1.37
5	A	2010	JIZ	C04-S01	-7.89	1.58	1.70
5	A	2010	JIZ	C02-S01	-6.02	1.55	1.73
5	A	2010	JIZ	C15-N01	5.35	1.45	1.34
5	A	2010	JIZ	C05-N03	5.33	1.45	1.34
5	A	2010	JIZ	C10-N05	5.29	1.45	1.34
5	A	2010	JIZ	C07-S02	-4.64	1.59	1.73
5	A	2010	JIZ	C12-S03	-4.60	1.59	1.73
5	A	2010	JIZ	O02-C10	-2.21	1.18	1.23
5	A	2010	JIZ	O01-C05	-2.15	1.18	1.23
5	A	2010	JIZ	O03-C15	-2.12	1.19	1.23

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	2010	JIZ	C03-C04-S01	-4.21	106.61	111.79
5	A	2010	JIZ	C08-C09-S02	-3.24	107.81	111.79
5	A	2010	JIZ	C13-C14-S03	-2.92	108.20	111.79
2	A	2003	ATP	C5-C6-N6	2.31	123.87	120.35
2	A	2001	ATP	C5-C6-N6	2.31	123.86	120.35
5	A	2010	JIZ	C01-C18-S04	-2.29	111.62	114.19
4	A	2009	Y01	CAU-CBI-CBG	-2.20	103.86	107.27
2	A	2003	ATP	PB-O3B-PG	2.05	139.85	132.83
2	A	2001	ATP	PB-O3B-PG	2.02	139.77	132.83

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	2007	Y01	CAM-CAY-OAW-CBC
5	A	2010	JIZ	C02-C01-C18-S04
5	A	2010	JIZ	N01-C01-C18-S04
4	A	2007	Y01	OAG-CAY-OAW-CBC
4	A	2005	Y01	CAO-CBB-CBE-CBI
4	A	2005	Y01	CAC-CBB-CBE-CAP
4	A	2005	Y01	CAC-CBB-CBE-CBI
4	A	2008	Y01	CAJ-CAO-CBB-CAC
4	A	2005	Y01	CAJ-CAO-CBB-CBE
4	A	2009	Y01	CAO-CAJ-CAN-CBA
4	A	2005	Y01	CAO-CBB-CBE-CAP
4	A	2006	Y01	CAO-CBB-CBE-CBI
4	A	2005	Y01	CAJ-CAO-CBB-CAC
4	A	2006	Y01	CAC-CBB-CBE-CBI
4	A	2006	Y01	CAM-CAY-OAW-CBC
4	A	2006	Y01	CAC-CBB-CBE-CAP
4	A	2006	Y01	CAO-CBB-CBE-CAP
4	A	2006	Y01	OAG-CAY-OAW-CBC
4	A	2006	Y01	CAL-CAM-CAY-OAW
4	A	2009	Y01	CAM-CAY-OAW-CBC
4	A	2009	Y01	OAG-CAY-OAW-CBC
2	A	2001	ATP	PA-O3A-PB-O2B
2	A	2003	ATP	PA-O3A-PB-O2B
5	A	2010	JIZ	C07-C06-N03-C05
4	A	2009	Y01	CAJ-CAN-CBA-CAB
4	A	2006	Y01	CAL-CAM-CAY-OAG
4	A	2007	Y01	CAM-CAL-CAX-OAF

*Continued on next page...*

*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
4	A	2009	Y01	CAM-CAL-CAX-OAF
4	A	2009	Y01	CAJ-CAN-CBA-CAA
4	A	2008	Y01	CAM-CAL-CAX-OAF
4	A	2009	Y01	CAM-CAL-CAX-OAH
4	A	2008	Y01	CAM-CAL-CAX-OAH
4	A	2007	Y01	CAM-CAL-CAX-OAH
2	A	2001	ATP	PA-O3A-PB-O1B
2	A	2003	ATP	PA-O3A-PB-O1B


There are no ring outliers.


6 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	2007	Y01	1	0
4	A	2006	Y01	2	0
4	A	2005	Y01	2	0
4	A	2009	Y01	1	0
2	A	2001	ATP	1	0
4	A	2008	Y01	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-14755. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)

#### 6.1.1 Primary map




#### 6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


### 6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 131




Y Index: 152




Z Index: 93


### 6.3.2 Raw map



X Index: 131



Y Index: 143




Z Index: 93


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)


### 6.5.1 Primary map



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.2. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


### 6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_14755\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 47 nm<sup>3</sup>; this corresponds to an approximate mass of 43 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum [i](#)




\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.385 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.60	-	-
Author-provided FSC curve	2.64	3.02	2.73
Unmasked-calculated*	3.06	3.47	3.12

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.06 differs from the reported value 2.6 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-14755 and PDB model 7ZK5. Per-residue inclusion information can be found in section 3 on page 7.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.2 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.2).





## 9.4 Atom inclusion [i](#)



At the recommended contour level, 84% of all backbone atoms, 79% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary [i](#)

The table lists the average atom inclusion at the recommended contour level (0.2) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7900	 0.5710
A	 0.7900	 0.5710

