



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 21, 2021 – 10:37 AM EDT

PDB ID : 1ZNJ  
Title : INSULIN, MONOCLINIC CRYSTAL FORM  
Authors : Turkenburg, M.G.W.; Whittingham, J.L.; Turkenburg, J.P.; Dodson, G.G.;  
Derewenda, U.; Smith, G.D.; Dodson, E.J.; Derewenda, Z.S.; Xiao, B.  
Deposited on : 1997-09-23  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.17.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)





The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	21	62% 33% 5%
1	C	21	57% 38% 5%
1	E	21	62% 33% 5%
1	G	21	48% 52%
1	I	21	71% 29%
1	K	21	43% 48% 10%
2	B	30	43% 47% 10%
2	D	30	60% 27% 10% .

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	F	30	 <p>50% 23% 23%</p>
2	H	30	 <p>60% 37%</p>
2	J	30	 <p>60% 30% 10%</p>
2	L	30	 <p>50% 43% 7%</p>

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 2755 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called INSULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	21	156	93	25	34	4	0	0	0
1	C	21	163	99	25	35	4	0	0	0
1	E	21	165	100	25	36	4	0	1	0
1	G	21	166	100	25	37	4	0	1	0
1	I	21	163	99	25	35	4	0	0	0
1	K	21	166	100	25	37	4	0	2	0

- Molecule 2 is a protein called INSULIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	30	239	158	39	40	2	0	2	1
2	D	29	234	155	38	39	2	0	2	0
2	F	29	226	146	38	40	2	0	1	0
2	H	29	226	148	38	38	2	0	0	1
2	J	30	238	155	42	39	2	0	1	1
2	L	30	229	147	40	40	2	0	2	1

- Molecule 3 is PHENOL (three-letter code: IPH) (formula: C<sub>6</sub>H<sub>6</sub>O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			7	6	1		
3	B	1	Total	C	O	0	0
			7	6	1		
3	C	1	Total	C	O	0	0
			7	6	1		
3	E	1	Total	C	O	0	0
			7	6	1		
3	G	1	Total	C	O	0	0
			7	6	1		
3	I	1	Total	C	O	0	0
			7	6	1		
3	K	1	Total	C	O	0	0
			7	6	1		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Zn	0	0
			1	1		
4	D	1	Total	Zn	0	0
			1	1		

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Cl 1 1	0	0
5	H	1	Total Cl 1 1	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	31	Total O 31 31	0	0
6	B	29	Total O 29 29	0	0
6	C	24	Total O 24 24	0	0
6	D	35	Total O 35 35	0	0
6	E	17	Total O 17 17	0	0
6	F	29	Total O 29 29	0	0
6	G	24	Total O 24 24	0	0
6	H	27	Total O 27 27	0	0
6	I	32	Total O 32 32	0	0
6	J	26	Total O 26 26	0	0
6	K	25	Total O 25 25	0	0
6	L	32	Total O 32 32	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: INSULIN

Chain A:  62% 33% 5%




- Molecule 1: INSULIN

Chain C:  57% 38% 5%



- Molecule 1: INSULIN

Chain E:  62% 33% 5%



- Molecule 1: INSULIN

Chain G:  48% 52%




- Molecule 1: INSULIN

Chain I:  71% 29%




- Molecule 1: INSULIN


Chain K:  43% 48% 10%



- Molecule 2: INSULIN



- Molecule 2: INSULIN




- Molecule 2: INSULIN




- Molecule 2: INSULIN



- Molecule 2: INSULIN



- Molecule 2: INSULIN





## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.23Å 61.65Å 48.05Å 90.00° 110.50° 90.00°	Depositor
Resolution (Å)	8.00 – 2.00	Depositor
% Data completeness (in resolution range)	98.6 (8.00-2.00)	Depositor
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.178 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2755	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CL, IPH, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.94	0/156	1.67	2/209 (1.0%)
1	C	1.20	0/164	1.84	3/220 (1.4%)
1	E	1.15	0/171	1.87	2/230 (0.9%)
1	G	0.95	0/173	2.06	7/232 (3.0%)
1	I	1.05	0/164	1.97	2/220 (0.9%)
1	K	1.05	0/177	2.01	5/238 (2.1%)
2	B	1.14	0/257	2.21	11/348 (3.2%)
2	D	1.20	0/251	2.19	8/340 (2.4%)
2	F	1.14	0/237	2.12	9/321 (2.8%)
2	H	1.14	0/233	2.02	6/316 (1.9%)
2	J	1.08	0/250	1.88	4/338 (1.2%)
2	L	1.15	0/246	2.54	14/333 (4.2%)
All	All	1.11	0/2479	2.07	73/3345 (2.2%)

There are no bond length outliers.

All (73) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	22	ARG	NE-CZ-NH1	25.70	133.15	120.30
2	D	22	ARG	NE-CZ-NH2	-13.06	113.77	120.30
1	I	17	GLU	OE1-CD-OE2	12.89	138.77	123.30
2	B	22	ARG	NE-CZ-NH2	-12.47	114.06	120.30
2	F	22	ARG	NE-CZ-NH1	10.29	125.45	120.30
1	K	9[A]	SER	N-CA-CB	9.71	125.06	110.50
1	K	9[B]	SER	N-CA-CB	9.71	125.06	110.50
2	L	16	TYR	CB-CG-CD1	-9.30	115.42	121.00
2	L	22	ARG	NH1-CZ-NH2	-9.23	109.25	119.40
2	F	13	GLU	OE1-CD-OE2	8.66	133.70	123.30
2	D	22	ARG	NE-CZ-NH1	8.35	124.48	120.30
2	L	26	TYR	CB-CG-CD2	8.19	125.91	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	25	PHE	N-CA-CB	7.62	124.31	110.60
2	H	22	ARG	NE-CZ-NH1	7.61	124.10	120.30
1	I	17	GLU	CG-CD-OE2	-7.57	103.15	118.30
2	B	8	GLY	CA-C-O	-7.48	107.14	120.60
2	F	16	TYR	CB-CG-CD1	-7.47	116.52	121.00
2	L	22	ARG	CG-CD-NE	7.46	127.46	111.80
2	J	22[A]	ARG	CD-NE-CZ	7.19	133.67	123.60
2	J	22[B]	ARG	CD-NE-CZ	7.19	133.67	123.60
2	D	4	GLN	CA-CB-CG	-7.04	97.91	113.40
2	L	9	SER	N-CA-CB	-6.93	100.10	110.50
2	L	26	TYR	CB-CG-CD1	-6.71	116.97	121.00
2	F	11	LEU	CB-CG-CD1	-6.71	99.60	111.00
2	D	16	TYR	CB-CG-CD2	-6.67	117.00	121.00
2	F	26	TYR	CB-CG-CD1	-6.61	117.03	121.00
1	G	4[A]	GLU	CG-CD-OE1	6.43	131.17	118.30
1	G	4[B]	GLU	CG-CD-OE1	6.43	131.17	118.30
2	L	22	ARG	NE-CZ-NH2	-6.30	117.15	120.30
1	C	14	TYR	CB-CG-CD2	-6.23	117.26	121.00
2	F	13	GLU	CG-CD-OE2	-6.22	105.86	118.30
1	E	13	LEU	CB-CA-C	6.16	121.90	110.20
1	A	21	ASN	CB-CA-C	6.10	122.59	110.40
2	B	12	VAL	CA-CB-CG2	6.10	120.04	110.90
2	B	6	LEU	CB-CG-CD2	6.09	121.36	111.00
1	G	14	TYR	CB-CG-CD1	-5.98	117.41	121.00
2	D	13	GLU	OE1-CD-OE2	5.92	130.40	123.30
2	B	4	GLN	OE1-CD-NE2	-5.90	108.33	121.90
2	D	26	TYR	CB-CG-CD2	-5.90	117.46	121.00
2	B	16	TYR	CB-CG-CD2	5.85	124.51	121.00
2	H	12	VAL	CA-CB-CG2	5.82	119.62	110.90
1	G	4[A]	GLU	CA-CB-CG	5.80	126.16	113.40
1	G	4[B]	GLU	CA-CB-CG	5.80	126.16	113.40
1	G	8	THR	CA-CB-CG2	5.73	120.42	112.40
1	K	5	GLN	CB-CA-C	-5.73	98.95	110.40
2	B	4	GLN	CB-CG-CD	5.70	126.42	111.60
2	L	16	TYR	CG-CD2-CE2	-5.70	116.74	121.30
2	H	14	ALA	N-CA-CB	5.58	117.92	110.10
2	D	16	TYR	CG-CD2-CE2	-5.58	116.83	121.30
2	B	1	PHE	O-C-N	5.52	131.53	122.70
2	B	16	TYR	CB-CG-CD1	-5.52	117.69	121.00
2	H	22	ARG	CD-NE-CZ	5.49	131.29	123.60
1	G	17	GLU	CA-CB-CG	5.45	125.40	113.40
1	K	17	GLU	CG-CD-OE2	-5.43	107.43	118.30

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	16	TYR	CD1-CE1-CZ	-5.43	114.91	119.80
2	D	26	TYR	CB-CA-C	5.37	121.13	110.40
1	C	3	VAL	CB-CA-C	5.33	121.53	111.40
2	B	9[A]	SER	CA-C-O	5.30	131.23	120.10
2	B	9[B]	SER	CA-C-O	5.30	131.23	120.10
2	F	10	HIS	CA-CB-CG	-5.29	104.60	113.60
1	A	9	SER	N-CA-CB	5.29	118.43	110.50
2	L	12	VAL	CA-CB-CG2	5.29	118.83	110.90
2	J	4	GLN	CG-CD-OE1	-5.28	111.05	121.60
2	J	13	GLU	N-CA-CB	5.27	120.08	110.60
1	C	20	CYS	CA-CB-SG	5.25	123.44	114.00
2	L	16	TYR	CD1-CG-CD2	5.24	123.66	117.90
2	F	11	LEU	CA-CB-CG	5.22	127.31	115.30
1	E	19	TYR	O-C-N	5.12	130.89	122.70
2	H	16	TYR	CB-CG-CD2	-5.10	117.94	121.00
1	K	6	CYS	CB-CA-C	5.07	120.54	110.40
2	L	3[A]	ASN	N-CA-CB	5.03	119.66	110.60
2	L	3[B]	ASN	N-CA-CB	5.03	119.66	110.60
2	F	23	GLY	N-CA-C	-5.03	100.53	113.10

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	156	0	142	7	0
1	C	163	0	149	9	0
1	E	165	0	152	7	0
1	G	166	0	147	8	0
1	I	163	0	149	5	0
1	K	166	0	153	5	0
2	B	239	0	221	11	0
2	D	234	0	221	8	0
2	F	226	0	207	16	0
2	H	226	0	212	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	J	238	0	224	14	0
2	L	229	0	207	19	0
3	A	7	0	5	0	0
3	B	7	0	6	2	0
3	C	7	0	5	0	0
3	E	7	0	6	0	0
3	G	7	0	6	0	0
3	I	7	0	6	0	0
3	K	7	0	6	0	0
4	B	1	0	0	0	0
4	D	1	0	0	0	0
5	B	1	0	0	0	0
5	H	1	0	0	0	0
6	A	31	0	0	1	0
6	B	29	0	0	1	0
6	C	24	0	0	1	0
6	D	35	0	0	2	0
6	E	17	0	0	0	0
6	F	29	0	0	3	0
6	G	24	0	0	0	0
6	H	27	0	0	2	0
6	I	32	0	0	1	0
6	J	26	0	0	2	0
6	K	25	0	0	1	0
6	L	32	0	0	1	0
All	All	2755	0	2224	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:17[A]:LEU:HD21	6:D:32:HOH:O	1.33	1.29
6:C:36:HOH:O	2:L:2:VAL:HG11	1.60	1.01
1:K:9[A]:SER:OG	6:K:23:HOH:O	1.87	0.92
1:C:10:ILE:HD11	2:L:2:VAL:HA	1.52	0.91
1:I:21:ASN:ND2	2:L:27:THR:HG22	2.01	0.75
1:C:10:ILE:HD11	2:L:2:VAL:CA	2.18	0.74
1:G:5:GLN:OE1	1:G:19:TYR:OH	2.08	0.71
2:B:4:GLN:OE1	6:B:36:HOH:O	2.09	0.69

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:12:SER:OG	1:K:15:GLN:HG3	1.95	0.67
2:B:25[B]:PHE:HE1	1:C:21:ASN:HD21	1.44	0.66
2:J:5:HIS:ND1	6:J:46:HOH:O	2.30	0.65
2:B:28:PRO:O	2:B:30:THR:N	2.31	0.64
2:L:19:CYS:HA	2:L:22:ARG:HH11	1.61	0.64
2:F:23:GLY:HA3	2:H:26:TYR:O	2.00	0.61
2:F:4[B]:GLN:NE2	6:F:34:HOH:O	2.33	0.61
1:K:1:GLY:N	1:K:4:GLU:OE1	2.28	0.61
2:F:13:GLU:HG3	6:F:45:HOH:O	2.00	0.60
2:F:9:SER:O	6:F:37:HOH:O	2.16	0.60
1:K:13:LEU:HD22	2:L:18:VAL:CG2	2.32	0.60
2:B:25[B]:PHE:HE1	1:C:21:ASN:ND2	2.01	0.58
1:A:21:ASN:OD1	2:D:25[B]:PHE:HE1	1.86	0.58
2:F:23:GLY:CA	2:H:26:TYR:O	2.52	0.57
1:K:21:ASN:HD21	2:L:25:PHE:HD1	1.52	0.56
1:A:18:ASN:OD1	6:A:26:HOH:O	2.18	0.55
1:C:1:GLY:CA	1:C:4:GLU:OE1	2.55	0.54
2:B:6:LEU:O	2:B:9[B]:SER:HB2	2.08	0.54
2:J:10:HIS:O	2:J:13:GLU:HG2	2.08	0.54
2:J:3:ASN:H	2:J:3:ASN:ND2	2.07	0.53
1:E:2:ILE:HD12	1:E:19:TYR:CD2	2.44	0.53
2:F:25:PHE:CE1	1:G:21:ASN:OD1	2.63	0.52
1:I:21:ASN:HD22	2:L:27:THR:HG22	1.73	0.52
2:F:3:ASN:HB3	2:J:1:PHE:CE1	2.45	0.52
2:F:21:GLU:O	2:H:28:PRO:HG2	2.09	0.52
2:L:2:VAL:O	2:L:5:HIS:HB3	2.10	0.52
1:A:21:ASN:OD1	2:D:25[B]:PHE:CE1	2.63	0.52
1:G:3:VAL:HG11	6:H:58:HOH:O	2.10	0.52
2:L:19:CYS:HA	2:L:22:ARG:NH1	2.24	0.52
2:D:2:VAL:HG22	1:G:10:ILE:HG13	1.92	0.51
1:C:3:VAL:O	1:C:7:CYS:HB2	2.11	0.51
1:A:13:LEU:HD22	2:B:18:VAL:CG2	2.41	0.50
2:J:25:PHE:CD1	2:J:25:PHE:N	2.78	0.50
1:E:12:SER:OG	1:E:15:GLN:HG3	2.12	0.50
2:F:3:ASN:HB3	2:J:1:PHE:CZ	2.47	0.50
2:F:25:PHE:CD1	2:F:27:THR:HG23	2.47	0.50
1:E:6:CYS:CB	2:F:11:LEU:HD21	2.42	0.50
1:C:4:GLU:H	1:C:4:GLU:CD	2.14	0.49
1:I:1:GLY:HA3	1:I:4:GLU:OE1	2.12	0.48
1:A:1:GLY:N	1:A:4:GLU:OE1	2.37	0.48
1:C:10:ILE:HD13	1:C:10:ILE:N	2.28	0.48

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:21:GLU:HB2	6:D:56:HOH:O	2.13	0.47
1:G:3:VAL:O	1:G:7:CYS:HB2	2.15	0.47
2:J:3:ASN:H	2:J:3:ASN:HD22	1.63	0.47
2:B:6:LEU:HD12	3:B:33:IPH:C2	2.45	0.46
1:A:3:VAL:O	1:A:7:CYS:HB2	2.15	0.46
2:L:19:CYS:O	2:L:22:ARG:HD2	2.15	0.46
2:B:27:THR:HA	2:B:28:PRO:HD2	1.85	0.45
2:F:25:PHE:CE1	2:F:27:THR:HG23	2.51	0.45
2:J:20:GLY:HA2	6:J:41:HOH:O	2.16	0.45
1:E:6:CYS:HB3	2:F:11:LEU:HD21	1.98	0.44
2:H:3:ASN:O	6:H:53:HOH:O	2.21	0.44
1:I:1:GLY:CA	1:I:4:GLU:OE1	2.66	0.44
1:E:10:ILE:HD12	2:J:5:HIS:ND1	2.32	0.44
2:L:18:VAL:O	2:L:22:ARG:NH1	2.52	0.43
2:F:25:PHE:CZ	1:G:21:ASN:OD1	2.71	0.43
2:F:26:TYR:O	2:H:23:GLY:HA3	2.19	0.43
3:B:33:IPH:C3	2:J:6:LEU:HD12	2.49	0.42
1:I:13:LEU:HG	6:I:157:HOH:O	2.18	0.42
2:J:6:LEU:O	2:J:10:HIS:HD2	2.02	0.42
1:E:6:CYS:HB2	2:F:11:LEU:HD21	2.02	0.42
1:A:13:LEU:HD22	2:B:18:VAL:HG21	2.02	0.41
1:G:13:LEU:HD22	2:H:18:VAL:CG2	2.50	0.41
2:J:25:PHE:HB3	2:L:25:PHE:CE2	2.55	0.41
2:D:1:PHE:N	1:G:10:ILE:HD12	2.36	0.41
2:L:29:LYS:H	2:L:29:LYS:HG3	1.66	0.41
1:C:1:GLY:HA3	1:C:4:GLU:OE1	2.20	0.40
2:L:17:LEU:HD22	6:L:45:HOH:O	2.20	0.40
1:E:10:ILE:HD12	2:J:5:HIS:CE1	2.56	0.40
2:B:13:GLU:OE2	2:D:13:GLU:HB2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	19/21 (90%)	19 (100%)	0	0	100	100
1	C	19/21 (90%)	19 (100%)	0	0	100	100
1	E	20/21 (95%)	20 (100%)	0	0	100	100
1	G	20/21 (95%)	20 (100%)	0	0	100	100
1	I	19/21 (90%)	19 (100%)	0	0	100	100
1	K	21/21 (100%)	21 (100%)	0	0	100	100
2	B	30/30 (100%)	28 (93%)	1 (3%)	1 (3%)	4	1
2	D	29/30 (97%)	28 (97%)	1 (3%)	0	100	100
2	F	28/30 (93%)	27 (96%)	0	1 (4%)	3	1
2	H	27/30 (90%)	27 (100%)	0	0	100	100
2	J	29/30 (97%)	27 (93%)	1 (3%)	1 (3%)	3	1
2	L	30/30 (100%)	30 (100%)	0	0	100	100
All	All	291/306 (95%)	285 (98%)	3 (1%)	3 (1%)	14	9

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	29	LYS
2	J	2	VAL
2	F	28	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	19/20 (95%)	18 (95%)	1 (5%)	22	18
1	C	20/20 (100%)	19 (95%)	1 (5%)	24	20
1	E	21/20 (105%)	20 (95%)	1 (5%)	25	22
1	G	21/20 (105%)	21 (100%)	0	100	100
1	I	20/20 (100%)	19 (95%)	1 (5%)	24	20
1	K	22/20 (110%)	18 (82%)	4 (18%)	1	1

Continued on next page...



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	26/26 (100%)	24 (92%)	2 (8%)	13	8
2	D	25/26 (96%)	21 (84%)	4 (16%)	2	1
2	F	24/26 (92%)	20 (83%)	4 (17%)	2	1
2	H	24/26 (92%)	23 (96%)	1 (4%)	30	27
2	J	25/26 (96%)	23 (92%)	2 (8%)	12	7
2	L	24/26 (92%)	21 (88%)	3 (12%)	4	2
All	All	271/276 (98%)	247 (91%)	24 (9%)	13	6

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
2	B	17	LEU
2	B	21	GLU
1	C	16	LEU
2	D	6	LEU
2	D	21	GLU
2	D	25[A]	PHE
2	D	25[B]	PHE
1	E	5	GLN
2	F	4[A]	GLN
2	F	4[B]	GLN
2	F	21	GLU
2	F	25	PHE
2	H	17	LEU
1	I	9	SER
2	J	3	ASN
2	J	4	GLN
1	K	5	GLN
1	K	8[A]	THR
1	K	8[B]	THR
1	K	14	TYR
2	L	3[A]	ASN
2	L	3[B]	ASN
2	L	4	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	ASN
2	B	4	GLN
2	B	5	HIS
1	C	5	GLN
1	G	21	ASN
1	I	21	ASN
2	J	3	ASN
1	K	5	GLN
1	K	21	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 4 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	IPH	C	22	-	7,7,7	0.70	0	8,8,8	1.25	1 (12%)
3	IPH	K	22	-	7,7,7	0.72	0	8,8,8	0.30	0
3	IPH	E	22	-	7,7,7	1.10	0	8,8,8	0.76	0
3	IPH	I	22	-	7,7,7	1.11	0	8,8,8	0.96	0
3	IPH	G	22	-	7,7,7	1.50	1 (14%)	8,8,8	1.03	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	IPH	A	22	-	7,7,7	0.87	0	8,8,8	0.97	0
3	IPH	B	33	-	7,7,7	0.57	0	8,8,8	1.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IPH	C	22	-	-	-	0/1/1/1
3	IPH	K	22	-	-	-	0/1/1/1
3	IPH	E	22	-	-	-	0/1/1/1
3	IPH	I	22	-	-	-	0/1/1/1
3	IPH	G	22	-	-	-	0/1/1/1
3	IPH	A	22	-	-	-	0/1/1/1
3	IPH	B	33	-	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	22	IPH	C6-C1	2.34	1.43	1.38

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	22	IPH	C6-C1-C2	2.27	123.59	119.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	33	IPH	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.