

# wwPDB X-ray Structure Validation Summary Report (i)

Mar 10, 2021 - 02:15 am GMT

PDB ID : 6ZNT

Title : MaeB PTA domain, acetyl-CoA bound form

Authors: Lovering, A.L.; Harding, C.J.

Deposited on : 2020-07-06

Resolution : 1.96 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as 541 be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.17.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac: 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.17.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$\begin{array}{c} \text{Whole archive} \\ (\#\text{Entries}) \end{array}$	$\begin{array}{c} {\rm Similar \; resolution} \\ (\#{\rm Entries, \; resolution \; range(\AA)}) \end{array}$
$R_{free}$	130704	2580 (1.96-1.96)
Clashscore	141614	2705 (1.96-1.96)
Ramachandran outliers	138981	2678 (1.96-1.96)
Sidechain outliers	138945	2678 (1.96-1.96)
RSRZ outliers	127900	2539 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	362	83%	10% • 7%
1	В	362	82%	11% • 7%
1	С	362	82%	10% • 7%
1	D	362	81%	10% • 7%
1	Е	362	86%	7% · 7%



Continued from previous page...

Mol	Chain	Length	Quality of chain	
	_		<u>%</u>	
1	$\mathbf{F}$	362	86%	7% • 7%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	EDO	D	801	-	-	X	-



# 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 16585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Malate dehydrogenase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A	336	Total	С	N	О	S	0	0	0
1		330	2583	1649	441	482	11	0	U	
1	С	336	Total	С	N	О	S	0	0	0
1		330	2583	1649	441	482	11	0	0	0
1	F	338	Total	С	N	О	S	0	0	0
1	I.	330	2598	1658	444	485	11	0		
1	D	336	Total	С	N	О	S	0	0	0
1	ש	330	2583	1649	441	482	11	0		
1	В	337	Total	С	N	О	S	0	0	0
1	Ъ	337	2592	1655	443	483	11	0	0	
1	E	E 220	Total	С	N	О	S	0	0	0
1	E	338	2598	1658	444	485	11	U	U	0

There are 120 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	419	MET	-	initiating methionine	UNP Q6MM15
A	420	GLY	_	expression tag	UNP Q6MM15
A	421	SER	-	expression tag	UNP Q6MM15
A	422	SER	-	expression tag	UNP Q6MM15
A	423	HIS	-	expression tag	UNP Q6MM15
A	424	HIS	-	expression tag	UNP Q6MM15
A	425	HIS	=	expression tag	UNP Q6MM15
A	426	HIS	-	expression tag	UNP Q6MM15
A	427	HIS	_	expression tag	UNP Q6MM15
A	428	HIS	-	expression tag	UNP Q6MM15
A	429	SER	-	expression tag	UNP Q6MM15
A	430	SER	_	expression tag	UNP Q6MM15
A	431	GLY	-	expression tag	UNP Q6MM15
A	432	LEU	-	expression tag	UNP Q6MM15
A	433	VAL	=	expression tag	UNP Q6MM15
A	434	PRO	-	expression tag	UNP Q6MM15
A	435	ALA	-	expression tag	UNP Q6MM15



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	436	GLY	_	expression tag	UNP Q6MM15
A	437	SER	-	expression tag	UNP Q6MM15
A	438	HIS	-	expression tag	UNP Q6MM15
С	419	MET	_	initiating methionine	UNP Q6MM15
С	420	GLY	-	expression tag	UNP Q6MM15
С	421	SER	_	expression tag	UNP Q6MM15
С	422	SER	_	expression tag	UNP Q6MM15
С	423	HIS	-	expression tag	UNP Q6MM15
С	424	HIS	-	expression tag	UNP Q6MM15
С	425	HIS	_	expression tag	UNP Q6MM15
С	426	HIS	-	expression tag	UNP Q6MM15
С	427	HIS	-	expression tag	UNP Q6MM15
С	428	HIS	_	expression tag	UNP Q6MM15
С	429	SER	-	expression tag	UNP Q6MM15
С	430	SER	-	expression tag	UNP Q6MM15
С	431	GLY	-	expression tag	UNP Q6MM15
С	432	LEU	_	expression tag	UNP Q6MM15
С	433	VAL	_	expression tag	UNP Q6MM15
С	434	PRO	-	expression tag	UNP Q6MM15
С	435	ALA	-	expression tag	UNP Q6MM15
С	436	GLY	-	expression tag	UNP Q6MM15
С	437	SER	-	expression tag	UNP Q6MM15
С	438	HIS	_	expression tag	UNP Q6MM15
F	419	MET	_	initiating methionine	UNP Q6MM15
F	420	GLY	_	expression tag	UNP Q6MM15
F	421	SER	_	expression tag	UNP Q6MM15
F	422	SER	_	expression tag	UNP Q6MM15
F	423	HIS	_	expression tag	UNP Q6MM15
F	424	HIS	_	expression tag	UNP Q6MM15
F	425	HIS	-	expression tag	UNP Q6MM15
F	426	HIS	_	expression tag	UNP Q6MM15
F	427	HIS	_	expression tag	UNP Q6MM15
F	428	HIS	_	expression tag	UNP Q6MM15
F	429	SER	_	expression tag	UNP Q6MM15
F	430	SER	-	expression tag	UNP Q6MM15
F	431	GLY	-	expression tag	UNP Q6MM15
F	432	LEU	-	expression tag	UNP Q6MM15
F	433	VAL	-	expression tag	UNP Q6MM15
F	434	PRO	-	expression tag	UNP Q6MM15
F	435	ALA	-	expression tag	UNP Q6MM15
F	436	GLY	-	expression tag	UNP Q6MM15
F	437	SER	-	expression tag	UNP Q6MM15



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	438	HIS	_	expression tag	UNP Q6MM15
D	419	MET	-	initiating methionine	UNP Q6MM15
D	420	GLY	-	expression tag	UNP Q6MM15
D	421	SER	-	expression tag	UNP Q6MM15
D	422	SER	_	expression tag	UNP Q6MM15
D	423	HIS	_	expression tag	UNP Q6MM15
D	424	HIS	-	expression tag	UNP Q6MM15
D	425	HIS	-	expression tag	UNP Q6MM15
D	426	HIS	-	expression tag	UNP Q6MM15
D	427	HIS	-	expression tag	UNP Q6MM15
D	428	HIS	-	expression tag	UNP Q6MM15
D	429	SER	-	expression tag	UNP Q6MM15
D	430	SER	_	expression tag	UNP Q6MM15
D	431	GLY	-	expression tag	UNP Q6MM15
D	432	LEU	_	expression tag	UNP Q6MM15
D	433	VAL	_	expression tag	UNP Q6MM15
D	434	PRO	-	expression tag	UNP Q6MM15
D	435	ALA	_	expression tag	UNP Q6MM15
D	436	GLY	_	expression tag	UNP Q6MM15
D	437	SER	_	expression tag	UNP Q6MM15
D	438	HIS	_	expression tag	UNP Q6MM15
В	419	MET	_	initiating methionine	UNP Q6MM15
В	420	GLY	-	expression tag	UNP Q6MM15
В	421	SER	_	expression tag	UNP Q6MM15
В	422	SER	-	expression tag	UNP Q6MM15
В	423	HIS	-	expression tag	UNP Q6MM15
В	424	HIS	-	expression tag	UNP Q6MM15
В	425	HIS	-	expression tag	UNP Q6MM15
В	426	HIS	-	expression tag	UNP Q6MM15
В	427	HIS	-	expression tag	UNP Q6MM15
В	428	HIS	-	expression tag	UNP Q6MM15
В	429	SER	-	expression tag	UNP Q6MM15
В	430	SER	-	expression tag	UNP Q6MM15
В	431	GLY	=	expression tag	UNP Q6MM15
В	432	LEU	-	expression tag	UNP Q6MM15
В	433	VAL	-	expression tag	UNP Q6MM15
В	434	PRO	-	expression tag	UNP Q6MM15
В	435	ALA	-	expression tag	UNP Q6MM15
В	436	GLY	-	expression tag	UNP Q6MM15
В	437	SER	-	expression tag	UNP Q6MM15
В	438	HIS	-	expression tag	UNP Q6MM15
Е	419	MET	-	initiating methionine	UNP Q6MM15



 $Continued\ from\ previous\ page...$ 

Chain	Residue	Modelled	Actual	Comment	Reference
Е	420	GLY	_	expression tag	UNP Q6MM15
Е	421	SER	_	expression tag	UNP Q6MM15
Е	422	SER	_	expression tag	UNP Q6MM15
Е	423	HIS	_	expression tag	UNP Q6MM15
Е	424	HIS	_	expression tag	UNP Q6MM15
Е	425	HIS	_	expression tag	UNP Q6MM15
Е	426	HIS	_	expression tag	UNP Q6MM15
E	427	HIS	_	expression tag	UNP Q6MM15
Е	428	HIS	-	expression tag	UNP Q6MM15
E	429	SER	-	expression tag	UNP Q6MM15
Е	430	SER	_	expression tag	UNP Q6MM15
E	431	GLY	-	expression tag	UNP Q6MM15
Е	432	LEU	_	expression tag	UNP Q6MM15
Е	433	VAL	-	expression tag	UNP Q6MM15
Е	434	PRO	-	expression tag	UNP Q6MM15
Е	435	ALA	=	expression tag	UNP Q6MM15
Е	436	GLY	-	expression tag	UNP Q6MM15
Е	437	SER	=	expression tag	UNP Q6MM15
Е	438	HIS	-	expression tag	UNP Q6MM15

• Molecule 2 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula:  $C_4H_{10}O_3$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 7 4 3	0	0
2	С	1	Total C O 7 4 3	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	F	1	Total C O 7 4 3	0	0
2	D	1	Total C O 7 4 3	0	0
2	В	1	Total C O 7 4 3	0	0
2	Ε	1	Total C O 7 4 3	0	0


 $\bullet \ \ Molecule\ 3\ is\ ACETYL\ COENZYME\ *A\ (three-letter\ code:\ ACO)\ (formula:\ C_{23}H_{38}N_7O_{17}P_3S).$ 



Mol	Chain	Residues		A	ton	ıs			ZeroOcc	AltConf	
3	A	1	Total	С	N	О	Р	S	0	0	
)	A	11	1	51	23	7	17	3	1	0	U
3	С	1	Total	С	N	О	Р	S	0	0	
J 3			51	23	7	17	3	1	U	U	
3	F	1	Total	С	N	О	Р	S	0	0	
	I.	1 1	51	23	7	17	3	1		U	
3	D	1	Total	С	Ν	Ο	Р	S	0	0	
	D	1	51	23	7	17	3	1	U	U	
3	В	1	Total	С	Ν	Ο	Р	S	0	0	
	Ъ	$\mathbf{D}     1$	51	23	7	17	3	1	U		
3	E	1	Total	С	N	O	Р	S	0	0	
3	L L	1	51	23	7	17	3	1		U	

 $\bullet$  Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $\mathrm{C_2H_6O_2}).$ 





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total 4	C 2	O 2	0	0

#### • Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	109	Total O 109 109	0	0
5	С	86	Total O 86 86	0	0
5	F	172	Total O 172 172	0	0
5	D	93	Total O 93 93	0	0
5	В	85	Total O 85 85	0	0
5	Е	151	Total O 151 151	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Malate dehydrogenase









# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	111.19	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $91.09^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	91.86 - 1.96	Depositor
Resolution (A)	91.86 - 1.96	EDS
% Data completeness	99.9 (91.86-1.96)	Depositor
(in resolution range)	99.9 (91.86-1.96)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.52 (at 1.95Å)	Xtriage
Refinement program	PHENIX 1.14_3260	Depositor
D D	0.176 , 0.211	Depositor
$R, R_{free}$	0.176 , $0.209$	DCC
$R_{free}$ test set	7910 reflections (4.92%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.8	Xtriage
Anisotropy	0.500	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.30 , 49.2	EDS
L-test for twinning <sup>2</sup>	$< L >=0.51, < L^2>=0.34$	Xtriage
Estimated twinning fraction	0.008 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	16585	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $< L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

#### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, EDO, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
MIGI	Chain	RMSZ	# Z >5	RMSZ	# Z  > 5
1	A	0.47	0/2627	0.63	1/3557~(0.0%)
1	В	0.46	0/2636	0.67	4/3568~(0.1%)
1	С	0.42	0/2627	0.62	0/3557
1	D	0.46	0/2627	0.66	3/3557~(0.1%)
1	E	0.48	0/2642	0.71	8/3576~(0.2%)
1	F	0.45	0/2642	0.63	1/3576~(0.0%)
All	All	0.46	0/15801	0.65	17/21391 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
1	D	0	1
1	E	0	1
All	All	0	3

There are no bond length outliers.

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^o)$
1	Е	605	ASP	CB-CA-C	-7.62	95.16	110.40
1	E	604	GLU	CA-CB-CG	-7.37	97.18	113.40
1	F	591	LYS	CD-CE-NZ	-6.96	95.70	111.70
1	E	512	ASP	CB-CG-OD2	-6.86	112.13	118.30
1	В	592	GLU	CA-CB-CG	6.54	127.80	113.40

There are no chirality outliers.



All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	605	ASP	Peptide
1	D	484	GLU	Sidechain
1	Е	605	ASP	Peptide

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Α	2583	0	2657	23	0
1	В	2592	0	2670	24	0
1	С	2583	0	2657	39	0
1	D	2583	0	2657	29	0
1	E	2598	0	2675	14	0
1	F	2598	0	2675	16	0
2	A	7	0	10	0	0
2	В	7	0	10	0	0
2	С	7	0	10	0	0
2	D	7	0	10	0	0
2	Ε	7	0	10	0	0
2	F	7	0	10	0	0
3	A	51	0	34	4	0
3	В	51	0	34	4	0
3	С	51	0	34	3	0
3	D	51	0	34	3	0
3	Ε	51	0	34	2	0
3	F	51	0	34	2	0
4	D	4	0	6	5	0
5	A	109	0	0	2	0
5	В	85	0	0	1	0
5	С	86	0	0	2	0
5	D	93	0	0	0	0
5	Ε	151	0	0	2	1
5	F	172	0	0	1	1
All	All	16585	0	16261	150	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.



The worst 5 of 150 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$egin{aligned}  ext{Interatomic} \  ext{distance} \ ( ext{Å}) \end{aligned}$	$egin{array}{c}  ext{Clash} \  ext{overlap } ( ext{Å}) \end{array}$
3:D:803:ACO:O4B	3:D:803:ACO:C1B	1.63	1.27
3:A:802:ACO:O4B	3:A:802:ACO:C1B	1.63	1.25
3:B:802:ACO:O4B	3:B:802:ACO:C1B	1.63	1.25
3:C:802:ACO:O4B	3:C:802:ACO:C1B	1.64	1.22
1:C:482:VAL:CG1	1:C:509:LEU:CD2	2.34	1.05

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$egin{array}{ll}  ext{Interatomic} \  ext{distance} \ ( ext{\AA}) \end{array}$	Clash overlap (Å)
5:F:933:HOH:O	5:E:1035:HOH:O[1_545]	2.13	0.07

# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	$334/362 \; (92\%)$	332 (99%)	2 (1%)	0	100	100
1	В	$335/362\ (92\%)$	329 (98%)	6 (2%)	0	100	100
1	С	$334/362 \; (92\%)$	329 (98%)	5 (2%)	0	100	100
1	D	$334/362 \ (92\%)$	329 (98%)	5 (2%)	0	100	100
1	E	$336/362 \; (93\%)$	331 (98%)	5 (2%)	0	100	100
1	F	$336/362 \ (93\%)$	331 (98%)	5 (2%)	0	100	100
All	All	$2009/2172 \; (92\%)$	1981 (99%)	28 (1%)	0	100	100

There are no Ramachandran outliers to report.



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/301 (93%)	274 (98%)	6 (2%)	53 46
1	В	281/301 (93%)	275 (98%)	6 (2%)	53 46
1	С	280/301 (93%)	276 (99%)	4 (1%)	67 62
1	D	280/301 (93%)	275 (98%)	5 (2%)	59 53
1	E	282/301 (94%)	279 (99%)	3 (1%)	73 71
1	F	282/301 (94%)	277 (98%)	5 (2%)	59 53
All	All	1685/1806 (93%)	1656 (98%)	29 (2%)	60 55

5 of 29 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	721	TYR
1	Е	703	LYS
1	D	703	LYS
1	В	721	TYR
1	D	653	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



#### 5.6 Ligand geometry (i)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Т	Chair	Dag	Link	В	ond leng	$\operatorname{gths}$	Е	ond ang	gles
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
2	PEG	С	801	-	6,6,6	0.49	0	5,5,5	0.31	0
2	PEG	E	801	_	6,6,6	0.48	0	5,5,5	0.19	0
2	PEG	F	801	-	6,6,6	0.46	0	5,5,5	0.32	0
3	ACO	A	802	-	45,53,53	3.94	16 (35%)	56,79,79	2.27	9 (16%)
3	ACO	F	802	-	45,53,53	3.97	16 (35%)	56,79,79	2.25	10 (17%)
3	ACO	В	802	-	45,53,53	3.94	18 (40%)	56,79,79	2.08	9 (16%)
3	ACO	D	803	-	45,53,53	3.95	16 (35%)	56,79,79	2.24	10 (17%)
4	EDO	D	801	_	3,3,3	0.46	0	2,2,2	0.21	0
2	PEG	A	801	-	6,6,6	0.48	0	5,5,5	0.26	0
2	PEG	В	801	_	6,6,6	0.46	0	5,5,5	0.20	0
3	ACO	С	802	-	45,53,53	4.06	16 (35%)	56,79,79	2.05	6 (10%)
3	ACO	Е	802	-	45,53,53	3.85	18 (40%)	56,79,79	2.29	11 (19%)
2	PEG	D	802	_	6,6,6	0.45	0	5,5,5	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	С	801	_	-	3/4/4/4	1
2	PEG	Ε	801	-	-	3/4/4/4	-
2	PEG	F	801	-	-	2/4/4/4	-
3	ACO	A	802	-	-	10/47/67/67	0/3/3/3
3	ACO	F	802	-	-	6/47/67/67	0/3/3/3
3	ACO	В	802	-	-	11/47/67/67	0/3/3/3
3	ACO	D	803	-	-	14/47/67/67	0/3/3/3
4	EDO	D	801	-	-	0/1/1/1	-



Continued	trom	nromanne	naae
-	110116	picolous	puyc

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	A	801	_	_	1/4/4/4	-
2	PEG	В	801	_	-	1/4/4/4	-
3	ACO	С	802	_	-	11/47/67/67	0/3/3/3
3	ACO	E	802	_	-	5/47/67/67	0/3/3/3
2	PEG	D	802	-	-	2/4/4/4	-

The worst 5 of 100 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\text{\AA})$
3	С	802	ACO	O4B-C1B	16.61	1.64	1.41
3	A	802	ACO	O4B-C1B	16.20	1.63	1.41
3	В	802	ACO	O4B-C1B	16.19	1.63	1.41
3	D	803	ACO	O4B-C1B	16.13	1.63	1.41
3	F	802	ACO	O4B-C1B	15.85	1.63	1.41

The worst 5 of 55 bond angle outliers are listed below:

Mol	Chain	Res	Type	${f Atoms}$	$\mathbf{Z}$	$\operatorname{Observed}(^{o})$	$\mathbf{Ideal}(^{o})$
3	E	802	ACO	C5A-C6A-N6A	10.15	135.77	120.35
3	D	803	ACO	C5A-C6A-N6A	10.08	135.67	120.35
3	F	802	ACO	C5A-C6A-N6A	9.63	134.98	120.35
3	С	802	ACO	C5A-C6A-N6A	9.47	134.75	120.35
3	A	802	ACO	C5A-C6A-N6A	9.30	134.49	120.35

There are no chirality outliers.

5 of 69 torsion outliers are listed below:

Mol	Chain	${f Res}$	Type	Atoms
3	A	802	ACO	C5B-O5B-P1A-O3A
3	A	802	ACO	CCP-O6A-P2A-O3A
3	A	802	ACO	C3P-C2P-S1P-C
3	С	802	ACO	C5B-O5B-P1A-O2A
3	С	802	ACO	C3P-C2P-S1P-C

There are no ring outliers.

7 monomers are involved in 23 short contacts:

$\mathbf{Mol}$	Chain	$\operatorname{Res}$	Type	Clashes	Symm-Clashes
3	A	802	ACO	4	0
3	F	802	ACO	2	0





Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	В	802	ACO	4	0
3	D	803	ACO	3	0
4	D	801	EDO	5	0
3	С	802	ACO	3	0
3	E	802	ACO	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











#### 5.7 Other polymers (i)

There are no such residues in this entry.

#### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RSRZ	>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	A	$336/362 \; (92\%)$	0.09	7 (2%) 63	72	34, 53, 93, 118	0
1	В	$337/362 \ (93\%)$	0.06	8 (2%) 59	68	39, 56, 94, 113	0
1	С	$336/362 \ (92\%)$	0.23	16 (4%) 30	40	41, 64, 99, 121	0
1	D	$336/362 \ (92\%)$	0.18	9 (2%) 54	63	40, 60, 102, 129	0
1	E	$338/362 \ (93\%)$	0.02	3 (0%) 84	89	28, 46, 84, 101	0
1	F	338/362 (93%)	0.01	3 (0%) 84	89	30, 43, 72, 89	0
All	All	2021/2172 (93%)	0.10	46 (2%) 60	69	28, 54, 93, 129	0

The worst 5 of 46 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	510	LEU	5.0
1	С	509	LEU	4.6
1	С	604	GLU	3.9
1	D	456	ALA	3.7
1	E	525	PHE	3.6

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.




#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}(\mathring{\mathbf{A}}^2)$	Q < 0.9
2	PEG	D	802	7/7	0.71	0.21	70,71,76,78	0
2	PEG	С	801	7/7	0.75	0.20	79,86,87,91	0
2	PEG	Е	801	7/7	0.76	0.17	57,61,65,71	0
2	PEG	A	801	7/7	0.84	0.14	68,76,82,82	0
2	PEG	F	801	7/7	0.88	0.13	59,62,69,76	0
2	PEG	В	801	7/7	0.92	0.13	$65,\!66,\!72,\!73$	0
3	ACO	С	802	51/51	0.92	0.13	38,70,87,94	0
3	ACO	В	802	51/51	0.92	0.13	41,61,83,93	0
3	ACO	A	802	51/51	0.93	0.13	34,54,77,86	0
3	ACO	Е	802	51/51	0.93	0.12	$36,\!53,\!78,\!95$	0
3	ACO	F	802	51/51	0.94	0.13	37,58,75,80	0
3	ACO	D	803	51/51	0.94	0.12	44,62,82,91	0
4	EDO	D	801	4/4	0.95	0.27	56,59,60,61	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





 $2 {
m mF}_o {
m -DF}_c$  (at 0.7 rmsd) in gray  ${
m mF}_o {
m -DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)











# Electron density around ACO A 802: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive) Electron density around ACO E 802: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $mF_o$ -DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)







# Electron density around ACO D 803: 2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative) and green (positive)



# 6.5 Other polymers (i)

There are no such residues in this entry.

