



# wwPDB X-ray Structure Validation Summary Report ⓘ

May 23, 2023 – 07:33 am BST

PDB ID : 7ZN3  
Title : Crystal structure of the light-driven inward proton pump xenorhodopsin BcXeR in the L state at pH 8.2 in the presence of sodium at 100K  
Authors : Kovalev, K.; Tsybrov, F.; Alekseev, A.; Bourenkov, G.; Gordeliy, V.  
Deposited on : 2022-04-20  
Resolution : 1.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtrriage (Phenix) : 1.13  
EDS : 2.33  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.33


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3398 (1.60-1.60)
Clashscore	141614	3665 (1.60-1.60)
Ramachandran outliers	138981	3564 (1.60-1.60)
Sidechain outliers	138945	3563 (1.60-1.60)
RSRZ outliers	127900	3321 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	229	 5% 87% 9% . .
1	B	229	 2% 85% 10% . .
1	C	229	 5% 85% 10% . .

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 6468 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called xenorhodopsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	222	Total 1872	C 1284	N 279	O 303	S 6	0	12	0
1	B	219	Total 1853	C 1270	N 278	O 299	S 6	0	13	0
1	C	222	Total 1885	C 1294	N 279	O 306	S 6	0	14	0

- Molecule 2 is EICOSANE (three-letter code: LFA) (formula:  $C_{20}H_{42}$ ).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 6	C 6	0	0
2	A	1	Total 9	C 9	0	0
2	A	1	Total 7	C 7	0	0

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C 9 9	0	0
2	A	1	Total C 9 9	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 12 12	0	0
2	A	1	Total C 7 7	0	0
2	A	1	Total C 8 8	0	0
2	A	1	Total C 6 6	0	0
2	A	1	Total C 3 3	0	0
2	A	1	Total C 5 5	0	0
2	A	1	Total C 10 10	0	0
2	A	1	Total C 10 10	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 15 15	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 6 6	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 7 7	0	0
2	B	1	Total C 5 5	0	0
2	B	1	Total C 5 5	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total C 6 6	0	0
2	B	1	Total C 4 4	0	0
2	B	1	Total C 15 15	0	0
2	B	1	Total C 9 9	0	0
2	B	1	Total C 14 14	0	0
2	B	1	Total C 10 10	0	0
2	C	1	Total C 17 17	0	0
2	C	1	Total C 10 10	0	0
2	C	1	Total C 16 16	0	0
2	C	1	Total C 4 4	0	0
2	C	1	Total C 8 8	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 8 8	0	0
2	C	1	Total C 8 8	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 11 11	0	0
2	C	1	Total C 9 9	0	0
2	C	1	Total C 5 5	0	0
2	C	1	Total C 8 8	0	0

- Molecule 3 is OLEIC ACID (three-letter code: OLA) (formula:  $C_{18}H_{34}O_2$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	9	2		
3	A	1	Total	C	O	0	1
			40	36	4		
3	A	1	Total	C	O	0	0
			16	14	2		
3	A	1	Total	C	O	0	0
			11	9	2		
3	A	1	Total	C	O	0	0
			19	17	2		
3	B	1	Total	C	O	0	0
			14	12	2		
3	B	1	Total	C	O	0	0
			16	14	2		
3	B	1	Total	C	O	0	0
			12	10	2		
3	B	1	Total	C	O	0	0
			20	18	2		
3	C	1	Total	C	O	0	0
			16	14	2		
3	C	1	Total	C	O	0	0
			19	17	2		
3	C	1	Total	C	O	0	0
			16	14	2		
3	C	1	Total	C	O	0	0
			13	11	2		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na) (labeled as "Ligand of

Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Na 1 1	0	0
4	B	1	Total Na 1 1	0	0
4	C	1	Total Na 1 1	0	0

- Molecule 5 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O P 5 4 1	0	0
5	C	1	Total O P 5 4 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	78	Total O 81 81	0	7
6	B	76	Total O 79 79	0	8
6	C	83	Total O 86 86	0	7


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: xenorhodopsin



- Molecule 1: xenorhodopsin



- Molecule 1: xenorhodopsin





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.39Å 109.49Å 119.39Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 – 1.60 49.76 – 1.60	Depositor EDS
% Data completeness (in resolution range)	66.2 (19.98-1.60) 66.3 (49.76-1.60)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.25 (at 1.60Å)	Xtrriage
Refinement program	PHENIX 1.19.2_4158	Depositor
R, $R_{free}$	0.203 , 0.216 0.205 , 0.216	Depositor DCC
$R_{free}$ test set	3860 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.0	Xtrriage
Anisotropy	0.039	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.38 , 65.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	6468	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	32.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.07% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, FME, NA, LFA, OLA, LYR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.74	1/1855 (0.1%)	0.76	1/2532 (0.0%)
1	B	0.75	0/1835	0.75	0/2503
1	C	0.74	1/1867 (0.1%)	0.76	0/2548
All	All	0.74	2/5557 (0.0%)	0.76	1/7583 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	34	GLU	CD-OE2	5.07	1.31	1.25
1	A	34	GLU	CD-OE2	5.03	1.31	1.25

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	222	HIS	CA-C-O	-5.67	108.19	120.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1872	0	1949	23	0
1	B	1853	0	1937	25	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1885	0	1961	30	0
2	A	108	0	199	7	0
2	B	137	0	246	6	0
2	C	131	0	248	10	0
3	A	97	0	144	2	0
3	B	62	0	88	4	0
3	C	64	0	88	4	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	5	0	0	0	0
5	C	5	0	0	0	0
6	A	81	0	0	0	0
6	B	79	0	0	3	0
6	C	86	0	0	0	0
All	All	6468	0	6860	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 84 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:GLN:HB3	3:C:305:OLA:H31	1.49	0.92
1:B:207[A]:LYR:H192	1:B:207[A]:LYR:H9	1.68	0.75
1:C:148:ARG:O	1:C:152:LEU:HD23	1.90	0.72
1:B:72:ILE:HD11	2:B:319:LFA:H71	1.73	0.68
1:C:165[A]:VAL:HG13	1:C:210[A]:PHE:CE1	2.28	0.68

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/229 (100%)	227 (99%)	3 (1%)	0	100	100
1	B	226/229 (99%)	223 (99%)	3 (1%)	0	100	100
1	C	230/229 (100%)	228 (99%)	2 (1%)	0	100	100
All	All	686/687 (100%)	678 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/189 (99%)	183 (98%)	4 (2%)	53	29
1	B	187/189 (99%)	184 (98%)	3 (2%)	62	41
1	C	189/189 (100%)	185 (98%)	4 (2%)	53	29
All	All	563/567 (99%)	552 (98%)	11 (2%)	53	31

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	18	LEU
1	C	22	LEU
1	C	223	GLN
1	C	121	ILE
1	B	4	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	ASN
1	B	154	ASN
1	C	223	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

9 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	LYR	A	207[C]	1	27,29,30	1.30	2 (7%)	30,37,39	1.17	3 (10%)
1	LYR	C	207[C]	1	27,29,30	1.30	2 (7%)	30,37,39	1.19	3 (10%)
1	LYR	A	207[A]	1	27,29,30	1.27	2 (7%)	30,37,39	1.37	4 (13%)
1	LYR	C	207[A]	1	27,29,30	1.37	4 (14%)	30,37,39	1.31	4 (13%)
1	LYR	B	207[A]	1	27,29,30	1.31	3 (11%)	30,37,39	1.34	4 (13%)
1	FME	B	1	1	5,6,10	0.68	0	3,6,11	1.00	0
1	LYR	B	207[C]	1	27,29,30	1.33	2 (7%)	30,37,39	1.16	3 (10%)
1	FME	A	1	1	6,7,10	0.54	0	6,7,11	1.18	1 (16%)
1	FME	C	1	1	6,7,10	0.55	0	6,7,11	1.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LYR	A	207[C]	1	-	5/22/40/42	0/1/1/1
1	LYR	C	207[C]	1	-	5/22/40/42	0/1/1/1
1	LYR	A	207[A]	1	-	4/22/40/42	0/1/1/1
1	LYR	C	207[A]	1	-	3/22/40/42	0/1/1/1
1	LYR	B	207[A]	1	-	3/22/40/42	0/1/1/1
1	FME	B	1	1	-	0/2/5/11	-
1	LYR	B	207[C]	1	-	5/22/40/42	0/1/1/1
1	FME	A	1	1	-	0/5/7/11	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	FME	C	1	1	-	1/5/7/11	-

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	207[A]	LYR	C7-C80	4.28	1.41	1.35
1	C	207[C]	LYR	C7-C80	4.20	1.41	1.35
1	A	207[C]	LYR	C7-C80	4.12	1.41	1.35
1	B	207[C]	LYR	C7-C80	4.07	1.41	1.35
1	A	207[A]	LYR	C7-C80	3.69	1.40	1.35

The worst 5 of 22 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	207[C]	LYR	C8-C80-C7	-4.26	116.95	122.92
1	A	207[C]	LYR	C8-C80-C7	-4.25	116.97	122.92
1	B	207[C]	LYR	C8-C80-C7	-4.15	117.11	122.92
1	B	207[A]	LYR	C1-NZ-CE	-3.86	107.22	113.33
1	A	207[A]	LYR	C1-NZ-CE	-3.50	107.79	113.33

There are no chirality outliers.

5 of 26 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	1	FME	O-C-CA-CB
1	A	207[A]	LYR	C1-C2-C3-C4
1	A	207[A]	LYR	C1-C2-C3-C5
1	A	207[C]	LYR	C1-C2-C3-C4
1	A	207[C]	LYR	C1-C2-C3-C5

There are no ring outliers.

6 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	207[C]	LYR	5	0
1	C	207[C]	LYR	4	0
1	A	207[A]	LYR	3	0
1	C	207[A]	LYR	4	0
1	B	207[A]	LYR	2	0
1	B	207[C]	LYR	5	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 63 ligands modelled in this entry, 3 are monoatomic - leaving 60 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	LFA	C	315	-	8,8,19	0.11	0	7,7,18	0.06	0
2	LFA	C	314	-	8,8,19	0.11	0	7,7,18	0.10	0
2	LFA	B	311	-	8,8,19	0.12	0	7,7,18	0.13	0
2	LFA	B	301	-	6,6,19	0.23	0	5,5,18	0.38	0
2	LFA	B	313	-	6,6,19	0.22	0	5,5,18	0.25	0
2	LFA	C	317	-	8,8,19	0.12	0	7,7,18	0.10	0
2	LFA	C	319	-	7,7,19	0.11	0	6,6,18	0.08	0
2	LFA	A	514	-	6,6,19	0.14	0	5,5,18	0.10	0
2	LFA	B	315	-	4,4,19	0.16	0	3,3,18	0.29	0
2	LFA	A	517	-	2,2,19	0.12	0	0,1,18	-	-
2	LFA	A	503	-	6,6,19	0.22	0	5,5,18	0.34	0
3	OLA	C	303	-	18,18,19	0.63	0	18,18,19	0.55	0
3	OLA	C	302	-	15,15,19	0.72	1 (6%)	15,15,19	0.63	0
2	LFA	A	518	-	4,4,19	0.27	0	3,3,18	0.14	0
2	LFA	B	304	-	6,6,19	0.11	0	5,5,18	0.26	0
2	LFA	B	320	-	13,13,19	0.11	0	12,12,18	0.07	0
2	LFA	C	313	-	7,7,19	0.18	0	6,6,18	0.23	0
2	LFA	B	303	-	8,8,19	0.15	0	7,7,18	0.25	0
5	PO4	C	320	-	4,4,4	0.65	0	6,6,6	0.45	0
2	LFA	B	318	-	14,14,19	0.21	0	13,13,18	0.11	0
3	OLA	B	305	-	13,13,19	0.75	0	12,13,19	0.55	0
2	LFA	A	520	-	9,9,19	0.11	0	8,8,18	0.05	0
2	LFA	B	312	-	8,8,19	0.18	0	7,7,18	0.26	0
2	LFA	B	316	-	5,5,19	0.18	0	4,4,18	0.18	0
2	LFA	B	302	-	14,14,19	0.26	0	13,13,18	0.18	0
3	OLA	B	308	-	19,19,19	0.53	0	19,19,19	0.48	0
2	LFA	A	511	-	8,8,19	0.13	0	7,7,18	0.17	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LFA	C	309	-	3,3,19	0.17	0	2,2,18	0.46	0
3	OLA	A	506	-	15,15,19	0.62	0	15,15,19	0.53	0
3	OLA	B	307	-	11,11,19	0.75	0	11,11,19	0.78	0
2	LFA	C	318	-	4,4,19	0.12	0	3,3,18	0.22	0
2	LFA	C	301	-	16,16,19	0.17	0	15,15,18	0.23	0
3	OLA	B	306	-	15,15,19	0.71	0	15,15,19	0.65	0
2	LFA	B	319	-	8,8,19	0.11	0	7,7,18	0.09	0
2	LFA	B	321	-	9,9,19	0.11	0	8,8,18	0.08	0
2	LFA	C	308	-	15,15,19	0.21	0	14,14,18	0.18	0
2	LFA	C	312	-	7,7,19	0.14	0	6,6,18	0.10	0
2	LFA	C	316	-	10,10,19	0.10	0	9,9,18	0.08	0
3	OLA	A	504	-	10,10,19	0.81	0	10,10,19	0.53	0
3	OLA	A	505[A]	-	19,19,19	0.54	0	19,19,19	0.53	0
2	LFA	A	510	-	8,8,19	0.12	0	7,7,18	0.08	0
2	LFA	A	513	-	11,11,19	0.15	0	10,10,18	0.12	0
3	OLA	A	505[B]	-	19,19,19	0.50	0	19,19,19	0.51	0
2	LFA	A	515	-	7,7,19	0.16	0	6,6,18	0.21	0
2	LFA	B	314	-	4,4,19	0.25	0	3,3,18	0.39	0
2	LFA	B	317	-	3,3,19	0.31	0	2,2,18	0.43	0
3	OLA	C	304	-	15,15,19	0.63	0	15,15,19	0.45	0
2	LFA	C	307	-	9,9,19	0.17	0	8,8,18	0.10	0
3	OLA	C	305	-	12,12,19	0.63	0	12,12,19	0.64	0
2	LFA	A	512	-	6,6,19	0.29	0	5,5,18	0.30	0
3	OLA	A	507	-	10,10,19	0.64	0	10,10,19	0.87	0
2	LFA	A	519	-	9,9,19	0.19	0	8,8,18	0.16	0
2	LFA	C	311	-	8,8,19	0.13	0	7,7,18	0.09	0
2	LFA	A	501	-	5,5,19	0.13	0	4,4,18	0.10	0
2	LFA	B	310	-	5,5,19	0.12	0	4,4,18	0.09	0
5	PO4	A	521	-	4,4,4	0.70	0	6,6,6	0.43	0
2	LFA	A	502	-	8,8,19	0.10	0	7,7,18	0.14	0
2	LFA	C	310	-	7,7,19	0.13	0	6,6,18	0.19	0
3	OLA	A	508	-	18,18,19	0.55	0	18,18,19	0.53	0
2	LFA	A	516	-	5,5,19	0.22	0	4,4,18	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	C	315	-	-	4/6/6/17	-
2	LFA	C	314	-	-	5/6/6/17	-

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	B	311	-	-	1/6/6/17	-
2	LFA	B	301	-	-	2/4/4/17	-
2	LFA	B	313	-	-	2/4/4/17	-
2	LFA	C	317	-	-	4/6/6/17	-
2	LFA	C	319	-	-	3/5/5/17	-
2	LFA	A	514	-	-	2/4/4/17	-
2	LFA	B	315	-	-	0/2/2/17	-
2	LFA	A	503	-	-	2/4/4/17	-
3	OLA	C	303	-	-	10/16/16/17	-
3	OLA	C	302	-	-	8/13/13/17	-
2	LFA	A	518	-	-	2/2/2/17	-
2	LFA	B	304	-	-	1/4/4/17	-
2	LFA	B	320	-	-	7/11/11/17	-
2	LFA	C	313	-	-	2/5/5/17	-
2	LFA	B	303	-	-	1/6/6/17	-
2	LFA	B	318	-	-	7/12/12/17	-
3	OLA	B	305	-	-	5/11/11/17	-
2	LFA	A	520	-	-	4/7/7/17	-
2	LFA	B	312	-	-	1/6/6/17	-
2	LFA	B	316	-	-	2/3/3/17	-
2	LFA	B	302	-	-	4/12/12/17	-
3	OLA	B	308	-	-	12/17/17/17	-
2	LFA	A	511	-	-	1/6/6/17	-
2	LFA	C	309	-	-	0/1/1/17	-
3	OLA	A	506	-	-	9/13/13/17	-
3	OLA	B	307	-	-	2/9/9/17	-
2	LFA	C	318	-	-	1/2/2/17	-
2	LFA	C	301	-	-	6/14/14/17	-
3	OLA	B	306	-	-	6/13/13/17	-
2	LFA	B	319	-	-	5/6/6/17	-
2	LFA	B	321	-	-	4/7/7/17	-
2	LFA	C	308	-	-	4/13/13/17	-
2	LFA	C	312	-	-	3/5/5/17	-
2	LFA	C	316	-	-	3/8/8/17	-
3	OLA	A	504	-	-	3/8/8/17	-
3	OLA	A	505[A]	-	-	9/17/17/17	-

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LFA	A	510	-	-	2/6/6/17	-
2	LFA	A	513	-	-	5/9/9/17	-
3	OLA	A	505[B]	-	-	11/17/17/17	-
2	LFA	A	515	-	-	4/5/5/17	-
2	LFA	B	314	-	-	1/2/2/17	-
2	LFA	B	317	-	-	0/1/1/17	-
3	OLA	C	304	-	-	8/13/13/17	-
2	LFA	C	307	-	-	2/7/7/17	-
3	OLA	C	305	-	-	8/10/10/17	-
2	LFA	A	512	-	-	1/4/4/17	-
3	OLA	A	507	-	-	6/8/8/17	-
2	LFA	A	519	-	-	2/7/7/17	-
2	LFA	C	311	-	-	5/6/6/17	-
2	LFA	A	501	-	-	2/3/3/17	-
2	LFA	B	310	-	-	2/3/3/17	-
2	LFA	A	502	-	-	3/6/6/17	-
2	LFA	C	310	-	-	1/5/5/17	-
3	OLA	A	508	-	-	3/16/16/17	-
2	LFA	A	516	-	-	2/3/3/17	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	OLA	O1-C1	2.41	1.30	1.22

There are no bond angle outliers.

There are no chirality outliers.

5 of 215 torsion outliers are listed below:





Mol	Chain	Res	Type	Atoms
3	B	308	OLA	C11-C10-C9-C8
3	C	302	OLA	C11-C10-C9-C8
3	C	305	OLA	C11-C10-C9-C8
3	B	306	OLA	C11-C10-C9-C8
3	B	306	OLA	C1-C2-C3-C4




There are no ring outliers.


23 monomers are involved in 31 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	315	LFA	3	0
2	B	311	LFA	1	0
2	B	301	LFA	1	0
2	C	317	LFA	1	0
2	C	319	LFA	1	0
2	A	517	LFA	1	0
3	C	303	OLA	2	0
2	A	518	LFA	3	0
2	B	304	LFA	1	0
2	B	320	LFA	1	0
2	C	313	LFA	2	0
2	A	520	LFA	1	0
2	B	312	LFA	1	0
3	B	307	OLA	1	0
3	B	306	OLA	3	0
2	B	319	LFA	1	0
2	C	316	LFA	1	0
2	C	307	LFA	2	0
3	C	305	OLA	2	0
2	A	512	LFA	1	0
2	A	501	LFA	1	0
3	A	508	OLA	2	0
2	A	516	LFA	1	0





The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























































## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	220/229 (96%)	0.01	11 (5%) 28 26	20, 27, 44, 90	0
1	B	217/229 (94%)	-0.03	5 (2%) 60 59	21, 28, 45, 74	0
1	C	220/229 (96%)	0.03	12 (5%) 25 22	21, 29, 45, 70	0
All	All	657/687 (95%)	0.00	28 (4%) 35 32	20, 28, 45, 90	0

The worst 5 of 28 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	61	TYR	9.0
1	C	61	TYR	7.8
1	A	62	ASP	7.3
1	B	60	GLN	5.5
1	A	60	GLN	5.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	FME	A	1	8/11	0.90	0.17	36,43,46,49	0
1	LYR	A	207[A]	29/30	0.90	0.13	24,27,30,32	29
1	LYR	A	207[C]	29/30	0.90	0.13	24,27,30,32	29
1	LYR	C	207[A]	29/30	0.90	0.11	23,27,30,31	29
1	LYR	C	207[C]	29/30	0.90	0.11	23,27,30,30	29
1	FME	B	1	7/11	0.91	0.14	36,41,51,51	0
1	FME	C	1	8/11	0.91	0.15	36,41,48,49	0
1	LYR	B	207[A]	29/30	0.92	0.12	24,27,31,33	29

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	LYR	B	207[C]	29/30	0.92	0.12	24,27,30,32	29

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	OLA	C	305	13/20	0.47	0.19	36,48,61,63	0
3	OLA	A	505[A]	20/20	0.62	0.25	33,41,45,46	20
3	OLA	A	505[B]	20/20	0.62	0.25	35,41,45,47	20
2	LFA	C	308	16/20	0.62	0.26	43,53,64,66	0
2	LFA	B	310	6/20	0.64	0.15	42,44,48,48	0
3	OLA	B	308	20/20	0.66	0.18	38,46,60,62	0
3	OLA	C	303	19/20	0.69	0.18	32,46,58,71	0
3	OLA	C	302	16/20	0.69	0.16	33,41,54,58	0
3	OLA	A	508	19/20	0.70	0.24	37,46,61,73	0
2	LFA	A	520	10/20	0.71	0.18	34,52,56,57	0
3	OLA	A	506	16/20	0.72	0.14	39,49,82,86	0
3	OLA	B	305	14/20	0.73	0.13	38,47,60,66	0
2	LFA	C	317	9/20	0.73	0.19	46,49,56,56	0
3	OLA	A	504	11/20	0.73	0.13	33,43,51,51	0
3	OLA	A	507	11/20	0.73	0.20	36,46,56,57	0
2	LFA	B	316	6/20	0.73	0.23	51,59,59,62	0
2	LFA	A	517	3/20	0.75	0.18	44,44,45,55	0
2	LFA	C	315	9/20	0.77	0.13	40,43,49,49	0
2	LFA	B	313	7/20	0.77	0.10	45,46,54,58	0
2	LFA	C	310	8/20	0.77	0.16	49,55,56,58	0
3	OLA	C	304	16/20	0.77	0.25	41,51,62,73	0
3	OLA	B	307	12/20	0.77	0.17	40,49,57,68	0
2	LFA	A	513	12/20	0.78	0.15	33,46,53,57	0
2	LFA	A	514	7/20	0.78	0.19	39,46,50,56	0
2	LFA	A	515	8/20	0.79	0.25	46,52,56,59	0
2	LFA	C	316	11/20	0.79	0.17	42,48,52,54	0
2	LFA	B	317	4/20	0.79	0.15	32,37,37,42	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	OLA	B	306	16/20	0.79	0.18	37,44,64,65	0
2	LFA	C	319	8/20	0.79	0.15	42,51,56,58	0
2	LFA	A	510	9/20	0.80	0.25	52,58,62,64	0
2	LFA	A	516	6/20	0.80	0.17	40,46,50,51	0
2	LFA	B	319	9/20	0.80	0.15	35,46,50,54	0
2	LFA	B	320	14/20	0.80	0.16	41,47,51,53	0
2	LFA	B	321	10/20	0.80	0.25	41,49,54,56	0
2	LFA	A	511	9/20	0.81	0.13	36,40,44,51	0
2	LFA	C	307	10/20	0.81	0.15	42,48,53,54	0
2	LFA	C	314	9/20	0.81	0.15	43,48,52,52	0
2	LFA	B	302	15/20	0.83	0.21	35,38,44,48	0
2	LFA	B	318	15/20	0.83	0.14	31,41,57,57	0
2	LFA	B	301	7/20	0.83	0.23	36,39,46,55	0
2	LFA	B	312	9/20	0.85	0.11	34,43,49,51	0
2	LFA	C	312	8/20	0.85	0.10	36,41,44,45	0
2	LFA	A	518	5/20	0.85	0.16	35,36,41,52	0
2	LFA	A	503	7/20	0.86	0.28	36,39,42,46	0
2	LFA	B	311	9/20	0.86	0.12	43,44,54,55	0
2	LFA	B	314	5/20	0.86	0.10	34,36,38,45	0
2	LFA	C	311	9/20	0.86	0.10	40,44,51,53	0
2	LFA	A	512	7/20	0.87	0.10	40,42,47,50	0
2	LFA	B	315	5/20	0.87	0.18	42,44,47,48	0
2	LFA	C	301	17/20	0.88	0.21	27,40,46,47	0
2	LFA	C	313	8/20	0.88	0.32	37,45,58,60	0
2	LFA	C	318	5/20	0.88	0.13	33,47,51,52	0
2	LFA	A	519	10/20	0.89	0.09	39,42,46,49	0
2	LFA	A	502	9/20	0.90	0.17	29,32,42,43	0
2	LFA	A	501	6/20	0.90	0.09	35,38,43,47	0
2	LFA	C	309	4/20	0.90	0.08	39,40,40,41	0
2	LFA	B	304	7/20	0.91	0.09	36,38,44,50	0
2	LFA	B	303	9/20	0.92	0.23	37,44,52,54	0
5	PO4	A	521	5/5	0.92	0.27	63,64,71,72	5
5	PO4	C	320	5/5	0.92	0.29	63,65,72,73	5
4	NA	B	309	1/1	0.99	0.07	25,25,25,25	0
4	NA	C	306	1/1	0.99	0.04	24,24,24,24	0
4	NA	A	509	1/1	1.00	0.04	24,24,24,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around OLA C 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLA A 505 (A):**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OLA A 505 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA C 308:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around LFA B 310:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around OLA B 308:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)
















**Electron density around LFA C 317:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OLA A 504:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around LFA C 315:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around LFA B 313:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around LFA C 310:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA C 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OLA B 307:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 513:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA A 514:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 515:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA C 316:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OLA B 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA C 319:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA A 516:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 319:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA B 320:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 321:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA A 511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around LFA C 307:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around LFA C 314:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA B 318:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA B 312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA C 312:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA A 518:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA B 311:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 314:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA C 311:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 512:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA C 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA C 313:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA C 318:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around LFA A 519:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around LFA A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around LFA B 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around LFA B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NA B 309:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NA C 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.