

# Full wwPDB X-ray Structure Validation Report (i)

May 19, 2025 – 10:18 AM JST

PDB ID : 8ZN8 / pdb 00008zn8

Title : MjF-3C-CdS QDs

Authors : Duan, M.P.; Zhang, T.

Deposited on : 2024-05-26

Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 2.0rc1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.006 (Gargrove)

Density-Fitness : 1.0.12

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.43.1

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Wietric	$(\# {\rm Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	164625	1763 (2.26-2.26)
Clashscore	180529	1919 (2.26-2.26)
Ramachandran outliers	177936	1884 (2.26-2.26)
Sidechain outliers	177891	1885 (2.26-2.26)
RSRZ outliers	164620	1763 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	169	85%	15% •
1	В	169	88%	11% •
1	С	169	92%	8%
1	D	169	89%	11%
1	Е	169	93%	7%
1	F	169	85%	14% •



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	H2S	В	205	-	-	X	-
3	H2S	D	210	-	-	X	-
3	H2S	F	206	-	-	X	-



# 2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 8739 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Ferritin.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	A	169	Total	С	N	О	S	0	0	0
1	Λ	109	1349	846	228	266	9	0	U	
1	В	169	Total	С	N	О	S	0	1	0
1	Ъ	109	1358	851	230	268	9	0	1	0
1	С	169	Total	С	N	О	S	0	1	0
1		109	1355	849	229	268	9	0		0
1	D	169	Total	С	N	О	S	0	0	0
1	D	109	1349	846	228	266	9	0	U	0
1	Е	169	Total	С	N	О	S	0	0	0
1	l L	109	1349	846	228	266	9	0	U	0
1	F	169	Total	С	N	О	S	0	0	0
1	I'	109	1349	846	228	266	9	0	U	U

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ALA	CYS	conflict	UNP T2B7E1
A	24	CYS	GLU	conflict	UNP T2B7E1
A	58	CYS	GLU	conflict	UNP T2B7E1
A	59	CYS	GLU	conflict	UNP T2B7E1
В	13	ALA	CYS	conflict	UNP T2B7E1
В	24	CYS	GLU	conflict	UNP T2B7E1
В	58	CYS	GLU	conflict	UNP T2B7E1
В	59	CYS	GLU	conflict	UNP T2B7E1
С	13	ALA	CYS	conflict	UNP T2B7E1
С	24	CYS	GLU	conflict	UNP T2B7E1
С	58	CYS	GLU	conflict	UNP T2B7E1
С	59	CYS	GLU	conflict	UNP T2B7E1
D	13	ALA	CYS	conflict	UNP T2B7E1
D	24	CYS	GLU	conflict	UNP T2B7E1
D	58	CYS	GLU	conflict	UNP T2B7E1
D	59	CYS	GLU	conflict	UNP T2B7E1
Е	13	ALA	CYS	conflict	UNP T2B7E1




Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	24	CYS	GLU	conflict	UNP T2B7E1
Е	58	CYS	GLU	conflict	UNP T2B7E1
E	59	CYS	GLU	conflict	UNP T2B7E1
F	13	ALA	CYS	conflict	UNP T2B7E1
F	24	CYS	GLU	conflict	UNP T2B7E1
F	58	CYS	GLU	conflict	UNP T2B7E1
F	59	CYS	GLU	conflict	UNP T2B7E1

• Molecule 2 is CADMIUM ION (CCD ID: CD) (formula: Cd) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total Cd 4 4	0	0
2	В	4	Total Cd 4 4	0	0
2	С	4	Total Cd 4 4	0	0
2	D	4	Total Cd 4 4	0	0
2	E	4	Total Cd 4 4	0	0
2	F	4	Total Cd 4 4	0	0

• Molecule 3 is HYDROSULFURIC ACID (CCD ID: H2S) (formula:  $H_2S$ ) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total S	0	0
3	А	1	1 1	U	U
3	A	1	Total S	0	0
	11	1	1 1	Ů	Ů,
3	A	1	Total S	0	0
			1 1 Total S		
3	A	1	10tal 5	0	0
			Total S		
3	A	1	1 1	0	0
0	Α.	1	Total S	0	0
3	A	1	1 1	0	0
3	В	1	Total S	0	0
	D	1	1 1	0	U
3	В	1	Total S	0	0
			1 1 True 1 C		
3	В	1	Total S 1 1	0	0
			Total S		
3	В	1	1 1	0	0
	- D	-	Total S		0
3	В	1	1 1	0	0
3	С	1	Total S	0	0
<u> </u>	C	1	1 1	U	U
3	С	1	Total S	0	0
		_	1 1		
3	С	1	Total S	0	0
			1 1 Total S		
3	С	1	1 1	0	0
			Total S		
3	С	1	1 1	0	0
3	С	1	Total S	0	0
<u> </u>		1	1 1	U	U
3	D	1	Total S	0	0
		-	1 1		
3	D	1	Total S	0	0
			1 1 Total S		
3	D	1	10tal 5	0	0
	-		Total S	_	_
3	D	1	1 1	0	0
9	D	1	Total S	0	0
3	D	1	1 1	U	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	1	Total S 1 1	0	0
3	D	1	Total S 1 1	0	0
3	Е	1	Total S 1 1	0	0
3	Е	1	Total S 1 1	0	0
3	E	1	Total S 1 1	0	0
3	Е	1	Total S 1 1	0	0
3	Е	1	Total S 1 1	0	0
3	Е	1	Total S 1 1	0	0
3	F	1	Total S 1 1	0	0
3	F	1	Total S 1 1	0	0
3	F	1	Total S 1 1	0	0
3	F	1	Total S 1 1	0	0
3	F	1	Total S 1 1	0	0


• Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0
4	С	1	Total Mg 1 1	0	0
4	D	2	Total Mg 2 2	0	0
4	Е	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0

 $\bullet$  Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O4S) (labeled as "Ligand of Interest"



by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total O S 5 4 1	0	0
5	A	1	Total O S 5 4 1	0	0
5	В	1	Total O S 5 4 1	0	0
5	С	1	Total O S 5 4 1	0	0
5	D	1	Total O S 5 4 1	0	0
5	E	1	Total O S 5 4 1	0	0
5	F	1	Total O S 5 4 1	0	0

#### • Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	88	Total O 88 88	0	0
6	В	95	Total O 95 95	0	0
6	С	82	Total O 82 82	0	0
6	D	91	Total O 91 91	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	Е	88	Total O 88 88	0	0
6	F	86	Total O 86 86	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.









# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	126.75Å 126.75Å 177.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	$egin{array}{rrrr} 44.81 & - & 2.25 \ 44.81 & - & 2.25 \end{array}$	Depositor EDS
% Data completeness	98.7 (44.81-2.25)	Depositor
(in resolution range)	99.4 (44.81-2.25)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.40 (at 2.24Å)	Xtriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
D.D.	0.166 , 0.207	Depositor
$R, R_{free}$	0.168 , $0.208$	DCC
$R_{free}$ test set	3262  reflections  (4.90%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.8	Xtriage
Anisotropy	0.005	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.35, 29.5	EDS
L-test for twinning <sup>2</sup>	$< L > = 0.50, < L^2> = 0.33$	Xtriage
Estimated twinning fraction	$\begin{array}{c} 0.016 \text{ for } -1/2*\text{h}+1/2*\text{k}-1/2*\text{l},1/2*\text{h}-1/2*\text{k}-1/2*\text{l},-\text{h}-\text{k}} \\ 1/2*\text{l},-\text{h}-\text{k} \\ 0.000 \text{ for } -1/2*\text{h}+1/2*\text{k}+1/2*\text{l},1/2*\text{h}-1/2*\text{k}} \\ +1/2*\text{l},\text{h}+\text{k} \\ 0.000 \text{ for } -1/2*\text{h}-1/2*\text{k}+1/2*\text{l},-1/2*\text{h}-1/2*\text{k}-1/2*\text{l},-\text{h}-\text{k}} \\ 0.000 \text{ for } -1/2*\text{h}-1/2*\text{k}-1/2*\text{l},-1/2*\text{h}-1/2*\text{k}+1/2*\text{l},-1/2*\text{h}-1/2*\text{k}+1/2*\text{l},-\text{h}-\text{k}} \\ 0.004 \text{ for } -\text{h},\text{k},-\text{l} \end{array}$	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8739	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.79% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CD, H2S, MG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.33	0/1373	0.45	0/1846
1	В	0.34	0/1382	0.46	0/1858
1	С	0.33	0/1379	0.46	0/1854
1	D	0.34	0/1373	0.44	0/1846
1	Е	0.34	0/1373	0.45	0/1846
1	F	0.34	0/1373	0.46	0/1846
All	All	0.34	0/8253	0.45	0/11096

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1349	0	1305	20	1
1	В	1358	0	1313	14	0
1	С	1355	0	1310	10	1
1	D	1349	0	1305	15	2
1	Е	1349	0	1306	10	0
1	F	1349	0	1306	22	1
2	A	4	0	0	0	0



Continued from previous page...

Mol	Chain		H(model)	H(added)	Clashes	Symm-Clashes
2	В	4	0	0	0	0
2	С	4	0	0	0	0
2	D	4	0	0	0	0
2	Ε	4	0	0	0	0
2	F	4	0	0	0	0
3	A	6	0	0	1	0
3	В	5	0	0	2	0
3	С	6	0	0	2	0
3	D	7	0	0	4	0
3	Е	6	0	0	2	0
3	F	5	0	0	3	0
4	A	1	0	0	0	0
4	С	1	0	0	0	0
4	D	2	0	0	0	0
4	${ m E}$	1	0	0	0	0
4	F	1	0	0	0	0
5	A	10	0	0	0	0
5	В	5	0	0	0	0
5	С	5	0	0	0	0
5	D	5	0	0	0	0
5	Е	5	0	0	0	0
5	F	5	0	0	0	0
6	A	88	0	0	4	0
6	В	95	0	0	2	0
6	С	82	0	0	2	0
6	D	91	0	0	1	0
6	Е	88	0	0	2	0
6	F	86	0	0	5	0
All	All	8739	0	7845	89	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	$egin{array}{c} { m Clash} \\ { m overlap} \ ({ m \AA}) \end{array}$
3:E:209:H2S:S	6:E:354:HOH:O	2.05	1.14
1:C:10:HIS:HD2	1:C:12:ASP:H	1.13	0.96
1:F:10:HIS:HD2	1:F:12:ASP:H	1.14	0.93
1:C:102:ASP:OD1	6:C:301:HOH:O	1.91	0.89
1:B:10:HIS:HD2	1:B:12:ASP:H	1.16	0.86



 $Continued\ from\ previous\ page...$ 

Continued from prev		Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	${\rm distance}\ (\mathring{\rm A})$		
3:B:205:H2S:S	6:B:331:HOH:O	2.32	0.86	
1:D:137:GLU:OE2	3:D:210:H2S:S	2.41	0.78	
1:A:10:HIS:HD2	1:A:12:ASP:H	1.31	0.77	
1:E:3:SER:OG	6:E:301:HOH:O	2.02	0.77	
1:C:128:LYS:NZ	1:C:132:ASP:OD2	2.18	0.77	
3:F:206:H2S:S	6:F:317:HOH:O	2.43	0.76	
1:D:137:GLU:CD	3:D:210:H2S:S	2.78	0.67	
1:A:87:MET:HE2	1:A:89:GLU:H	1.59	0.65	
1:F:148:MET:HE3	1:F:169:LEU:HD21	1.77	0.65	
1:E:87:MET:HE3	1:E:89:GLU:H	1.63	0.64	
1:A:10:HIS:CD2	1:A:12:ASP:H	2.16	0.63	
1:D:136:GLU:OE1	1:D:137:GLU:HG3	2.02	0.59	
3:C:209:H2S:S	6:C:306:HOH:O	2.57	0.59	
1:F:10:HIS:CD2	1:F:12:ASP:H	2.07	0.59	
1:A:138:GLN:NE2	3:A:206:H2S:S	2.73	0.58	
1:D:137:GLU:HB3	3:D:210:H2S:S	2.44	0.57	
3:F:207:H2S:S	6:F:317:HOH:O	2.57	0.57	
1:B:148:MET:HE3	1:B:169:LEU:HD21	1.85	0.56	
1:C:10:HIS:CD2	1:C:12:ASP:H	2.06	0.55	
1:B:10:HIS:CD2	1:B:12:ASP:H	2.08	0.54	
1:C:148:MET:HE3	1:C:169:LEU:HD21	1.89	0.54	
1:E:16:SER:OG	1:E:114:LEU:HD13	2.09	0.53	
1:A:87:MET:HE2	1:A:89:GLU:HB2	1.90	0.53	
1:A:40:ARG:NH1	6:A:303:HOH:O	2.41	0.53	
1:B:128:LYS:NZ	1:B:132:ASP:OD2	2.31	0.52	
1:E:76:ARG:CZ	1:F:40:ARG:NH1	2.73	0.52	
1:B:10:HIS:CD2	1:B:12:ASP:HB2	2.47	0.50	
1:B:33:SER:HB2	1:D:79:LEU:HD12	1.94	0.50	
1:E:76:ARG:CZ	1:F:40:ARG:HH11	2.25	0.50	
1:E:138:GLN:NE2	3:E:205:H2S:S	2.84	0.50	
1:B:104:GLU:OE1	3:B:205:H2S:S	2.70	0.50	
1:A:114:LEU:HG	1:A:130:LEU:HD11	1.94	0.49	
1:B:3:SER:HB3	1:B:6:ARG:HB2	1.94	0.49	
1:A:148:MET:HE3	1:A:169:LEU:HD11	1.95	0.49	
1:D:60:ARG:NH1	6:D:301:HOH:O	2.40	0.49	
1:F:62:HIS:CD2	6:F:317:HOH:O	2.64	0.49	
1:A:50:LYS:NZ	1:A:169:LEU:O	2.45	0.48	
1:F:40:ARG:HH11	1:F:40:ARG:HG2	1.78	0.47	
1:A:36:TYR:HE2	1:C:68:LYS:HG3	1.79	0.47	
1:F:68:LYS:HA	1:F:68:LYS:CE	2.45	0.47	
1:F:68:LYS:HA	1:F:68:LYS:HE2	1.97	0.47	



 $Continued\ from\ previous\ page...$ 

Continued from pret		Interatomic	Clash overlap (Å)	
Atom-1	Atom-2	${\rm distance}\ (\mathring{\rm A})$		
1:F:17:ILE:HD13	1:F:114:LEU:HD21	1.97	0.46	
1:B:80:GLN:NE2	6:B:302:HOH:O	2.27	0.46	
1:C:104:GLU:OE2	3:C:207:H2S:S	2.73	0.46	
1:F:4:GLN:NE2	6:F:301:HOH:O	2.25	0.46	
1:A:76:ARG:HD3	1:A:76:ARG:HA	1.69	0.45	
1:A:16:SER:HB3	1:A:114:LEU:HD13	1.98	0.45	
1:A:10:HIS:CD2	1:A:11:GLU:N	2.84	0.45	
1:E:69:TYR:CD1	1:E:129:LEU:HD22	2.52	0.45	
1:A:13:ALA:O	1:A:17:ILE:HG12	2.17	0.44	
1:B:95:GLU:HA	1:B:98:GLN:HE21	1.83	0.44	
1:A:19:LYS:NZ	6:A:305:HOH:O	2.51	0.44	
1:B:129:LEU:HD12	1:B:133:GLU:HG3	1.99	0.43	
1:D:62:HIS:NE2	3:D:210:H2S:S	2.89	0.43	
1:A:118:ALA:HB2	1:A:126:LEU:HD23	2.01	0.43	
1:D:75:GLY:O	1:D:76:ARG:NH1	2.51	0.43	
1:A:40:ARG:CZ	6:A:303:HOH:O	2.67	0.43	
1:B:104:GLU:OE1	1:B:104:GLU:HA	2.19	0.43	
1:D:16:SER:HB3	1:D:114:LEU:HD13	1.99	0.43	
1:F:144:LYS:HA	1:F:144:LYS:HD3	1.93	0.43	
1:F:68:LYS:HZ3	1:F:71:ASN:HD22	1.65	0.43	
1:F:107:VAL:HG11	3:F:206:H2S:S	2.59	0.43	
1:D:136:GLU:H	1:D:136:GLU:CD	2.26	0.43	
1:F:104:GLU:OE1	1:F:138:GLN:NE2	2.51	0.43	
1:D:68:LYS:NZ	1:D:68:LYS:HB2	2.34	0.43	
1:D:114:LEU:HG	1:D:130:LEU:HD11	2.00	0.43	
1:F:50:LYS:HE2	1:F:170:ASN:OXT	2.19	0.43	
1:A:68:LYS:HG3	1:C:36:TYR:HE1	1.84	0.42	
1:B:16:SER:HB3	1:B:114:LEU:HD13	2.00	0.42	
1:B:68:LYS:HG3	1:D:36:TYR:HE2	1.83	0.42	
1:E:87:MET:HE2	1:E:89:GLU:HB2	2.01	0.42	
1:F:13:ALA:O	1:F:17:ILE:HG12	2.20	0.41	
1:F:37:TYR:HA	1:F:40:ARG:HD3	2.03	0.41	
1:F:63:ALA:O	1:F:67:MET:HG3	2.20	0.41	
1:A:60:ARG:NH1	6:A:302:HOH:O	2.37	0.41	
1:D:129:LEU:HD12	1:D:133:GLU:HG3	2.03	0.41	
1:E:63:ALA:O	1:E:67:MET:HG3	2.20	0.41	
1:F:60:ARG:NH1	6:F:307:HOH:O	2.48	0.41	
1:F:114:LEU:HG	1:F:130:LEU:HD11	2.02	0.41	
1:E:76:ARG:NE	1:E:76:ARG:HA	2.35	0.40	
1:A:36:TYR:CD1	1:C:67:MET:HE2	2.57	0.40	
1:C:10:HIS:CD2	1:C:12:ASP:HB2	2.57	0.40	



Continued from previous page...

Atom-1 Atom-2		$egin{aligned} &  ext{Interatomic} \ &  ext{distance} \ &  ext{(Å)} \end{aligned}$	Clash overlap (Å)	
1:D:3:SER:HB3	1:D:6:ARG:HB2	2.02	0.40	
1:F:16:SER:HB3	1:F:114:LEU:HD13	2.04	0.40	

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic	Clash	
Atom-1	Atom-2	$\operatorname{distance}\ ( ext{Å})$	overlap (Å)	
1:F:163:TYR:OH	1:F:168:GLU:OE1[3_555]	2.15	0.05	
1:C:136:GLU:OE2	1:D:128:LYS:NZ[6_554]	2.18	0.02	
1:A:128:LYS:NZ	1:D:132:ASP:OD1[8_554]	2.19	0.01	

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	167/169 (99%)	163 (98%)	4 (2%)	0	100 100
1	В	168/169 (99%)	166 (99%)	2 (1%)	0	100 100
1	$\mathbf{C}$	168/169 (99%)	165 (98%)	3 (2%)	0	100 100
1	D	167/169 (99%)	164 (98%)	3 (2%)	0	100 100
1	$\mathbf{E}$	167/169 (99%)	165 (99%)	2 (1%)	0	100 100
1	F	167/169 (99%)	165 (99%)	2 (1%)	0	100 100
All	All	1004/1014 (99%)	988 (98%)	16 (2%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	$\mathbf{ntiles}$
1	A	144/144 (100%)	140 (97%)	4 (3%)	38	47
1	В	145/144 (101%)	142 (98%)	3 (2%)	48	57
1	С	145/144 (101%)	144 (99%)	1 (1%)	81	88
1	D	144/144 (100%)	144 (100%)	0	100	100
1	E	144/144 (100%)	143 (99%)	1 (1%)	81	88
1	F	144/144 (100%)	142 (99%)	2 (1%)	62	72
All	All	866/864 (100%)	855 (99%)	11 (1%)	65	74

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	SER
1	A	29	TYR
1	A	102	ASP
1	A	169	LEU
1	В	17	ILE
1	В	114	LEU
1	В	137	GLU
1	С	58	CYS
1	Е	58	CYS
1	F	168	GLU
1	F	170	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	HIS
1	В	10	HIS
1	В	62	HIS
1	В	98	GLN
1	В	106	GLN
1	В	121	ASN
1	С	10	HIS
1	D	20	GLN
1	Ε	80	GLN
1	F	4	GLN
1	F	10	HIS



Continued from previous page...

Mol	Chain	Res	Type
1	F	71	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 72 ligands modelled in this entry, 30 are monoatomic and 35 are modelled with single atom leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type C		Clasia	Dag	T 2 1-	В	ond leng	$\operatorname{gths}$	Bond angles		
MIOI	Type	Chain	Res	Link	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	SO4	A	212	-	4,4,4	0.19	0	6,6,6	0.18	0
5	SO4	A	213	-	4,4,4	0.16	0	6,6,6	0.24	0
5	SO4	Е	212	-	4,4,4	0.20	0	6,6,6	0.34	0
5	SO4	С	212	-	4,4,4	0.11	0	6,6,6	0.24	0
5	SO4	В	210	-	4,4,4	0.11	0	6,6,6	0.35	0
5	SO4	D	214	-	4,4,4	0.20	0	6,6,6	0.31	0
5	SO4	F	211	-	4,4,4	0.20	0	6,6,6	0.20	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.




There are no torsion outliers.

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


































# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\text{RSRZ}{>}2$		$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q < 0.9	
1	A	169/169 (100%)	-0.32	1 (0%) 8	85 8	87	28, 38, 54, 66	0
1	В	169/169 (100%)	-0.38	1 (0%) 8	85 8	87	15, 37, 54, 68	1 (0%)
1	С	169/169 (100%)	-0.31	2 (1%) 7	76	77	19, 38, 55, 63	1 (0%)
1	D	169/169 (100%)	-0.41	1 (0%) 8	85 8	87	27, 37, 51, 66	0
1	E	169/169 (100%)	-0.35	1 (0%) 8	85 8	87	28, 37, 53, 65	0
1	F	169/169 (100%)	-0.30	1 (0%) 8	85 8	87	27, 37, 54, 64	0
All	All	1014/1014 (100%)	-0.34	7 (0%) 8	84 8	85	15, 37, 54, 68	2 (0%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	ALA	4.0
1	В	2	ALA	3.6
1	D	2	ALA	3.4
1	F	2	ALA	3.4
1	С	102	ASP	2.8
1	Е	2	ALA	2.6
1	С	2	ALA	2.5

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
3	H2S	A	210	1/1	0.30	0.28	57,57,57,57	1
2	CD	A	204	1/1	0.77	0.15	73,73,73,73	1
3	H2S	С	205	1/1	0.77	0.13	92,92,92,92	0
5	SO4	A	213	5/5	0.78	0.14	75,76,77,95	0
2	CD	Е	204	1/1	0.79	0.16	54,54,54,54	1
3	H2S	Е	209	1/1	0.84	0.15	69,69,69,69	1
3	H2S	D	211	1/1	0.84	0.17	62,62,62,62	1
3	H2S	Е	208	1/1	0.85	0.13	73,73,73,73	1
5	SO4	В	210	5/5	0.85	0.20	47,48,52,61	5
3	H2S	В	206	1/1	0.86	0.10	82,82,82,82	0
3	H2S	Е	210	1/1	0.86	0.10	79,79,79,79	0
3	H2S	В	207	1/1	0.86	0.13	71,71,71,71	0
3	H2S	В	209	1/1	0.86	0.11	74,74,74,74	0
3	H2S	Е	207	1/1	0.87	0.14	68,68,68,68	1
3	H2S	F	209	1/1	0.87	0.12	75,75,75,75	1
3	H2S	D	210	1/1	0.87	0.12	55,55,55,55	1
3	H2S	D	205	1/1	0.87	0.11	78,78,78,78	0
5	SO4	D	214	5/5	0.87	0.17	45,51,54,60	5
3	H2S	D	206	1/1	0.89	0.09	78,78,78,78	0
3	H2S	D	209	1/1	0.89	0.12	58,58,58,58	1
2	CD	F	204	1/1	0.89	0.11	63,63,63,63	1
3	H2S	A	208	1/1	0.89	0.10	75,75,75,75	0
2	CD	С	204	1/1	0.89	0.10	63,63,63,63	1
2	CD	В	204	1/1	0.89	0.11	64,64,64,64	1
3	H2S	Е	205	1/1	0.90	0.15	50,50,50,50	1
3	H2S	E	206	1/1	0.90	0.12	63,63,63,63	1
3	H2S	С	210	1/1	0.90	0.10	82,82,82,82	0
3	H2S	A	207	1/1	0.90	0.14	64,64,64,64	1
3	H2S	С	206	1/1	0.90	0.11	62,62,62,62	1
5	SO4	Е	212	5/5	0.90	0.14	41,46,50,62	5
3	H2S	В	205	1/1	0.91	0.13	60,60,60,60	1
5	SO4	С	212	5/5	0.91	0.11	43,43,47,57	5
4	MG	Е	211	1/1	0.91	0.08	50,50,50,50	0
3	H2S	A	205	1/1	0.91	0.11	86,86,86,86	0
3	H2S	С	207	1/1	0.92	0.12	57,57,57,57	1
3	H2S	F	208	1/1	0.92	0.08	74,74,74,74	0
2	CD	D	204	1/1	0.92	0.10	54,54,54,54	1




Continued from previous page...


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}({ ext{\AA}}^2)$	Q < 0.9
4	MG	A	211	1/1	0.93	0.14	50,50,50,50	0
4	MG	С	211	1/1	0.93	0.14	50,50,50,50	0
4	MG	D	213	1/1	0.93	0.10	50,50,50,50	0
3	H2S	С	208	1/1	0.93	0.10	63,63,63,63	1
5	SO4	A	212	5/5	0.93	0.11	41,45,49,57	5
3	H2S	С	209	1/1	0.93	0.09	61,61,61,61	1
3	H2S	F	205	1/1	0.93	0.12	76,76,76,76	0
3	H2S	F	207	1/1	0.93	0.09	60,60,60,60	0
2	CD	E	203	1/1	0.93	0.08	65,65,65,65	1
3	H2S	A	206	1/1	0.93	0.11	58,58,58,58	1
5	SO4	F	211	5/5	0.93	0.11	46,48,54,63	5
3	H2S	В	208	1/1	0.94	0.08	60,60,60,60	1
3	H2S	A	209	1/1	0.94	0.09	55,55,55,55	1
3	H2S	F	206	1/1	0.95	0.09	59,59,59,59	1
3	H2S	D	207	1/1	0.95	0.10	55,55,55,55	1
3	H2S	D	208	1/1	0.95	0.14	66,66,66,66	1
2	CD	F	203	1/1	0.96	0.07	61,61,61,61	1
4	MG	F	210	1/1	0.96	0.12	35,35,35,35	0
2	CD	В	203	1/1	0.96	0.06	74,74,74,74	1
2	CD	D	202	1/1	0.97	0.05	61,61,61,61	1
2	CD	D	203	1/1	0.97	0.05	60,60,60,60	1
2	CD	В	202	1/1	0.97	0.05	79,79,79,79	1
2	CD	Ε	201	1/1	0.97	0.06	44,44,44,44	1
2	CD	Ε	202	1/1	0.97	0.06	71,71,71,71	1
2	CD	С	202	1/1	0.97	0.05	76,76,76,76	1
2	CD	С	203	1/1	0.97	0.06	70,70,70,70	1
2	CD	A	203	1/1	0.97	0.05	60,60,60,60	1
2	CD	F	202	1/1	0.98	0.04	67,67,67,67	1
2	CD	D	201	1/1	0.98	0.05	43,43,43,43	1
2	CD	A	202	1/1	0.98	0.04	71,71,71,71	1
2	CD	F	201	1/1	0.98	0.05	47,47,47,47	1
4	MG	D	212	1/1	0.98	0.07	28,28,28,28	1
2	CD	В	201	1/1	0.99	0.03	47,47,47,47	1
2	CD	A	201	1/1	0.99	0.05	44,44,44,44	1
2	CD	С	201	1/1	0.99	0.03	45,45,45,45	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



























# Electron density around H2S E 209: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




# Electron density around H2S D 211: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)













#### V Electron density around H2S B 206: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)













# Electron density around H2S B 209: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




























# Electron density around H2S D 206: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)












### Electron density around H2S A 208: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)









### Electron density around CD B 204: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
































# Electron density around H2S B 205: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around MG E 211:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around H2S A 205: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)









# Electron density around H2S F 208: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)













## Electron density around MG C 211: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray ${ m mF}_o{ m -DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)




#### Electron density around MG D 213:


 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)




















































































## Electron density around CD B 203: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)








## Electron density around CD D 203: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)




#### Electron density around CD B 202: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)























# Electron density around CD A 203: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)













# Electron density around CD A 202: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)
























#### 6.5 Other polymers (i)

There are no such residues in this entry.

