



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 12, 2021 – 12:32 PM EDT

PDB ID : 1ZR4
Title : Structure of a Synaptic gamma-delta Resolvase Tetramer Covalently linked to two Cleaved DNAs
Authors : Li, W.; Kamtekar, S.; Xiong, Y.; Sarkis, G.J.; Grindley, N.D.; Steitz, T.A.
Deposited on : 2005-05-19
Resolution : 3.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1055 (3.48-3.32)
Ramachandran outliers	138981	1038 (3.48-3.32)
Sidechain outliers	138945	1038 (3.48-3.32)
RSRZ outliers	127900	2173 (3.50-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	J	19	
1	M	19	
1	U	19	
1	X	19	
2	I	3	
2	O	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	W	3	67% 33%
2	Z	3	67% 33%
3	K	13	31% 46% 54%
3	N	13	8% 54% 46%
3	V	13	15% 62% 23%
3	Y	13	69% 31%
4	A	183	3% 66% 28% 6%
4	B	183	20% 75% 21% ..
4	D	183	5% 69% 26% 5% .
4	E	183	9% 70% 28% .

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called TCAGTGTCCGATAATTTAT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	X	19	Total 385	C 187	N 65	O 115	P 18	0	0	0
1	J	19	Total 385	C 187	N 65	O 115	P 18	0	0	0
1	U	19	Total 385	C 187	N 65	O 115	P 18	0	0	0
1	M	19	Total 385	C 187	N 65	O 115	P 18	0	0	0

- Molecule 2 is a DNA chain called AAA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	Z	3	Total 63	C 30	N 15	O 15	P 3	0	0	0
2	I	3	Total 63	C 30	N 15	O 15	P 3	0	0	0
2	W	3	Total 63	C 30	N 15	O 15	P 3	0	0	0
2	O	3	Total 63	C 30	N 15	O 15	P 3	0	0	0

- Molecule 3 is a DNA chain called TTATCGGACACTG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	Y	13	Total 263	C 127	N 47	O 77	P 12	0	0	0
3	K	13	Total 263	C 127	N 47	O 77	P 12	0	0	0
3	V	13	Total 263	C 127	N 47	O 77	P 12	0	0	0
3	N	13	Total 263	C 127	N 47	O 77	P 12	0	0	0

- Molecule 4 is a protein called Transposon gamma-delta resolvase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	A	183	1422	881	266	268	7	0	0	0
4	B	182	1414	876	265	267	6	0	0	0
4	E	183	1422	881	266	268	7	0	0	0
4	D	182	1414	876	265	267	6	0	0	0


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	2	ALA	ARG	engineered mutation	UNP P03012
A	56	LYS	GLU	engineered mutation	UNP P03012
A	101	SER	GLY	engineered mutation	UNP P03012
A	102	TYR	GLU	engineered mutation	UNP P03012
A	103	ILE	MET	engineered mutation	UNP P03012
A	124	GLN	GLU	engineered mutation	UNP P03012
B	2	ALA	ARG	engineered mutation	UNP P03012
B	56	LYS	GLU	engineered mutation	UNP P03012
B	101	SER	GLY	engineered mutation	UNP P03012
B	102	TYR	GLU	engineered mutation	UNP P03012
B	103	ILE	MET	engineered mutation	UNP P03012
B	124	GLN	GLU	engineered mutation	UNP P03012
E	2	ALA	ARG	engineered mutation	UNP P03012
E	56	LYS	GLU	engineered mutation	UNP P03012
E	101	SER	GLY	engineered mutation	UNP P03012
E	102	TYR	GLU	engineered mutation	UNP P03012
E	103	ILE	MET	engineered mutation	UNP P03012
E	124	GLN	GLU	engineered mutation	UNP P03012
D	2	ALA	ARG	engineered mutation	UNP P03012
D	56	LYS	GLU	engineered mutation	UNP P03012
D	101	SER	GLY	engineered mutation	UNP P03012
D	102	TYR	GLU	engineered mutation	UNP P03012
D	103	ILE	MET	engineered mutation	UNP P03012
D	124	GLN	GLU	engineered mutation	UNP P03012


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: TCAGTGTCCGATAATTTAT





- Molecule 1: TCAGTGTCCGATAATTTAT



- Molecule 1: TCAGTGTCCGATAATTTAT



- Molecule 1: TCAGTGTCCGATAATTTAT



- Molecule 2: AAA



- Molecule 2: AAA



A20
A21
A22

- Molecule 2: AAA

Chain W: 67% 33%

A20
A21
A22

- Molecule 2: AAA

Chain O: 67% 33%

A20
A21
A22

- Molecule 3: TTATCGGACACTG

Chain Y: 69% 31%

T23
T24
A25
T26
C27
G28
G29
A30
C31
A32
C33
T34
G35

- Molecule 3: TTATCGGACACTG

Chain K: 31% 46% 54%

T23
T24
A25
T26
G28
C31
A32
C33
T34
G35

- Molecule 3: TTATCGGACACTG

Chain V: 15% 62% 23%

T23
T24
A25
T26
C27
G28
G29
A30
C31
A32
C33
T34
G35

- Molecule 3: TTATCGGACACTG

Chain N: 8% 54% 46%

T23
T24
A25
T26
C27
G28
G29
A30
C31
A32
C33
T34
G35




- Molecule 4: Transposon gamma-delta resolvase

Chain A: 3% 66% 28% 6%



H1
A2
Y6
V9
S10
T11
S12
Q13
Q14
S15
L16
V20
N31
R32
T35
D36
K37
A38
S39
G40
S41
S42
S43
D44
R45
L48
D59
K65
L66
D67
R68
L69
G70
R71
D72
T73
K74
D75
M76
I77
Q78
E82
F83
Y88
S89
I90
D94
T99




- Molecule 4: Transposon gamma-delta resolvase



- Molecule 4: Transposon gamma-delta resolvase



- Molecule 4: Transposon gamma-delta resolvase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	119.16Å 127.29Å 140.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.40 43.57 – 3.28	Depositor EDS
% Data completeness (in resolution range)	99.7 (50.00-3.40) 99.4 (43.57-3.28)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 3.25Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.264 , 0.295 0.264 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	82.3	Xtrriage
Anisotropy	0.086	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.23 , 77.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	8516	wwPDB-VP
Average B, all atoms (Å ²)	111.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	J	0.78	0/430	1.43	5/662 (0.8%)
1	M	1.06	1/430 (0.2%)	1.82	12/662 (1.8%)
1	U	0.83	0/430	1.64	10/662 (1.5%)
1	X	0.93	0/430	2.01	15/662 (2.3%)
2	I	0.53	0/71	1.09	0/107
2	O	0.90	0/71	1.25	0/107
2	W	0.64	0/71	1.13	0/107
2	Z	0.68	0/71	1.02	0/107
3	K	0.69	0/294	1.28	0/452
3	N	1.04	1/294 (0.3%)	1.91	11/452 (2.4%)
3	V	0.68	0/294	1.53	4/452 (0.9%)
3	Y	0.81	0/294	1.77	7/452 (1.5%)
4	A	0.49	0/1432	0.66	0/1914
4	B	0.46	0/1424	0.61	0/1904
4	D	0.46	0/1424	0.67	1/1902 (0.1%)
4	E	0.47	0/1432	0.61	0/1914
All	All	0.64	2/8892 (0.0%)	1.15	65/12518 (0.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	N	34	DT	C1'-N1	5.96	1.56	1.49
1	M	1	DT	C1'-N1	5.10	1.55	1.49

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	2	DC	O4'-C1'-N1	15.64	118.95	108.00
1	X	1	DT	O4'-C1'-N1	12.22	116.56	108.00
3	N	26	DT	C6-C5-C7	-9.86	116.99	122.90
3	Y	24	DT	C6-C5-C7	-9.82	117.01	122.90
1	X	1	DT	C1'-O4'-C4'	-9.01	101.09	110.10
1	M	3	DA	P-O3'-C3'	8.52	129.92	119.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	15	DT	O4'-C1'-N1	8.44	113.91	108.00
1	X	1	DT	C3'-C2'-C1'	-8.44	92.38	102.50
1	M	1	DT	O4'-C1'-N1	8.24	113.77	108.00
3	N	34	DT	O4'-C1'-N1	8.12	113.69	108.00
1	X	1	DT	P-O3'-C3'	8.05	129.36	119.70
1	X	2	DC	C1'-O4'-C4'	-7.94	102.16	110.10
1	M	7	DT	C6-C5-C7	-7.58	118.36	122.90
1	J	1	DT	P-O3'-C3'	7.57	128.78	119.70
3	Y	33	DC	O4'-C1'-N1	7.30	113.11	108.00
3	N	25	DA	O4'-C4'-C3'	-7.07	101.67	104.50
1	U	1	DT	O4'-C1'-N1	7.05	112.94	108.00
1	J	3	DA	P-O3'-C3'	6.98	128.08	119.70
3	Y	35	DG	C8-N9-C4	-6.83	103.67	106.40
1	M	1	DT	P-O3'-C3'	6.73	127.77	119.70
3	V	28	DG	O4'-C1'-N9	6.60	112.62	108.00
3	N	29	DG	O4'-C1'-N9	6.18	112.33	108.00
1	X	14	DA	C3'-C2'-C1'	-6.17	95.09	102.50
3	V	34	DT	C6-C5-C7	-6.12	119.23	122.90
3	N	24	DT	N3-C4-O4	6.07	123.54	119.90
1	X	9	DC	O4'-C1'-N1	5.93	112.15	108.00
3	N	23	DT	O4'-C1'-N1	5.90	112.13	108.00
1	M	9	DC	O4'-C1'-N1	5.85	112.09	108.00
3	Y	35	DG	N7-C8-N9	5.84	116.02	113.10
3	Y	32	DA	O4'-C1'-N9	5.80	112.06	108.00
1	M	14	DA	P-O3'-C3'	5.72	126.56	119.70
1	U	2	DC	N1-C2-O2	5.70	122.32	118.90
1	U	3	DA	P-O3'-C3'	5.63	126.45	119.70
1	U	12	DT	O4'-C1'-N1	5.60	111.92	108.00
1	U	11	DA	O4'-C1'-N9	5.58	111.91	108.00
3	V	24	DT	O4'-C1'-N1	5.57	111.90	108.00
1	U	2	DC	C1'-O4'-C4'	-5.54	104.56	110.10
4	D	138	VAL	N-CA-C	-5.53	96.07	111.00
1	J	17	DT	O4'-C1'-N1	5.52	111.86	108.00
1	U	7	DT	N3-C4-O4	5.50	123.20	119.90
1	X	12	DT	O4'-C1'-N1	5.50	111.85	108.00
3	Y	26	DT	C5-C4-O4	-5.50	121.05	124.90
1	M	2	DC	P-O3'-C3'	5.49	126.29	119.70
1	X	6	DG	P-O3'-C3'	5.45	126.24	119.70
3	N	27	DC	C4-C5-C6	5.44	120.12	117.40
1	X	18	DA	O4'-C1'-N9	5.43	111.80	108.00
1	M	12	DT	C1'-O4'-C4'	-5.41	104.69	110.10
1	X	1	DT	C5-C4-O4	-5.40	121.12	124.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	M	4	DG	O4'-C1'-N9	5.40	111.78	108.00
3	N	24	DT	C5-C4-O4	-5.40	121.12	124.90
3	N	28	DG	C1'-O4'-C4'	-5.34	104.76	110.10
3	V	33	DC	O4'-C1'-N1	5.32	111.72	108.00
1	X	10	DG	P-O3'-C3'	5.29	126.05	119.70
1	J	6	DG	P-O3'-C3'	5.28	126.04	119.70
1	X	1	DT	N1-C1'-C2'	5.26	122.59	112.60
3	N	35	DG	C8-N9-C4	-5.10	104.36	106.40
1	M	15	DT	C6-C5-C7	-5.09	119.84	122.90
1	M	12	DT	C5-C4-O4	-5.09	121.34	124.90
1	U	15	DT	C6-C5-C7	-5.08	119.85	122.90
3	Y	23	DT	P-O3'-C3'	5.07	125.78	119.70
1	U	9	DC	O4'-C1'-N1	5.05	111.53	108.00
1	U	19	DT	O4'-C1'-N1	5.04	111.53	108.00
1	X	15	DT	C6-C5-C7	-5.03	119.88	122.90
3	N	34	DT	C6-C5-C7	-5.03	119.88	122.90
1	J	12	DT	O4'-C1'-N1	5.01	111.51	108.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	J	385	0	219	3	0
1	M	385	0	219	11	0
1	U	385	0	219	10	0
1	X	385	0	219	20	0
2	I	63	0	34	1	0
2	O	63	0	34	1	0
2	W	63	0	34	2	0
2	Z	63	0	34	1	0
3	K	263	0	149	4	0
3	N	263	0	149	12	0
3	V	263	0	149	13	0
3	Y	263	0	149	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	1422	0	1483	44	0
4	B	1414	0	1471	20	0
4	D	1414	0	1471	34	0
4	E	1422	0	1483	37	0
All	All	8516	0	7516	216	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (216) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:Y:30:DA:H2''	3:Y:31:DC:H5''	1.27	1.15
3:N:28:DG:H2''	3:N:29:DG:H5''	1.29	1.12
3:Y:25:DA:H2''	3:Y:26:DT:H5''	1.34	1.07
1:X:2:DC:H2''	1:X:3:DA:OP2	1.52	1.05
3:N:30:DA:H2''	3:N:31:DC:H5''	1.46	0.95
3:Y:30:DA:C2'	3:Y:31:DC:H5''	2.05	0.84
4:B:118:GLU:HG3	4:B:121:ARG:HH21	1.43	0.83
4:B:70:GLY:HA3	4:B:76:MET:HG2	1.62	0.81
4:E:118:GLU:HG3	4:E:121:ARG:HH21	1.45	0.81
3:N:28:DG:C2'	3:N:29:DG:H5''	2.10	0.79
4:E:70:GLY:HA3	4:E:76:MET:HG2	1.63	0.79
1:M:5:DT:H2''	1:M:6:DG:H5''	1.65	0.77
4:A:11:THR:HG22	4:A:12:SER:H	1.50	0.76
3:Y:34:DT:H2'	3:Y:35:DG:C8	2.21	0.75
4:B:11:THR:HG22	4:B:12:SER:H	1.52	0.75
1:X:11:DA:H2''	1:X:12:DT:O5'	1.87	0.74
3:V:26:DT:H2''	3:V:27:DC:H5''	1.69	0.74
3:N:34:DT:H2''	3:N:35:DG:O4'	1.87	0.73
1:U:2:DC:H3'	1:U:3:DA:C8	2.23	0.72
1:X:1:DT:C2	1:X:2:DC:H5''	2.24	0.72
4:D:11:THR:HG22	4:D:12:SER:H	1.54	0.72
4:E:11:THR:HG22	4:E:12:SER:H	1.56	0.70
3:N:33:DC:H2''	3:N:34:DT:H5'	1.72	0.70
3:N:34:DT:H2''	3:N:35:DG:C8	2.27	0.69
4:A:78:GLN:O	4:A:82:GLU:HG2	1.92	0.68
3:V:30:DA:H2''	3:V:31:DC:H5''	1.75	0.68
1:M:5:DT:H2''	1:M:6:DG:C5'	2.25	0.67
3:Y:27:DC:H2''	3:Y:28:DG:O5'	1.94	0.67
3:Y:25:DA:H2''	3:Y:26:DT:C5'	2.20	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:72:ASP:OD2	4:A:75:ASP:HB3	1.96	0.65
4:E:52:ARG:NH1	4:E:82:GLU:OE1	2.29	0.65
3:V:34:DT:C2'	3:V:35:DG:C8	2.80	0.64
4:E:130:ARG:O	4:E:134:MET:HB2	1.98	0.64
3:V:34:DT:H2'	3:V:35:DG:C8	2.33	0.64
3:K:33:DC:H2''	3:K:34:DT:H5''	1.80	0.63
4:D:118:GLU:HG3	4:D:121:ARG:HH21	1.64	0.62
4:B:70:GLY:HA3	4:B:76:MET:CG	2.28	0.61
3:K:32:DA:H2''	3:K:33:DC:H5''	1.83	0.61
3:V:28:DG:H2''	3:V:29:DG:H5''	1.83	0.61
3:V:32:DA:H2''	3:V:33:DC:H5''	1.83	0.60
4:A:43:SER:HB3	4:A:71:ARG:HH22	1.66	0.60
1:M:4:DG:C2	3:N:34:DT:O2	2.54	0.60
4:A:43:SER:CB	4:A:71:ARG:HH22	2.14	0.60
1:M:8:DC:H2''	1:M:9:DC:O5'	2.01	0.60
1:X:9:DC:H2''	1:X:10:DG:C8	2.37	0.59
3:Y:25:DA:C2'	3:Y:26:DT:H5''	2.22	0.59
4:B:9:VAL:HG21	4:B:14:GLN:HA	1.85	0.58
1:X:2:DC:C2'	1:X:3:DA:OP2	2.39	0.58
3:K:30:DA:H2''	3:K:31:DC:H5''	1.86	0.57
4:A:11:THR:HG22	4:A:12:SER:N	2.19	0.57
1:M:9:DC:H2''	1:M:10:DG:C8	2.39	0.57
3:V:26:DT:H2''	3:V:27:DC:C5'	2.34	0.57
4:A:16:LEU:O	4:A:20:VAL:HG23	2.05	0.57
4:E:78:GLN:O	4:E:82:GLU:HG3	2.05	0.57
4:D:118:GLU:O	4:D:122:ILE:HG12	2.05	0.57
4:E:9:VAL:HG21	4:E:14:GLN:HA	1.87	0.57
3:Y:26:DT:H3'	4:A:146:ILE:HD11	1.86	0.56
4:A:9:VAL:HG21	4:A:14:GLN:HA	1.87	0.56
1:X:10:DG:H1'	1:X:11:DA:H5''	1.87	0.56
1:U:10:DG:H1'	1:U:11:DA:H5''	1.87	0.56
4:E:98:SER:OG	4:E:100:ASP:HB2	2.04	0.56
4:B:11:THR:HG22	4:B:12:SER:N	2.19	0.56
1:X:3:DA:H2''	1:X:4:DG:OP2	2.06	0.56
4:E:131:GLN:C	4:E:133:ALA:H	2.09	0.55
4:A:149:ASP:O	4:A:153:ASN:HB2	2.06	0.55
4:D:11:THR:HG22	4:D:12:SER:N	2.20	0.55
4:D:9:VAL:HG21	4:D:14:GLN:HA	1.86	0.55
2:I:20:DA:H5'	4:B:10:SER:HB2	1.87	0.55
2:W:20:DA:H5'	4:E:10:SER:HB2	1.89	0.55
4:A:99:THR:HG22	4:A:99:THR:O	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:V:34:DT:H2''	3:V:35:DG:C8	2.40	0.55
4:A:69:LEU:HD23	4:A:76:MET:HG3	1.89	0.55
4:D:14:GLN:C	4:D:16:LEU:H	2.11	0.54
3:V:35:DG:H5''	3:V:35:DG:H8	1.73	0.54
1:J:3:DA:H2''	1:J:4:DG:OP2	2.08	0.54
4:A:90:ILE:H	4:A:99:THR:HB	1.72	0.53
4:E:11:THR:HG22	4:E:12:SER:N	2.22	0.53
3:N:29:DG:H2''	3:N:30:DA:C8	2.44	0.53
1:X:8:DC:H2''	1:X:9:DC:O5'	2.07	0.53
4:A:2:ALA:HB3	4:A:59:ASP:OD1	2.08	0.53
4:A:130:ARG:O	4:A:134:MET:HB2	2.08	0.53
4:B:78:GLN:O	4:B:82:GLU:HG3	2.09	0.53
4:A:127:ASN:HA	4:A:130:ARG:HG3	1.90	0.53
1:X:2:DC:H42	3:Y:35:DG:H22	1.57	0.53
3:K:25:DA:H1'	3:K:26:DT:H5''	1.89	0.53
1:X:18:DA:H2'	1:X:19:DT:C6	2.45	0.52
1:U:9:DC:H2'	1:U:10:DG:C8	2.45	0.52
4:D:78:GLN:O	4:D:82:GLU:HG2	2.09	0.52
4:D:66:LEU:HD21	4:D:108:VAL:HG13	1.91	0.51
3:Y:34:DT:H2''	3:Y:35:DG:O4'	2.10	0.51
4:A:83:PHE:HB3	4:A:88:VAL:HG23	1.92	0.51
4:D:86:GLN:O	4:D:86:GLN:HG2	2.10	0.51
4:E:98:SER:C	4:E:100:ASP:H	2.14	0.51
4:E:177:LYS:O	4:E:181:GLU:HB2	2.11	0.51
3:N:32:DA:H2''	3:N:33:DC:H5''	1.91	0.51
4:A:45:ARG:HD3	4:A:71:ARG:HH21	1.76	0.50
1:M:2:DC:O2	1:M:2:DC:C2'	2.59	0.50
4:E:8:ARG:H	4:E:19:GLN:HE22	1.59	0.50
3:Y:33:DC:C5'	3:Y:33:DC:H6	2.25	0.49
1:U:2:DC:H2'	1:U:2:DC:O2	2.11	0.49
1:X:6:DG:N7	4:A:172:ARG:NH2	2.61	0.49
4:B:98:SER:OG	4:B:100:ASP:HB2	2.13	0.49
4:E:8:ARG:O	4:E:19:GLN:NE2	2.45	0.49
4:E:59:ASP:HB2	4:E:88:VAL:HG12	1.95	0.49
4:E:83:PHE:HD2	4:E:88:VAL:HG21	1.76	0.48
4:D:2:ALA:HB3	4:D:59:ASP:OD1	2.13	0.48
4:A:14:GLN:C	4:A:16:LEU:H	2.16	0.48
3:V:27:DC:H6	3:V:27:DC:H5'	1.78	0.48
4:E:83:PHE:HB3	4:E:88:VAL:HG23	1.94	0.48
4:A:76:MET:O	4:A:76:MET:HG2	2.14	0.48
4:A:126:THR:O	4:A:130:ARG:HG2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Z:20:DA:H5'	4:A:10:SER:HB2	1.95	0.48
4:A:99:THR:O	4:A:99:THR:CG2	2.62	0.48
4:B:14:GLN:C	4:B:16:LEU:H	2.18	0.48
1:X:1:DT:H2''	1:X:2:DC:OP2	2.14	0.47
1:X:1:DT:N1	1:X:2:DC:H5''	2.28	0.47
4:E:83:PHE:CD2	4:E:88:VAL:HG21	2.49	0.47
4:A:38:ALA:C	4:A:40:GLY:H	2.18	0.47
1:X:3:DA:OP2	1:X:3:DA:C8	2.67	0.47
4:B:15:SER:C	4:B:17:ASP:N	2.66	0.47
3:V:26:DT:C2'	3:V:27:DC:H5''	2.43	0.47
4:A:13:GLN:O	4:A:13:GLN:HG2	2.15	0.47
4:A:73:THR:N	4:A:116:GLN:OE1	2.42	0.47
4:B:13:GLN:O	4:B:13:GLN:HG2	2.15	0.47
4:A:65:LYS:HE2	4:A:94:ASP:OD2	2.14	0.46
4:A:6:TYR:CE1	4:A:48:LEU:HB2	2.50	0.46
1:M:3:DA:H1'	1:M:4:DG:H8	1.80	0.46
4:D:20:VAL:HG13	4:D:33:ILE:HG21	1.98	0.46
4:B:131:GLN:HE22	4:B:134:MET:HG2	1.80	0.46
4:E:62:LEU:HD23	4:E:93:ILE:HD11	1.97	0.46
1:U:2:DC:O2	1:U:2:DC:C2'	2.63	0.46
4:D:103:ILE:O	4:D:107:VAL:HG23	2.15	0.46
3:Y:29:DG:H2''	3:Y:30:DA:C8	2.50	0.46
1:X:1:DT:H1'	1:X:2:DC:H5''	1.96	0.46
4:D:13:GLN:O	4:D:13:GLN:HG2	2.16	0.46
4:B:45:ARG:NH2	4:B:75:ASP:OD2	2.49	0.46
4:E:13:GLN:HG2	4:E:13:GLN:O	2.16	0.45
4:D:69:LEU:HD21	4:D:90:ILE:HD13	1.96	0.45
3:Y:30:DA:C3'	3:Y:31:DC:H5''	2.44	0.45
3:Y:32:DA:H2''	3:Y:33:DC:H5''	1.99	0.45
4:D:151:VAL:HG22	4:D:168:MET:HE3	1.98	0.45
1:U:6:DG:N7	4:E:172:ARG:NH2	2.64	0.45
3:Y:30:DA:H2''	3:Y:31:DC:C5'	2.19	0.45
1:U:2:DC:C3'	1:U:3:DA:C8	2.97	0.45
3:V:29:DG:H2''	3:V:30:DA:C8	2.52	0.45
4:A:6:TYR:HE1	4:A:48:LEU:HB2	1.82	0.45
4:A:155:TRP:C	4:A:157:GLN:H	2.20	0.45
4:E:6:TYR:C	4:E:6:TYR:CD2	2.90	0.45
4:E:43:SER:HB2	4:E:71:ARG:HH22	1.81	0.45
4:B:6:TYR:C	4:B:6:TYR:CD2	2.90	0.45
4:E:70:GLY:HA3	4:E:76:MET:CG	2.41	0.44
2:W:20:DA:C5'	4:E:10:SER:HB2	2.47	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:77:ILE:HD11	4:A:109:THR:HG23	1.99	0.44
1:X:4:DG:H2''	1:X:5:DT:H5''	2.00	0.44
4:A:11:THR:CG2	4:A:12:SER:H	2.27	0.44
4:E:6:TYR:HE1	4:E:48:LEU:HB2	1.82	0.44
4:D:6:TYR:C	4:D:6:TYR:CD2	2.90	0.44
4:B:11:THR:CG2	4:B:12:SER:H	2.28	0.44
1:M:12:DT:H2''	1:M:13:DA:C8	2.53	0.44
4:D:123:LEU:O	4:D:127:ASN:HB2	2.18	0.44
4:E:6:TYR:CE1	4:E:48:LEU:HB2	2.53	0.44
1:M:15:DT:H5''	4:D:142:ARG:HA	2.00	0.44
1:X:19:DT:H4'	1:X:19:DT:OP1	2.19	0.43
4:A:75:ASP:C	4:A:75:ASP:OD1	2.56	0.43
4:D:136:LYS:HD2	4:D:136:LYS:N	2.34	0.43
4:A:6:TYR:C	4:A:6:TYR:CD2	2.91	0.43
1:X:1:DT:H1'	1:X:2:DC:C5'	2.49	0.43
4:A:116:GLN:HE21	4:A:116:GLN:HB3	1.67	0.43
4:D:159:LEU:HD22	4:D:163:HIS:CD2	2.53	0.43
3:N:24:DT:H2''	3:N:25:DA:C8	2.54	0.43
4:D:164:ILE:HG23	4:D:168:MET:HE2	1.99	0.43
4:A:71:ARG:H	4:A:71:ARG:HG3	1.55	0.43
4:B:16:LEU:O	4:B:20:VAL:HG23	2.19	0.43
4:D:98:SER:C	4:D:100:ASP:H	2.21	0.43
1:X:4:DG:H2''	1:X:5:DT:C5'	2.49	0.43
4:A:78:GLN:O	4:A:82:GLU:CG	2.65	0.43
4:E:84:ASP:OD2	4:E:105:LYS:HE2	2.19	0.43
1:U:18:DA:H2''	1:U:19:DT:C6	2.54	0.42
4:E:73:THR:O	4:E:77:ILE:HG13	2.18	0.42
1:J:2:DC:H2'	1:J:3:DA:C4	2.54	0.42
1:M:1:DT:O3'	1:M:2:DC:H4'	2.20	0.42
1:M:4:DG:N2	3:N:34:DT:O2	2.53	0.42
2:O:20:DA:H5'	4:D:10:SER:HB2	2.01	0.42
4:A:110:ILE:O	4:A:114:VAL:HG23	2.20	0.42
1:X:3:DA:OP2	1:X:3:DA:H2'	2.20	0.42
4:D:8:ARG:O	4:D:19:GLN:NE2	2.52	0.42
1:U:1:DT:H2''	1:U:2:DC:H4'	2.01	0.42
1:U:17:DT:H5'	4:E:140:PHE:CE2	2.55	0.42
4:E:80:ILE:O	4:E:84:ASP:HB2	2.20	0.42
4:E:84:ASP:C	4:E:86:GLN:H	2.24	0.42
4:E:14:GLN:C	4:E:16:LEU:H	2.24	0.42
4:D:11:THR:CG2	4:D:12:SER:H	2.29	0.42
4:D:83:PHE:CD1	4:D:90:ILE:HD11	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:177:LYS:HE3	4:D:181:GLU:OE2	2.20	0.42
4:A:66:LEU:C	4:A:68:ARG:H	2.23	0.41
4:D:66:LEU:C	4:D:68:ARG:H	2.24	0.41
3:Y:33:DC:H6	3:Y:33:DC:H5''	1.84	0.41
4:D:151:VAL:HG22	4:D:168:MET:CE	2.50	0.41
4:D:70:GLY:HA3	4:D:76:MET:HG2	2.02	0.41
4:A:146:ILE:HD12	4:A:174:THR:HG21	2.02	0.41
4:D:71:ARG:H	4:D:71:ARG:HG3	1.64	0.41
3:N:32:DA:C2'	3:N:33:DC:H5''	2.51	0.41
4:A:154:MET:HG2	4:A:159:LEU:HD12	2.03	0.41
4:D:43:SER:CB	4:D:71:ARG:HH22	2.34	0.41
4:A:41:SER:O	4:A:42:SER:C	2.58	0.41
4:B:66:LEU:HD21	4:B:108:VAL:HG13	2.01	0.41
4:D:6:TYR:HE1	4:D:48:LEU:HB2	1.86	0.41
3:V:35:DG:C8	3:V:35:DG:H5''	2.56	0.40
4:E:66:LEU:C	4:E:68:ARG:H	2.24	0.40
4:B:83:PHE:HB3	4:B:88:VAL:HG22	2.03	0.40
4:E:65:LYS:HG2	4:E:66:LEU:H	1.86	0.40
4:A:111:LEU:HD23	4:A:111:LEU:HA	1.69	0.40
4:B:4:PHE:O	4:B:62:LEU:N	2.51	0.40
4:E:11:THR:CG2	4:E:12:SER:H	2.31	0.40
1:J:10:DG:H2''	1:J:11:DA:H5''	2.03	0.40
4:D:6:TYR:CE1	4:D:48:LEU:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
4	A	181/183 (99%)	159 (88%)	16 (9%)	6 (3%)	4 22
4	B	180/183 (98%)	154 (86%)	23 (13%)	3 (2%)	9 34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	D	180/183 (98%)	155 (86%)	22 (12%)	3 (2%)	9	34
4	E	181/183 (99%)	153 (84%)	24 (13%)	4 (2%)	6	29
All	All	722/732 (99%)	621 (86%)	85 (12%)	16 (2%)	6	29

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	B	31	ASN
4	E	42	SER
4	A	31	ASN
4	A	39	SER
4	A	99	THR
4	A	38	ALA
4	A	67	ASP
4	D	42	SER
4	A	42	SER
4	B	42	SER
4	E	132	GLU
4	B	16	LEU
4	E	67	ASP
4	D	67	ASP
4	E	93	ILE
4	D	93	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	153/153 (100%)	139 (91%)	14 (9%)	9	31
4	B	152/153 (99%)	135 (89%)	17 (11%)	6	22
4	D	152/153 (99%)	137 (90%)	15 (10%)	8	27
4	E	153/153 (100%)	142 (93%)	11 (7%)	14	43
All	All	610/612 (100%)	553 (91%)	57 (9%)	9	31

All (57) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	12	SER
4	A	32	ARG
4	A	35	THR
4	A	36	ASP
4	A	68	ARG
4	A	72	ASP
4	A	75	ASP
4	A	82	GLU
4	A	100	ASP
4	A	106	MET
4	A	116	GLN
4	A	130	ARG
4	A	153	ASN
4	A	165	SER
4	B	12	SER
4	B	35	THR
4	B	36	ASP
4	B	41	SER
4	B	50	LEU
4	B	53	MET
4	B	63	VAL
4	B	72	ASP
4	B	76	MET
4	B	79	LEU
4	B	88	VAL
4	B	97	ILE
4	B	118	GLU
4	B	119	ARG
4	B	123	LEU
4	B	169	ASN
4	B	174	THR
4	E	12	SER
4	E	36	ASP
4	E	50	LEU
4	E	54	LYS
4	E	63	VAL
4	E	72	ASP
4	E	76	MET
4	E	103	ILE
4	E	118	GLU
4	E	162	SER
4	E	174	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	12	SER
4	D	36	ASP
4	D	49	ASP
4	D	50	LEU
4	D	71	ARG
4	D	72	ASP
4	D	76	MET
4	D	82	GLU
4	D	103	ILE
4	D	118	GLU
4	D	119	ARG
4	D	123	LEU
4	D	127	ASN
4	D	136	LYS
4	D	162	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
4	B	131	GLN
4	B	169	ASN
4	B	183	ASN
4	E	120	GLN
4	E	127	ASN
4	E	163	HIS
4	D	163	HIS
4	D	169	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	J	19/19 (100%)	1.41	6 (31%) 0 0	116, 121, 156, 175	0
1	M	19/19 (100%)	0.51	2 (10%) 6 7	107, 121, 166, 180	0
1	U	19/19 (100%)	0.76	2 (10%) 6 7	116, 121, 159, 177	0
1	X	19/19 (100%)	-0.29	1 (5%) 26 27	108, 113, 133, 151	0
2	I	3/3 (100%)	0.17	0 100 100	86, 86, 105, 119	0
2	O	3/3 (100%)	-0.44	0 100 100	85, 85, 105, 120	0
2	W	3/3 (100%)	-0.59	0 100 100	86, 86, 105, 120	0
2	Z	3/3 (100%)	-0.43	0 100 100	86, 86, 104, 119	0
3	K	13/13 (100%)	2.06	4 (30%) 0 0	116, 119, 121, 122	0
3	N	13/13 (100%)	0.36	1 (7%) 13 15	112, 119, 130, 137	0
3	V	13/13 (100%)	-0.08	0 100 100	115, 120, 123, 135	0
3	Y	13/13 (100%)	-0.40	0 100 100	100, 111, 117, 117	0
4	A	183/183 (100%)	0.34	5 (2%) 54 53	67, 100, 137, 221	0
4	B	182/183 (99%)	1.02	37 (20%) 1 1	68, 106, 141, 221	0
4	D	182/183 (99%)	0.27	10 (5%) 25 25	68, 106, 135, 221	0
4	E	183/183 (100%)	0.49	16 (8%) 10 12	68, 106, 140, 221	0
All	All	870/872 (99%)	0.52	84 (9%) 7 9	67, 108, 140, 221	0

All (84) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	U	1	DT	15.1
4	B	151	VAL	9.9
4	B	146	ILE	8.4
3	K	32	DA	8.3
3	K	33	DC	8.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	6	DG	7.0
4	B	147	ASP	6.8
1	J	1	DT	6.7
4	B	150	ALA	6.7
4	B	42	SER	6.3
4	B	161	ALA	6.2
4	E	40	GLY	6.1
4	B	149	ASP	6.1
4	B	148	ARG	6.0
1	M	1	DT	5.7
4	B	153	ASN	5.4
4	B	165	SER	5.2
4	A	39	SER	4.9
4	D	183	ASN	4.6
4	A	155	TRP	4.5
4	E	153	ASN	4.5
3	N	35	DG	4.4
4	B	164	ILE	4.4
4	E	157	GLN	4.4
4	E	39	SER	4.4
3	K	31	DC	4.2
4	B	155	TRP	4.1
4	B	158	GLY	4.1
4	B	162	SER	4.1
4	E	1	MET	3.9
4	B	145	LYS	3.9
4	B	177	LYS	3.9
4	D	156	GLN	3.7
4	A	153	ASN	3.7
4	B	179	ILE	3.7
4	B	152	LEU	3.6
4	B	178	VAL	3.6
4	E	42	SER	3.5
4	B	154	MET	3.5
4	B	39	SER	3.5
1	J	5	DT	3.5
4	B	156	GLN	3.5
4	B	163	HIS	3.4
4	B	14	GLN	3.4
3	K	35	DG	3.4
1	J	8	DC	3.3
4	B	181	GLU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	B	172	ARG	3.2
4	B	173	SER	3.1
4	E	149	ASP	3.1
4	A	40	GLY	3.1
4	E	167	THR	3.1
4	B	182	SER	3.1
4	B	168	MET	3.0
1	M	2	DC	3.0
4	E	155	TRP	3.0
4	D	152	LEU	2.9
4	E	132	GLU	2.7
1	J	7	DT	2.7
4	B	176	TYR	2.6
4	D	151	VAL	2.6
1	J	4	DG	2.5
4	B	140	PHE	2.5
4	E	151	VAL	2.4
4	B	183	ASN	2.4
4	D	69	LEU	2.4
4	B	38	ALA	2.3
4	E	168	MET	2.3
4	D	14	GLN	2.3
4	E	181	GLU	2.2
4	D	29	LYS	2.2
4	B	43	SER	2.2
4	B	166	LYS	2.2
4	D	155	TRP	2.2
1	U	3	DA	2.2
4	A	14	GLN	2.2
4	E	14	GLN	2.2
1	X	1	DT	2.1
4	D	168	MET	2.1
4	B	26	ALA	2.1
4	E	183	ASN	2.1
4	B	9	VAL	2.1
4	D	174	THR	2.1
4	E	159	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.