



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 17, 2023 – 07:51 am GMT

PDB ID : 3ZYJ
Title : NetrinG1 in complex with NGL1
Authors : Seiradake, E.; Coles, C.H.; Perestenko, P.V.; Harlos, K.; McIlhinney, R.A.J.; Aricescu, A.R.; Jones, E.Y.
Deposited on : 2011-08-23
Resolution : 3.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1191 (3.30-3.22)
Clashscore	141614	1251 (3.30-3.22)
Ramachandran outliers	138981	1229 (3.30-3.22)
Sidechain outliers	138945	1228 (3.30-3.22)
RSRZ outliers	127900	1154 (3.30-3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	440	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 80%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 80% 10% 10%</p>
1	C	440	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 82%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3% 82% 8% 10%</p>
2	B	426	<div style="display: flex; align-items: center;"> <div style="width: 3%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 69%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">3% 69% 8% 23%</p>
2	D	426	<div style="display: flex; align-items: center;"> <div style="width: 66%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 23%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">66% 10% 23%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NAG	A	1445	-	-	-	X
3	NAG	B	1371	-	-	-	X
3	NAG	C	1445	-	-	-	X
6	MAN	D	1374	-	-	-	X

2 Entry composition i

There are 6 unique types of molecules in this entry. The entry contains 11388 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LEUCINE-RICH REPEAT-CONTAINING PROTEIN 4C.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	396	3063	1938	539	566	20	0	0	0
1	C	396	3061	1935	540	566	20	0	0	0

There are 78 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	MET	-	expression tag	UNP Q9HCJ2
A	14	GLY	-	expression tag	UNP Q9HCJ2
A	15	ILE	-	expression tag	UNP Q9HCJ2
A	16	LEU	-	expression tag	UNP Q9HCJ2
A	17	PRO	-	expression tag	UNP Q9HCJ2
A	18	SER	-	expression tag	UNP Q9HCJ2
A	19	PRO	-	expression tag	UNP Q9HCJ2
A	20	GLY	-	expression tag	UNP Q9HCJ2
A	21	MET	-	expression tag	UNP Q9HCJ2
A	22	PRO	-	expression tag	UNP Q9HCJ2
A	23	ALA	-	expression tag	UNP Q9HCJ2
A	24	LEU	-	expression tag	UNP Q9HCJ2
A	25	LEU	-	expression tag	UNP Q9HCJ2
A	26	LEU	-	expression tag	UNP Q9HCJ2
A	27	VAL	-	expression tag	UNP Q9HCJ2
A	28	SER	-	expression tag	UNP Q9HCJ2
A	29	LEU	-	expression tag	UNP Q9HCJ2
A	30	LEU	-	expression tag	UNP Q9HCJ2
A	31	SER	-	expression tag	UNP Q9HCJ2
A	32	VAL	-	expression tag	UNP Q9HCJ2
A	33	LEU	-	expression tag	UNP Q9HCJ2
A	34	LEU	-	expression tag	UNP Q9HCJ2
A	35	MET	-	expression tag	UNP Q9HCJ2
A	36	GLY	-	expression tag	UNP Q9HCJ2
A	37	CYS	-	expression tag	UNP Q9HCJ2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	VAL	-	expression tag	UNP Q9HCJ2
A	39	ALA	-	expression tag	UNP Q9HCJ2
A	40	GLU	-	expression tag	UNP Q9HCJ2
A	41	THR	-	expression tag	UNP Q9HCJ2
A	42	GLY	-	expression tag	UNP Q9HCJ2
A	43	SER	-	expression tag	UNP Q9HCJ2
A	445	GLY	-	expression tag	UNP Q9HCJ2
A	446	THR	-	expression tag	UNP Q9HCJ2
A	447	HIS	-	expression tag	UNP Q9HCJ2
A	448	HIS	-	expression tag	UNP Q9HCJ2
A	449	HIS	-	expression tag	UNP Q9HCJ2
A	450	HIS	-	expression tag	UNP Q9HCJ2
A	451	HIS	-	expression tag	UNP Q9HCJ2
A	452	HIS	-	expression tag	UNP Q9HCJ2
C	13	MET	-	expression tag	UNP Q9HCJ2
C	14	GLY	-	expression tag	UNP Q9HCJ2
C	15	ILE	-	expression tag	UNP Q9HCJ2
C	16	LEU	-	expression tag	UNP Q9HCJ2
C	17	PRO	-	expression tag	UNP Q9HCJ2
C	18	SER	-	expression tag	UNP Q9HCJ2
C	19	PRO	-	expression tag	UNP Q9HCJ2
C	20	GLY	-	expression tag	UNP Q9HCJ2
C	21	MET	-	expression tag	UNP Q9HCJ2
C	22	PRO	-	expression tag	UNP Q9HCJ2
C	23	ALA	-	expression tag	UNP Q9HCJ2
C	24	LEU	-	expression tag	UNP Q9HCJ2
C	25	LEU	-	expression tag	UNP Q9HCJ2
C	26	LEU	-	expression tag	UNP Q9HCJ2
C	27	VAL	-	expression tag	UNP Q9HCJ2
C	28	SER	-	expression tag	UNP Q9HCJ2
C	29	LEU	-	expression tag	UNP Q9HCJ2
C	30	LEU	-	expression tag	UNP Q9HCJ2
C	31	SER	-	expression tag	UNP Q9HCJ2
C	32	VAL	-	expression tag	UNP Q9HCJ2
C	33	LEU	-	expression tag	UNP Q9HCJ2
C	34	LEU	-	expression tag	UNP Q9HCJ2
C	35	MET	-	expression tag	UNP Q9HCJ2
C	36	GLY	-	expression tag	UNP Q9HCJ2
C	37	CYS	-	expression tag	UNP Q9HCJ2
C	38	VAL	-	expression tag	UNP Q9HCJ2
C	39	ALA	-	expression tag	UNP Q9HCJ2
C	40	GLU	-	expression tag	UNP Q9HCJ2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	41	THR	-	expression tag	UNP Q9HCJ2
C	42	GLY	-	expression tag	UNP Q9HCJ2
C	43	SER	-	expression tag	UNP Q9HCJ2
C	445	GLY	-	expression tag	UNP Q9HCJ2
C	446	THR	-	expression tag	UNP Q9HCJ2
C	447	HIS	-	expression tag	UNP Q9HCJ2
C	448	HIS	-	expression tag	UNP Q9HCJ2
C	449	HIS	-	expression tag	UNP Q9HCJ2
C	450	HIS	-	expression tag	UNP Q9HCJ2
C	451	HIS	-	expression tag	UNP Q9HCJ2
C	452	HIS	-	expression tag	UNP Q9HCJ2

- Molecule 2 is a protein called NETRIN-G1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	326	2567	1630	421	492	24	0	0	0
2	D	326	2561	1627	418	492	24	0	0	0

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	430	THR	-	expression tag	UNP Q9Y2I2
B	431	HIS	-	expression tag	UNP Q9Y2I2
B	432	HIS	-	expression tag	UNP Q9Y2I2
B	433	HIS	-	expression tag	UNP Q9Y2I2
B	434	HIS	-	expression tag	UNP Q9Y2I2
B	435	HIS	-	expression tag	UNP Q9Y2I2
B	436	HIS	-	expression tag	UNP Q9Y2I2
B	360	ALA	THR	engineered mutation	UNP Q9Y2I2
B	363	ALA	THR	engineered mutation	UNP Q9Y2I2
D	430	THR	-	expression tag	UNP Q9Y2I2
D	431	HIS	-	expression tag	UNP Q9Y2I2
D	432	HIS	-	expression tag	UNP Q9Y2I2
D	433	HIS	-	expression tag	UNP Q9Y2I2
D	434	HIS	-	expression tag	UNP Q9Y2I2
D	435	HIS	-	expression tag	UNP Q9Y2I2
D	436	HIS	-	expression tag	UNP Q9Y2I2
D	360	ALA	THR	engineered mutation	UNP Q9Y2I2
D	363	ALA	THR	engineered mutation	UNP Q9Y2I2

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	C	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		
3	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Ca		
4	B	1	Total	Ca	0	0
			1	1		
4	D	1	Total	Ca	0	0
			1	1		

- Molecule 5 is beta-D-mannopyranose (three-letter code: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	D	1	Total	C	O	0	0
			11	6	5		

- Molecule 6 is alpha-D-mannopyranose (three-letter code: MAN) (formula: $C_6H_{12}O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			11	6	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: LEUCINE-RICH REPEAT-CONTAINING PROTEIN 4C



- Molecule 1: LEUCINE-RICH REPEAT-CONTAINING PROTEIN 4C



- Molecule 2: NETRIN-G1



CYS ASP ASN GLU LEU LEU HIS CYS GLN GLY THR CYS HIS ASN VAL ARG CYS LEU CYS PRO TYR ALA TYR THR ILE LEU CYS GLU ALA SER GLY CYS ASP GLY GLN ALA PRO HIS THR HIS HIS HIS

HIS

● Molecule 2: NETRIN-G1



MET TYR LEU SER ARG PHE LEU SER ILE HIS ALA LEU THR VAL THR SER MET GLN PRO TYR PRO LEU VAL TRP GLY HIS Y30 I37 D46 Y47 M48 A49 C50 T58 K62 F79 C80 C88 C92 E110 GLY ARG HIS PRO S125 W133 V142

S147 V159 I160 T161 D168 Q169 M170 E173 K174 S175 Y185 V203 T226 N227 I230 I231 H232 F233 E234 D237 L247 V269 I270 D271 L272 R273 L276 R293 D300 I301 K302 L311 T314 Y317 T332 G337 Y343 Q344 G345

W348 I366 P366 S369 SER ILE GLY THR ASN VAL CYS ASP ASN LEU LEU HIS CYS GLN ASN GLY THR CYS HIS ASN VAL ARG CYS LEU CYS PRO ALA TYR THR GLY LEU CYS GLY ARG CYS GLU LYS LEU CYS GLU ALA SER CYS GLY SER ASP GLY ASP SER GLN

GLY ALA PRO HIS THR HIS HIS HIS HIS

4 Data and refinement statistics

Property	Value	Source
Space group	F 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	184.42Å 204.43Å 288.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.44 – 3.25 29.44 – 3.25	Depositor EDS
% Data completeness (in resolution range)	91.3 (29.44-3.25) 91.3 (29.44-3.25)	Depositor EDS
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.62 (at 3.24Å)	Xtrriage
Refinement program	BUSTER 2.11.1	Depositor
R, R_{free}	0.256 , 0.268 0.286 , 0.298	Depositor DCC
R_{free} test set	1967 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	88.1	Xtrriage
Anisotropy	0.024	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	11388	wwPDB-VP
Average B, all atoms (Å ²)	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.92 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.4288e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, CA, BMA, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.37	0/3129	0.56	0/4276
1	C	0.37	0/3126	0.56	0/4271
2	B	0.36	0/2636	0.56	0/3591
2	D	0.37	0/2630	0.58	0/3584
All	All	0.37	0/11521	0.56	0/15722

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3063	0	3007	21	0
1	C	3061	0	3011	15	0
2	B	2567	0	2428	13	0
2	D	2561	0	2416	17	0
3	A	14	0	13	0	0
3	B	42	0	39	1	0
3	C	14	0	13	0	0
3	D	42	0	39	1	0
4	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	1	0	0	0	0
5	D	11	0	10	1	0
6	D	11	0	10	0	0
All	All	11388	0	10986	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:37:ILE:HG12	2:D:46:ASP:HB2	1.81	0.63
1:C:223:GLU:HG2	1:C:247:LYS:HB2	1.80	0.63
2:D:161:THR:HG22	2:D:230:ILE:HG12	1.81	0.62
1:A:45:GLN:N	1:A:75:SER:HG	1.98	0.62
2:B:175:SER:HB3	2:B:271:ASP:HB2	1.83	0.61
2:B:161:THR:HG22	2:B:230:ILE:HG12	1.82	0.59
1:A:256:GLN:HG3	1:A:278:ASN:HD22	1.69	0.58
1:A:223:GLU:HG2	1:A:247:LYS:HB2	1.86	0.57
1:A:374:LYS:HA	1:A:410:THR:HG22	1.87	0.56
2:B:142:VAL:HB	2:B:276:LEU:HD12	1.87	0.56
2:D:170:MET:HG3	2:D:276:LEU:HD23	1.87	0.56
2:D:174:LYS:HG3	2:D:269:VAL:HG12	1.88	0.56
2:D:175:SER:HB3	2:D:271:ASP:HB2	1.89	0.55
1:A:145:VAL:HG13	1:A:170:ARG:HE	1.73	0.54
2:D:50:CYS:HB3	2:D:314:THR:HG23	1.90	0.54
1:C:176:ARG:HG2	1:C:201:TYR:HB3	1.89	0.54
1:C:163:ILE:HD12	1:C:188:ILE:HG12	1.90	0.52
2:D:234:GLU:HB3	2:D:237:ASP:HB2	1.90	0.52
2:D:343:TYR:HA	2:D:366:PRO:HA	1.91	0.51
1:A:198:ASN:HA	1:A:220:LYS:HD3	1.92	0.51
2:B:255:GLY:HA2	2:B:354:LEU:HD11	1.93	0.51
1:C:234:ILE:HD12	1:C:258:ILE:HG12	1.93	0.51
2:B:50:CYS:HB3	2:B:314:THR:HG23	1.94	0.50
2:D:173:GLU:HB2	2:D:273:ARG:HB3	1.94	0.50
2:B:169:GLN:HB3	2:B:277:LEU:HB2	1.93	0.50
3:B:1370:NAG:H4	3:B:1372:NAG:C1	2.42	0.50
1:A:82:ASN:HA	1:A:106:GLN:HB2	1.93	0.50
1:C:281:LEU:HD13	1:C:381:LEU:HD21	1.94	0.49
2:B:234:GLU:HB3	2:B:237:ASP:HB2	1.95	0.49
1:A:234:ILE:HD12	1:A:258:ILE:HG12	1.95	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:63:VAL:HG23	1:A:84:HIS:HB3	1.94	0.48
1:C:145:VAL:HG13	1:C:170:ARG:HE	1.79	0.48
1:A:273:ASN:HA	1:A:297:HIS:HB2	1.96	0.47
2:D:345:GLY:HA3	2:D:365:ILE:HG22	1.96	0.47
2:D:142:VAL:HB	2:D:276:LEU:HD12	1.98	0.46
2:D:159:VAL:HB	2:D:302:LYS:HB2	1.97	0.46
2:B:159:VAL:HB	2:B:302:LYS:HB2	1.97	0.46
1:A:106:GLN:HA	1:A:130:GLU:HB2	1.96	0.46
2:D:62:LYS:HG3	2:D:147:SER:HB2	1.98	0.46
2:D:80:CYS:HB2	2:D:293:ARG:HA	1.97	0.46
3:D:1372:NAG:H4	5:D:1373:BMA:C1	2.47	0.45
1:C:106:GLN:HA	1:C:130:GLU:HB2	1.99	0.44
2:B:84:ASN:HB2	2:B:87:MET:HB2	2.00	0.44
1:A:281:LEU:HD13	1:A:381:LEU:HD21	1.99	0.44
2:D:203:VAL:HG21	2:D:234:GLU:HB2	1.99	0.44
1:C:421:THR:HG22	1:C:443:VAL:H	1.82	0.44
2:B:343:TYR:HA	2:B:366:PRO:HA	1.99	0.44
1:A:297:HIS:HA	1:A:326:CYS:HB3	2.00	0.44
2:B:173:GLU:HB2	2:B:273:ARG:HB3	1.99	0.43
1:C:236:PRO:HA	1:C:262:ALA:HA	2.00	0.43
1:C:152:GLU:HG2	1:C:176:ARG:HB2	2.00	0.43
1:A:386:TRP:CD2	1:A:411:LEU:HD12	2.54	0.42
2:D:79:PHE:CE2	2:D:92:CYS:HB2	2.55	0.42
2:B:62:LYS:HG3	2:B:147:SER:HB2	2.00	0.42
1:C:272:ILE:HG23	1:C:296:ILE:HG23	2.01	0.42
1:C:374:LYS:HA	1:C:410:THR:HG22	2.02	0.42
1:A:163:ILE:HD12	1:A:188:ILE:HG12	2.00	0.41
1:A:331:ASN:HA	1:A:337:LYS:HG3	2.03	0.41
2:B:170:MET:HG3	2:B:276:LEU:HD23	2.02	0.41
1:A:123:LEU:HB3	1:A:126:LEU:HB2	2.03	0.41
1:C:198:ASN:HA	1:C:220:LYS:HD3	2.03	0.41
2:D:337:GLY:HA2	2:D:348:TRP:CZ2	2.56	0.41
1:A:152:GLU:HG2	1:A:176:ARG:HB2	2.03	0.41
1:C:331:ASN:HA	1:C:337:LYS:HG3	2.02	0.41
1:C:212:ILE:HD13	1:C:238:SER:HB3	2.03	0.40
1:A:93:VAL:HG13	1:A:118:GLY:HA3	2.04	0.40
1:A:130:GLU:HG2	1:A:154:TRP:HD1	1.86	0.40
1:A:236:PRO:HA	1:A:262:ALA:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	392/440 (89%)	366 (93%)	24 (6%)	2 (0%)	29	62
1	C	392/440 (89%)	371 (95%)	19 (5%)	2 (0%)	29	62
2	B	322/426 (76%)	302 (94%)	20 (6%)	0	100	100
2	D	322/426 (76%)	299 (93%)	20 (6%)	3 (1%)	17	50
All	All	1428/1732 (82%)	1338 (94%)	83 (6%)	7 (0%)	29	62

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	D	227	ASN
2	D	234	GLU
1	A	402	ARG
1	C	321	PRO
1	C	402	ARG
1	A	321	PRO
2	D	58	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/393 (87%)	336 (98%)	5 (2%)	65	80
1	C	341/393 (87%)	337 (99%)	4 (1%)	71	83
2	B	281/378 (74%)	273 (97%)	8 (3%)	43	69

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	D	280/378 (74%)	267 (95%)	13 (5%)	27 57
All	All	1243/1542 (81%)	1213 (98%)	30 (2%)	49 72

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	CYS
1	A	171	ILE
1	A	315	TRP
1	A	330	CYS
1	A	381	LEU
2	B	32	LEU
2	B	37	ILE
2	B	44	VAL
2	B	88	CYS
2	B	133	TRP
2	B	176	LEU
2	B	185	TYR
2	B	232	HIS
1	C	62	CYS
1	C	171	ILE
1	C	282	LEU
1	C	423	MET
2	D	48	MET
2	D	88	CYS
2	D	133	TRP
2	D	168	ASP
2	D	170	MET
2	D	185	TYR
2	D	232	HIS
2	D	247	LEU
2	D	272	LEU
2	D	300	ASP
2	D	311	LEU
2	D	332	THR
2	D	365	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	278	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	101	HIS
2	B	227	ASN
2	B	330	ASN
1	C	252	GLN
1	C	278	ASN
2	D	51	GLN
2	D	101	HIS
2	D	330	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	D	1371	-	14,14,15	0.45	0	17,19,21	1.13	2 (11%)
3	NAG	D	1372	-	14,14,15	0.44	0	17,19,21	1.11	2 (11%)
3	NAG	A	1445	-	14,14,15	0.43	0	17,19,21	1.17	2 (11%)
3	NAG	B	1370	-	14,14,15	0.44	0	17,19,21	1.17	2 (11%)
3	NAG	D	1370	-	14,14,15	0.42	0	17,19,21	1.16	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BMA	D	1373	-	11,11,12	0.39	0	15,15,17	1.05	0
3	NAG	C	1445	-	14,14,15	0.43	0	17,19,21	1.16	2 (11%)
6	MAN	D	1374	-	11,11,12	0.42	0	15,15,17	0.99	0
3	NAG	B	1371	-	14,14,15	0.44	0	17,19,21	1.16	2 (11%)
3	NAG	B	1372	-	14,14,15	0.43	0	17,19,21	1.17	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	D	1371	-	-	1/6/23/26	0/1/1/1
3	NAG	D	1372	-	-	0/6/23/26	0/1/1/1
3	NAG	A	1445	-	-	0/6/23/26	0/1/1/1
3	NAG	B	1370	-	-	0/6/23/26	0/1/1/1
3	NAG	D	1370	-	-	0/6/23/26	0/1/1/1
5	BMA	D	1373	-	-	0/2/19/22	0/1/1/1
3	NAG	C	1445	-	-	0/6/23/26	0/1/1/1
6	MAN	D	1374	-	-	0/2/19/22	0/1/1/1
3	NAG	B	1371	-	-	0/6/23/26	0/1/1/1
3	NAG	B	1372	-	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1370	NAG	C4-C3-C2	-2.44	107.44	111.02
3	A	1445	NAG	C4-C3-C2	-2.43	107.46	111.02
3	B	1372	NAG	C4-C3-C2	-2.43	107.46	111.02
3	D	1370	NAG	C4-C3-C2	-2.41	107.49	111.02
3	B	1371	NAG	C4-C3-C2	-2.37	107.54	111.02
3	D	1371	NAG	C4-C3-C2	-2.37	107.55	111.02
3	C	1445	NAG	C4-C3-C2	-2.34	107.58	111.02
3	D	1372	NAG	C4-C3-C2	-2.22	107.77	111.02
3	B	1370	NAG	C8-C7-N2	2.20	119.82	116.10
3	B	1372	NAG	C8-C7-N2	2.17	119.78	116.10
3	A	1445	NAG	C8-C7-N2	2.17	119.77	116.10
3	B	1371	NAG	C8-C7-N2	2.17	119.77	116.10
3	D	1370	NAG	C8-C7-N2	2.15	119.74	116.10
3	C	1445	NAG	C8-C7-N2	2.14	119.72	116.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1372	NAG	C8-C7-N2	2.10	119.65	116.10
3	D	1371	NAG	C8-C7-N2	2.06	119.59	116.10

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	1371	NAG	C3-C2-N2-C7

There are no ring outliers.

4 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1372	NAG	1	0
3	B	1370	NAG	1	0
5	D	1373	BMA	1	0
3	B	1372	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	396/440 (90%)	0.13	11 (2%) 53 50	80, 107, 141, 179	0
1	C	396/440 (90%)	0.11	14 (3%) 44 40	68, 98, 154, 203	0
2	B	326/426 (76%)	0.16	11 (3%) 45 42	76, 100, 125, 146	0
2	D	326/426 (76%)	0.02	2 (0%) 89 89	61, 89, 116, 141	0
All	All	1444/1732 (83%)	0.10	38 (2%) 56 52	61, 98, 142, 203	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	366	THR	5.4
1	A	366	THR	5.2
1	C	444	THR	4.5
1	C	324	THR	4.0
1	A	369	MET	3.9
1	C	352	TYR	3.8
1	A	370	ALA	3.8
1	C	367	GLU	3.8
2	D	226	THR	3.5
1	C	369	MET	3.3
1	A	371	ALA	3.3
1	A	325	ALA	3.2
1	C	322	SER	3.2
1	C	427	MET	3.1
1	A	427	MET	3.1
1	C	371	ALA	3.0
1	C	350	THR	2.9
1	A	324	THR	2.8
2	B	228	SER	2.7
1	A	318	ASP	2.7
2	B	227	ASN	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	317	VAL	2.6
2	B	31	ASP	2.5
1	A	444	THR	2.5
1	A	436	THR	2.4
2	B	223	GLY	2.4
2	D	317	VAL	2.3
1	C	418	VAL	2.3
1	C	353	ALA	2.2
1	C	348	TYR	2.2
2	B	45	TRP	2.2
1	A	437	ALA	2.2
2	B	32	LEU	2.1
2	B	245	PRO	2.1
1	C	280	THR	2.1
2	B	35	THR	2.0
2	B	226	THR	2.0
2	B	36	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	A	1445	14/15	0.63	0.42	132,133,133,133	0
3	NAG	B	1371	14/15	0.67	0.50	138,138,139,139	0
3	NAG	B	1372	14/15	0.67	0.26	123,124,124,124	0
6	MAN	D	1374	11/12	0.67	0.42	139,139,139,139	0
3	NAG	D	1371	14/15	0.69	0.36	122,123,124,124	0
3	NAG	B	1370	14/15	0.71	0.31	133,134,134,134	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NAG	C	1445	14/15	0.71	0.55	144,144,144,145	0
3	NAG	D	1372	14/15	0.76	0.37	116,117,118,118	0
3	NAG	D	1370	14/15	0.79	0.29	124,124,125,125	0
5	BMA	D	1373	11/12	0.84	0.30	107,108,108,108	0
4	CA	D	1375	1/1	0.94	0.07	88,88,88,88	0
4	CA	B	1373	1/1	0.95	0.08	102,102,102,102	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.