# Integrative Structure Validation Report

## July 22, 2024 - 03:58 PM PDT

**The following software was used in the production of this report:**

*Python-IHM Version 1.3*
*MolProbity Version 4.5.2*
*Integrative Modeling Validation Version 1.2*

| | |
|---|---|
| PDB ID | 9A07 |
| PDB-Dev ID | PDBDEV_00000043 |
| Structure Title | Integrative Modeling of a Sin3/HDAC Complex Sub-structure |
| Structure Authors | Banks CAS; Zhang Y; Miah S; Hao Y; Adams MK; Wen Z; Thornton JL; Florens L; Washburn MP |

*This is a PDB-Dev IM Structure Validation Report for a publicly released PDB-Dev entry.*

*We welcome your comments at pdb-dev@mail.wwpdb.org*

*A user guide is available at https://pdb-dev.wwpdb.org/validation_help.html with specific help available everywhere you see the* ? symbol.

*List of references used to build this report is available here.*

## Overall quality

*This validation report contains model quality assessments for all structures, data quality assessment for SAS datasets and fit to model assessments for SAS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.*

### Model Quality: MolProbity Analysis




## Ensemble information

*This entry consists of 0 distinct ensemble(s).*

## Summary

*This entry consists of 1 unique models, with 4 subunits in each model. A total of 10 datasets or restraints were used to build this entry. Each model is represented by 4 rigid bodies and 0 flexible or non-rigid units.*

## Entry composition

*There is 1 unique type of models in this entry.This model is titled None/Best scoring model in cluster 1.*

| Model ID | Subunit number | Subunit ID | Subunit name | Chain ID | Chain ID [auth] | Total residues |
|---|---|---|---|---|---|---|
| 1 | 1 | 1 | SAP30L C terminal | A | A | 90 |
| 1 | 2 | 2 | SAP30L N terminal | B | B | 68 |
| 1 | 3 | 3 | SIN3A | C | C | 122 |
| 1 | 4 | 4 | HDAC1 | D | D | 369 |

## Datasets used for modeling

*There are 10 unique datasets used to build the models in this entry.*

| ID | Dataset type | Database name | Data access code |
|---|---|---|---|
| 1 | Comparative model | Not available | Not available |
| 2 | Comparative model | Not available | Not available |

| ID | Dataset type | Database name | Data access code |
|---|---|---|---|
| 3 | Comparative model | Not available | Not available |
| 4 | Comparative model | Not available | Not available |
| 5 | Crosslinking-MS data | MASSIVE | MSV000084311 |
| 6 | Experimental model | PDB | 2LD7 |
| 7 | Experimental model | PDB | 2N1U |
| 8 | Experimental model | PDB | 2N2H |
| 9 | Experimental model | PDB | 5IX0 |
| 10 | Mutagenesis data | File | 10.1074/jbc.RA119.009780 |

## Representation

*This entry has only one representation and includes 4 rigid bodies and 0 flexible units*

| Chain ID | Rigid bodies | Non-rigid segments |
|---|---|---|
| A | 1-90 | - |
| B | 1-68 | - |
| C | 1-122 | - |
| D | 1-369 | - |

## Methodology and software

*This entry is a result of 1 distinct protocol(s).*

| Step number | Protocol ID | Method name | Method type | Method description | Number of computed models | Multi state modeling | Multi scale modeling |
|---|---|---|---|---|---|---|---|
| 1 | 1 | comparative modeling | _ | None | _ | False | False |

| Step number | Protocol ID | Method name | Method type | Method description | Number of computed models | Multi state modeling | Multi scale modeling |
|---|---|---|---|---|---|---|---|
| 2 | 1 | docking | _ | None | 200 | False | False |

*There are 2 software packages reported in this entry.*

| ID | Software name | Software version | Software classification | Software location |
|---|---|---|---|---|
| 1 | HADDOCK | Not available | molecular docking | http://haddock.science.uu.nl/services/HADDOCK/ |
| 2 | SWISS-MODEL | Not available | model building | https://swissmodel.expasy.org |

## Data quality

### Crosslinking-MS

Validation for this section is under development.

### Mutagenesis

Validation for this section is under development.

## Model quality

For models with atomic structures, molprobity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

### Standard geometry: bond outliers

*There are 1260 bond outliers in this entry. A summary is provided below, and a detailed list of outliers can be found here.*

| Bond type | Observed distance (Å) | Ideal distance (Å) | Number of outliers |
|---|---|---|---|
| N--H | 0.98 | 0.86 | 574 |
| NE2--HE21 | 0.98 | 0.86 | 23 |
| NE2--HE22 | 0.98 | 0.86 | 25 |
| ND2--HD22 | 0.98 | 0.86 | 30 |
| ND2--HD21 | 0.98 | 0.86 | 26 |

| Bond type | Observed distance (Å) | Ideal distance (Å) | Number of outliers |
|---|---|---|---|
| NE1--HE1 | 0.98 | 0.86 | 2 |
| NE2--HE2 | 0.98 | 0.86 | 11 |
| OG--HG | 0.96 | 0.84 | 11 |
| OH--HH | 0.96 | 0.84 | 13 |
| OG1--HG1 | 0.96 | 0.84 | 12 |
| NE--HE | 0.98 | 0.86 | 18 |
| ND1--HD1 | 0.98 | 0.86 | 2 |
| N--H | 0.99 | 0.86 | 49 |
| ND2--HD22 | 0.99 | 0.86 | 3 |
| OG--HG | 0.97 | 0.84 | 25 |
| ND2--HD21 | 0.99 | 0.86 | 7 |
| NE--HE | 0.99 | 0.86 | 26 |
| OH--HH | 0.97 | 0.84 | 23 |
| NE2--HE2 | 0.99 | 0.86 | 5 |
| SG--HG | 1.33 | 1.20 | 13 |
| NE2--HE21 | 0.99 | 0.86 | 3 |
| OG1--HG1 | 0.97 | 0.84 | 14 |
| NE1--HE1 | 0.99 | 0.86 | 2 |
| NE2--HE22 | 0.99 | 0.86 | 1 |
| ND1--HD1 | 0.99 | 0.86 | 2 |
| ND1--HD1 | 1.00 | 0.86 | 1 |
| OH--HH | 0.98 | 0.84 | 2 |
| OG1--HG1 | 0.98 | 0.84 | 1 |

| Bond type | Observed distance (Å) | Ideal distance (Å) | Number of outliers |
|---|---|---|---|
| OG--HG | 0.98 | 0.84 | 1 |
| NH1--HH12 | 1.00 | 0.86 | 37 |
| NH1--HH11 | 1.00 | 0.86 | 31 |
| NH2--HH22 | 1.00 | 0.86 | 38 |
| NH2--HH21 | 1.00 | 0.86 | 33 |
| NH1--HH12 | 1.01 | 0.86 | 7 |
| NH2--HH21 | 1.01 | 0.86 | 11 |
| NH2--HH22 | 1.01 | 0.86 | 6 |
| NH1--HH11 | 1.01 | 0.86 | 13 |
| NZ--HZ2 | 1.04 | 0.89 | 49 |
| NZ--HZ3 | 1.04 | 0.89 | 47 |
| NZ--HZ1 | 1.04 | 0.89 | 49 |
| NZ--HZ1 | 1.05 | 0.89 | 4 |
| NZ--HZ2 | 1.05 | 0.89 | 4 |
| NZ--HZ3 | 1.05 | 0.89 | 6 |

## Standard geometry: angle outliers

*Bond angle outliers do not exist or can not be evaluated for this model*

## Too-close contacts

*The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all the models in this entry.*

| Model ID | Clash score | Number of clashes |
|---|---|---|
| 1 | 5.99 | 63 |

*All 63 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.*

| Model ID | Atom-1 | Atom-2 | Clash overlap (Å) |
|---|---|---|---|

| Model ID | Atom-1 | Atom-2 | Clash overlap (Å) |
|---|---|---|---|
| 1 | D:115:SER:HB3 | D:127:ALA:HB1 | 0.815 |
| 1 | D:29:ARG:HB3 | D:300:ILE:HG22 | 0.719 |
| 1 | D:134:LEU:HD23 | D:146:CYS:HA | 0.639 |
| 1 | D:119:LEU:HD11 | D:289:PRO:HB3 | 0.624 |
| 1 | D:76:PRO:HA | D:79:MET:HE2 | 0.597 |
| 1 | D:253:VAL:HG13 | D:291:LEU:HD23 | 0.583 |
| 1 | D:46:MET:HB3 | D:315:LEU:HD21 | 0.582 |
| 1 | D:273:ILE:HD12 | D:339:HIS:HA | 0.582 |
| 1 | D:264:ASP:HA | D:299:THR:OG1 | 0.575 |
| 1 | D:237:LYS:HB3 | D:238:PRO:HD3 | 0.570 |
| 1 | C:78:LEU:HD21 | C:89:VAL:HG21 | 0.567 |
| 1 | D:43:TYR:HB2 | D:48:ILE:HD11 | 0.559 |
| 1 | D:240:MET:HA | D:240:MET:HE2 | 0.555 |
| 1 | D:244:MET:HE1 | D:252:VAL:HG21 | 0.550 |
| 1 | D:138:LYS:HB2 | D:141:GLU:HB2 | 0.548 |
| 1 | C:105:ARG:HA | C:109:LYS:HB2 | 0.547 |
| 1 | D:235:ILE:HG22 | D:358:LYS:HD2 | 0.547 |
| 1 | D:52:HIS:O | D:110:GLY:HA3 | 0.546 |
| 1 | C:63:LEU:HD21 | C:74:ILE:HB | 0.535 |
| 1 | B:7:LEU:HB3 | B:38:LEU:HD11 | 0.534 |
| 1 | D:164:ARG:HB3 | D:247:PHE:CZ | 0.528 |
| 1 | D:135:HIS:HB3 | D:151:ILE:HD12 | 0.526 |
| 1 | C:86:VAL:HA | C:89:VAL:HG22 | 0.523 |

| Model ID | Atom-1 | Atom-2 | Clash overlap (Å) |
|---|---|---|---|
| 1 | D:258:SER:HB2 | D:303:VAL:HG22 | 0.523 |
| 1 | A:50:GLU:O | A:54:ARG:HG2 | 0.521 |
| 1 | A:86:GLU:O | B:42:LYS:HB2 | 0.512 |
| 1 | D:5:LYS:HG2 | D:124:THR:HA | 0.508 |
| 1 | A:55:HIS:O | A:59:ILE:HG13 | 0.498 |
| 1 | C:30:ILE:O | C:34:LEU:HG | 0.498 |
| 1 | D:138:LYS:HD3 | D:177:GLY:HA2 | 0.496 |
| 1 | D:130:TRP:HZ3 | D:256:CYS:HB2 | 0.495 |
| 1 | D:134:LEU:HB3 | D:146:CYS:HB3 | 0.491 |
| 1 | D:264:ASP:HB3 | D:267:GLY:HA3 | 0.483 |
| 1 | C:98:GLU:O | C:102:GLU:HG2 | 0.480 |
| 1 | B:46:HIS:HA | D:22:GLY:HA3 | 0.475 |
| 1 | D:35:ASN:OD1 | D:326:ASN:HB2 | 0.470 |
| 1 | D:1:GLY:N | D:287:ASN:HD21 | 0.470 |
| 1 | A:45:LYS:HA | A:48:LEU:HD12 | 0.469 |
| 1 | C:31:GLN:HA | C:34:LEU:HD12 | 0.469 |
| 1 | C:110:VAL:O | C:114:GLN:HG2 | 0.469 |
| 1 | D:200:PHE:CD2 | D:201:PRO:HA | 0.467 |
| 1 | D:36:LEU:HD11 | D:323:LEU:HD22 | 0.465 |
| 1 | D:229:ASP:OD1 | D:275:GLY:HA3 | 0.455 |
| 1 | D:273:ILE:HG23 | D:306:CYS:HA | 0.448 |
| 1 | B:23:PHE:HE2 | B:28:GLN:HG2 | 0.447 |
| 1 | A:77:ASN:HB3 | A:80:ARG:HB2 | 0.441 |

| Model ID | Atom-1 | Atom-2 | Clash overlap (Å) |
|---|---|---|---|
| 1 | D:138:LYS:HE3 | D:176:ASP:OD2 | 0.441 |
| 1 | B:40:ILE:HG12 | B:42:LYS:HE3 | 0.437 |
| 1 | D:94:ASP:O | D:96:PRO:HD3 | 0.437 |
| 1 | D:51:PRO:HB3 | D:111:GLY:HA2 | 0.435 |
| 1 | D:102:PHE:O | D:106:GLN:HG3 | 0.435 |
| 1 | C:86:VAL:HB | C:87:PRO:HD3 | 0.434 |
| 1 | D:279:CYS:O | D:283:VAL:HG23 | 0.429 |
| 1 | C:52:GLY:HA2 | C:56:GLU:HB3 | 0.427 |
| 1 | D:189:MET:HG3 | D:217:TYR:O | 0.427 |
| 1 | C:105:ARG:O | C:110:VAL:HG23 | 0.425 |
| 1 | D:231:SER:HB3 | D:354:LEU:HD11 | 0.417 |
| 1 | A:32:LYS:HB3 | A:32:LYS:HE2 | 0.413 |
| 1 | C:56:GLU:HG3 | C:57:VAL:N | 0.413 |
| 1 | D:166:LEU:HD21 | D:240:MET:HE1 | 0.412 |
| 1 | D:259:ASP:OD2 | D:296:GLY:HA3 | 0.408 |
| 1 | D:191:VAL:HG13 | D:219:VAL:HB | 0.407 |
| 1 | D:163:GLN:HG3 | D:164:ARG:HG3 | 0.406 |

## Torsion angles: Protein backbone

*In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.*

| Model ID | Analyzed | Favored | Allowed | Outliers |
|---|---|---|---|---|
| 1 | 641 | 599 | 39 | 3 |

*Detailed list of outliers are tabulated below.*

## Torsion angles: Protein sidechains

*In the following table, sidechain outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.*

| Model ID | Analyzed | Favored | Allowed | Outliers |
|---|---|---|---|---|
| 1 | 573 | 474 | 52 | 47 |

*Detailed list of outliers are tabulated below.*

| Model ID | Chain | Residue ID | Residue type |
|---|---|---|---|
| 1 | A | 1 | THR |
| 1 | A | 4 | ASP |
| 1 | A | 12 | ASP |
| 1 | A | 13 | THR |
| 1 | A | 14 | ASP |
| 1 | A | 39 | THR |
| 1 | A | 80 | ARG |
| 1 | A | 82 | ASP |
| 1 | A | 85 | SER |
| 1 | B | 4 | SER |
| 1 | B | 13 | ARG |
| 1 | B | 34 | LYS |
| 1 | B | 40 | ILE |
| 1 | B | 43 | SER |
| 1 | B | 53 | HIS |
| 1 | B | 63 | LYS |
| 1 | B | 65 | LYS |
| 1 | C | 6 | CYS |
| 1 | C | 7 | GLU |
| 1 | C | 17 | LEU |

| Model ID | Chain | Residue ID | Residue type |
|---|---|---|---|
| 1 | C | 32 | LYS |
| 1 | C | 50 | THR |
| 1 | C | 54 | THR |
| 1 | C | 55 | SER |
| 1 | C | 73 | ASP |
| 1 | C | 122 | SER |
| 1 | D | 16 | ASN |
| 1 | D | 40 | TYR |
| 1 | D | 80 | SER |
| 1 | D | 83 | SER |
| 1 | D | 93 | GLU |
| 1 | D | 119 | LEU |
| 1 | D | 136 | HIS |
| 1 | D | 180 | GLU |
| 1 | D | 184 | THR |
| 1 | D | 190 | THR |
| 1 | D | 199 | TYR |
| 1 | D | 203 | THR |
| 1 | D | 228 | ASP |
| 1 | D | 240 | MET |
| 1 | D | 250 | SER |
| 1 | D | 258 | SER |
| 1 | D | 260 | SER |

| Model ID | Chain | Residue ID | Residue type |
|---|---|---|---|
| 1 | D | 316 | ASP |
| 1 | D | 341 | SER |
| 1 | D | 346 | THR |
| 1 | D | 350 | THR |

## Fit of model to data used for modeling

### Crosslinking-MS

Validation for this section is under development.

### Mutagenesis

Validation for this section is under development.

## Fit of model to data used for validation

Validation for this section is under development.

*Acknowledgements*

*Development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures, are funded by NSF ABI awards (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250). The PDB-Dev team and members of Sali labcontributed model validation metrics and software packages.*

*Implementation of validation methods for SAS data and SAS-based models are funded byRCSB PDB (grant number DBI-1832184). Dr. Stephen Burley, Dr. John Westbrook, and Dr. Jasmine Young from RCSB PDB, Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the SASBDB repository are acknowledged for their advice and support in implementing SAS validation methods.*

*Members of the wwPDB Integrative/Hybrid Methods Task Force provided recommendations and community support for the project.*