

Integrative Structure Validation Report

July 22, 2024 - 03:32 PM PDT

The following software was used in the production of this report:

Python-IHM Version 1.3

MolProbity Version 4.5.2

Integrative Modeling Validation Version 1.2

PDB ID	8ZZ5
PDB-Dev ID	PDBDEV_00000005
Structure Title	Serum Albumin Domain A Structure
Structure Authors	Belsom A; Schneider M; Fischer L; Brock O; Rappsilber J

This is a PDB-Dev IM Structure Validation Report for a publicly released PDB-Dev entry.

We welcome your comments at pdb-dev@mail.wwpdb.org


A user guide is available at https://pdb-dev.wwpdb.org/validation_help.html with specific help available everywhere you see the  symbol.

List of references used to build this report is available [here](#).

Overall quality

This validation report contains model quality assessments for all structures, data quality assessment for SAS datasets and fit to model assessments for SAS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis



Ensemble information ?

This entry consists of 0 distinct ensemble(s).

Summary ?

This entry consists of 5 unique models, with 1 subunits in each model. A total of 2 datasets or restraints were used to build this entry. Each model is represented by 1 rigid bodies and 0 flexible or non-rigid units.

Entry composition ?

There are 5 unique types of models in this entry. These models are titled Best scoring model (domain A), 2nd best scoring model (domain A), 3rd best scoring model (domain A), 4th best scoring model (domain A), 5th best scoring model (domain A) respectively.

Model ID	Subunit number	Subunit ID	Subunit name	Chain ID	Chain ID [auth]	Total residues

Model ID	Subunit number	Subunit ID	Subunit name	Chain ID	Chain ID [auth]	Total residues
1	1	1	HSA_A	A	A	197
2	1	1	HSA_A	A	A	197
3	1	1	HSA_A	A	A	197
4	1	1	HSA_A	A	A	197
5	1	1	HSA_A	A	A	197

Datasets used for modeling

There are 2 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Crosslinking-MS data	PRIDE	PXD001692
2	Other	File	10.5281/zenodo.1035833

Representation

This entry has only one representation and includes 1 rigid bodies and 0 flexible units

Chain ID	Rigid bodies	Non-rigid segments
A	1-197:None	-

Methodology and software

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
-------------	-------------	-------------	-------------	--------------------	---------------------------	----------------------	----------------------

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
1	1	Model-based search (MBS) in Rosetta	Conformational search	None	5000	False	False

There are 2 software packages reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	Rosetta MBS	Not available	Model Building	https://compbio.robotics.tu-berlin.de/rbo_aleph
2	EPC-map	Not available	Contact Predictor	https://compbio.robotics.tu-berlin.de/epsilon

Data quality

Crosslinking-MS

Validation for this section is under development.

Model quality

For models with atomic structures, molprobability analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

Standard geometry: bond outliers

There are 7715 bond outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
N--H3	1.00	0.89	5
N--H2	1.00	0.89	5
N--H1	1.00	0.89	5
CB--HB3	1.09	0.97	820

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
CB--HB2	1.09	0.97	820
CE--HE2	1.09	0.97	95
CG--HG3	1.09	0.97	285
CG2--HG23	1.09	0.97	105
CG2--HG21	1.09	0.97	105
CD--HD3	1.09	0.97	135
CG1--HG12	1.09	0.97	60
CD1--HD13	1.09	0.97	115
NZ--HZ3	1.01	0.89	85
OG1--HG1	0.96	0.84	45
CD1--HD12	1.09	0.97	115
CA--HA3	1.09	0.97	20
CA--HA	1.09	0.97	925
CG1--HG13	1.09	0.97	60
CG--HG2	1.09	0.97	285
CG2--HG22	1.09	0.97	105
CB--HB	1.09	0.97	105
CD--HD2	1.09	0.97	135
CE--HE3	1.09	0.97	95
CB--HB1	1.09	0.97	115
CD1--HD11	1.09	0.97	115
CD2--HD22	1.09	0.97	105
CD2--HD23	1.09	0.97	105

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
OH--HH	0.96	0.84	35
NZ--HZ2	1.01	0.89	85
NZ--HZ1	1.01	0.89	85
CG--HG	1.09	0.97	105
CG1--HG11	1.09	0.97	50
CD2--HD21	1.09	0.97	105
OG--HG	0.96	0.84	25
CE--HE1	1.09	0.97	10
CA--HA2	1.09	0.97	20
SG--HG	1.33	1.20	60
CD--HD3	1.10	0.97	40
CG--HG3	1.10	0.97	40
CG--HG2	1.10	0.97	40
CB--HB2	1.10	0.97	40
CD--HD2	1.10	0.97	40
CA--HA	1.10	0.97	40
CB--HB3	1.10	0.97	40
ND2--HD22	1.00	0.86	35
NE2--HE22	1.00	0.86	35
ND2--HD21	1.00	0.86	35
NE2--HE21	1.00	0.86	35
NH1--HH12	1.01	0.86	50
NH2--HH22	1.01	0.86	50

Bond type	Observed distance (Å)	Ideal distance (Å)	Number of outliers
N--H	1.01	0.86	940
NH1--HH11	1.01	0.86	50
NE2--HE2	1.01	0.86	30
NH2--HH21	1.01	0.86	50
NE--HE	1.01	0.86	50
CZ--HZ	1.09	0.93	65
CE1--HE1	1.09	0.93	130
CE2--HE2	1.09	0.93	100
CD2--HD2	1.09	0.93	130
CD1--HD1	1.09	0.93	100

Standard geometry: angle outliers

There are 230 angle outliers in this entry. A summary is provided below, and a detailed list of outliers can be found [here](#).

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
N-CA-CB	110.50	102.70	1
N-CA-CB	110.50	102.71	2
N-CA-CB	110.50	102.72	3
N-CA-CB	110.50	102.73	8
N-CA-CB	110.50	102.74	7
N-CA-CB	110.50	102.75	5
N-CA-CB	110.50	102.76	9
N-CA-CB	110.50	102.77	7
N-CA-CB	110.50	102.78	8
N-CA-CB	110.50	102.79	5

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
N-CA-CB	110.50	102.81	3
N-CA-CB	110.50	102.82	1
N-CA-CB	110.50	102.84	1
CZ-NE-HE	105.89	117.90	3
CZ-NE-HE	105.88	117.90	1
CZ-NE-HE	105.87	117.90	1
CZ-NE-HE	105.86	117.90	4
CZ-NE-HE	105.85	117.90	2
CZ-NE-HE	105.84	117.90	4
CZ-NE-HE	105.83	117.90	8
CZ-NE-HE	105.82	117.90	4
CZ-NE-HE	105.81	117.90	2
CZ-NE-HE	105.80	117.90	1
CZ-NE-HE	105.79	117.90	6
CZ-NE-HE	105.78	117.90	9
CZ-NE-HE	105.77	117.90	1
CZ-NE-HE	105.75	117.90	1
CZ-NE-HE	105.74	117.90	2
CZ-NE-HE	105.71	117.90	1
H1-N-H3	97.19	109.47	2
H1-N-H2	97.19	109.47	1
H2-N-H3	97.18	109.47	2
H1-N-H2	97.18	109.47	1

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
H1-N-H3	97.18	109.47	1
H1-N-H2	97.17	109.47	2
H2-N-H3	97.17	109.47	1
H2-N-H3	97.16	109.47	1
H1-N-H3	97.14	109.47	1
H1-N-H2	97.12	109.47	1
H1-N-H3	97.12	109.47	1
H2-N-H3	97.11	109.47	1
CB-CG-HG2	122.70	109.00	1
CB-CG-HG2	122.72	109.00	4
CB-CG-HG2	122.73	109.00	1
CB-CG-HG2	122.74	109.00	6
CB-CG-HG2	122.75	109.00	3
CB-CG-HG2	122.76	109.00	6
CB-CG-HG2	122.77	109.00	5
CB-CG-HG2	122.78	109.00	4
CB-CG-HG2	122.80	109.00	1
CB-CG-HG2	122.81	109.00	3
CB-CG-HG2	122.83	109.00	1
CB-CG-HG3	94.66	109.00	1
CB-CG-HG3	94.62	109.00	1
CB-CG-HG3	94.61	109.00	2
CB-CG-HG3	94.59	109.00	2

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
CB-CG-HG3	94.58	109.00	4
CB-CG-HG3	94.57	109.00	5
CB-CG-HG3	94.56	109.00	4
CB-CG-HG3	94.55	109.00	8
CB-CG-HG3	94.54	109.00	1
CB-CG-HG3	94.53	109.00	2
CB-CG-HG3	94.52	109.00	1
CB-CG-HG3	94.51	109.00	1
CB-CG-HG3	94.50	109.00	1
CB-CG-HG3	94.47	109.00	2
CA-CB-HB3	93.42	109.00	1
CA-CB-HB3	93.39	109.00	1
CA-CB-HB3	93.38	109.00	1
CA-CB-HB3	93.37	109.00	1
CA-CB-HB3	93.36	109.00	3
CA-CB-HB3	93.35	109.00	5
CA-CB-HB3	93.34	109.00	4
CA-CB-HB3	93.33	109.00	4
CA-CB-HB3	93.32	109.00	3
CA-CB-HB3	93.31	109.00	7
CA-CB-HB3	93.29	109.00	1
CA-CB-HB3	93.28	109.00	1
CA-CB-HB3	93.27	109.00	2

Angle type	Observed angle (°)	Ideal angle (°)	Number of outliers
CA-CB-HB3	93.26	109.00	1

Too-close contacts

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all the models in this entry.

Model ID	Clash score	Number of clashes
1	6.71	21
2	3.84	12
3	8.31	26
4	6.39	20
5	5.43	17

All 96 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	A:142:HIS:CB	A:145:PHE:CE2	0.655
1	A:142:HIS:CG	A:145:PHE:CE2	0.615
1	A:142:HIS:HB3	A:145:PHE:CZ	0.582
1	A:72:THR:O	A:72:THR:HG22	0.558
1	A:147:ALA:N	A:148:PRO:CD	0.550
1	A:142:HIS:CG	A:145:PHE:CZ	0.531
1	A:89:LYS:HE2	A:89:LYS:O	0.529
1	A:142:HIS:HB3	A:145:PHE:CE2	0.524
1	A:67:GLY:O	A:71:CYS:HB2	0.484
1	A:27:LEU:HG	A:29:GLN:H	0.480
1	A:71:CYS:HA	A:81:GLY:HA3	0.479
1	A:175:LEU:HB3	A:176:PRO:HD3	0.471

Model ID	Atom-1	Atom-2	Clash overlap (Å)
1	A:49:CYS:O	A:50:VAL:C	0.470
1	A:143:PRO:HG2	A:144:TYR:CE1	0.468
1	A:91:GLU:HB3	A:92:PRO:HD2	0.441
1	A:175:LEU:N	A:176:PRO:CD	0.434
1	A:50:VAL:CG2	A:50:VAL:O	0.427
1	A:50:VAL:HG23	A:51:ALA:HB2	0.424
1	A:142:HIS:CB	A:145:PHE:CZ	0.423
1	A:145:PHE:CD1	A:192:GLN:OE1	0.415
1	A:80:TYR:CG	A:83:MET:HE2	0.404
2	A:165:CYS:HB3	A:166:GLN:HG3	0.539
2	A:82:GLU:HG2	A:82:GLU:O	0.531
2	A:147:ALA:N	A:148:PRO:CD	0.530
2	A:50:VAL:CG1	A:51:ALA:HB2	0.517
2	A:175:LEU:HB3	A:176:PRO:HD3	0.475
2	A:175:LEU:N	A:176:PRO:CD	0.474
2	A:50:VAL:HG12	A:51:ALA:HB2	0.470
2	A:29:GLN:HG3	A:29:GLN:O	0.466
2	A:135:LEU:HD11	A:154:ALA:HB2	0.450
2	A:73:VAL:O	A:73:VAL:HG13	0.445
2	A:113:ARG:HD2	A:114:PRO:HD2	0.428
2	A:144:TYR:CE1	A:189:SER:HB3	0.415
3	A:142:HIS:CG	A:145:PHE:CZ	0.696
3	A:195:LYS:HG2	A:197:ALA:H	0.672

Model ID	Atom-1	Atom-2	Clash overlap (Å)
3	A:79:THR:HB	A:80:TYR:CD1	0.580
3	A:29:GLN:HG3	A:76:LEU:CD2	0.577
3	A:147:ALA:N	A:148:PRO:CD	0.558
3	A:142:HIS:HB3	A:145:PHE:CE1	0.550
3	A:162:THR:O	A:165:CYS:HB2	0.528
3	A:67:GLY:O	A:71:CYS:HB2	0.524
3	A:142:HIS:CD2	A:145:PHE:CZ	0.514
3	A:68:ASP:O	A:71:CYS:HB3	0.510
3	A:162:THR:O	A:165:CYS:CB	0.505
3	A:175:LEU:N	A:176:PRO:CD	0.498
3	A:27:LEU:CD2	A:76:LEU:HD13	0.496
3	A:161:PHE:HA	A:164:CYS:SG	0.490
3	A:142:HIS:CB	A:145:PHE:CZ	0.484
3	A:144:TYR:CE1	A:193:ARG:NH2	0.481
3	A:27:LEU:HD22	A:76:LEU:HD13	0.467
3	A:29:GLN:HG3	A:76:LEU:HD21	0.466
3	A:142:HIS:CB	A:145:PHE:CE1	0.461
3	A:29:GLN:HB2	A:76:LEU:HD21	0.456
3	A:71:CYS:HA	A:78:GLU:HB3	0.455
3	A:50:VAL:O	A:51:ALA:CB	0.448
3	A:175:LEU:HB3	A:176:PRO:HD3	0.446
3	A:164:CYS:HA	A:167:ALA:HB3	0.426
3	A:164:CYS:HA	A:167:ALA:CB	0.403

Model ID	Atom-1	Atom-2	Clash overlap (Å)
3	A:164:CYS:O	A:165:CYS:C	0.402
4	A:1:SER:HB3	A:58:CYS:SG	0.648
4	A:1:SER:CB	A:58:CYS:SG	0.605
4	A:50:VAL:CG1	A:51:ALA:HB2	0.564
4	A:71:CYS:SG	A:85:ASP:OD1	0.561
4	A:147:ALA:N	A:148:PRO:CD	0.553
4	A:144:TYR:HD2	A:193:ARG:HH21	0.550
4	A:144:TYR:HB2	A:145:PHE:CE1	0.518
4	A:50:VAL:HG13	A:51:ALA:HB2	0.500
4	A:175:LEU:HB3	A:176:PRO:HD3	0.480
4	A:143:PRO:HG2	A:144:TYR:CE1	0.466
4	A:1:SER:HB2	A:58:CYS:SG	0.461
4	A:72:THR:O	A:72:THR:HG22	0.457
4	A:50:VAL:O	A:50:VAL:HG12	0.444
4	A:142:HIS:HB3	A:145:PHE:CZ	0.444
4	A:50:VAL:HG12	A:51:ALA:HB2	0.442
4	A:144:TYR:CE2	A:193:ARG:NH2	0.441
4	A:90:GLN:HG2	A:90:GLN:O	0.432
4	A:142:HIS:HB2	A:145:PHE:CE2	0.417
4	A:143:PRO:HG2	A:144:TYR:CD1	0.406
4	A:175:LEU:N	A:176:PRO:CD	0.401
5	A:144:TYR:H	A:144:TYR:HD1	0.687
5	A:144:TYR:CD1	A:144:TYR:N	0.659

Model ID	Atom-1	Atom-2	Clash overlap (Å)
5	A:27:LEU:HD13	A:30:CYS:SG	0.595
5	A:147:ALA:N	A:148:PRO:CD	0.535
5	A:144:TYR:HE1	A:193:ARG:HH21	0.529
5	A:28:GLN:CG	A:29:GLN:HG2	0.520
5	A:82:GLU:HG2	A:82:GLU:O	0.510
5	A:143:PRO:HG2	A:144:TYR:CD1	0.502
5	A:143:PRO:HG2	A:144:TYR:CG	0.497
5	A:175:LEU:N	A:176:PRO:CD	0.473
5	A:175:LEU:HB3	A:176:PRO:HD3	0.459
5	A:50:VAL:HG13	A:51:ALA:HB2	0.448
5	A:73:VAL:HG11	A:76:LEU:HB3	0.445
5	A:73:VAL:O	A:73:VAL:HG13	0.445
5	A:195:LYS:HG3	A:196:CYS:SG	0.443
5	A:27:LEU:HB3	A:30:CYS:HB3	0.429
5	A:73:VAL:CG1	A:76:LEU:HB3	0.418

Torsion angles: Protein backbone

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	195	183	9	3
2	195	179	13	3
3	195	187	7	1
4	195	180	12	3
5	195	178	14	3

Detailed list of outliers are tabulated below.

Torsion angles: Protein sidechains ?

In the following table, sidechain outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	170	165	1	4
2	170	168	1	1
3	170	166	4	0
4	170	166	3	1
5	170	168	1	1

Detailed list of outliers are tabulated below.

Model ID	Chain	Residue ID	Residue type
1	A	50	VAL
1	A	70	LEU
1	A	89	LYS
1	A	195	LYS
2	A	178	LEU
4	A	50	VAL
5	A	144	TYR

Fit of model to data used for modeling ?

Crosslinking-MS

Validation for this section is under development.

Fit of model to data used for validation ?

Validation for this section is under development.

Acknowledgements

Development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures, are funded by NSF ABI awards (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250). The [PDB-Dev team](#) and members of [Sali lab](#) contributed model validation metrics and software packages.

Implementation of validation methods for SAS data and SAS-based models are funded by [RCSB PDB](#) (grant number DBI-1832184). Dr. Stephen Burley, Dr. John Westbrook, and Dr. Jasmine Young from [RCSB PDB](#), Dr. Jill Trehwella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.