



wwPDB EM Validation Summary Report ⓘ

May 21, 2026 – 11:28 am BST

PDB ID : 30RA / pdb_000030ra
EMDB ID : EMD-57974
Title : E. coli 70S ribosome with peptidyl-tRNA, mRNA and Hsp15
Authors : Larsson, D.S.D.; Akbar, S.; Selmer, M.
Deposited on : 2026-05-10
Resolution : 2.78 Å(reported)
Based on initial models : 8CGJ, ., 7K00, 8CF1

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMD archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	10754 (2.28 - 3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	55	
2	1	46	
3	2	65	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	3	38	
5	4	70	
6	A	1542	
7	B	241	
8	C	233	
9	D	206	
10	E	167	
11	F	135	
12	G	179	
13	H	130	
14	I	130	
15	J	103	
16	K	129	
17	L	124	
18	M	118	
19	N	101	
20	O	89	
21	P	82	
22	Q	84	
23	R	75	
24	S	92	
25	T	87	
26	U	71	
27	V	142	
28	X	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	77	
30	a	2904	
31	b	120	
32	c	273	
33	d	209	
34	e	201	
35	f	179	
36	g	177	
37	h	149	
38	i	142	
39	j	123	
40	k	144	
41	l	136	
42	m	127	
43	n	117	
44	o	115	
45	p	118	
46	q	103	
47	r	110	
48	s	100	
49	t	104	
50	u	94	
51	v	85	
52	w	78	
53	x	63	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	y	59	<div><div></div><div>88%</div><div>10%</div><div></div></div>
55	z	57	<div><div></div><div>89%</div><div>9%</div><div></div></div>

2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 230884 atoms, of which 89881 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Large ribosomal subunit protein bL33.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	0	51	Total	C	H	N	O	0	0
			858	269	441	76	72		

- Molecule 2 is a protein called Large ribosomal subunit protein bL34.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	1	46	Total	C	H	N	O S	0	0
			788	228	411	90	57 2		

- Molecule 3 is a protein called Large ribosomal subunit protein bL35.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	2	64	Total	C	H	N	O S	0	0
			1065	323	561	105	74 2		

- Molecule 4 is a protein called Large ribosomal subunit protein bL36A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	3	38	Total	C	H	N	O S	0	0
			639	185	337	65	48 4		

- Molecule 5 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	4	60	Total	C	H	N	O S	0	0
			948	299	468	90	85 6		

- Molecule 6 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	1518	Total	C	H	N	O P	0	0
			47455	14542	14865	5981	10549 1518		

- Molecule 7 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	B	224	Total	C	H	N	O	S	0	0
			3504	1109	1751	315	321	8		

- Molecule 8 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	C	206	Total	C	H	N	O	S	0	0
			3293	1028	1669	305	288	3		

- Molecule 9 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms						AltConf	Trace
9	D	205	Total	C	H	N	O	S	0	0
			3322	1026	1679	315	298	4		

- Molecule 10 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms						AltConf	Trace
10	E	156	Total	C	H	N	O	S	0	0
			2329	717	1177	217	212	6		

- Molecule 11 is a protein called Small ribosomal subunit protein bS6, fully modified isoform.

Mol	Chain	Residues	Atoms						AltConf	Trace
11	F	103	Total	C	H	N	O	S	0	0
			1653	530	814	151	151	7		

- Molecule 12 is a protein called Small ribosomal subunit protein uS7.

Mol	Chain	Residues	Atoms						AltConf	Trace
12	G	153	Total	C	H	N	O	S	0	0
			2437	750	1234	231	218	4		

- Molecule 13 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms						AltConf	Trace
13	H	129	Total	C	H	N	O	S	0	0
			1994	616	1015	173	184	6		

- Molecule 14 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms						AltConf	Trace
14	I	127	Total	C	H	N	O	S	0	0
			2075	634	1053	206	179	3		

- Molecule 15 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms						AltConf	Trace
15	J	98	Total	C	H	N	O	S	0	0
			1601	493	815	150	142	1		

- Molecule 16 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms						AltConf	Trace
16	K	117	Total	C	H	N	O	S	0	0
			1742	540	865	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	119	IAS	ASN	conflict	UNP P0A7R9

- Molecule 17 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms						AltConf	Trace
17	L	123	Total	C	H	N	O	S	0	0
			1951	591	994	196	165	5		

- Molecule 18 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms						AltConf	Trace
18	M	115	Total	C	H	N	O	S	0	0
			1826	552	935	179	157	3		

- Molecule 19 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms						AltConf	Trace
19	N	100	Total	C	H	N	O	S	0	0
			1637	499	832	164	139	3		

- Molecule 20 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms						AltConf	Trace
20	O	88	Total	C	H	N	O	S	0	0
			1430	439	716	144	130	1		

- Molecule 21 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms						AltConf	Trace
21	P	81	Total	C	H	N	O	S	0	0
			1295	403	652	127	112	1		

- Molecule 22 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms						AltConf	Trace
22	Q	79	Total	C	H	N	O	S	0	0
			1309	406	668	120	112	3		

- Molecule 23 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms						AltConf	Trace
23	R	66	Total	C	H	N	O	S	0	0
			1094	345	550	102	96	1		

- Molecule 24 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms						AltConf	Trace
24	S	84	Total	C	H	N	O	S	0	0
			1345	427	677	127	112	2		

- Molecule 25 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	T	86	Total	C	H	N	O	S	0	0
			1380	414	710	138	115	3		

- Molecule 26 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms						AltConf	Trace
26	U	70	Total	C	H	N	O	S	0	0
			1209	366	620	125	97	1		

- Molecule 27 is a protein called Heat shock protein 15.

Mol	Chain	Residues	Atoms						AltConf	Trace
27	V	129	Total	C	H	N	O	S	0	0
			2119	655	1066	204	191	3		

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
V	-8	MET	-	initiating methionine	UNP P0ACG8
V	-7	HIS	-	expression tag	UNP P0ACG8
V	-6	HIS	-	expression tag	UNP P0ACG8
V	-5	HIS	-	expression tag	UNP P0ACG8
V	-4	HIS	-	expression tag	UNP P0ACG8
V	-3	HIS	-	expression tag	UNP P0ACG8
V	-2	HIS	-	expression tag	UNP P0ACG8
V	-1	GLY	-	expression tag	UNP P0ACG8
V	0	SER	-	expression tag	UNP P0ACG8
V	1	GLY	-	expression tag	UNP P0ACG8

- Molecule 28 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
28	X	3	Total	C	H	N	O	P	0	0
			95	29	30	13	20	3		

- Molecule 29 is a RNA chain called tRNA Asp.

Mol	Chain	Residues	Atoms						AltConf	Trace
29	Z	73	Total	C	H	N	O	P	0	0
			2271	693	714	275	516	73		

- Molecule 30 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
30	a	2753	Total	C	H	N	O	P	0	0
			86112	26384	26982	10897	19096	2753		

- Molecule 31 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms						AltConf	Trace
31	b	119	Total	C	H	N	O	P	0	0
			3720	1135	1171	466	829	119		

- Molecule 32 is a protein called Large ribosomal subunit protein uL2.

Mol	Chain	Residues	Atoms						AltConf	Trace
32	c	271	Total	C	H	N	O	S	0	0
			4196	1288	2114	423	364	7		

- Molecule 33 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms						AltConf	Trace
33	d	209	Total	C	H	N	O	S	0	0
			3152	980	1586	288	294	4		

- Molecule 34 is a protein called Large ribosomal subunit protein uL4.

Mol	Chain	Residues	Atoms						AltConf	Trace
34	e	201	Total	C	H	N	O	S	0	0
			3142	974	1590	283	290	5		

- Molecule 35 is a protein called Large ribosomal subunit protein uL5.

Mol	Chain	Residues	Atoms						AltConf	Trace
35	f	177	Total	C	H	N	O	S	0	0
			2831	899	1421	249	256	6		

- Molecule 36 is a protein called Large ribosomal subunit protein uL6.

Mol	Chain	Residues	Atoms						AltConf	Trace
36	g	176	Total	C	H	N	O	S	0	0
			2670	832	1347	243	246	2		

- Molecule 37 is a protein called Large ribosomal subunit protein bL9.

Mol	Chain	Residues	Atoms						AltConf	Trace
37	h	41	Total	C	H	N	O	S	0	0
			627	194	324	54	54	1		

- Molecule 38 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms						AltConf	Trace
38	i	142	Total	C	H	N	O	S	0	0
			2266	714	1137	212	199	4		

- Molecule 39 is a protein called Large ribosomal subunit protein uL14.

Mol	Chain	Residues	Atoms						AltConf	Trace
39	j	123	Total	C	H	N	O	S	0	0
			1954	593	1008	181	166	6		

- Molecule 40 is a protein called Large ribosomal subunit protein uL15.

Mol	Chain	Residues	Atoms						AltConf	Trace
40	k	144	Total	C	H	N	O	S	0	0
			2164	654	1111	207	190	2		

- Molecule 41 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms						AltConf	Trace
41	l	136	Total	C	H	N	O	S	0	0
			2217	686	1142	205	177	7		

- Molecule 42 is a protein called Large ribosomal subunit protein bL17.

Mol	Chain	Residues	Atoms						AltConf	Trace
42	m	118	Total	C	H	N	O	S	0	0
			1916	585	971	194	161	5		

- Molecule 43 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms						AltConf	Trace
43	n	116	Total	C	H	N	O		0	0
			1800	552	908	178	162			

- Molecule 44 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms						AltConf	Trace
44	o	114	Total	C	H	N	O	S	0	0
			1864	574	947	179	163	1		

- Molecule 45 is a protein called Large ribosomal subunit protein bL20.

Mol	Chain	Residues	Atoms						AltConf	Trace
45	p	117	Total	C	H	N	O		0	0
			1955	604	1008	192	151			

- Molecule 46 is a protein called Large ribosomal subunit protein bL21.

Mol	Chain	Residues	Atoms						AltConf	Trace
46	q	103	Total	C	H	N	O	S	0	0
			1641	516	825	153	145	2		

- Molecule 47 is a protein called Large ribosomal subunit protein uL22.

Mol	Chain	Residues	Atoms						AltConf	Trace
47	r	110	Total	C	H	N	O	S	0	0
			1761	532	904	166	156	3		

- Molecule 48 is a protein called Large ribosomal subunit protein uL23.

Mol	Chain	Residues	Atoms						AltConf	Trace
48	s	93	Total	C	H	N	O	S	0	0
			1533	466	795	139	131	2		

- Molecule 49 is a protein called Large ribosomal subunit protein uL24.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	102	Total	C	H	N	O	0	0
			1602	492	823	146	141		

- Molecule 50 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms						AltConf	Trace
50	u	94	Total	C	H	N	O	S	0	0
			1523	479	770	137	134	3		

- Molecule 51 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms						AltConf	Trace
51	v	78	Total	C	H	N	O	S	0	0
			1172	362	586	116	107	1		

- Molecule 52 is a protein called Large ribosomal subunit protein bL28.

Mol	Chain	Residues	Atoms						AltConf	Trace
52	w	77	Total	C	H	N	O	S	0	0
			1263	388	638	129	106	2		

- Molecule 53 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms						AltConf	Trace
53	x	62	Total	C	H	N	O	S	0	0
			1027	308	526	98	94	1		

- Molecule 54 is a protein called Large ribosomal subunit protein uL30.

Mol	Chain	Residues	Atoms						AltConf	Trace
54	y	58	Total	C	H	N	O	S	0	0
			928	281	479	87	79	2		

- Molecule 55 is a protein called Large ribosomal subunit protein bL32.

Mol	Chain	Residues	Atoms						AltConf	Trace
55	z	56	Total	C	H	N	O	S	0	0
			887	269	443	94	80	1		


- Molecule 56 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
56	3	1	Total	Zn	0
			1	1	
56	4	1	Total	Zn	0
			1	1	

- Molecule 57 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	A	71	Total	Mg	0
			71	71	
57	N	1	Total	Mg	0
			1	1	
57	a	201	Total	Mg	0
			201	201	
57	b	5	Total	Mg	0
			5	5	
57	c	1	Total	Mg	0
			1	1	
57	d	1	Total	Mg	0
			1	1	
57	z	1	Total	Mg	0
			1	1	

- Molecule 58 is ASPARTIC ACID (CCD ID: ASP) (formula: C₄H₇NO₄).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	H	N	O	
58	Z	1	14	4	6	1	3	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Large ribosomal subunit protein bL33

Chain 0:  89% 7%




- Molecule 2: Large ribosomal subunit protein bL34

Chain 1:  100%




- Molecule 3: Large ribosomal subunit protein bL35

Chain 2:  88% 9%



- Molecule 4: Large ribosomal subunit protein bL36A


Chain 3:  92% 8%



- Molecule 5: Large ribosomal subunit protein bL31


Chain 4:  66% 69% 17% 14%






• Molecule 6: 16S rRNA

Chain A: 66% 29%







- Molecule 7: Small ribosomal subunit protein uS2




- Molecule 8: Small ribosomal subunit protein uS3




- Molecule 9: Small ribosomal subunit protein uS4



- Molecule 10: Small ribosomal subunit protein uS5




- Molecule 11: Small ribosomal subunit protein bS6, fully modified isoform



- Molecule 12: Small ribosomal subunit protein uS7

Chain G:  74% 12% 15%




- Molecule 13: Small ribosomal subunit protein uS8

Chain H:  91% 8%




- Molecule 14: Small ribosomal subunit protein uS9

Chain I:  88% 9%




- Molecule 15: Small ribosomal subunit protein uS10

Chain J:  80% 14% 5%





- Molecule 16: Small ribosomal subunit protein uS11

Chain K:  83% 8% 9%



- Molecule 17: Small ribosomal subunit protein uS12

Chain L:  89% 10%




- Molecule 18: Small ribosomal subunit protein uS13

Chain M:  91% 7%



- Molecule 19: Small ribosomal subunit protein uS14

Chain N: 86% 13% .




- Molecule 20: Small ribosomal subunit protein uS15

Chain O: 91% 8% .



- Molecule 21: Small ribosomal subunit protein bS16

Chain P: 88% 11% .



- Molecule 22: Small ribosomal subunit protein uS17

Chain Q: 85% 10% 6%



- Molecule 23: Small ribosomal subunit protein bS18

Chain R: 80% 7% 12%




- Molecule 24: Small ribosomal subunit protein uS19

Chain S: 84% 8% 9%





- Molecule 25: Small ribosomal subunit protein bS20



Chain T: 90% 9% .



- Molecule 26: Small ribosomal subunit protein bS21



- Molecule 27: Heat shock protein 15



- Molecule 28: mRNA




There are no outlier residues recorded for this chain.


- Molecule 29: tRNA Asp



- Molecule 30: 23S rRNA



G2293	G2294	U2305	C2306	G2307	G2308	U2312	U2321	A2322	G2325	C2326	A2327	A2328	U2329	G2330	G2331	C2332	A2333	U2334	A2335	A2336	A2340	C2347	C2350	G2361	G2363	U2364	C2365	A2366	G2369	U2074	G2087	C2091	U2092	A2093	A2094	U2098	G2271	U2272	A2273	A2274	C2275	G2276	G2277	A2278	G2282	C2283	A2287	U2291	A2434	A2435							
C	A	C	C	U	U	U	U	A	G	U	U	U	U	U	U	C	C	U	U	U	A2191	A2198	U2203	G2204	U2210	A2211	G2223	G2224	A2225	G2228	U2229	A	G	U	C	U	G	U	A	G	C	C	A	G	C	A	C	U	U	G	A	A	A	U	U	A	C
G1908	C1909	G1910	U1911	A1912	A1913	G1914	3TD1915	A1916	U1917	A1928	U1929	G1930	U1931	A1932	G1933	A1937	U1938	A1938	U1939	U1955	U1956	C1957	G1958	G1959	C1962	C1965	A1966	C1967	A1970	U1971	G1972	G1980	A1981	U1982	G1983	U1991	G1992	U1993	C1994	U1995	C1996	C2006	G2012	A2013	A2014	A2015	U2016	U2017	A2020								
A1757	U1758	A1759	C1764	A1773	U1778	U1782	U1783	A1784	C1790	A1791	U1798	G1799	A1800	G1807	A1808	A1809	A1810	C1816	U1817	U1818	G1823	A1829	G1839	C1843	A1847	A1848	A1853	G1862	C1870	A1871	A1872	G1873	A1876	C1895	G1904	C1905	G1906	G1907																			
G1445	G1450	C1451	G1452	A1453	A1469	A1470	G1478	G1482	G1483	U1484	U1485	U1486	A1490	C1493	A1509	G1510	A1515	A1528	G1529	U1534	A1535	C1536	G1537	U1538	U1539	G1543	A1544	A1545	G1546	U1554	U1562	U1563	C1564	A1566	A1569	U1578	A1583	U1584	C1585	A1586	A1590																
A1593	U1594	A1598	C1607	A1608	A1609	A1610	C1611	A1630	A1641	G1642	G1643	U1647	U1648	A1664	A1672	G1673	G1674	A1677	U1678	U1680	G1681	U1693	G1696	G1710	G1715	U1720	G1721	U1729	C1730	G1731	C1732	U1736	G1737	G1738	A1746	U1747	G1750	A1754																			
A1757	U1758	A1759	C1764	A1773	U1778	U1782	U1783	A1784	C1790	A1791	U1798	G1799	A1800	G1807	A1808	A1809	A1810	C1816	U1817	U1818	G1823	A1829	G1839	C1843	A1847	A1848	A1853	G1862	C1870	A1871	A1872	G1873	A1876	C1895	G1904	C1905	G1906	G1907																			
C1908	C1909	G1910	U1911	A1912	A1913	G1914	3TD1915	A1916	U1917	A1928	U1929	G1930	U1931	A1932	G1933	A1937	U1938	A1938	U1939	U1955	U1956	C1957	G1958	G1959	C1962	C1965	A1966	C1967	A1970	U1971	G1972	G1980	A1981	U1982	G1983	U1991	G1992	U1993	C1994	U1995	C1996	C2006	G2012	A2013	A2014	A2015	U2016	U2017	A2020								
C2023	G2027	A2030	A2031	G2032	A2033	G2038	U2039	G2040	U2041	A2042	C2043	G2049	C2050	A2051	C2055	C2056	A2060	G2061	A2062	C2063	C2064	C2065	C2066	G2069	U2074	G2087	C2091	U2092	A2093	A2094	U2098	U	G	A	G	C	A	G	C	C	U	U	G	A	U	U	U	A									
G	G	U	U	U	G	U	G	G	G	G	G	G	G	G	G	G	G	G	G	G	A2191	A2198	U2203	G2204	U2210	A2211	G2223	G2224	A2225	G2228	U2229	A	G	U	C	U	G	U	A	G	C	C	A	G	C	C	U	U	G	A	A	A	U	U	A	C	
G1016	A878	G879	C880	A1020	A1021	G1022	G1026	A1027	A1028	U1033	G1034	U1035	A896	C897	C898	A1039	A1040	G1041	G1042	C1043	G1044	C1045	G1046	G1047	A1048	G1051	C1052	C	A	G	U	G	U	C	U	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A						
A721	A727	A730	G738	G738	G738	G738	G738	A743	U744	G745	C746	U747	G763	A764	C765	U766	U767	A905	A910	G914	C915	G916	A917	G782	A783	A927	A928	U929	G930	U931	U932	C946	U955	G956	C961	A821	G822	U827	U828	A829	C840	U846	U847	A996	G856	C998	A1009	U1012	C1013	G869							
U580	U588	U589	A592	U593	C595	A603	A608	A609	A614	U615	C624	A627	A831	G636	A837	A844	C645	U646	G647	U652	U653	A655	G656	U657	U658	C662	G663	G664	G674	A675	G684	U685	U686	G700	G701	G711	C717	U720																			



• Molecule 31: 5S rRNA

Chain b: 70% 23% 6% .



• Molecule 32: Large ribosomal subunit protein uL2

Chain c: 93% 6% .



• Molecule 33: Large ribosomal subunit protein uL3

Chain d: 90% 10%



• Molecule 34: Large ribosomal subunit protein uL4

Chain e: 93% 7%




• Molecule 35: Large ribosomal subunit protein uL5

Chain f: 84% 15% .






• Molecule 36: Large ribosomal subunit protein uL6

Chain g: 87% 12% .



- Molecule 37: Large ribosomal subunit protein bL9





- Molecule 38: Large ribosomal subunit protein uL13





- Molecule 39: Large ribosomal subunit protein uL14




- Molecule 40: Large ribosomal subunit protein uL15



- Molecule 41: Large ribosomal subunit protein uL16



- Molecule 42: Large ribosomal subunit protein bL17





- Molecule 43: Large ribosomal subunit protein uL18

Chain n: 90% 9% ..




- Molecule 44: Large ribosomal subunit protein bL19

Chain o: 95% ..




- Molecule 45: Large ribosomal subunit protein bL20

Chain p: 89% 9% ..



- Molecule 46: Large ribosomal subunit protein bL21

Chain q: 87% 13% ..



- Molecule 47: Large ribosomal subunit protein uL22

Chain r: 93% 6% ..



- Molecule 48: Large ribosomal subunit protein uL23

Chain s: 82% 11% 7% ..




- Molecule 49: Large ribosomal subunit protein uL24



Chain t: 84% 13% ..



- Molecule 50: Large ribosomal subunit protein bL25




- Molecule 51: Large ribosomal subunit protein bL27





- Molecule 52: Large ribosomal subunit protein bL28





- Molecule 53: Large ribosomal subunit protein uL29



- Molecule 54: Large ribosomal subunit protein uL30



- Molecule 55: Large ribosomal subunit protein bL32



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	41043	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	32.3	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	165000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.342	Depositor
Minimum map value	-0.094	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.015	Depositor
Recommended contour level	0.04	Depositor
Map size (Å)	411.36, 411.36, 411.36	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.8034375, 0.8034375, 0.8034375	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 3TD, 2MG, UR3, 2MA, 5MU, OMG, MG, 1MG, 4D4, 4OC, MA6, 6MZ, OMC, MEQ, PSU, 5MC, IAS, G7M, H2U, OMU, MS6, ZN, D2T

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	0	0.59	0/424	0.99	0/565
2	1	0.72	0/380	1.12	0/498
3	2	0.72	0/513	1.22	0/676
4	3	0.67	0/303	1.15	0/397
5	4	0.56	0/488	1.08	3/649 (0.5%)
6	A	0.59	1/36211 (0.0%)	0.97	53/56481 (0.1%)
7	B	0.50	0/1784	1.06	3/2403 (0.1%)
8	C	0.54	0/1651	1.00	0/2225
9	D	0.53	0/1665	1.04	0/2227
10	E	0.55	0/1165	1.02	1/1568 (0.1%)
11	F	0.51	0/858	1.00	0/1160
12	G	0.53	0/1219	1.05	0/1635
13	H	0.54	0/989	1.01	0/1326
14	I	0.57	0/1034	1.09	1/1375 (0.1%)
15	J	0.61	0/796	1.16	1/1077 (0.1%)
16	K	0.55	0/884	0.95	0/1191
17	L	0.61	0/960	1.13	0/1286
18	M	0.55	0/900	1.09	1/1204 (0.1%)
19	N	0.55	0/817	1.05	0/1088
20	O	0.57	0/722	1.10	0/964
21	P	0.52	0/653	1.00	0/877
22	Q	0.57	0/650	1.14	2/871 (0.2%)
23	R	0.52	0/553	1.11	1/742 (0.1%)
24	S	0.55	0/685	1.01	1/922 (0.1%)
25	T	0.54	0/676	1.10	0/895
26	U	0.49	0/597	1.08	0/792
27	V	0.49	0/1070	0.96	0/1435
28	X	0.70	0/72	0.83	0/110
29	Z	0.58	0/1737	0.84	0/2704
30	a	0.61	0/65651	1.03	146/102413 (0.1%)
31	b	0.59	0/2850	0.95	3/4444 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.66	1/2121 (0.0%)	1.10	0/2852
33	d	0.63	0/1576	1.06	3/2119 (0.1%)
34	e	0.60	0/1571	1.04	0/2113
35	f	0.51	0/1434	1.04	0/1926
36	g	0.55	0/1343	1.04	0/1816
37	h	0.57	0/306	1.16	1/413 (0.2%)
38	i	0.61	0/1152	1.04	0/1551
39	j	0.66	0/955	1.13	1/1279 (0.1%)
40	k	0.66	0/1062	1.13	0/1413
41	l	0.60	0/1073	1.05	0/1433
42	m	0.68	1/958 (0.1%)	1.14	0/1281
43	n	0.57	0/902	1.08	0/1209
44	o	0.62	0/929	1.01	0/1242
45	p	0.69	0/960	1.12	3/1278 (0.2%)
46	q	0.60	0/829	1.07	2/1107 (0.2%)
47	r	0.67	0/864	1.12	3/1156 (0.3%)
48	s	0.55	0/744	1.02	0/994
49	t	0.60	0/787	1.06	0/1051
50	u	0.55	0/766	1.02	0/1025
51	v	0.64	0/593	1.08	0/785
52	w	0.65	0/635	1.13	0/848
53	x	0.53	0/502	1.10	1/667 (0.1%)
54	y	0.61	0/453	1.12	0/605
55	z	0.71	0/450	1.09	0/599
All	All	0.59	3/151922 (0.0%)	1.02	230/226962 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	I	0	1
32	c	0	1
All	All	0	2

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	1498	UR3	O3'-P	5.34	1.61	1.56
42	m	3	HIS	CG-CD2	-5.09	1.30	1.35
32	c	53	HIS	CG-CD2	-5.08	1.30	1.35

The worst 5 of 230 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
30	a	781	A	O3'-P-O5'	-7.76	92.36	104.00
30	a	2060	A	O3'-P-O5'	-7.73	92.40	104.00
30	a	859	G	O3'-P-O5'	-7.70	92.44	104.00
30	a	2066	C	O3'-P-O5'	-7.70	92.46	104.00
30	a	1810	A	O3'-P-O5'	-7.58	92.63	104.00

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
14	I	122	ARG	Sidechain
32	c	189	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	417	441	451	1	0
2	1	377	411	418	0	0
3	2	504	561	572	5	0
4	3	302	337	340	2	0
5	4	480	468	478	6	0
6	A	32590	14865	16421	115	0
7	B	1753	1751	1780	27	0
8	C	1624	1669	1696	14	0
9	D	1643	1679	1707	11	0
10	E	1152	1177	1196	5	0
11	F	839	814	833	15	0
12	G	1203	1234	1254	16	0
13	H	979	1015	1031	8	0
14	I	1022	1053	1070	7	0
15	J	786	815	828	11	0
16	K	877	865	883	8	0
17	L	957	994	1015	7	0
18	M	891	935	952	6	0
19	N	805	832	844	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	O	714	716	734	4	0
21	P	643	652	661	5	0
22	Q	641	668	682	6	0
23	R	544	550	565	4	0
24	S	668	677	693	3	0
25	T	670	710	719	4	0
26	U	589	620	629	4	0
27	V	1053	1066	1084	6	0
28	X	65	30	34	0	0
29	Z	1557	714	789	9	0
30	a	59130	26982	29769	161	0
31	b	2549	1171	1291	14	0
32	c	2082	2114	2154	9	0
33	d	1566	1586	1618	10	0
34	e	1552	1590	1619	9	0
35	f	1410	1421	1444	18	0
36	g	1323	1347	1371	11	0
37	h	303	324	327	9	0
38	i	1129	1137	1162	6	0
39	j	946	1008	1023	7	0
40	k	1053	1111	1129	14	0
41	l	1075	1142	1145	13	0
42	m	945	971	989	4	0
43	n	892	908	923	7	0
44	o	917	947	962	4	0
45	p	947	1008	1019	9	0
46	q	816	825	839	9	0
47	r	857	904	922	4	0
48	s	738	795	807	6	0
49	t	779	823	831	11	0
50	u	753	770	780	6	0
51	v	586	586	596	1	0
52	w	625	638	652	5	0
53	x	501	526	531	3	0
54	y	449	479	488	4	0
55	z	444	443	458	4	0
56	3	1	0	0	0	0
56	4	1	0	0	0	0
57	A	71	0	0	0	0
57	N	1	0	0	0	0
57	a	201	0	0	0	0
57	b	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	c	1	0	0	0	0
57	d	1	0	0	0	0
57	z	1	0	0	0	0
58	Z	8	6	3	1	0
All	All	141003	89881	95211	599	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

The worst 5 of 599 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:B:166:ALA:HB2	7:B:185:ALA:HB1	1.75	0.67
15:J:57:VAL:HG12	15:J:57:VAL:O	1.94	0.66
30:a:568:U:H1'	30:a:2030:6MZ:H9C1	1.76	0.66
35:f:126:GLY:HA2	35:f:163:ASP:HA	1.78	0.66
48:s:92:ASN:O	48:s:93:LEU:C	2.39	0.65

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	49/55 (89%)	48 (98%)	1 (2%)	0	100	100
2	1	44/46 (96%)	43 (98%)	1 (2%)	0	100	100
3	2	62/65 (95%)	59 (95%)	2 (3%)	1 (2%)	7	23
4	3	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
5	4	56/70 (80%)	49 (88%)	7 (12%)	0	100	100
7	B	222/241 (92%)	207 (93%)	15 (7%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	C	204/233 (88%)	189 (93%)	15 (7%)	0	100	100
9	D	203/206 (98%)	199 (98%)	4 (2%)	0	100	100
10	E	154/167 (92%)	150 (97%)	4 (3%)	0	100	100
11	F	101/135 (75%)	92 (91%)	9 (9%)	0	100	100
12	G	151/179 (84%)	145 (96%)	6 (4%)	0	100	100
13	H	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
14	I	125/130 (96%)	120 (96%)	5 (4%)	0	100	100
15	J	96/103 (93%)	89 (93%)	7 (7%)	0	100	100
16	K	113/129 (88%)	104 (92%)	9 (8%)	0	100	100
17	L	120/124 (97%)	114 (95%)	6 (5%)	0	100	100
18	M	113/118 (96%)	108 (96%)	5 (4%)	0	100	100
19	N	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
20	O	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
21	P	79/82 (96%)	76 (96%)	3 (4%)	0	100	100
22	Q	77/84 (92%)	68 (88%)	9 (12%)	0	100	100
23	R	64/75 (85%)	60 (94%)	4 (6%)	0	100	100
24	S	82/92 (89%)	76 (93%)	6 (7%)	0	100	100
25	T	84/87 (97%)	83 (99%)	1 (1%)	0	100	100
26	U	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
27	V	127/142 (89%)	124 (98%)	3 (2%)	0	100	100
32	c	269/273 (98%)	254 (94%)	15 (6%)	0	100	100
33	d	206/209 (99%)	195 (95%)	11 (5%)	0	100	100
34	e	199/201 (99%)	193 (97%)	6 (3%)	0	100	100
35	f	175/179 (98%)	162 (93%)	13 (7%)	0	100	100
36	g	174/177 (98%)	161 (92%)	13 (8%)	0	100	100
37	h	39/149 (26%)	33 (85%)	6 (15%)	0	100	100
38	i	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
39	j	121/123 (98%)	113 (93%)	8 (7%)	0	100	100
40	k	142/144 (99%)	134 (94%)	8 (6%)	0	100	100
41	l	132/136 (97%)	130 (98%)	2 (2%)	0	100	100
42	m	116/127 (91%)	106 (91%)	10 (9%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	n	114/117 (97%)	107 (94%)	7 (6%)	0	100	100
44	o	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
45	p	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
46	q	101/103 (98%)	97 (96%)	4 (4%)	0	100	100
47	r	108/110 (98%)	103 (95%)	5 (5%)	0	100	100
48	s	91/100 (91%)	89 (98%)	2 (2%)	0	100	100
49	t	100/104 (96%)	96 (96%)	4 (4%)	0	100	100
50	u	92/94 (98%)	88 (96%)	4 (4%)	0	100	100
51	v	76/85 (89%)	73 (96%)	3 (4%)	0	100	100
52	w	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
53	x	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
54	y	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
55	z	54/57 (95%)	51 (94%)	3 (6%)	0	100	100
All	All	5608/6055 (93%)	5334 (95%)	273 (5%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	2	32	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	46/49 (94%)	46 (100%)	0	100	100
2	1	38/38 (100%)	38 (100%)	0	100	100
3	2	51/52 (98%)	51 (100%)	0	100	100
4	3	34/34 (100%)	34 (100%)	0	100	100
5	4	55/62 (89%)	55 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	B	186/199 (94%)	186 (100%)	0	100	100
8	C	170/190 (90%)	170 (100%)	0	100	100
9	D	172/173 (99%)	170 (99%)	2 (1%)	63	84
10	E	119/126 (94%)	119 (100%)	0	100	100
11	F	90/116 (78%)	90 (100%)	0	100	100
12	G	126/147 (86%)	126 (100%)	0	100	100
13	H	104/105 (99%)	104 (100%)	0	100	100
14	I	105/107 (98%)	105 (100%)	0	100	100
15	J	86/90 (96%)	83 (96%)	3 (4%)	32	64
16	K	89/98 (91%)	89 (100%)	0	100	100
17	L	102/103 (99%)	100 (98%)	2 (2%)	48	77
18	M	93/96 (97%)	93 (100%)	0	100	100
19	N	83/84 (99%)	83 (100%)	0	100	100
20	O	76/77 (99%)	76 (100%)	0	100	100
21	P	65/65 (100%)	65 (100%)	0	100	100
22	Q	73/78 (94%)	73 (100%)	0	100	100
23	R	57/65 (88%)	57 (100%)	0	100	100
24	S	72/79 (91%)	72 (100%)	0	100	100
25	T	65/66 (98%)	65 (100%)	0	100	100
26	U	60/61 (98%)	60 (100%)	0	100	100
27	V	110/121 (91%)	110 (100%)	0	100	100
32	c	216/218 (99%)	216 (100%)	0	100	100
33	d	163/163 (100%)	163 (100%)	0	100	100
34	e	165/165 (100%)	165 (100%)	0	100	100
35	f	148/150 (99%)	148 (100%)	0	100	100
36	g	137/138 (99%)	135 (98%)	2 (2%)	57	81
37	h	32/114 (28%)	32 (100%)	0	100	100
38	i	116/116 (100%)	116 (100%)	0	100	100
39	j	104/104 (100%)	103 (99%)	1 (1%)	68	86
40	k	103/103 (100%)	103 (100%)	0	100	100
41	l	107/107 (100%)	107 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	m	98/103 (95%)	98 (100%)	0	100	100
43	n	86/87 (99%)	86 (100%)	0	100	100
44	o	99/100 (99%)	99 (100%)	0	100	100
45	p	89/90 (99%)	89 (100%)	0	100	100
46	q	84/84 (100%)	84 (100%)	0	100	100
47	r	93/93 (100%)	93 (100%)	0	100	100
48	s	80/84 (95%)	80 (100%)	0	100	100
49	t	83/85 (98%)	82 (99%)	1 (1%)	63	84
50	u	78/78 (100%)	78 (100%)	0	100	100
51	v	58/63 (92%)	58 (100%)	0	100	100
52	w	67/68 (98%)	67 (100%)	0	100	100
53	x	54/55 (98%)	54 (100%)	0	100	100
54	y	48/49 (98%)	47 (98%)	1 (2%)	47	76
55	z	47/48 (98%)	47 (100%)	0	100	100
All	All	4682/4946 (95%)	4670 (100%)	12 (0%)	84	94

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
36	g	3	ARG
36	g	102	VAL
54	y	4	THR
39	j	58	LEU
15	J	44	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 74 such sidechains are listed below:

Mol	Chain	Res	Type
45	p	37	GLN
53	x	38	GLN
46	q	6	GLN
50	u	87	GLN
21	P	63	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
28	X	2/3 (66%)	0	0
29	Z	71/77 (92%)	18 (25%)	1 (1%)
30	a	2749/2904 (94%)	390 (14%)	0
31	b	118/120 (98%)	18 (15%)	0
6	A	1515/1542 (98%)	319 (21%)	33 (2%)
All	All	4455/4646 (95%)	745 (16%)	34 (0%)

5 of 745 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	A	4	U
6	A	5	U
6	A	6	G
6	A	7	A
6	A	9	G

5 of 34 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	A	1319	A
6	A	1320	C
6	A	1505	G
6	A	533	A
6	A	532	A

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

40 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
16	IAS	K	119	16	6,7,8	0.94	0	6,8,10	0.92	0
30	OMU	a	2552	30	19,22,23	0.64	0	26,31,34	0.70	1 (3%)
30	PSU	a	2580	30	18,21,22	1.00	2 (11%)	22,30,33	0.73	1 (4%)
30	OMC	a	2498	57,30	19,22,23	0.50	0	26,31,34	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
30	PSU	a	2605	30	18,21,22	0.72	1 (5%)	22,30,33	1.08	2 (9%)
30	3TD	a	1915	30	18,22,23	0.90	1 (5%)	22,32,35	0.65	0
41	4D4	l	81	41	9,11,12	0.49	0	8,13,15	0.96	1 (12%)
33	MEQ	d	150	33	8,9,10	0.53	0	5,10,12	0.71	0
30	2MG	a	1835	30	23,26,27	0.42	0	32,38,41	0.47	0
30	H2U	a	2449	30	18,21,22	0.62	1 (5%)	21,30,33	1.09	3 (14%)
30	G7M	a	2069	57,30	23,26,27	0.78	1 (4%)	35,39,42	0.79	1 (2%)
6	2MG	A	1207	6	23,26,27	0.34	0	32,38,41	0.55	0
30	PSU	a	2457	30	18,21,22	1.06	2 (11%)	22,30,33	0.63	0
6	MA6	A	1519	6	23,26,27	0.35	0	34,38,41	0.75	1 (2%)
41	MS6	l	82	41	5,7,8	0.27	0	2,7,9	0.11	0
30	5MU	a	1939	30	19,22,23	0.47	0	28,32,35	0.69	1 (3%)
6	5MC	A	967	6	18,22,23	0.34	0	26,32,35	0.69	1 (3%)
30	PSU	a	2504	30	18,21,22	0.72	1 (5%)	22,30,33	1.15	1 (4%)
30	1MG	a	745	30	22,26,27	0.70	1 (4%)	33,39,42	0.75	2 (6%)
30	2MG	a	2445	30	23,26,27	0.54	0	32,38,41	0.49	0
6	4OC	A	1402	6	20,23,24	0.33	0	26,32,35	0.57	0
6	G7M	A	527	6	23,26,27	0.77	1 (4%)	35,39,42	0.72	1 (2%)
6	PSU	A	516	57,6	18,21,22	0.84	1 (5%)	22,30,33	0.76	1 (4%)
6	UR3	A	1498	6	19,22,23	0.59	0	26,32,35	0.84	0
6	2MG	A	966	6	23,26,27	0.35	0	32,38,41	0.46	0
6	MA6	A	1518	6	23,26,27	0.31	0	34,38,41	0.73	1 (2%)
6	2MG	A	1516	6	23,26,27	0.36	0	32,38,41	0.52	0
30	PSU	a	955	30	18,21,22	0.95	1 (5%)	22,30,33	0.90	1 (4%)
30	PSU	a	746	57,30	18,21,22	0.92	2 (11%)	22,30,33	0.71	0
30	5MU	a	747	30	19,22,23	0.55	0	28,32,35	0.66	0
30	6MZ	a	2030	30	22,25,26	0.68	0	30,36,39	0.76	0
6	5MC	A	1407	6	18,22,23	0.30	0	26,32,35	0.70	0
30	PSU	a	1917	30	18,21,22	0.96	1 (5%)	22,30,33	0.71	0
30	PSU	a	1911	30	18,21,22	0.79	1 (5%)	22,30,33	0.64	0
30	6MZ	a	1618	30	22,25,26	0.65	0	30,36,39	0.69	0
30	PSU	a	2604	30	18,21,22	1.00	2 (11%)	22,30,33	0.85	1 (4%)
30	OMG	a	2251	29,30	23,26,27	0.40	0	33,38,41	0.62	0
30	2MA	a	2503	57,30	22,25,26	0.85	2 (9%)	33,37,40	1.13	2 (6%)
30	5MC	a	1962	30	18,22,23	0.41	0	26,32,35	0.56	1 (3%)
17	D2T	L	89	17	7,9,10	0.95	0	6,11,13	2.40	3 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
16	IAS	K	119	16	-	0/7/7/8	-
30	OMU	a	2552	30	-	2/9/27/28	0/2/2/2
30	PSU	a	2580	30	-	0/7/25/26	0/2/2/2
30	OMC	a	2498	57,30	-	0/9/27/28	0/2/2/2
30	PSU	a	2605	30	-	0/7/25/26	0/2/2/2
30	3TD	a	1915	30	-	0/7/25/26	0/2/2/2
41	4D4	l	81	41	-	2/11/12/14	-
33	MEQ	d	150	33	-	3/8/9/11	-
30	2MG	a	1835	30	-	0/9/27/28	0/3/3/3
30	H2U	a	2449	30	-	0/7/38/39	0/2/2/2
30	G7M	a	2069	57,30	-	2/7/25/26	0/3/3/3
6	2MG	A	1207	6	-	1/9/27/28	0/3/3/3
30	PSU	a	2457	30	-	0/7/25/26	0/2/2/2
6	MA6	A	1519	6	-	3/11/29/30	0/3/3/3
41	MS6	l	82	41	-	0/4/6/8	-
30	5MU	a	1939	30	-	0/7/25/26	0/2/2/2
6	5MC	A	967	6	-	0/7/25/26	0/2/2/2
30	PSU	a	2504	30	-	2/7/25/26	0/2/2/2
30	1MG	a	745	30	-	0/7/25/26	0/3/3/3
30	2MG	a	2445	30	-	1/9/27/28	0/3/3/3
6	4OC	A	1402	6	-	1/9/29/30	0/2/2/2
6	G7M	A	527	6	-	0/7/25/26	0/3/3/3
6	PSU	A	516	57,6	-	0/7/25/26	0/2/2/2
6	UR3	A	1498	6	-	0/7/25/26	0/2/2/2
6	2MG	A	966	6	-	1/9/27/28	0/3/3/3
6	MA6	A	1518	6	-	0/11/29/30	0/3/3/3
6	2MG	A	1516	6	-	0/9/27/28	0/3/3/3
30	PSU	a	955	30	-	0/7/25/26	0/2/2/2
30	PSU	a	746	57,30	-	4/7/25/26	0/2/2/2
30	5MU	a	747	30	-	0/7/25/26	0/2/2/2
30	6MZ	a	2030	30	-	2/9/27/28	0/3/3/3
6	5MC	A	1407	6	-	0/7/25/26	0/2/2/2
30	PSU	a	1917	30	-	0/7/25/26	0/2/2/2
30	PSU	a	1911	30	-	0/7/25/26	0/2/2/2
30	6MZ	a	1618	30	-	0/9/27/28	0/3/3/3
30	PSU	a	2604	30	-	0/7/25/26	0/2/2/2
30	OMG	a	2251	29,30	-	0/9/27/28	0/3/3/3
30	2MA	a	2503	57,30	-	1/7/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
30	5MC	a	1962	30	-	0/7/25/26	0/2/2/2
17	D2T	L	89	17	-	2/7/12/14	-

The worst 5 of 21 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
30	a	1915	3TD	C6-C5	3.47	1.39	1.35
30	a	1917	PSU	C6-C5	3.08	1.38	1.35
6	A	516	PSU	C6-C5	3.04	1.38	1.35
30	a	2457	PSU	C4-C5	-2.90	1.35	1.44
30	a	1911	PSU	C6-C5	2.76	1.38	1.35

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	L	89	D2T	CB-CA-N	4.02	117.67	109.10
30	a	2503	2MA	C5-C4-N3	-3.23	123.56	127.19
30	a	2604	PSU	C2'-C3'-C4'	-2.99	96.82	102.64
30	a	2504	PSU	C2'-C3'-C4'	-2.98	96.85	102.64
30	a	2449	H2U	N3-C2-N1	2.98	119.80	116.65

There are no chirality outliers.

5 of 27 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
33	d	150	MEQ	C-CA-CB-CG
33	d	150	MEQ	CG-CD-NE2-CE
30	a	746	PSU	C2'-C1'-C5-C4
30	a	746	PSU	C2'-C1'-C5-C6
30	a	2030	6MZ	O4'-C4'-C5'-O5'

There are no ring outliers.

8 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	a	2552	OMU	1	0
33	d	150	MEQ	1	0
30	a	1939	5MU	1	0
6	A	1402	4OC	1	0
30	a	747	5MU	1	0
30	a	2030	6MZ	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
30	a	2604	PSU	1	0
30	a	2251	OMG	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 284 ligands modelled in this entry, 283 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	ASP	Z	101	-	6,7,8	0.99	0	5,8,10	1.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	ASP	Z	101	-	-	2/5/6/8	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
58	Z	101	ASP	CA-CB-CG-OD1
58	Z	101	ASP	CA-CB-CG-OD2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	Z	101	ASP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-57974. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 269




Y Index: 278




Z Index: 221


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X




Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.04. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_57974_msk_1.map [i](#)



X




Y




Z


6.6.2 emd_57974_msk_2.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1353 nm^3 ; this corresponds to an approximate mass of 1222 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.360 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.360 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.78	-	-
Author-provided FSC curve	2.78	3.06	2.81
Unmasked-calculated*	3.57	5.75	3.76

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.57 differs from the reported value 2.78 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-57974 and PDB model 30RA. Per-residue inclusion information can be found in [section 3](#) on [page 16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.04 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.04).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 96% of all backbone atoms, 95% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ











































The table lists the average atom inclusion at the recommended contour level (0.04) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9520	 0.5550
0	 0.9090	 0.5680
1	 0.9690	 0.6030
2	 0.9720	 0.6080
3	 0.9390	 0.5820
4	 0.2650	 0.2340
A	 0.9840	 0.5440
B	 0.8400	 0.4340
C	 0.8870	 0.5230
D	 0.8810	 0.5030
E	 0.9230	 0.5460
F	 0.7970	 0.3880
G	 0.8490	 0.4870
H	 0.9040	 0.5350
I	 0.8940	 0.4970
J	 0.8410	 0.4560
K	 0.8820	 0.4900
L	 0.9020	 0.5470
M	 0.8550	 0.4550
N	 0.9070	 0.5200
O	 0.8880	 0.5080
P	 0.9230	 0.5520
Q	 0.8900	 0.5190
R	 0.8220	 0.4090
S	 0.8470	 0.4690
T	 0.9070	 0.5390
U	 0.7120	 0.3590
V	 0.7940	 0.4860
X	 0.9230	 0.5870
Z	 0.9220	 0.4140
a	 0.9910	 0.5890
b	 0.9840	 0.5390
c	 0.9590	 0.5990
d	 0.9450	 0.5890
e	 0.9170	 0.5610



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.7570	 0.3470
g	 0.8580	 0.5020
h	 0.8130	 0.4860
i	 0.9520	 0.5880
j	 0.9280	 0.5750
k	 0.9410	 0.5780
l	 0.9330	 0.5810
m	 0.9790	 0.6040
n	 0.9080	 0.5240
o	 0.9090	 0.5780
p	 0.9730	 0.6020
q	 0.9270	 0.5780
r	 0.9290	 0.5770
s	 0.8920	 0.5520
t	 0.8880	 0.5440
u	 0.8900	 0.5530
v	 0.9230	 0.5820
w	 0.9370	 0.5810
x	 0.8960	 0.5300
y	 0.9340	 0.5760
z	 0.9510	 0.5930