

Full wwPDB X-ray Structure Validation Report (i)

May 22, 2020 – 09:46 pm BST

PDB ID	:	3I12
Title	:	The crystal structure of the D-alanyl-alanine synthetase A from Salmonella
		enterica subsp. enterica serovar Typhimurium str. LT2
Authors	:	Zhang, R.; Maltseva, N.; Papazisi, L.; Anderson, W.; Joachimiak, A.; Center
		for Structural Genomics of Infectious Diseases (CSGID)
Deposited on	:	2009-06-25
Resolution	:	2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity Mogul Xtriage (Phenix) EDS buster-report Percentile statistics Refmac CCP4 Ideal geometry (proteins) Ideal geometry (DNA, RNA)		4.02b-467 1.8.5 (274361), CSD as541be (2020) 1.13 2.11 1.1.7 (2018) 20191225.v01 (using entries in the PDB archive December 25th 2019) 5.8.0158 7.0.044 (Gargrove) Engh & Huber (2001) Parkinson et al. (1996) 2.11
Validation Pipeline (wwPDB-VP)	:	Parkinson et al. (1996) 2.11

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R _{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594(2.20-2.20)
Ramachandran outliers	138981	5503(2.20-2.20)
Sidechain outliers	138945	5504(2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	364	4%	22%	6% •
1	В	364	^{2%} 77%	13%	• • 5%
1	С	364	4%	22%	• •
1	D	364	^{2%} 74%	18%	5% ••



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 11104 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	Δ	260	Total	С	Ν	Ο	\mathbf{S}	0	0	0	
	A	300	2735	1723	480	524	8	0	0	U	
1	P	246	Total	С	Ν	Ο	S	0	0	0	
	D	340	2621	1652	463	497	9	0	0		
1	C	348	Total	С	Ν	Ο	S	0	0	0	
			2630	1657	465	499	9	0	0	0	
1 D	355	Total	С	Ν	0	S	0	0	0		
	355	2695	1697	474	516	8		0			

• Molecule 1 is a protein called D-alanine-D-alanine ligase A.

• Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
0	Δ	1	Total	С	Ν	Ο	Р	0	0	
	A	L	27	10	5	10	2	0	0	
0	D	1	Total	С	Ν	Ο	Р	0	0	
	D		27	10	5	10	2	0	U	



Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
9	C	1	Total	С	Ν	Ο	Р	0	0	
		L	27	10	5	10	2	0	0	
0	п	1	Total	С	Ν	Ο	Р	0	0	
2			27	10	5	10	2	U	0	

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	96	Total O 96 96	0	0
3	В	79	Total O 79 79	0	0
3	С	60	Total O 60 60	0	0
3	D	80	Total O 80 80	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: D-alanine-D-alanine ligase A



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	85.15\AA 85.81\AA 230.89\AA	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	47.54 - 2.20	Depositor
Resolution (A)	47.54 - 2.20	EDS
% Data completeness	99.9 (47.54-2.20)	Depositor
(in resolution range)	99.9 (47.54 - 2.20)	EDS
R _{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.58 (at 2.20 \text{\AA})$	Xtriage
Refinement program	REFMAC $5.5.0054$	Depositor
D D .	0.197 , 0.249	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.198 , 0.245	DCC
R_{free} test set	4332 reflections $(5.01%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	39.5	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 49.1	EDS
L-test for twinning ²	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.019 for k,h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11104	wwPDB-VP
Average B, all atoms $(Å^2)$	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.13% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	ond lengths	Bond angles		
	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	1.01	3/2781~(0.1%)	0.99	11/3780~(0.3%)	
1	В	0.98	5/2664~(0.2%)	0.99	13/3620~(0.4%)	
1	С	0.93	2/2673~(0.1%)	1.06	12/3632~(0.3%)	
1	D	1.00	2/2740~(0.1%)	0.92	6/3724~(0.2%)	
All	All	0.98	12/10858~(0.1%)	0.99	42/14756~(0.3%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	С	0	1
1	D	0	3
All	All	0	4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\operatorname{Ideal}(\operatorname{\AA})$
1	С	44	ASP	CB-CG	-9.26	1.32	1.51
1	В	348	GLU	CB-CG	-7.61	1.37	1.52
1	А	44	ASP	CB-CG	-7.19	1.36	1.51
1	В	221	GLU	CB-CG	-6.83	1.39	1.52
1	В	315	GLU	CB-CG	5.79	1.63	1.52
1	В	225	LYS	CD-CE	5.27	1.64	1.51
1	С	101	VAL	CB-CG1	-5.25	1.41	1.52
1	D	39	VAL	CB-CG2	-5.17	1.42	1.52
1	В	352	GLU	CG-CD	5.07	1.59	1.51
1	А	310	GLU	CG-CD	5.05	1.59	1.51
1	A	315	GLU	CG-CD	5.02	1.59	1.51
1	D	51	VAL	CB-CG2	-5.01	1.42	1.52



Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
1	С	44	ASP	CB-CG-OD1	-18.05	102.06	118.30
1	А	353	ARG	NE-CZ-NH2	-15.08	112.76	120.30
1	С	55	GLU	N-CA-CB	-14.33	84.81	110.60
1	С	353	ARG	NE-CZ-NH2	-13.68	113.46	120.30
1	В	163	ARG	NE-CZ-NH1	11.52	126.06	120.30
1	С	353	ARG	NE-CZ-NH1	10.73	125.66	120.30
1	В	139	MET	CG-SD-CE	-9.87	84.41	100.20
1	D	298	MET	CG-SD-CE	-9.52	84.96	100.20
1	В	163	ARG	NE-CZ-NH2	-9.16	115.72	120.30
1	С	44	ASP	CB-CG-OD2	8.97	126.38	118.30
1	А	353	ARG	NE-CZ-NH1	8.85	124.72	120.30
1	А	44	ASP	CB-CA-C	-8.51	93.38	110.40
1	С	163	ARG	NE-CZ-NH1	-8.44	116.08	120.30
1	А	353	ARG	CG-CD-NE	-8.01	94.99	111.80
1	С	54	ALA	N-CA-C	7.93	132.42	111.00
1	А	44	ASP	CB-CG-OD1	-7.37	111.66	118.30
1	А	41	LEU	CB-CG-CD1	7.14	123.14	111.00
1	В	101	VAL	CB-CA-C	-6.72	98.62	111.40
1	С	146	ARG	NE-CZ-NH1	6.67	123.63	120.30
1	D	101	VAL	CB-CA-C	-6.66	98.75	111.40
1	С	101	VAL	CB-CA-C	-6.32	99.39	111.40
1	В	293	LEU	CA-CB-CG	-6.32	100.77	115.30
1	D	146	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	В	283	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	D	319	LEU	CB-CG-CD1	6.03	121.24	111.00
1	В	319	LEU	CB-CG-CD1	5.90	121.03	111.00
1	А	146	ARG	NE-CZ-NH2	-5.81	117.39	120.30
1	С	146	ARG	NE-CZ-NH2	-5.77	117.41	120.30
1	С	44	ASP	CB-CA-C	-5.72	98.95	110.40
1	В	283	ARG	NE-CZ-NH1	5.65	123.13	120.30
1	D	146	ARG	NE-CZ-NH2	-5.64	117.48	120.30
1	А	113	ASP	CB-CG-OD1	5.62	123.35	118.30
1	В	146	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	В	51	VAL	CB-CA-C	-5.58	100.79	111.40
1	В	139	MET	CA-CB-CG	5.50	122.66	113.30
1	A	327	MET	CG-SD-CE	-5.50	91.41	100.20
1	A	109	THR	C-N-CA	-5.44	108.10	121.70
1	D	319	LEU	CA-CB-CG	5.24	127.36	115.30
1	C	149	ARG	NE-CZ-NH2	-5.21	117.69	120.30
1	В	146	ARG	NE-CZ-NH1	5.09	122.84	120.30
1	В	221	GLU	CB-CA-C	-5.06	100.28	110.40
1	А	146	ARG	NE-CZ-NH1	5.03	122.82	120.30

All (42) bond angle outliers are listed below:



There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Group
1	С	188	ASN	Peptide
1	D	191	SER	Peptide
1	D	193	VAL	Peptide
1	D	264	ASN	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2735	0	2731	113	0
1	В	2621	0	2645	57	0
1	С	2630	0	2650	88	0
1	D	2695	0	2696	88	0
2	А	27	0	12	3	0
2	В	27	0	12	1	0
2	С	27	0	12	0	0
2	D	27	0	12	3	0
3	А	96	0	0	4	0
3	В	79	0	0	1	0
3	С	60	0	0	9	0
3	D	80	0	0	6	0
All	All	11104	0	10770	323	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (323) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:57:TYR:CE1	1:A:58:LEU:HG	1.79	1.16
1:A:57:TYR:CD1	1:A:58:LEU:HG	1.81	1.15
1:A:59:GLN:NE2	1:A:70:ARG:HD2	1.62	1.11
1:A:298:MET:CE	1:A:328:TYR:CE2	2.34	1.11
1:A:122:VAL:HG21	1:B:119:MET:CE	1.81	1.09



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:57:TYR:CE1	1:A:58:LEU:CD1	2.37	1.08
1:A:298:MET:HE2	1:A:328:TYR:CE2	1.90	1.06
1:A:57:TYR:CE1	1:A:58:LEU:CG	2.40	1.04
1:C:268:VAL:HG13	1:C:327:MET:HE1	1.44	0.99
1:A:59:GLN:HE21	1:A:70:ARG:HD2	0.82	0.99
1:C:163:ARG:HD3	3:C:407:HOH:O	1.67	0.95
1:A:59:GLN:HE21	1:A:70:ARG:CD	1.78	0.95
1:A:57:TYR:CE1	1:A:58:LEU:HD11	2.00	0.93
1:C:298:MET:HE3	1:C:328:TYR:CE2	2.03	0.93
1:D:84:GLN:HB2	1:D:98:THR:HG21	1.51	0.92
1:A:298:MET:HE2	1:A:328:TYR:CZ	2.04	0.91
1:D:85:HIS:H	1:D:98:THR:HG22	1.33	0.91
1:A:122:VAL:HG21	1:B:119:MET:HE1	1.54	0.90
1:D:247:ILE:HD13	1:D:248:VAL:N	1.88	0.89
1:C:165:ASN:C	1:C:165:ASN:HD22	1.76	0.89
1:B:142:ASP:OD1	1:B:160:THR:HG21	1.73	0.89
1:D:244:CYS:H	1:D:279:ASN:HD21	1.22	0.86
1:D:298:MET:HE2	1:D:320:PRO:HD2	1.56	0.86
1:C:50:HIS:HD2	3:C:380:HOH:O	1.58	0.85
1:A:57:TYR:CZ	1:A:58:LEU:CD1	2.59	0.85
1:B:301:VAL:HG22	1:B:316:ILE:HD12	1.57	0.85
1:C:325:ILE:O	1:C:325:ILE:HD12	1.79	0.83
1:A:57:TYR:CZ	1:A:58:LEU:HD12	2.15	0.82
1:C:12:GLY:O	1:C:17:HIS:HD2	1.63	0.82
1:A:57:TYR:HE1	1:A:58:LEU:HD11	1.45	0.81
1:A:122:VAL:HG21	1:B:119:MET:HE2	1.62	0.81
1:D:298:MET:HE2	1:D:320:PRO:CD	2.10	0.79
1:C:78:GLN:HE21	1:D:78:GLN:HE21	1.31	0.78
1:D:315:GLU:OE1	2:D:365:ADP:O1A	2.02	0.76
1:C:268:VAL:HG13	1:C:327:MET:CE	2.16	0.75
1:D:26:ASN:ND2	1:D:324:ASN:H	1.83	0.75
1:D:160:THR:HG22	1:D:219:VAL:HG22	1.67	0.75
1:A:163:ARG:NH1	1:A:216:HIS:HD2	1.85	0.73
1:A:298:MET:HE1	1:A:322:PHE:HE2	1.54	0.73
1:C:165:ASN:HD22	1:C:166:ARG:N	1.85	0.73
1:D:159:ILE:HD12	1:D:160:THR:N	2.03	0.73
1:A:185:LYS:HB3	1:A:195:VAL:HG22	1.71	0.72
1:C:59:GLN:HE22	1:C:70:ARG:HA	1.56	0.70
1:A:162:THR:H	1:A:165:ASN:ND2	1.90	0.70
1:C:165:ASN:C	1:C:165:ASN:ND2	2.45	0.69
1:C:44:ASP:HB3	1:C:46:ALA:H	1.57	0.69



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:191:SER:O	1:C:193:VAL:N	2.26	0.69
1:C:273:GLN:NE2	3:C:381:HOH:O	2.09	0.69
1:D:159:ILE:HD11	1:D:161:LEU:HD23	1.73	0.69
1:D:142:ASP:OD1	1:D:160:THR:HG21	1.92	0.69
1:B:298:MET:HE1	1:B:320:PRO:HG2	1.74	0.68
1:C:43:ILE:N	1:C:43:ILE:HD13	2.08	0.68
1:C:298:MET:HE3	1:C:328:TYR:CD2	2.28	0.68
1:A:260:TYR:CE1	1:A:261:ILE:HD11	2.28	0.68
1:A:298:MET:CE	1:A:328:TYR:CZ	2.71	0.68
1:A:78:GLN:HE21	1:A:119:MET:HG2	1.58	0.68
1:A:44:ASP:HB3	1:A:46:ALA:H	1.59	0.66
1:C:163:ARG:HH12	1:C:216:HIS:HD2	1.44	0.66
1:A:163:ARG:HH12	1:A:216:HIS:HD2	1.42	0.66
1:B:301:VAL:HG22	1:B:316:ILE:CD1	2.23	0.66
1:C:78:GLN:HE21	1:D:78:GLN:NE2	1.93	0.66
1:B:278:VAL:O	1:B:282:ILE:HD13	1.95	0.66
1:C:163:ARG:HH11	1:C:163:ARG:HG3	1.61	0.66
1:D:59:GLN:HG2	1:D:70:ARG:NH2	2.11	0.65
1:A:310:GLU:CG	3:A:431:HOH:O	2.44	0.65
1:A:330:LYS:NZ	1:A:333:GLN:HE22	1.94	0.65
1:A:298:MET:HE1	1:A:328:TYR:CE2	2.31	0.64
1:A:56:ASN:HD21	1:A:70:ARG:HE	1.44	0.64
1:B:163:ARG:HH11	1:B:216:HIS:HD2	1.46	0.64
1:A:310:GLU:HG2	3:A:431:HOH:O	1.96	0.64
1:C:26:ASN:ND2	1:C:324:ASN:H	1.97	0.63
1:A:122:VAL:HG11	1:B:119:MET:HE1	1.81	0.63
1:A:57:TYR:CD1	1:A:58:LEU:CG	2.70	0.63
1:D:285:ILE:CG2	1:D:313:ILE:HD11	2.29	0.62
1:A:26:ASN:ND2	1:A:324:ASN:H	1.97	0.62
1:D:85:HIS:N	1:D:98:THR:HG22	2.11	0.62
1:A:74:ILE:HG23	1:A:74:ILE:O	1.99	0.62
1:A:330:LYS:HZ2	1:A:333:GLN:HE22	1.47	0.61
1:C:325:ILE:CD1	1:C:325:ILE:O	2.48	0.61
1:A:57:TYR:OH	1:A:58:LEU:HD12	2.00	0.61
1:D:84:GLN:HB2	1:D:98:THR:CG2	2.28	0.61
1:A:51:VAL:HG23	1:A:76:LEU:HD21	1.82	0.61
1:A:43:ILE:HD12	1:A:49:TRP:CD1	2.37	0.60
1:B:282:ILE:HD12	1:B:311:VAL:HG21	1.82	0.60
1:C:177:ARG:CD	3:C:400:HOH:O	2.49	0.60
1:A:51:VAL:HG21	1:A:96:LEU:HD21	1.83	0.60
1:D:247:ILE:HD13	1:D:248:VAL:H	1.63	0.60



		Interatomic	Clash
Atom-1	Atom-2	$distance (m \AA)$	overlap (Å)
1:A:74:ILE:O	1:A:74:ILE:CG2	2.50	0.59
1:D:121:ARG:NH2	1:D:131:ASP:OD2	2.35	0.59
1:D:306:THR:OG1	1:D:308:ASP:OD1	2.15	0.59
1:A:170:SER:OG	1:A:173:GLU:HB2	2.03	0.59
1:D:244:CYS:HB2	1:D:279:ASN:ND2	2.17	0.59
1:A:363:THR:C	3:A:454:HOH:O	2.41	0.58
1:C:140:ASP:HB2	1:C:188:ASN:HD21	1.69	0.58
1:B:191:SER:O	1:B:192:SER:HB2	2.02	0.58
1:B:51:VAL:HG23	1:B:74:ILE:HG21	1.85	0.58
1:D:26:ASN:HD22	1:D:324:ASN:H	1.49	0.58
1:A:59:GLN:HG3	1:A:70:ARG:HG2	1.86	0.57
1:A:161:LEU:HA	1:A:165:ASN:HD21	1.68	0.57
1:B:43:ILE:N	1:B:43:ILE:HD13	2.17	0.57
1:A:59:GLN:HG3	1:A:70:ARG:CD	2.35	0.57
1:C:59:GLN:HE22	1:C:70:ARG:CA	2.15	0.57
1:B:171:PHE:CB	1:B:201:GLU:HG3	2.35	0.57
1:C:148:LEU:HD13	1:C:155:ILE:HD11	1.85	0.57
1:A:162:THR:H	1:A:165:ASN:HD21	1.53	0.57
1:A:122:VAL:CG2	1:B:119:MET:HE1	2.33	0.57
1:A:12:GLY:O	1:A:17:HIS:HD2	1.88	0.56
1:D:247:ILE:HD11	1:D:266:ALA:CB	2.35	0.56
1:A:74:ILE:HD12	1:A:76:LEU:CD2	2.35	0.56
1:D:314:ASN:ND2	1:D:315:GLU:HG2	2.20	0.56
1:B:103:PHE:HA	1:B:128:VAL:HG13	1.88	0.56
1:D:139:MET:HG3	1:D:188:ASN:HD22	1.70	0.56
1:A:122:VAL:CG2	1:B:119:MET:HE2	2.35	0.56
1:A:315:GLU:OE2	2:A:365:ADP:O1A	2.23	0.56
1:A:260:TYR:CE1	1:A:261:ILE:CD1	2.89	0.56
1:A:122:VAL:CG2	1:B:119:MET:CE	2.71	0.56
1:D:247:ILE:HD11	1:D:266:ALA:HB3	1.88	0.56
1:B:315:GLU:OE1	2:B:365:ADP:O1A	2.24	0.55
1:D:51:VAL:HG23	1:D:76:LEU:HD21	1.88	0.55
1:C:14:SER:OG	1:C:16:GLU:OE1	2.20	0.55
1:B:276:SER:H	1:C:94:GLN:HE22	1.53	0.55
1:D:301:VAL:HG22	1:D:316:ILE:HD12	1.88	0.55
1:A:51:VAL:CG2	1:A:96:LEU:HD21	2.37	0.55
1:B:298:MET:HE3	1:B:328:TYR:CE2	2.41	0.55
1:B:171:PHE:HB3	1:B:201:GLU:HG3	1.89	0.54
1:B:298:MET:HE3	1:B:328:TYR:CZ	2.42	0.54
1:A:26:ASN:HD22	1:A:323:THR:HA	1.72	0.54
1:C:12:GLY:O	1:C:17:HIS:CD2	2.53	0.54



	A I O	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:30:ALA:CB	1:D:339:TYR:CD2	2.91	0.54
1:C:275:PRO:HB2	1:C:278:VAL:HG23	1.88	0.54
1:C:315:GLU:O	1:C:316:ILE:HD13	2.06	0.54
1:A:163:ARG:HH12	1:A:216:HIS:CD2	2.24	0.54
1:D:65:ALA:HB1	1:D:66:HIS:CD2	2.42	0.54
1:C:143:VAL:HG21	1:D:133:LEU:HD21	1.90	0.54
1:B:282:ILE:N	1:B:282:ILE:CD1	2.71	0.53
1:C:163:ARG:HG3	1:C:163:ARG:NH1	2.22	0.53
1:C:185:LYS:HB3	1:C:195:VAL:HG22	1.90	0.53
1:B:163:ARG:HG3	3:B:385:HOH:O	2.09	0.53
1:B:85:HIS:H	1:B:98:THR:CG2	2.21	0.53
1:B:298:MET:CE	1:B:320:PRO:CG	2.88	0.52
1:D:285:ILE:HG22	1:D:313:ILE:HD11	1.91	0.52
1:A:74:ILE:HD12	1:A:76:LEU:HD21	1.91	0.52
1:A:315:GLU:OE2	2:A:365:ADP:O1B	2.27	0.52
1:C:298:MET:CE	1:C:328:TYR:CE2	2.88	0.52
1:B:244:CYS:H	1:B:279:ASN:HD21	1.55	0.52
1:D:163:ARG:HH12	1:D:216:HIS:HD2	1.56	0.52
1:C:357:ASN:OD1	1:D:216:HIS:HE1	1.93	0.52
1:A:165:ASN:C	1:A:165:ASN:HD22	2.12	0.52
1:D:261:ILE:HG22	1:D:261:ILE:O	2.09	0.52
1:A:330:LYS:HD3	1:A:339:TYR:OH	2.10	0.52
1:D:107:HIS:HD2	1:D:319:LEU:O	1.92	0.52
1:B:24:ALA:O	1:B:28:VAL:HG23	2.10	0.51
1:D:26:ASN:HD22	1:D:323:THR:HA	1.74	0.51
1:A:118:GLY:O	1:A:122:VAL:HG23	2.10	0.51
1:A:249:LEU:HD23	1:A:266:ALA:HB2	1.91	0.51
1:C:315:GLU:C	1:C:316:ILE:HD13	2.31	0.51
1:D:85:HIS:CE1	3:D:426:HOH:O	2.64	0.51
1:C:163:ARG:NH1	1:C:216:HIS:HD2	2.07	0.51
1:C:248:VAL:O	1:C:266:ALA:HB3	2.11	0.51
1:A:310:GLU:HG3	3:A:431:HOH:O	2.09	0.51
1:C:163:ARG:CD	3:C:407:HOH:O	2.40	0.51
1:A:109:THR:O	1:A:113:ASP:OD2	2.28	0.51
1:A:122:VAL:HG11	1:B:119:MET:CE	2.41	0.51
1:C:67:ILE:O	1:C:67:ILE:HG23	2.09	0.51
1:D:362:THR:O	1:D:363:THR:OG1	2.26	0.51
1:D:302:ASP:HB3	3:D:384:HOH:O	2.11	0.51
1:C:216:HIS:HE1	1:D:357:ASN:OD1	1.94	0.50
1:A:101:VAL:HG13	1:A:351:LEU:HD21	1.92	0.50
1:A:51:VAL:CG2	1:A:76:LEU:HD11	2.41	0.50



		Interatomic	Clash
Atom-1	Atom-2	distance $(Å)$	overlap (Å)
1:C:56:ASN:C	1:C:70:ARG:NH1	2.65	0.50
1:B:109:THR:O	1:B:113:ASP:OD2	2.29	0.50
1:C:325:ILE:C	1:C:325:ILE:HD12	2.30	0.50
1:C:298:MET:CE	1:C:328:TYR:CD2	2.94	0.50
1:A:298:MET:HE2	1:A:328:TYR:CD2	2.43	0.50
1:D:192:SER:N	2:D:365:ADP:O2B	2.44	0.50
1:B:315:GLU:OE2	1:B:317:ASN:ND2	2.45	0.50
1:C:268:VAL:CG1	1:C:327:MET:CE	2.89	0.50
1:D:109:THR:O	1:D:113:ASP:OD2	2.30	0.49
1:B:298:MET:HE1	1:B:320:PRO:CG	2.39	0.49
1:C:109:THR:HG22	1:C:110:LEU:N	2.27	0.49
1:A:330:LYS:NZ	1:A:333:GLN:NE2	2.60	0.49
1:B:51:VAL:CG2	1:B:74:ILE:HG21	2.43	0.49
1:C:44:ASP:OD2	1:C:48:GLN:HG3	2.12	0.49
1:C:113:ASP:OD2	1:D:121:ARG:NH1	2.46	0.49
1:B:328:TYR:HB3	1:B:329:PRO:HD3	1.95	0.49
1:D:165:ASN:OD1	1:D:165:ASN:C	2.51	0.49
1:A:56:ASN:HD21	1:A:70:ARG:NE	2.09	0.49
1:A:74:ILE:CD1	1:A:76:LEU:HD23	2.42	0.49
1:C:26:ASN:HD22	1:C:323:THR:HA	1.77	0.49
1:C:122:VAL:HG21	1:D:119:MET:HE3	1.95	0.49
1:D:26:ASN:HD22	1:D:323:THR:CA	2.26	0.49
1:A:77:ALA:HB2	1:B:79:VAL:HG22	1.95	0.49
1:A:193:VAL:HA	1:A:256:TYR:CD1	2.48	0.49
1:A:59:GLN:HG3	1:A:70:ARG:CG	2.42	0.48
1:B:3:LYS:HE2	1:B:34:THR:O	2.13	0.48
1:D:232:ALA:HB1	1:D:328:TYR:CE1	2.47	0.48
1:C:44:ASP:HB2	1:C:48:GLN:H	1.77	0.48
1:D:244:CYS:HB2	1:D:279:ASN:HD22	1.78	0.48
1:D:140:ASP:C	1:D:140:ASP:OD1	2.51	0.48
1:D:84:GLN:CB	1:D:98:THR:HG21	2.32	0.48
1:A:260:TYR:CD1	1:A:261:ILE:HD12	2.48	0.48
1:D:26:ASN:HD22	1:D:324:ASN:N	2.11	0.48
1:A:191:SER:O	1:A:191:SER:OG	2.29	0.48
1:A:190:GLY:O	1:A:193:VAL:CG1	2.62	0.48
1:B:190:GLY:O	1:B:193:VAL:HG23	2.14	0.48
1:A:357:ASN:OD1	1:B:216:HIS:HE1	1.97	0.48
1:C:66:HIS:N	3:C:410:HOH:O	2.44	0.48
1:C:191:SER:C	1:C:193:VAL:H	2.17	0.47
1:C:163:ARG:HH12	1:C:216:HIS:CD2	2.27	0.47
1:A:12:GLY:O	1:A:17:HIS:CD2	2.68	0.47



	1 1 1 1 1	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:184:VAL:HG22	1:A:220:VAL:HG22	1.96	0.47
1:C:177:ARG:HD2	3:C:400:HOH:O	2.11	0.47
1:D:298:MET:CE	1:D:320:PRO:CG	2.92	0.47
1:A:107:HIS:HD2	1:A:319:LEU:O	1.98	0.47
1:C:163:ARG:HH11	1:C:163:ARG:CG	2.23	0.47
1:D:82:LYS:NZ	1:D:85:HIS:HB2	2.30	0.47
1:A:248:VAL:HB	1:A:267:GLN:HB3	1.97	0.47
1:D:302:ASP:HB2	1:D:315:GLU:HG3	1.96	0.47
1:A:101:VAL:HG12	1:A:126:PRO:HB2	1.96	0.47
1:C:44:ASP:HB3	1:C:46:ALA:N	2.28	0.47
1:A:192:SER:N	2:A:365:ADP:O2B	2.39	0.47
1:D:261:ILE:CG2	1:D:261:ILE:O	2.61	0.46
1:C:363:THR:HG22	3:C:421:HOH:O	2.15	0.46
1:A:57:TYR:OH	1:A:58:LEU:CD1	2.61	0.46
1:B:276:SER:H	1:C:94:GLN:NE2	2.13	0.46
1:D:298:MET:HE3	1:D:298:MET:HB2	1.53	0.46
1:A:180:LEU:HD22	1:A:199:ALA:HA	1.98	0.46
1:C:145:LYS:HE3	1:C:158:PHE:CD2	2.50	0.46
1:C:301:VAL:HG22	1:C:316:ILE:HD12	1.96	0.46
1:D:39:VAL:HG23	1:D:41:LEU:HD13	1.98	0.46
1:B:51:VAL:HG23	1:B:74:ILE:CG2	2.44	0.46
1:C:105:ILE:HA	1:C:105:ILE:HD12	1.80	0.46
1:B:305:LEU:HD11	1:B:309:ASN:HA	1.98	0.46
1:C:227:ARG:HB3	1:C:246:GLU:OE2	2.16	0.46
1:A:22:GLN:HB2	1:A:323:THR:HG22	1.97	0.46
1:D:163:ARG:NH1	1:D:216:HIS:HD2	2.14	0.46
1:D:247:ILE:HD13	1:D:247:ILE:C	2.37	0.46
1:D:38:VAL:HG23	1:D:38:VAL:O	2.16	0.46
1:D:124:ASN:HB3	3:D:377:HOH:O	2.15	0.45
1:B:78:GLN:NE2	1:B:119:MET:HG3	2.32	0.45
1:C:154:ASN:O	1:C:155:ILE:HD12	2.16	0.45
1:C:175:GLU:OE1	1:C:180:LEU:HD11	2.16	0.45
1:C:298:MET:HE1	1:C:320:PRO:HG2	1.98	0.45
1:C:42:GLY:C	1:C:43:ILE:HD13	2.36	0.45
1:C:43:ILE:CD1	1:C:43:ILE:N	2.78	0.45
1:D:159:ILE:HD11	1:D:161:LEU:CD2	2.44	0.45
1:B:107:HIS:HD2	1:B:319:LEU:O	1.98	0.45
1:A:249:LEU:CD2	1:A:266:ALA:HB2	2.47	0.45
1:C:56:ASN:OD1	1:C:70:ARG:CZ	2.65	0.45
1:C:163:ARG:NH1	1:C:163:ARG:CG	2.78	0.45
1:C:354:HIS:CD2	1:C:358:ASN:HD21	2.35	0.45



		Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:189:GLN:NE2	1:B:190:GLY:H	2.15	0.44
1:B:325:ILE:O	1:B:325:ILE:HG23	2.16	0.44
1:B:4:LEU:HD22	1:B:100:ASP:CB	2.46	0.44
1:D:66:HIS:CD2	1:D:66:HIS:N	2.85	0.44
1:A:163:ARG:NH1	1:A:216:HIS:CD2	2.75	0.44
1:D:293:LEU:HD12	1:D:316:ILE:HG13	2.00	0.44
1:A:298:MET:CE	1:A:328:TYR:CD2	2.96	0.44
1:C:65:ALA:O	1:C:66:HIS:HB2	2.17	0.44
1:D:261:ILE:HG21	1:D:265:GLY:N	2.32	0.44
1:A:94:GLN:HA	1:A:95:PRO:HD3	1.86	0.44
1:A:326:SER:O	1:A:330:LYS:HG2	2.18	0.44
1:C:26:ASN:HD22	1:C:323:THR:CA	2.31	0.44
1:A:105:ILE:HD12	1:A:105:ILE:HA	1.84	0.44
1:C:50:HIS:CD2	3:C:380:HOH:O	2.46	0.44
1:A:165:ASN:C	1:A:165:ASN:ND2	2.71	0.43
1:B:145:LYS:HB3	1:B:155:ILE:HD13	1.99	0.43
1:C:161:LEU:HA	1:C:165:ASN:HD21	1.82	0.43
1:C:65:ALA:O	1:C:66:HIS:CB	2.66	0.43
1:D:301:VAL:HG13	1:D:316:ILE:CD1	2.48	0.43
1:A:59:GLN:NE2	1:A:70:ARG:CD	2.56	0.43
1:D:163:ARG:HH12	1:D:216:HIS:CD2	2.36	0.43
2:D:365:ADP:H5'2	3:D:443:HOH:O	2.18	0.43
1:D:51:VAL:CG2	1:D:96:LEU:HD21	2.48	0.43
1:A:112:GLU:HG3	1:A:319:LEU:HB2	1.99	0.43
1:D:85:HIS:H	1:D:98:THR:CG2	2.18	0.43
1:C:162:THR:H	1:C:165:ASN:ND2	2.17	0.43
1:A:109:THR:HG22	1:A:110:LEU:HG	2.01	0.43
1:A:131:ASP:OD1	1:A:353:ARG:NH2	2.36	0.43
1:B:119:MET:HE3	1:B:119:MET:HB3	1.69	0.43
1:B:282:ILE:H	1:B:282:ILE:HD13	1.84	0.43
1:C:133:LEU:HD21	1:D:143:VAL:HG11	2.01	0.43
1:A:260:TYR:CD1	1:A:261:ILE:CD1	3.01	0.42
1:A:26:ASN:HD22	1:A:323:THR:CA	2.30	0.42
1:D:163:ARG:HH11	1:D:163:ARG:HG3	1.83	0.42
1:D:62:ASP:O	1:D:64:PRO:HD3	2.19	0.42
1:D:119:MET:HB2	1:D:119:MET:HE2	1.78	0.42
1:D:30:ALA:CB	1:D:339:TYR:HD2	2.32	0.42
1:A:51:VAL:HG23	1:A:76:LEU:HD11	2.01	0.42
1:A:190:GLY:O	1:A:193:VAL:HG12	2.19	0.42
1:C:146:ARG:HD2	3:D:399:HOH:O	2.18	0.42
1:D:98:THR:HG23	3:D:426:HOH:O	2.18	0.42



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:109:THR:O	1:B:113:ASP:CG	2.59	0.42
1:A:282:ILE:HD11	1:A:305:LEU:HD13	2.01	0.41
1:B:57:TYR:CD1	1:B:58:LEU:HG	2.55	0.41
1:D:298:MET:HE2	1:D:320:PRO:CG	2.49	0.41
1:A:244:CYS:HB2	1:A:279:ASN:OD1	2.21	0.41
1:A:51:VAL:HG22	1:A:76:LEU:HD11	2.02	0.41
1:C:318:THR:O	1:C:319:LEU:HG	2.20	0.41
1:C:232:ALA:HB1	1:C:328:TYR:CE1	2.55	0.41
1:D:65:ALA:HA	1:D:260:TYR:HD1	1.85	0.41
1:C:56:ASN:C	1:C:70:ARG:HH11	2.24	0.41
1:D:65:ALA:CA	1:D:260:TYR:HD1	2.33	0.41
1:A:189:GLN:HB3	1:A:190:GLY:H	1.42	0.41
1:A:256:TYR:O	1:A:259:LYS:HG3	2.21	0.41
1:B:298:MET:HE3	1:B:328:TYR:CE1	2.55	0.41
1:C:26:ASN:HD22	1:C:324:ASN:H	1.66	0.41
1:D:261:ILE:HG22	1:D:264:ASN:HA	2.03	0.41
1:A:59:GLN:HE22	1:A:71:PRO:HD2	1.86	0.41
1:A:86:GLN:HG2	1:A:123:ALA:O	2.21	0.41
1:B:282:ILE:N	1:B:282:ILE:HD12	2.36	0.41
1:C:57:TYR:CD1	1:C:58:LEU:HG	2.55	0.41
1:D:298:MET:HE1	1:D:320:PRO:CG	2.50	0.41
1:A:79:VAL:HG22	1:B:77:ALA:HB2	2.02	0.41
1:D:191:SER:H	1:D:193:VAL:CG1	2.34	0.41
1:B:85:HIS:H	1:B:98:THR:HG22	1.86	0.40
1:C:361:LYS:HD2	1:D:213:GLU:HB3	2.03	0.40
1:C:78:GLN:NE2	1:D:78:GLN:HE21	2.09	0.40
1:A:154:ASN:O	1:A:155:ILE:HD12	2.21	0.40
1:C:136:ALA:HB1	1:D:133:LEU:HB2	2.03	0.40
1:D:244:CYS:CB	1:D:279:ASN:ND2	2.82	0.40
1:D:260:TYR:CE2	1:D:261:ILE:HD13	2.55	0.40
1:A:139:MET:HG3	1:A:188:ASN:HD22	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	356/364~(98%)	342~(96%)	12 (3%)	2(1%)	25 26
1	В	342/364~(94%)	329~(96%)	12~(4%)	1 (0%)	41 46
1	С	344/364~(94%)	325~(94%)	16~(5%)	3~(1%)	17 16
1	D	351/364~(96%)	337~(96%)	10 (3%)	4 (1%)	14 12
All	All	1393/1456~(96%)	1333~(96%)	50 (4%)	10 (1%)	22 22

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

All (10) Ramachandran outliers are listed below:

Mol	Chain	\mathbf{Res}	Type
1	В	191	SER
1	С	192	SER
1	D	192	SER
1	А	32	ASP
1	А	192	SER
1	D	14	SER
1	С	66	HIS
1	D	266	ALA
1	D	190	GLY
1	С	63	ASP

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles		
1	А	293/297~(99%)	269~(92%)	24 (8%)	11 11		
1	В	282/297~(95%)	266~(94%)	16~(6%)	20 24		
1	С	282/297~(95%)	261~(93%)	21 (7%)	13 14		
1	D	290/297~(98%)	268~(92%)	22 (8%)	13 14		
All	All	1147/1188~(96%)	1064 (93%)	83 (7%)	14 15		

All (83) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	14	SER
1	А	22	GLN
1	А	38	VAL
1	А	39	VAL
1	А	41	LEU
1	А	53	ASP
1	А	55	GLU
1	А	74	ILE
1	А	78	GLN
1	А	94	GLN
1	А	101	VAL
1	А	103	PHE
1	А	142	ASP
1	А	155	ILE
1	А	165	ASN
1	А	177	ARG
1	А	193	VAL
1	А	197	LYS
1	А	256	TYR
1	А	259	LYS
1	А	298	MET
1	А	322	PHE
1	А	358	ASN
1	А	363	THR
1	В	39	VAL
1	В	43	ILE
1	В	51	VAL
1	В	53	ASP
1	В	78	GLN
1	В	98	THR
1	В	101	VAL
1	В	103	PHE
1	В	160	THR
1	В	189	GLN
1	В	277	GLU
1	В	282	ILE
1	В	293	LEU
1	В	317	ASN
1	В	319	LEU
1	В	325	ILE
1	С	38	VAL
1	С	41	LEU
1	С	43	ILE



Mol	Chain	Res	Type
1	С	48	GLN
1	С	53	ASP
1	С	59	GLN
1	С	62	ASP
1	С	84	GLN
1	С	101	VAL
1	С	103	PHE
1	С	155	ILE
1	С	165	ASN
1	С	173	GLU
1	С	185	LYS
1	С	189	GLN
1	С	192	SER
1	С	205	GLN
1	С	206	GLN
1	С	247	ILE
1	С	353	ARG
1	С	364	MET
1	D	13	LYS
1	D	39	VAL
1	D	41	LEU
1	D	55	GLU
1	D	66	HIS
1	D	84	GLN
1	D	91	GLN
1	D	101	VAL
1	D	103	PHE
1	D	110	LEU
1	D	119	MET
1	D	128	VAL
1	D	159	ILE
1	D	193	VAL
1	D	225	LYS
1	D	247	ILE
1	D	260	TYR
1	D	261	ILE
1	D	308	ASP
1	D	319	LEU
1	D	325	ILE
1	D	363	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:



Mol	Chain	Res	Type
1	А	17	HIS
1	А	26	ASN
1	А	59	GLN
1	А	66	HIS
1	А	78	GLN
1	А	107	HIS
1	А	124	ASN
1	А	165	ASN
1	А	188	ASN
1	А	216	HIS
1	А	291	GLN
1	А	333	GLN
1	В	22	GLN
1	В	52	ASN
1	В	78	GLN
1	В	107	HIS
1	В	188	ASN
1	В	189	GLN
1	В	216	HIS
1	В	236	ASN
1	В	240	GLN
1	В	279	ASN
1	С	17	HIS
1	С	26	ASN
1	С	50	HIS
1	С	59	GLN
1	С	66	HIS
1	С	84	GLN
1	С	94	GLN
1	С	107	HIS
1	С	154	ASN
1	С	165	ASN
1	С	188	ASN
1	С	216	HIS
1	С	314	ASN
1	С	354	HIS
1	С	358	ASN
1	D	26	ASN
1	D	48	GLN
1	D	66	HIS
1	D	78	GLN
1	D	84	GLN
1	D	107	HIS



Continued from previous page...

Mol	Chain	Res	Type
1	D	188	ASN
1	D	216	HIS
1	D	236	ASN
1	D	279	ASN
1	D	314	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Tune	Chain	Dog	Res Link	Bo	ond leng	$_{\rm sths}$	Bond angles		
		Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADP	А	365	-	24,29,29	1.17	2 (8%)	29,45,45	1.50	<mark>5 (17%)</mark>
2	ADP	C	365	-	24,29,29	1.31	2 (8%)	29,45,45	1.55	<mark>5 (17%)</mark>
2	ADP	В	365	-	24,29,29	1.04	1 (4%)	29,45,45	1.61	7 (24%)
2	ADP	D	365	-	24,29,29	1.38	4 (16%)	29,45,45	1.59	7 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	А	365	-	-	0/12/32/32	0/3/3/3
2	ADP	С	365	-	-	3/12/32/32	0/3/3/3
2	ADP	В	365	-	-	1/12/32/32	0/3/3/3
2	ADP	D	365	-	-	0/12/32/32	0/3/3/3

'-' means no outliers of that kind were identified.

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	С	365	ADP	C2'-C1'	-4.26	1.47	1.53
2	А	365	ADP	O4'-C1'	3.32	1.45	1.41
2	D	365	ADP	O4'-C1'	3.26	1.45	1.41
2	D	365	ADP	C5-C4	3.13	1.49	1.40
2	С	365	ADP	C2-N3	2.51	1.36	1.32
2	А	365	ADP	C5-C4	2.44	1.47	1.40
2	D	365	ADP	C2-N3	2.31	1.35	1.32
2	D	365	ADP	C8-N7	2.26	1.38	1.34
2	В	365	ADP	O4'-C1'	2.10	1.44	1.41

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
2	В	365	ADP	N3-C2-N1	-4.08	122.31	128.68
2	D	365	ADP	O2B-PB-O1B	3.95	126.13	110.68
2	А	365	ADP	N3-C2-N1	-3.93	122.53	128.68
2	С	365	ADP	N3-C2-N1	-3.87	122.63	128.68
2	D	365	ADP	N3-C2-N1	-3.57	123.09	128.68
2	С	365	ADP	C3'-C2'-C1'	3.32	105.97	100.98
2	В	365	ADP	N6-C6-N1	3.17	125.15	118.57
2	С	365	ADP	C4-C5-N7	-2.80	106.48	109.40
2	D	365	ADP	C4-C5-N7	-2.71	106.57	109.40
2	А	365	ADP	N6-C6-N1	2.66	124.09	118.57
2	D	365	ADP	O2A-PA-O1A	2.65	125.35	112.24
2	В	365	ADP	O2B-PB-O1B	2.63	120.98	110.68
2	В	365	ADP	PA-O3A-PB	-2.55	124.07	132.83
2	С	365	ADP	O2'-C2'-C1'	-2.50	101.62	110.85
2	А	365	ADP	O2A-PA-O1A	2.44	124.32	112.24
2	D	365	ADP	PA-O3A-PB	-2.30	124.94	132.83
2	А	365	ADP	PA-O3A-PB	-2.28	125.00	132.83
2	A	365	ADP	O2B-PB-O1B	2.19	119.25	110.68
2	В	$\overline{365}$	ADP	C5-C6-N6	-2.18	117.04	120.35
2	В	365	ADP	O2B-PB-O3A	-2.13	97.49	104.64



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	365	ADP	O3B-PB-O2B	2.11	115.71	107.64
2	D	365	ADP	O2B-PB-O3A	-2.09	97.64	104.64
2	D	365	ADP	C2-N1-C6	2.05	122.27	118.75
2	В	365	ADP	C2-N1-C6	2.04	122.25	118.75

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	365	ADP	PA-O3A-PB-O3B
2	С	365	ADP	PB-O3A-PA-O1A
2	С	365	ADP	C4'-C5'-O5'-PA
2	В	365	ADP	C4'-C5'-O5'-PA

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	А	365	ADP	3	0
2	В	365	ADP	1	0
2	D	365	ADP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers (i)

There are no such residues in this entry.



5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	360/364~(98%)	-0.01	14 (3%) 39 37	20, 31, 55, 77	0
1	В	346/364~(95%)	-0.16	7 (2%) 65 63	20, 30, 49, 67	0
1	С	348/364~(95%)	0.02	16 (4%) 32 31	24, 36, 59, 73	0
1	D	355/364~(97%)	-0.11	8 (2%) 60 58	19, 29, 52, 70	0
All	All	1409/1456~(96%)	-0.06	45 (3%) 47 45	19, 32, 54, 77	0

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	265	GLY	11.9
1	С	249	LEU	11.0
1	А	256	TYR	10.5
1	С	266	ALA	7.4
1	D	260	TYR	5.0
1	С	267	GLN	4.8
1	С	191	SER	4.8
1	А	260	TYR	4.6
1	С	169	PHE	4.6
1	В	1	MET	4.3
1	С	190	GLY	4.2
1	В	267	GLN	4.1
1	А	65	ALA	4.0
1	А	57	TYR	4.0
1	D	363	THR	3.9
1	С	65	ALA	3.8
1	А	66	HIS	3.8
1	С	248	VAL	3.8
1	А	258	THR	3.7
1	D	62	ASP	3.5
1	А	257	ASP	3.5



Mol	Chain	Res	Type	RSRZ
1	С	66	HIS	3.3
1	В	249	LEU	3.3
1	С	62	ASP	3.2
1	D	61	ALA	3.2
1	В	73	ALA	3.1
1	С	172	ALA	3.1
1	А	170	SER	3.0
1	D	169	PHE	3.0
1	С	61	ALA	2.8
1	D	66	HIS	2.8
1	С	199	ALA	2.7
1	D	167	HIS	2.6
1	А	64	PRO	2.5
1	D	55	GLU	2.5
1	С	247	ILE	2.5
1	В	363	THR	2.5
1	А	70	ARG	2.4
1	А	74	ILE	2.4
1	A	62	ASP	2.3
1	В	64	PRO	2.2
1	В	2	ALA	2.2
1	A	169	PHE	2.1
1	С	171	PHE	2.1
1	A	259	LYS	2.0

Continued from previous page...

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no carbohydrates in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B} ext{-factors}({ m \AA}^2)$	Q<0.9
2	ADP	С	365	27/27	0.91	0.12	46,62,87,88	0
2	ADP	D	365	27/27	0.93	0.10	$38,\!42,\!47,\!52$	0
2	ADP	В	365	27/27	0.94	0.12	$35,\!48,\!69,\!71$	0
2	ADP	А	365	27/27	0.96	0.09	37,44,47,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.













6.5 Other polymers (i)

There are no such residues in this entry.

