



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 22, 2024 – 03:05 AM JST

PDB ID : 8IJ8
Title : Crystal structure of alcohol dehydrogenase M4 mutant from Burkholderia gladioli
Authors : Han, X.; Mei, Z.L.; Liu, W.D.; Sun, Z.T.; Ma, J.A.
Deposited on : 2023-02-26
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	251	 8% 85% 12% .
1	B	251	 6% 84% 14% .
1	C	251	 11% 79% 18% ..
1	D	251	 8% 82% 16% ..
1	E	251	 8% 78% 20% ..
1	F	251	 9% 78% 20% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	251	
1	H	251	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 14566 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative short-chain dehydrogenases/reductase family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	1806	1121	327	356	2	0	0	0
1	B	250	1802	1118	326	356	2	0	0	0
1	C	249	1786	1111	316	357	2	0	0	0
1	D	249	1799	1118	323	356	2	0	0	0
1	E	249	1790	1113	317	358	2	0	0	0
1	F	249	1776	1105	317	352	2	0	0	0
1	G	248	1754	1093	306	353	2	0	0	0
1	H	239	1668	1046	286	334	2	0	0	0

There are 32 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	84	ILE	VAL	engineered mutation	UNP F2LIG4
A	92	ALA	GLY	engineered mutation	UNP F2LIG4
A	140	LYS	ALA	engineered mutation	UNP F2LIG4
A	203	THR	LEU	engineered mutation	UNP F2LIG4
B	84	ILE	VAL	engineered mutation	UNP F2LIG4
B	92	ALA	GLY	engineered mutation	UNP F2LIG4
B	140	LYS	ALA	engineered mutation	UNP F2LIG4
B	203	THR	LEU	engineered mutation	UNP F2LIG4
C	84	ILE	VAL	engineered mutation	UNP F2LIG4
C	92	ALA	GLY	engineered mutation	UNP F2LIG4
C	140	LYS	ALA	engineered mutation	UNP F2LIG4
C	203	THR	LEU	engineered mutation	UNP F2LIG4
D	84	ILE	VAL	engineered mutation	UNP F2LIG4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	92	ALA	GLY	engineered mutation	UNP F2LIG4
D	140	LYS	ALA	engineered mutation	UNP F2LIG4
D	203	THR	LEU	engineered mutation	UNP F2LIG4
E	84	ILE	VAL	engineered mutation	UNP F2LIG4
E	92	ALA	GLY	engineered mutation	UNP F2LIG4
E	140	LYS	ALA	engineered mutation	UNP F2LIG4
E	203	THR	LEU	engineered mutation	UNP F2LIG4
F	84	ILE	VAL	engineered mutation	UNP F2LIG4
F	92	ALA	GLY	engineered mutation	UNP F2LIG4
F	140	LYS	ALA	engineered mutation	UNP F2LIG4
F	203	THR	LEU	engineered mutation	UNP F2LIG4
G	84	ILE	VAL	engineered mutation	UNP F2LIG4
G	92	ALA	GLY	engineered mutation	UNP F2LIG4
G	140	LYS	ALA	engineered mutation	UNP F2LIG4
G	203	THR	LEU	engineered mutation	UNP F2LIG4
H	84	ILE	VAL	engineered mutation	UNP F2LIG4
H	92	ALA	GLY	engineered mutation	UNP F2LIG4
H	140	LYS	ALA	engineered mutation	UNP F2LIG4
H	203	THR	LEU	engineered mutation	UNP F2LIG4


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	79	Total O 79 79	0	0
2	B	76	Total O 76 76	0	0
2	C	48	Total O 48 48	0	0
2	D	46	Total O 46 46	0	0
2	E	48	Total O 48 48	0	0
2	F	39	Total O 39 39	0	0
2	G	33	Total O 33 33	0	0
2	H	16	Total O 16 16	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative short-chain dehydrogenases/reductase family protein




- Molecule 1: Putative short-chain dehydrogenases/reductase family protein




- Molecule 1: Putative short-chain dehydrogenases/reductase family protein





- Molecule 1: Putative short-chain dehydrogenases/reductase family protein









- Molecule 1: Putative short-chain dehydrogenases/reductase family protein




- Molecule 1: Putative short-chain dehydrogenases/reductase family protein




- Molecule 1: Putative short-chain dehydrogenases/reductase family protein



- Molecule 1: Putative short-chain dehydrogenases/reductase family protein





4 Data and refinement statistics

Property	Value	Source
Space group	P 4	Depositor
Cell constants a, b, c, α , β , γ	141.31Å 141.31Å 164.76Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.96 – 2.38 49.96 – 2.38	Depositor EDS
% Data completeness (in resolution range)	98.0 (49.96-2.38) 98.0 (49.96-2.38)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.48 (at 2.37Å)	Xtrriage
Refinement program	PHENIX 1.1932-4158	Depositor
R, R_{free}	0.225 , 0.258 0.231 , 0.260	Depositor DCC
R_{free} test set	6312 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtrriage
Anisotropy	0.487	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.048 for h,-k,-l	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	14566	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1823	0.64	0/2465
1	B	0.38	0/1819	0.63	0/2461
1	C	0.43	0/1803	0.63	0/2441
1	D	0.40	0/1816	0.61	0/2456
1	E	0.38	0/1807	0.60	0/2446
1	F	0.43	0/1793	0.63	0/2429
1	G	0.42	0/1771	0.63	0/2402
1	H	0.41	0/1684	0.70	0/2289
All	All	0.41	0/14316	0.63	0/19389

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1806	0	1838	36	0
1	B	1802	0	1827	24	0
1	C	1786	0	1802	33	0
1	D	1799	0	1828	33	0
1	E	1790	0	1808	38	0
1	F	1776	0	1788	37	0
1	G	1754	0	1749	37	0
1	H	1668	0	1658	65	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	79	0	0	3	0
2	B	76	0	0	1	0
2	C	48	0	0	1	0
2	D	46	0	0	1	0
2	E	48	0	0	2	0
2	F	39	0	0	4	0
2	G	33	0	0	1	0
2	H	16	0	0	3	0
All	All	14566	0	14298	265	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (265) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:59:ARG:HG2	1:A:59:ARG:HH11	1.13	1.10
1:E:39:ARG:HD3	1:E:111:ARG:NH2	1.70	1.05
1:A:185:ARG:HG3	1:A:185:ARG:NH1	1.67	1.03
1:A:185:ARG:HG3	1:A:185:ARG:HH11	0.86	1.01
1:A:185:ARG:HH11	1:A:185:ARG:CG	1.77	0.93
1:D:84:ILE:HD13	1:D:230:ALA:HB1	1.51	0.90
1:E:39:ARG:HD3	1:E:111:ARG:HH22	1.41	0.86
1:A:56:ARG:HH22	1:A:75:ILE:CG1	1.90	0.85
1:E:39:ARG:HD3	1:E:111:ARG:CZ	2.09	0.83
1:A:185:ARG:HH12	1:A:216:LEU:HD12	1.42	0.82
1:A:59:ARG:HG2	1:A:59:ARG:NH1	1.83	0.81
1:A:56:ARG:NH2	1:A:75:ILE:CG1	2.44	0.80
1:A:185:ARG:NH1	1:A:216:LEU:HD12	1.95	0.80
1:B:56:ARG:HH22	1:B:74:THR:HG23	1.46	0.79
1:B:71:LEU:O	1:B:74:THR:HG22	1.83	0.78
1:G:213:ILE:HD11	1:H:238:ASN:HD22	1.49	0.78
1:F:172:ARG:HD3	2:F:315:HOH:O	1.83	0.76
1:A:56:ARG:NH2	1:A:75:ILE:HG13	2.01	0.75
1:G:5:LEU:HB2	1:G:30:GLN:HB3	1.69	0.75
1:A:56:ARG:HH22	1:A:75:ILE:HG13	1.52	0.74
1:B:195:ASP:OD1	1:B:195:ASP:N	2.16	0.74
1:G:180:SER:HB2	1:G:243:THR:HG22	1.70	0.73
1:A:7:GLY:O	1:A:81:ARG:NH2	2.21	0.73
1:A:56:ARG:NH2	1:A:75:ILE:HG12	2.03	0.73
1:C:61:ASP:HB3	1:C:64:ARG:HD2	1.70	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:175:ARG:NH1	1:G:234:SER:O	2.22	0.71
1:E:30:GLN:NE2	2:E:301:HOH:O	2.23	0.71
1:A:35:ILE:HG12	1:A:56:ARG:NE	2.07	0.69
1:F:87:THR:O	1:F:136:ASN:HB2	1.92	0.68
1:B:172:ARG:HG2	2:B:336:HOH:O	1.94	0.66
1:E:185:ARG:HG3	1:E:216:LEU:HD23	1.79	0.65
1:D:56:ARG:NH1	1:E:45:ASP:OD2	2.29	0.65
1:H:39:ARG:O	1:H:59:ARG:NH1	2.30	0.64
1:G:5:LEU:HB3	1:G:32:ALA:HB2	1.79	0.64
1:H:167:LEU:O	1:H:170:LYS:HG2	1.98	0.64
1:F:172:ARG:CZ	2:F:302:HOH:O	2.46	0.63
1:A:185:ARG:NH1	1:A:185:ARG:CG	2.46	0.63
1:H:187:ILE:O	1:H:191:GLU:HG3	1.99	0.62
1:G:175:ARG:HH12	1:G:234:SER:C	2.03	0.61
1:H:34:VAL:HB	1:H:55:VAL:HG22	1.83	0.60
1:D:59:ARG:HH21	1:E:59:ARG:HH21	1.48	0.60
1:C:41:GLN:NE2	1:C:45:ASP:OD1	2.30	0.60
1:F:20:GLY:H	1:F:88:ASN:ND2	1.99	0.60
1:G:51:LEU:HD13	1:G:55:VAL:HG11	1.84	0.59
1:B:87:THR:O	1:B:136:ASN:HB2	2.03	0.59
1:D:51:LEU:HB3	1:D:55:VAL:HG21	1.84	0.59
1:G:51:LEU:HB3	1:G:55:VAL:HG21	1.84	0.59
1:H:100:ILE:HD13	1:H:150:ILE:HG12	1.83	0.59
1:H:185:ARG:O	1:H:219:PRO:HD3	2.02	0.59
1:G:236:PHE:CD2	1:H:217:ALA:HB2	2.38	0.59
1:H:117:VAL:HG12	1:H:165:TRP:CZ2	2.38	0.59
1:G:236:PHE:CE2	1:H:217:ALA:HB2	2.37	0.59
1:H:44:LEU:O	1:H:48:VAL:HG23	2.02	0.59
1:D:5:LEU:HB2	1:D:30:GLN:HB3	1.84	0.58
1:B:42:ALA:O	1:B:46:GLN:HG3	2.04	0.58
1:D:56:ARG:NH2	1:D:79:GLU:OE1	2.36	0.58
1:H:222:ILE:O	1:H:225:VAL:HG12	2.02	0.58
1:H:177:ASN:ND2	1:H:237:ILE:HG22	2.19	0.58
1:H:110:GLU:HA	1:H:114:LYS:HB3	1.87	0.57
1:H:151:TYR:O	1:H:155:LYS:HG2	2.05	0.57
1:E:39:ARG:HH11	1:E:111:ARG:NH1	2.01	0.56
1:D:13:THR:HA	1:D:37:THR:HB	1.86	0.56
1:C:110:GLU:HA	1:C:114:LYS:HB3	1.87	0.56
1:G:71:LEU:O	1:G:74:THR:HG22	2.06	0.56
1:E:7:GLY:O	1:E:81:ARG:NH2	2.38	0.56
1:F:96:ALA:O	1:F:99:GLU:HB2	2.06	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:136:ASN:HB2	2:E:310:HOH:O	2.06	0.56
1:C:97:LEU:HD23	1:F:169:LEU:HD21	1.87	0.55
1:E:39:ARG:HG2	1:E:61:ASP:HA	1.88	0.55
1:C:34:VAL:HB	1:C:55:VAL:HG22	1.89	0.55
1:A:102:GLU:HG3	1:D:114:LYS:HE3	1.87	0.55
1:E:196:THR:O	1:E:200:GLN:HG3	2.06	0.55
1:G:87:THR:O	1:G:136:ASN:HB2	2.07	0.55
1:H:5:LEU:HB2	1:H:30:GLN:HB3	1.89	0.55
1:H:177:ASN:ND2	1:H:240:ALA:H	2.05	0.55
1:G:193:GLY:HA2	1:G:203:THR:HG21	1.88	0.54
1:H:37:THR:HA	1:H:58:VAL:O	2.07	0.54
1:E:42:ALA:O	1:E:46:GLN:HG3	2.07	0.54
1:H:177:ASN:HD22	1:H:240:ALA:H	1.55	0.54
1:F:71:LEU:O	1:F:74:THR:HG22	2.08	0.54
1:G:138:SER:HB3	1:G:155:LYS:HG3	1.89	0.54
1:A:60:SER:HB3	2:A:332:HOH:O	2.07	0.54
1:C:87:THR:O	1:C:136:ASN:HB2	2.07	0.54
1:G:124:LEU:HD21	1:G:169:LEU:HD21	1.90	0.54
1:G:240:ALA:HA	1:H:250:GLN:HE21	1.72	0.54
1:F:124:LEU:HD13	1:F:172:ARG:NH1	2.23	0.53
1:C:196:THR:HG22	1:C:199:GLY:H	1.73	0.53
1:H:184:THR:HG22	1:H:217:ALA:HB3	1.90	0.53
1:E:5:LEU:HB2	1:E:30:GLN:HB3	1.89	0.53
1:H:184:THR:HG23	2:H:307:HOH:O	2.08	0.52
1:F:96:ALA:HA	1:F:147:ALA:HA	1.91	0.52
1:H:225:VAL:HG21	1:H:242:ILE:HG21	1.91	0.52
1:F:62:VAL:HB	1:F:115:ALA:HB1	1.91	0.52
1:B:224:LYS:HB3	1:E:233:ASP:HB3	1.91	0.52
1:E:71:LEU:O	1:E:74:THR:HG22	2.10	0.52
1:E:120:VAL:HG21	1:E:165:TRP:HZ3	1.74	0.52
1:E:170:LYS:NZ	1:H:146:GLN:HE22	2.08	0.52
1:H:172:ARG:NE	2:H:304:HOH:O	2.37	0.52
1:B:58:VAL:HG21	1:B:74:THR:HG21	1.91	0.52
1:F:76:ARG:HA	1:F:80:GLY:HA2	1.91	0.52
1:G:68:LEU:HB3	1:G:122:LYS:HD3	1.91	0.52
1:C:94:MET:HB3	1:C:148:PHE:CZ	2.45	0.52
1:D:3:LYS:HD3	1:D:30:GLN:HA	1.91	0.52
1:H:128:PRO:HD2	1:H:131:ALA:HB2	1.91	0.52
1:D:236:PHE:CE2	1:F:217:ALA:HB2	2.45	0.52
1:F:58:VAL:HG21	1:F:74:THR:HG21	1.91	0.51
1:D:217:ALA:HB2	1:F:236:PHE:CD2	2.45	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:38:GLY:N	1:H:44:LEU:HD13	2.26	0.51
1:A:35:ILE:HG12	1:A:56:ARG:CZ	2.40	0.51
1:E:195:ASP:OD1	1:E:195:ASP:N	2.43	0.51
1:H:117:VAL:HG12	1:H:165:TRP:HZ2	1.75	0.51
1:D:186:THR:HG22	1:D:188:GLY:H	1.76	0.51
1:E:39:ARG:HD3	1:E:111:ARG:NH1	2.25	0.51
1:F:35:ILE:HD13	1:F:75:ILE:HG12	1.93	0.51
1:F:172:ARG:NH2	2:F:302:HOH:O	2.44	0.51
1:H:136:ASN:ND2	2:H:302:HOH:O	2.35	0.50
1:C:114:LYS:HB2	1:F:105:PHE:CE2	2.46	0.50
1:A:136:ASN:ND2	2:A:302:HOH:O	2.29	0.50
1:B:236:PHE:CE2	1:E:217:ALA:HB2	2.47	0.50
1:H:25:LYS:HA	1:H:53:GLN:NE2	2.27	0.50
1:D:217:ALA:HB2	1:F:236:PHE:CE2	2.46	0.50
1:F:13:THR:OG1	1:F:87:THR:HA	2.12	0.49
1:C:196:THR:HG22	1:C:198:GLU:N	2.27	0.49
1:B:213:ILE:HG23	1:B:246:GLY:O	2.12	0.49
1:D:236:PHE:CD2	1:F:217:ALA:HB2	2.48	0.49
1:H:94:MET:HE2	1:H:148:PHE:CE1	2.48	0.49
1:H:96:ALA:HA	1:H:147:ALA:HA	1.94	0.49
1:C:26:ASP:O	1:C:30:GLN:HG2	2.14	0.48
1:D:62:VAL:HB	1:D:115:ALA:HB1	1.94	0.48
1:F:34:VAL:HB	1:F:55:VAL:HG22	1.95	0.48
1:G:190:ALA:O	1:G:200:GLN:OE1	2.31	0.48
1:H:120:VAL:HG13	1:H:133:ILE:HD13	1.95	0.48
1:C:111:ARG:NH1	2:C:303:HOH:O	2.46	0.48
1:G:240:ALA:HA	1:H:250:GLN:NE2	2.27	0.48
1:G:76:ARG:HA	1:G:80:GLY:HA2	1.94	0.48
1:C:51:LEU:HB3	1:C:55:VAL:HG21	1.94	0.48
1:C:97:LEU:HG	1:F:124:LEU:HD11	1.95	0.48
1:A:146:GLN:NE2	2:A:304:HOH:O	2.45	0.47
1:D:71:LEU:O	1:D:74:THR:HG22	2.14	0.47
1:E:98:GLY:N	1:H:121:GLN:OE1	2.41	0.47
1:F:94:MET:HB2	1:F:148:PHE:CE1	2.49	0.47
1:B:165:TRP:CD1	1:G:97:LEU:HD22	2.50	0.47
1:D:87:THR:O	1:D:136:ASN:HB2	2.14	0.47
1:C:71:LEU:O	1:C:74:THR:HG22	2.14	0.47
1:C:88:ASN:ND2	1:C:136:ASN:OD1	2.48	0.47
1:E:137:GLY:O	1:E:181:PRO:HD2	2.13	0.47
1:F:124:LEU:HB3	1:F:172:ARG:NH1	2.29	0.47
1:A:56:ARG:HH22	1:A:75:ILE:HG12	1.62	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:236:PHE:CD2	1:E:217:ALA:HB2	2.50	0.47
1:E:193:GLY:HA2	1:E:203:THR:HG21	1.96	0.47
1:G:44:LEU:O	1:G:48:VAL:HG12	2.14	0.47
1:C:114:LYS:NZ	1:F:106:ASP:OD1	2.45	0.47
1:C:118:PHE:O	1:C:122:LYS:HD3	2.15	0.47
1:E:39:ARG:CD	1:E:111:ARG:HH22	2.22	0.47
1:B:137:GLY:O	1:B:181:PRO:HD2	2.15	0.47
1:H:116:VAL:O	1:H:120:VAL:HG23	2.15	0.47
1:B:90:GLY:HA2	1:B:111:ARG:HG2	1.96	0.46
1:G:175:ARG:NH1	1:G:234:SER:C	2.65	0.46
1:H:25:LYS:HA	1:H:53:GLN:HE22	1.80	0.46
1:B:155:LYS:HD2	1:B:155:LYS:HA	1.63	0.46
1:E:8:LYS:HD3	1:E:84:ILE:HD11	1.97	0.46
1:F:190:ALA:HB1	1:F:200:GLN:OE1	2.15	0.46
1:C:56:ARG:HH22	1:C:74:THR:HG23	1.81	0.46
1:C:59:ARG:O	1:C:59:ARG:HG2	2.14	0.46
1:E:35:ILE:HD13	1:E:75:ILE:HG12	1.96	0.46
1:G:155:LYS:HA	1:G:155:LYS:HD2	1.74	0.46
1:H:139:ILE:HG21	1:H:245:ASP:HB3	1.96	0.46
1:B:59:ARG:HG2	1:B:59:ARG:NH2	2.30	0.46
1:F:195:ASP:OD2	1:F:195:ASP:N	2.44	0.46
1:A:217:ALA:HB2	1:C:236:PHE:CD2	2.51	0.46
1:D:166:VAL:HG22	1:D:238:ASN:OD1	2.16	0.46
1:A:59:ARG:HH11	1:A:59:ARG:CG	1.99	0.46
1:H:68:LEU:HB3	1:H:122:LYS:HD2	1.98	0.46
1:A:236:PHE:CE2	1:C:217:ALA:HB2	2.50	0.45
1:D:5:LEU:HD12	1:D:5:LEU:HA	1.77	0.45
1:D:155:LYS:NZ	2:D:303:HOH:O	2.43	0.45
1:A:35:ILE:HD13	1:A:75:ILE:HG12	1.98	0.45
1:D:235:SER:OG	1:F:221:GLU:OE2	2.26	0.45
1:E:61:ASP:OD1	1:E:111:ARG:NH1	2.38	0.45
1:H:52:GLY:O	1:H:53:GLN:HG2	2.16	0.45
1:F:75:ILE:O	1:F:80:GLY:N	2.47	0.45
1:H:41:GLN:OE1	1:H:59:ARG:HD3	2.15	0.45
1:D:138:SER:HB3	1:D:155:LYS:HG3	1.98	0.45
1:A:35:ILE:HG12	1:A:56:ARG:HE	1.77	0.45
1:E:5:LEU:O	1:E:8:LYS:HB2	2.17	0.45
1:G:136:ASN:HB3	2:G:319:HOH:O	2.16	0.45
1:G:217:ALA:HB2	1:H:236:PHE:CD1	2.52	0.45
1:H:108:THR:O	1:H:112:ASN:HB2	2.17	0.45
1:H:213:ILE:HD12	1:H:215:ARG:HE	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:ARG:HG3	1:C:39:ARG:HH11	1.81	0.45
1:C:196:THR:O	1:C:200:GLN:HG3	2.16	0.45
1:G:245:ASP:OD1	1:G:245:ASP:N	2.49	0.45
1:G:217:ALA:HB2	1:H:236:PHE:CE1	2.51	0.44
1:H:131:ALA:HB3	1:H:174:ILE:HG12	1.99	0.44
1:A:236:PHE:CD2	1:C:217:ALA:HB2	2.53	0.44
1:C:35:ILE:HG12	1:C:56:ARG:HE	1.83	0.44
1:D:155:LYS:HA	1:D:155:LYS:HD2	1.68	0.44
1:E:122:LYS:O	1:E:125:PRO:HD2	2.18	0.44
1:G:123:ALA:O	1:G:127:MET:HG3	2.18	0.44
1:C:159:ARG:HA	1:C:178:VAL:HG21	2.00	0.44
1:A:129:GLN:HG2	1:A:172:ARG:O	2.18	0.43
1:H:124:LEU:HD11	1:H:169:LEU:HD21	1.99	0.43
1:H:159:ARG:HA	1:H:178:VAL:HG21	2.00	0.43
1:A:124:LEU:HD11	1:D:97:LEU:HG	1.99	0.43
1:B:51:LEU:HD12	1:B:51:LEU:HA	1.81	0.43
1:E:34:VAL:HB	1:E:55:VAL:HG22	1.98	0.43
1:E:85:LEU:HD12	1:E:133:ILE:HG23	2.00	0.43
1:H:62:VAL:HB	1:H:115:ALA:HB1	2.01	0.43
1:A:217:ALA:HB2	1:C:236:PHE:CE2	2.54	0.43
1:B:35:ILE:HD13	1:B:75:ILE:HG12	2.00	0.43
1:D:186:THR:HG22	1:D:188:GLY:N	2.33	0.43
1:A:137:GLY:O	1:A:181:PRO:HD2	2.18	0.43
1:B:196:THR:O	1:B:200:GLN:HG3	2.19	0.43
1:D:56:ARG:HH21	1:D:79:GLU:CD	2.20	0.43
1:A:138:SER:HB3	1:A:155:LYS:HG3	2.01	0.43
1:B:106:ASP:O	1:B:110:GLU:HB2	2.18	0.43
1:F:32:ALA:O	1:F:34:VAL:HG23	2.19	0.43
1:G:200:GLN:O	1:G:204:LEU:HD12	2.19	0.43
1:D:3:LYS:HE2	1:D:4:ARG:H	1.84	0.42
1:G:19:ILE:O	1:G:23:THR:OG1	2.29	0.42
1:C:251:VAL:C	1:D:144:GLY:H	2.22	0.42
1:D:42:ALA:O	1:D:46:GLN:HG3	2.20	0.42
1:D:224:LYS:HB3	1:F:233:ASP:HB3	2.00	0.42
1:H:181:PRO:HB3	1:H:222:ILE:HD12	2.02	0.42
1:A:96:ALA:HA	1:A:147:ALA:HA	2.01	0.42
1:B:128:PRO:HD2	1:B:131:ALA:HB2	2.01	0.42
1:F:134:ILE:N	1:F:134:ILE:HD12	2.35	0.42
1:G:6:GLU:H	1:G:6:GLU:HG3	1.48	0.42
1:F:15:GLY:HA3	1:F:36:ILE:HB	2.02	0.42
1:F:111:ARG:NH1	2:F:306:HOH:O	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:139:ILE:HG21	1:G:245:ASP:HB3	2.00	0.42
1:G:244:ALA:HB1	1:H:236:PHE:HB3	2.02	0.42
1:A:87:THR:O	1:A:136:ASN:HB2	2.20	0.42
1:E:105:PHE:C	1:E:105:PHE:CD2	2.94	0.42
1:F:84:ILE:HG12	1:F:230:ALA:HB1	2.02	0.42
1:G:242:ILE:HD13	1:H:242:ILE:HD13	2.01	0.42
1:B:217:ALA:HB2	1:E:236:PHE:CE2	2.54	0.41
1:H:67:ASP:OD2	1:H:67:ASP:N	2.54	0.41
1:H:87:THR:O	1:H:136:ASN:HB2	2.20	0.41
1:A:196:THR:O	1:A:200:GLN:HG3	2.20	0.41
1:C:5:LEU:HD21	1:C:231:SER:HA	2.02	0.41
1:H:5:LEU:HD23	1:H:27:LEU:HD23	2.01	0.41
1:H:162:ALA:O	1:H:166:VAL:HG23	2.19	0.41
1:B:59:ARG:HG2	1:B:59:ARG:HH21	1.84	0.41
1:G:159:ARG:HA	1:G:178:VAL:HG21	2.03	0.41
1:H:51:LEU:HG	1:H:53:GLN:NE2	2.35	0.41
1:H:182:GLY:O	1:H:184:THR:HG23	2.20	0.41
1:H:71:LEU:O	1:H:75:ILE:HG13	2.21	0.41
1:H:124:LEU:HD23	1:H:124:LEU:HA	1.92	0.41
1:H:84:ILE:HG12	1:H:230:ALA:HB1	2.03	0.41
1:E:131:ALA:HB3	1:E:174:ILE:HD12	2.02	0.41
1:G:213:ILE:HD11	1:H:238:ASN:ND2	2.26	0.41
1:H:51:LEU:HD12	1:H:51:LEU:HA	1.87	0.41
1:D:3:LYS:HB2	1:D:4:ARG:H	1.69	0.41
1:D:169:LEU:HD12	1:D:176:VAL:HG22	2.03	0.41
1:E:120:VAL:HG21	1:E:165:TRP:CZ3	2.55	0.41
1:H:179:VAL:HG23	1:H:229:LEU:HD12	2.03	0.41
1:C:171:GLU:OE1	1:C:171:GLU:HA	2.20	0.40
1:B:187:ILE:HD13	1:B:187:ILE:HA	1.70	0.40
1:C:137:GLY:O	1:C:181:PRO:HD2	2.21	0.40
1:A:155:LYS:HA	1:A:155:LYS:HD2	1.84	0.40
1:D:236:PHE:CE1	1:F:213:ILE:HD11	2.55	0.40
1:C:114:LYS:HD3	1:F:105:PHE:CD2	2.56	0.40
1:E:140:LYS:HA	1:E:140:LYS:HD3	1.94	0.40
1:H:184:THR:CG2	1:H:217:ALA:HB3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/251 (99%)	244 (98%)	4 (2%)	0	100	100
1	B	248/251 (99%)	246 (99%)	2 (1%)	0	100	100
1	C	247/251 (98%)	245 (99%)	2 (1%)	0	100	100
1	D	247/251 (98%)	245 (99%)	2 (1%)	0	100	100
1	E	247/251 (98%)	243 (98%)	4 (2%)	0	100	100
1	F	247/251 (98%)	244 (99%)	3 (1%)	0	100	100
1	G	246/251 (98%)	244 (99%)	2 (1%)	0	100	100
1	H	235/251 (94%)	232 (99%)	3 (1%)	0	100	100
All	All	1965/2008 (98%)	1943 (99%)	22 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/186 (98%)	168 (92%)	15 (8%)	11	15
1	B	182/186 (98%)	170 (93%)	12 (7%)	16	24
1	C	180/186 (97%)	165 (92%)	15 (8%)	11	15
1	D	182/186 (98%)	170 (93%)	12 (7%)	16	24
1	E	181/186 (97%)	171 (94%)	10 (6%)	21	32
1	F	177/186 (95%)	164 (93%)	13 (7%)	14	20

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	174/186 (94%)	154 (88%)	20 (12%)	5	6
1	H	164/186 (88%)	147 (90%)	17 (10%)	7	9
All	All	1423/1488 (96%)	1309 (92%)	114 (8%)	12	17

All (114) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	SER
1	A	51	LEU
1	A	56	ARG
1	A	59	ARG
1	A	60	SER
1	A	94	MET
1	A	103	GLN
1	A	110	GLU
1	A	159	ARG
1	A	176	VAL
1	A	185	ARG
1	A	187	ILE
1	A	189	LEU
1	A	196	THR
1	A	201	ASP
1	B	4	ARG
1	B	51	LEU
1	B	60	SER
1	B	94	MET
1	B	159	ARG
1	B	170	LYS
1	B	171	GLU
1	B	172	ARG
1	B	176	VAL
1	B	187	ILE
1	B	195	ASP
1	B	196	THR
1	C	3	LYS
1	C	59	ARG
1	C	60	SER
1	C	65	SER
1	C	73	GLU
1	C	100	ILE
1	C	110	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	114	LYS
1	C	136	ASN
1	C	142	SER
1	C	159	ARG
1	C	176	VAL
1	C	183	SER
1	C	195	ASP
1	C	197	GLN
1	D	3	LYS
1	D	5	LEU
1	D	46	GLN
1	D	73	GLU
1	D	94	MET
1	D	103	GLN
1	D	148	PHE
1	D	159	ARG
1	D	176	VAL
1	D	183	SER
1	D	185	ARG
1	D	210	LEU
1	E	3	LYS
1	E	53	GLN
1	E	56	ARG
1	E	93	SER
1	E	101	SER
1	E	111	ARG
1	E	124	LEU
1	E	176	VAL
1	E	196	THR
1	E	197	GLN
1	F	4	ARG
1	F	30	GLN
1	F	60	SER
1	F	74	THR
1	F	93	SER
1	F	136	ASN
1	F	146	GLN
1	F	159	ARG
1	F	176	VAL
1	F	186	THR
1	F	196	THR
1	F	197	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	198	GLU
1	G	4	ARG
1	G	6	GLU
1	G	51	LEU
1	G	53	GLN
1	G	74	THR
1	G	111	ARG
1	G	122	LYS
1	G	124	LEU
1	G	159	ARG
1	G	170	LYS
1	G	171	GLU
1	G	176	VAL
1	G	183	SER
1	G	186	THR
1	G	195	ASP
1	G	197	GLN
1	G	200	GLN
1	G	204	LEU
1	G	231	SER
1	G	236	PHE
1	H	6	GLU
1	H	55	VAL
1	H	59	ARG
1	H	71	LEU
1	H	73	GLU
1	H	83	ASP
1	H	87	THR
1	H	102	GLU
1	H	107	ASP
1	H	126	LEU
1	H	159	ARG
1	H	163	ARG
1	H	176	VAL
1	H	204	LEU
1	H	220	SER
1	H	235	SER
1	H	236	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	GLN
1	C	104	HIS
1	F	30	GLN
1	F	88	ASN
1	H	53	GLN
1	H	88	ASN
1	H	146	GLN
1	H	177	ASN
1	H	250	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/251 (99%)	0.67	19 (7%) 13 15	27, 37, 72, 121	0
1	B	250/251 (99%)	0.54	14 (5%) 24 27	31, 41, 74, 114	0
1	C	249/251 (99%)	0.74	28 (11%) 5 6	31, 48, 79, 112	0
1	D	249/251 (99%)	0.69	20 (8%) 12 13	31, 50, 81, 110	0
1	E	249/251 (99%)	0.68	20 (8%) 12 13	36, 54, 81, 118	0
1	F	249/251 (99%)	0.76	23 (9%) 9 10	33, 50, 83, 125	0
1	G	248/251 (98%)	0.99	33 (13%) 3 3	34, 59, 93, 131	0
1	H	239/251 (95%)	1.48	63 (26%) 0 0	42, 70, 110, 154	0
All	All	1983/2008 (98%)	0.81	220 (11%) 5 6	27, 50, 90, 154	0

All (220) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	SER	9.1
1	G	195	ASP	8.8
1	B	194	GLY	8.1
1	D	196	THR	7.9
1	G	197	GLN	7.9
1	C	196	THR	7.6
1	G	196	THR	7.3
1	H	202	GLY	7.3
1	F	195	ASP	6.9
1	G	194	GLY	6.9
1	C	195	ASP	6.8
1	A	196	THR	6.7
1	H	49	ALA	6.6
1	H	55	VAL	6.3
1	E	195	ASP	6.0
1	D	195	ASP	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	53	GLN	5.9
1	E	196	THR	5.8
1	H	32	ALA	5.8
1	C	199	GLY	5.7
1	F	199	GLY	5.6
1	F	198	GLU	5.6
1	D	198	GLU	5.5
1	A	195	ASP	5.4
1	C	197	GLN	5.4
1	H	51	LEU	5.2
1	A	194	GLY	5.2
1	F	194	GLY	5.2
1	G	193	GLY	5.1
1	H	16	THR	5.1
1	B	195	ASP	4.9
1	D	53	GLN	4.9
1	G	200	GLN	4.9
1	H	186	THR	4.9
1	D	194	GLY	4.8
1	C	198	GLU	4.7
1	D	199	GLY	4.7
1	H	191	GLU	4.7
1	A	197	GLN	4.6
1	H	14	GLY	4.6
1	G	6	GLU	4.5
1	H	44	LEU	4.5
1	B	197	GLN	4.4
1	A	2	SER	4.4
1	F	53	GLN	4.4
1	F	200	GLN	4.3
1	A	199	GLY	4.3
1	C	193	GLY	4.3
1	G	48	VAL	4.3
1	H	7	GLY	4.3
1	E	53	GLN	4.3
1	F	192	LEU	4.3
1	D	193	GLY	4.3
1	H	192	LEU	4.2
1	H	27	LEU	4.2
1	H	53	GLN	4.2
1	F	196	THR	4.2
1	D	203	THR	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	H	30	GLN	4.1
1	H	26	ASP	4.0
1	B	199	GLY	4.0
1	E	198	GLU	4.0
1	G	29	ALA	4.0
1	D	201	ASP	4.0
1	D	202	GLY	4.0
1	G	5	LEU	3.9
1	H	31	GLY	3.9
1	H	80	GLY	3.9
1	A	193	GLY	3.9
1	C	204	LEU	3.9
1	C	191	GLU	3.9
1	H	6	GLU	3.9
1	A	202	GLY	3.8
1	F	202	GLY	3.8
1	H	50	ALA	3.8
1	C	51	LEU	3.7
1	H	187	ILE	3.7
1	G	54	GLY	3.7
1	H	42	ALA	3.6
1	G	4	ARG	3.6
1	E	201	ASP	3.6
1	H	190	ALA	3.5
1	E	199	GLY	3.5
1	G	203	THR	3.5
1	B	196	THR	3.5
1	E	192	LEU	3.4
1	H	65	SER	3.4
1	C	203	THR	3.4
1	D	197	GLN	3.4
1	H	41	GLN	3.4
1	E	197	GLN	3.3
1	H	189	LEU	3.3
1	H	48	VAL	3.3
1	H	218	ASP	3.3
1	E	194	GLY	3.3
1	G	199	GLY	3.3
1	E	202	GLY	3.3
1	F	190	ALA	3.3
1	G	191	GLU	3.3
1	F	197	GLN	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	202	GLY	3.2
1	D	3	LYS	3.2
1	G	198	GLU	3.2
1	E	39	ARG	3.2
1	A	185	ARG	3.2
1	D	51	LEU	3.2
1	G	204	LEU	3.2
1	A	200	GLN	3.2
1	C	3	LYS	3.1
1	F	59	ARG	3.1
1	H	204	LEU	3.1
1	H	28	ALA	3.1
1	C	194	GLY	3.1
1	E	193	GLY	3.1
1	H	5	LEU	3.1
1	E	6	GLU	3.1
1	H	205	ALA	3.0
1	D	200	GLN	3.0
1	E	40	ARG	3.0
1	E	204	LEU	3.0
1	F	30	GLN	3.0
1	B	185	ARG	3.0
1	F	52	GLY	3.0
1	H	57	GLY	3.0
1	D	204	LEU	2.9
1	C	201	ASP	2.9
1	A	192	LEU	2.9
1	G	51	LEU	2.9
1	B	200	GLN	2.9
1	C	187	ILE	2.9
1	C	49	ALA	2.9
1	B	202	GLY	2.9
1	E	62	VAL	2.8
1	C	192	LEU	2.8
1	C	200	GLN	2.8
1	H	86	PHE	2.8
1	H	21	LEU	2.8
1	F	193	GLY	2.7
1	H	36	ILE	2.7
1	H	40	ARG	2.7
1	G	192	LEU	2.7
1	C	81	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	4	ARG	2.7
1	G	201	ASP	2.7
1	C	202	GLY	2.7
1	H	110	GLU	2.7
1	B	191	GLU	2.6
1	F	142	SER	2.6
1	H	231	SER	2.6
1	H	60	SER	2.6
1	A	251	VAL	2.6
1	B	190	ALA	2.6
1	C	76	ARG	2.6
1	H	9	VAL	2.6
1	H	206	TYR	2.6
1	B	201	ASP	2.6
1	E	187	ILE	2.6
1	A	204	LEU	2.5
1	F	64	ARG	2.5
1	H	45	ASP	2.5
1	G	7	GLY	2.5
1	B	192	LEU	2.5
1	G	52	GLY	2.5
1	A	190	ALA	2.4
1	G	190	ALA	2.4
1	H	88	ASN	2.4
1	G	49	ALA	2.4
1	G	55	VAL	2.4
1	H	23	THR	2.4
1	C	190	ALA	2.4
1	D	148	PHE	2.4
1	F	3	LYS	2.4
1	C	158	VAL	2.4
1	G	47	ALA	2.3
1	F	31	GLY	2.3
1	A	191	GLU	2.3
1	G	187	ILE	2.3
1	G	32	ALA	2.3
1	F	203	THR	2.3
1	F	201	ASP	2.3
1	H	20	GLY	2.3
1	D	190	ALA	2.3
1	H	17	SER	2.3
1	H	79	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	190	ALA	2.3
1	H	89	ALA	2.3
1	H	82	LEU	2.3
1	H	54	GLY	2.2
1	D	62	VAL	2.2
1	G	10	ALA	2.2
1	G	77	ALA	2.2
1	H	184	THR	2.2
1	E	5	LEU	2.2
1	C	156	ALA	2.2
1	D	187	ILE	2.2
1	G	31	GLY	2.2
1	D	5	LEU	2.2
1	H	94	MET	2.2
1	H	78	THR	2.2
1	E	3	LYS	2.2
1	H	230	ALA	2.2
1	C	94	MET	2.1
1	C	6	GLU	2.1
1	A	56	ARG	2.1
1	C	157	ALA	2.1
1	H	58	VAL	2.1
1	H	35	ILE	2.1
1	A	201	ASP	2.1
1	A	157	ALA	2.1
1	H	208	ALA	2.1
1	F	141	GLY	2.1
1	H	37	THR	2.1
1	H	93	SER	2.1
1	B	4	ARG	2.0
1	H	11	LEU	2.0
1	H	22	ALA	2.0
1	H	185	ARG	2.0
1	C	50	ALA	2.0
1	A	198	GLU	2.0
1	C	45	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.